





Test Mode : 802.11b

Test Channel : 12


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11b


Test Channel : 13

100kHz PSD reference Level




Date: 6 SEP 2024 11:41:28

Middle Channel Plot




Date: 6 SEP 2024 11:42:22

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 11:41:49

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 11:42:05



Test Mode : 802.11g


Test Channel : 01

100kHz PSD reference Level




Date: 6 SEP 2024 14:14:31

Low Channel Plot




Date: 6 SEP 2024 14:15:36

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 14:14:59

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 14:15:15



Test Mode : 802.11g


Test Channel : 07

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11g


Test Channel : 11

100kHz PSD reference Level




Date: 6 SEP 2024 14:24:32

High Channel Plot




Date: 6 SEP 2024 14:28:22

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 14:25:40

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 14:26:20



Test Mode : 802.11g


Test Channel : 12

100kHz PSD reference Level




Date: 6 SEP 2024 14:32:17

Low Channel Plot




Date: 6 SEP 2024 14:33:25

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 14:32:37

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 14:32:56




Test Mode : 802.11g

Test Channel : 13


100kHz PSD reference Level




Middle Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE20_FullIRU


Test Channel : 01

100kHz PSD reference Level




Date: 13 AUG 2024 01:30:31

Low Channel Plot




Date: 6 SEP 2024 16:14:27

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 16:12:23

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 16:12:56



Test Mode : 802.11ax HE20_FullIRU


Test Channel : 07

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE20_FullIRU


Test Channel : 11

100kHz PSD reference Level




Date: 6 SEP 2024 16:53:43

High Channel Plot




Date: 6 SEP 2024 16:56:37

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 16:55:09

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 16:55:29



Test Mode : 802.11ax HE20_FullIRU


Test Channel : 12

100kHz PSD reference Level




Date: 6 SEP 2024 17:25:21

Low Channel Plot




Date: 6 SEP 2024 17:26:08

Spurious Emission 30MHz~1GHz



Date: 6 SEP 2024 17:25:38

Spurious Emission 1GHz~26.5GHz




Date: 6 SEP 2024 17:25:54



Test Mode : 802.11ax HE20_FullIRU


Test Channel : 13

100kHz PSD reference Level




Date: 13.AUG 2024 01:48:27

Middle Channel Plot




Date: 9.SEP 2024 09:57:50

Spurious Emission 30MHz~1GHz



Date: 9.SEP 2024 09:56:08

Spurious Emission 1GHz~26.5GHz




Date: 9.SEP 2024 09:56:25



Test Mode : 802.11ax HE40_FullIRU


Test Channel : 03

100kHz PSD reference Level




Date: 15 AUG 2024 03:54:52

Low Channel Plot




Date: 9 SEP 2024 11:13:24

Spurious Emission 30MHz~1GHz



Date: 9 SEP 2024 11:11:22

Spurious Emission 1GHz~26.5GHz




Date: 9 SEP 2024 11:11:46



Test Mode : 802.11ax HE40_FullIRU


Test Channel : 07

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE40_FullRU


Test Channel : 09

100kHz PSD reference Level




Date: 9 SEP 2024 11:44:08

High Channel Plot




Date: 9 SEP 2024 11:45:12

Spurious Emission 30MHz~1GHz



Date: 9 SEP 2024 11:44:27

Spurious Emission 1GHz~26.5GHz




Date: 9 SEP 2024 11:44:51



Test Mode : 802.11ax HE40_FullIRU


Test Channel : 10

100kHz PSD reference Level




Date: 9 SEP 2024 12:01:07

Low Channel Plot




Date: 9 SEP 2024 12:01:56

Spurious Emission 30MHz~1GHz



Date: 9 SEP 2024 12:01:26

Spurious Emission 1GHz~26.5GHz




Date: 9 SEP 2024 12:01:44




Test Mode : 802.11ax HE40_FullIRU

Test Channel : 11


100kHz PSD reference Level




Middle Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Louis Chung	Temperature :	22.5~25.6°C
		Relative Humidity :	53.2~58.3%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

480505
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152633	---	26.93	55.86	28.93	L1	OFF	19.9
0.152633	49.22	---	65.86	16.64	L1	OFF	19.9
0.170250	---	22.51	54.95	32.44	L1	OFF	19.9
0.170250	47.08	---	64.95	17.87	L1	OFF	19.9
0.207420	---	32.95	53.31	20.36	L1	OFF	19.9
0.207420	46.58	---	63.31	16.73	L1	OFF	19.9
0.280500	---	26.34	50.80	24.46	L1	OFF	19.9
0.280500	40.62	---	60.80	20.18	L1	OFF	19.9
0.351060	---	20.80	48.94	28.14	L1	OFF	19.9
0.351060	34.56	---	58.94	24.38	L1	OFF	19.9
3.840000	---	21.90	46.00	24.10	L1	OFF	20.0
3.840000	28.38	---	56.00	27.62	L1	OFF	20.0
11.392260	---	30.65	50.00	19.35	L1	OFF	20.1
11.392260	36.11	---	60.00	23.89	L1	OFF	20.1
12.212250	---	32.36	50.00	17.64	L1	OFF	20.1
12.212250	37.45	---	60.00	22.55	L1	OFF	20.1
13.236000	---	30.70	50.00	19.30	L1	OFF	20.1
13.236000	36.07	---	60.00	23.93	L1	OFF	20.1

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

480505
Mode 1
120Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.151620	---	27.34	55.91	28.57	N	OFF	19.9
0.151620	50.23	---	65.91	15.68	N	OFF	19.9
0.174570	---	22.53	54.74	32.21	N	OFF	19.9
0.174570	47.21	---	64.74	17.53	N	OFF	19.9
0.210390	---	34.89	53.19	18.30	N	OFF	19.9
0.210390	47.76	---	63.19	15.43	N	OFF	19.9
0.277440	---	30.85	50.89	20.04	N	OFF	19.9
0.277440	42.47	---	60.89	18.42	N	OFF	19.9
0.350250	---	26.63	48.96	22.33	N	OFF	19.9
0.350250	38.37	---	58.96	20.59	N	OFF	19.9
0.424500	---	22.85	47.36	24.51	N	OFF	19.9
0.424500	36.05	---	57.36	21.31	N	OFF	19.9
0.492000	---	22.63	46.13	23.50	N	OFF	19.9
0.492000	33.78	---	56.13	22.35	N	OFF	19.9
0.564000	---	21.93	46.00	24.07	N	OFF	19.9
0.564000	32.50	---	56.00	23.50	N	OFF	19.9
0.636630	---	21.88	46.00	24.12	N	OFF	19.9
0.636630	32.35	---	56.00	23.65	N	OFF	19.9
3.854490	---	22.91	46.00	23.09	N	OFF	20.0

3.854490	30.79	---	56.00	25.21	N	OFF	20.0
11.426190	---	28.14	50.00	21.86	N	OFF	20.1
11.426190	33.69	---	60.00	26.31	N	OFF	20.1
12.232500	---	30.74	50.00	19.26	N	OFF	20.1
12.232500	36.29	---	60.00	23.71	N	OFF	20.1
13.054020	---	29.32	50.00	20.68	N	OFF	20.1
13.054020	34.02	---	60.00	25.98	N	OFF	20.1



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li and Lucifer Jiang	Temperature :	21.7~22.5°C
		Relative Humidity :	51~57%

Remark: For Radiation Spurious Emission Test Data, Ant. 1 means Chain B (Aux.) and Ant. 2 means Chain A (Main).

C1. Radiated Spurious Emission Test Modes

<Ant. 1>

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 21	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 26	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 30	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	-	-
Mode 31	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	-	-
Mode 36	2400-2483.5	1	802.11ax HE40	11	2462	MCS0	-	-
Mode 63	2400-2483.5	1	802.11ax HE40	11	2462	MCS0	-	LF
Mode 64	2400-2483.5	1	802.11ax HE40	11	2462	MCS0	-	SHF

**<Ant. 2>**

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 17	2400-2483.5	2	802.11b	1	2412	1Mbps	-	-
Mode 18	2400-2483.5	2	802.11b	7	2442	1Mbps	-	-
Mode 19	2400-2483.5	2	802.11b	11	2462	1Mbps	-	-
Mode 20	2400-2483.5	2	802.11b	12	2467	1Mbps	-	-
Mode 22	2400-2483.5	2	802.11g	1	2412	6Mbps	-	-
Mode 23	2400-2483.5	2	802.11g	07	2442	6Mbps	-	-
Mode 24	2400-2483.5	2	802.11g	11	2462	6Mbps	-	-
Mode 25	2400-2483.5	2	802.11g	12	2467	6Mbps	-	-
Mode 27	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	-	-
Mode 28	2400-2483.5	2	802.11ax HE20	07	2442	MCS0	-	-
Mode 29	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	-	-
Mode 32	2400-2483.5	2	802.11ax HE40	3	2422	MCS0	-	-
Mode 33	2400-2483.5	2	802.11ax HE40	7	2442	MCS0	-	-
Mode 34	2400-2483.5	2	802.11ax HE40	9	2452	MCS0	-	-
Mode 35	2400-2483.5	2	802.11ax HE40	10	2457	MCS0	-	-
Mode 47	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	26 0	-
Mode 48	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	52 37	-
Mode 49	2400-2483.5	2	802.11ax HE20	1	2412	MCS0	106 53	-
Mode 50	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	26 8	-
Mode 51	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	52 40	-
Mode 52	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	106 54	-
Mode 53	2400-2483.5	2	802.11ax HE40	3	2422	MCS0	242 61	-
Mode 54	2400-2483.5	2	802.11ax HE40	11	2462	MCS0	242 62	-

**<Ant. 1+2>**

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 37	2400-2483.5	1+2	802.11ax HE20	01	2412	MCS0	-	-
Mode 38	2400-2483.5	1+2	802.11ax HE20	07	2442	MCS0	-	-
Mode 39	2400-2483.5	1+2	802.11ax HE20	11	2462	MCS0	-	-
Mode 40	2400-2483.5	1+2	802.11ax HE20	12	2467	MCS0	-	-
Mode 41	2400-2483.5	1+2	802.11ax HE20	13	2472	MCS0	-	-
Mode 42	2400-2483.5	1+2	802.11ax HE40	3	2422	MCS0	-	-
Mode 43	2400-2483.5	1+2	802.11ax HE40	7	2442	MCS0	-	-
Mode 44	2400-2483.5	1+2	802.11ax HE40	9	2452	MCS0	-	-
Mode 45	2400-2483.5	1+2	802.11ax HE40	10	2457	MCS0	-	-
Mode 46	2400-2483.5	1+2	802.11ax HE40	11	2462	MCS0	-	-
Mode 55	2400-2483.5	1+2	802.11ax HE20	1	2412	MCS0	26 0	-
Mode 56	2400-2483.5	1+2	802.11ax HE20	1	2412	MCS0	52 37	-
Mode 57	2400-2483.5	1+2	802.11ax HE20	1	2412	MCS0	106 53	-
Mode 58	2400-2483.5	1+2	802.11ax HE20	13	2472	MCS0	26 8	-
Mode 59	2400-2483.5	1+2	802.11ax HE20	13	2472	MCS0	52 40	-
Mode 60	2400-2483.5	1+2	802.11ax HE20	13	2472	MCS0	106 54	-
Mode 61	2400-2483.5	1+2	802.11ax HE40	3	2422	MCS0	242 61	-
Mode 62	2400-2483.5	1+2	802.11ax HE40	11	2462	MCS0	242 62	-
Mode 65	2400-2483.5	1+2	802.11ax HE40	9	2452	MCS0	-	LF
Mode 66	2400-2483.5	1+2	802.11ax HE40	9	2452	MCS0	-	SHF

C2. Summary of each worse mode

<Ant. 1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
21	802.11b	13	2487.54	50.42	54.00	-3.58	H	Avg.	Pass	-	Band Edge
	802.11b	13	7416.00	40.18	54.00	-13.82	V	Avg.	Pass	-	Harmonic
26	802.11g	13	2483.77	72.62	74.00	-1.38	H	Peak	Pass	-	Band Edge
	802.11g	13	7416.00	39.86	54.00	-14.14	H	Avg.	Pass	-	Harmonic
30	802.11ax HE20	12	2483.53	50.97	54.00	-3.03	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	12	7401.00	40.83	54.00	-13.17	H	Avg.	Pass	-	Harmonic
31	802.11ax HE20	13	2484.38	68.97	74.00	-5.03	V	Peak	Pass	-	Band Edge
	802.11ax HE20	13	7416.00	40.16	54.00	-13.84	V	Avg.	Pass	-	Harmonic
36	802.11ax HE40	11	2483.54	52.97	54.00	-1.03	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	11	7386.00	40.27	54.00	-13.73	H	Avg.	Pass	-	Harmonic
63	LF	11	531.49	33.12	46.00	-12.88	V	QP	Pass	-	LF
64	SHF	11	23599.00	41.70	74.00	-32.30	V	Peak	Pass	-	SHF



<Ant. 2>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11b	1	2375.78	44.18	54.00	-9.82	H	Avg.	Pass	-	Band Edge
17	802.11b	1	4824.00	46.84	74.00	-27.16	V	Peak	Pass	-	Harmonic
18	802.11b	7	-	-	-	-	-	-	-	-	Band Edge
18	802.11b	7	7326.00	39.42	54.00	-14.58	V	Avg.	Pass	-	Harmonic
19	802.11b	11	2486.47	42.91	54.00	-11.09	H	Avg.	Pass	-	Band Edge
19	802.11b	11	7386.00	39.11	54.00	-14.89	H	Avg.	Pass	-	Harmonic
20	802.11b	12	2484.62	46.19	54.00	-7.81	H	Avg.	Pass	-	Band Edge
20	802.11b	12	7401.00	39.05	54.00	-14.95	H	Avg.	Pass	-	Harmonic
22	802.11g	1	2389.95	46.82	54.00	-7.18	V	Avg.	Pass	-	Band Edge
22	802.11g	1	3195.00	47.81	74.00	-26.19	V	Peak	Pass	-	Harmonic
23	802.11g	07	-	-	-	-	-	-	-	-	Band Edge
	802.11g	07	7326.00	40.22	54.00	-13.78	H	Avg.	Pass	-	Harmonic
24	802.11g	11	2483.62	46.37	54.00	-7.63	H	Avg.	Pass	-	Band Edge
	802.11g	11	7386.00	39.95	54.00	-14.05	V	Avg.	Pass	-	Harmonic
25	802.11g	12	2483.53	51.36	54.00	-2.64	H	Avg.	Pass	-	Band Edge
	802.11g	12	7401.00	39.67	54.00	-14.33	V	Avg.	Pass	-	Harmonic
27	802.11ax HE20	01	2389.95	47.00	54.00	-7.00	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	01	3195.00	49.22	74.00	-24.78	V	Peak	Pass	-	Harmonic
28	802.11ax HE20	07	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	07	7326.00	40.50	54.00	-13.50	V	Avg.	Pass	-	Harmonic
29	802.11ax HE20	11	2483.51	46.52	54.00	-7.48	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	11	3195.00	60.74	74.00	-13.26	V	Peak	Pass	-	Harmonic
32	802.11ax HE40	3	2389.97	52.80	54.00	-1.20	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	3	7266.00	41.30	54.00	-12.70	V	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
33	802.11ax HE40	7	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	7	7326.00	41.81	54.00	-12.19	V	Avg.	Pass	-	Harmonic
34	802.11ax HE40	9	2483.73	48.77	54.00	-5.23	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	9	7356.00	39.45	54.00	-14.55	V	Avg.	Pass	-	Harmonic
35	802.11ax HE40	10	2483.54	50.39	54.00	-3.61	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	10	7371.00	40.35	54.00	-13.65	H	Avg.	Pass	-	Harmonic
47	802.11ax HE20	1	2389.82	41.10	54.00	-12.90	H	Avg.	Pass	26 0	Band Edge
	802.11ax HE20	1	7236.00	39.36	54.00	-14.64	V	Avg.	Pass	26 0	Harmonic
48	802.11ax HE20	1	2389.95	41.86	54.00	-12.14	H	Avg.	Pass	52 37	Band Edge
	802.11ax HE20	1	7236.00	39.36	54.00	-14.64	V	Avg.	Pass	52 37	Harmonic
49	802.11ax HE20	1	2389.95	46.54	54.00	-7.46	H	Avg.	Pass	106 53	Band Edge
	802.11ax HE20	1	7236.00	41.18	54.00	-12.82	V	Avg.	Pass	106 53	Harmonic
50	802.11ax HE20	13	2483.51	48.68	54.00	-5.32	H	Avg.	Pass	26 8	Band Edge
	802.11ax HE20	13	7416.00	42.55	54.00	-11.45	V	Avg.	Pass	26 8	Harmonic
51	802.11ax HE20	13	2483.51	48.28	54.00	-5.72	H	Avg.	Pass	52 40	Band Edge
	802.11ax HE20	13	7416.00	41.23	54.00	-12.77	H	Avg.	Pass	52 40	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
52	802.11ax HE20	13	2483.51	72.41	74.00	-1.59	H	Peak	Pass	106 54	Band Edge
	802.11ax HE20	13	7416.00	41.35	54.00	-12.65	V	Avg.	Pass	106 54	Harmonic
53	802.11ax HE40	3	2389.97	48.60	54.00	-5.40	H	Avg.	Pass	242 61	Band Edge
	802.11ax HE40	3	7266.00	39.69	54.00	-14.31	V	Avg.	Pass	242 61	Harmonic
54	802.11ax HE40	11	2483.55	69.48	74.00	-4.52	H	Peak	Pass	242 62	Band Edge
	802.11ax HE40	11	7386.00	41.36	54.00	-12.64	V	Avg.	Pass	242 62	Harmonic

<Ant. 1+2>





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
37	802.11ax HE20	01	2389.95	46.31	54.00	-7.69	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	01	3210.00	46.96	74.00	-27.04	V	Peak	Pass	-	Harmonic
38	802.11ax HE20	07	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	07	7326.00	40.32	54.00	-13.68	V	Avg.	Pass	-	Harmonic
39	802.11ax HE20	11	2483.51	46.92	54.00	-7.08	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	11	7386.00	38.96	54.00	-15.04	V	Avg.	Pass	-	Harmonic
40	802.11ax HE20	12	2483.53	51.16	54.00	-2.84	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	12	7401.00	39.43	54.00	-14.57	H	Avg.	Pass	-	Harmonic
41	802.11ax HE20	13	2483.51	49.29	54.00	-4.71	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	13	7416.00	39.49	54.00	-14.51	H	Avg.	Pass	-	Harmonic
42	802.11ax HE40	3	2389.97	51.02	54.00	-2.98	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	3	7266.00	39.55	54.00	-14.45	V	Avg.	Pass	-	Harmonic
43	802.11ax HE40	7	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	7	7326.00	40.97	54.00	-13.03	H	Avg.	Pass	-	Harmonic
44	802.11ax HE40	9	2483.54	51.53	54.00	-2.47	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	9	7356.00	41.47	54.00	-12.53	V	Avg.	Pass	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11ax HE40	10	2483.53	47.60	54.00	-6.40	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	10	7371.00	39.48	54.00	-14.52	H	Avg.	Pass	-	Harmonic
46	802.11ax HE40	11	2483.51	49.04	54.00	-4.96	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	11	7386.00	42.04	54.00	-11.96	H	Avg.	Pass	-	Harmonic
55	802.11ax HE20	1	2389.30	61.06	74.00	-12.94	H	Peak	Pass	26 0	Band Edge
	802.11ax HE20	1	3195.00	48.91	74.00	-25.09	H	Peak	Pass	26 0	Harmonic
56	802.11ax HE20	1	2389.95	41.08	54.00	-12.92	H	Avg.	Pass	52 37	Band Edge
	802.11ax HE20	1	3195.00	47.20	74.00	-26.80	V	Peak	Pass	52 37	Harmonic
57	802.11ax HE20	1	2389.95	42.93	54.00	-11.07	H	Avg.	Pass	106 53	Band Edge
	802.11ax HE20	1	3195.00	52.34	74.00	-21.66	V	Peak	Pass	106 53	Harmonic
58	802.11ax HE20	13	2483.51	45.94	54.00	-8.06	H	Avg.	Pass	26 8	Band Edge
	802.11ax HE20	13	7416.00	41.68	54.00	-12.32	H	Avg.	Pass	26 8	Harmonic
59	802.11ax HE20	13	2483.51	70.22	74.00	-3.78	H	Peak	Pass	52 40	Band Edge
	802.11ax HE20	13	7416.00	41.50	54.00	-12.50	V	Avg.	Pass	52 40	Harmonic
60	802.11ax HE20	13	2483.51	47.54	54.00	-6.46	H	Avg.	Pass	106 54	Band Edge
	802.11ax HE20	13	7416.00	41.42	54.00	-12.58	H	Avg.	Pass	106 54	Harmonic
61	802.11ax HE40	3	2389.97	46.70	54.00	-7.30	V	Avg.	Pass	242 61	Band Edge
	802.11ax HE40	3	7266.00	41.32	54.00	-12.68	V	Avg.	Pass	242 61	Harmonic
62	802.11ax HE40	11	2483.55	61.88	74.00	-12.12	H	Peak	Pass	242 62	Band Edge
	802.11ax HE40	11	7386.00	41.51	54.00	-12.49	V	Avg.	Pass	242 62	Harmonic
65	LF	9	533.43	33.55	46.00	-12.45	V	QP	Pass	-	LF
66	SHF	9	22840.00	40.45	74.00	-33.55	H	Peak	Pass	-	SHF



<Ant. 1>

Mode	21																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>68.19</td><td>74.00</td><td>-5.81</td><td>55.29</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>136</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	68.19	74.00	-5.81	55.29	26.84	7.47	31.79	10.38	136	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>109.11</td><td>-----</td><td>-----</td><td>96.25</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>136</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	109.11	-----	-----	96.25	26.80	7.46	31.78	10.38	136	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.74	68.19	74.00	-5.81	55.29	26.84	7.47	31.79	10.38	136	118	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	109.11	-----	-----	96.25	26.80	7.46	31.78	10.38	136	118	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.54</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>37.47</td><td>26.88</td><td>7.48</td><td>31.79</td><td>10.38</td><td>136</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.54	50.42	54.00	-3.58	37.47	26.88	7.48	31.79	10.38	136	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>105.92</td><td>-----</td><td>-----</td><td>93.07</td><td>26.80</td><td>7.45</td><td>31.78</td><td>10.38</td><td>136</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	105.92	-----	-----	93.07	26.80	7.45	31.78	10.38	136	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.54	50.42	54.00	-3.58	37.47	26.88	7.48	31.79	10.38	136	118	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	105.92	-----	-----	93.07	26.80	7.45	31.78	10.38	136	118	AVERAGE																																																																																							





Mode	21																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.81</td><td>66.60</td><td>74.00</td><td>-7.40</td><td>53.70</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>268</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	66.60	74.00	-7.40	53.70	26.84	7.47	31.79	10.38	268	95	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>108.74</td><td>-----</td><td>-----</td><td>95.88</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>268</td><td>95</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	108.74	-----	-----	95.88	26.80	7.46	31.78	10.38	268	95
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.81	66.60	74.00	-7.40	53.70	26.84	7.47	31.79	10.38	268	95	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2472.00	108.74	-----	-----	95.88	26.80	7.46	31.78	10.38	268	95	PEAK																																																																																								
Avg																																																																																																				
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.57</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>36.65</td><td>26.88</td><td>7.48</td><td>31.79</td><td>10.38</td><td>268</td><td>95</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.57	49.60	54.00	-4.40	36.65	26.88	7.48	31.79	10.38	268	95	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>105.48</td><td>-----</td><td>-----</td><td>92.63</td><td>26.80</td><td>7.45</td><td>31.78</td><td>10.38</td><td>268</td><td>95</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	105.48	-----	-----	92.63	26.80	7.45	31.78	10.38	268	95
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.57	49.60	54.00	-4.40	36.65	26.88	7.48	31.79	10.38	268	95	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2472.00	105.48	-----	-----	92.63	26.80	7.45	31.78	10.38	268	95	AVERAGE																																																																																								







Mode	21																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11b_CH13_2472MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3218.00</td><td>41.91</td><td>-----</td><td>-----</td><td>35.43</td><td>28.08</td><td>8.40</td><td>32.07</td><td>2.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4944.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>35.39</td><td>32.79</td><td>10.49</td><td>32.98</td><td>1.59</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7416.00</td><td>50.64</td><td>74.00</td><td>-23.36</td><td>34.26</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7416.00</td><td>39.89</td><td>54.00</td><td>-14.11</td><td>23.51</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3218.00	41.91	-----	-----	35.43	28.08	8.40	32.07	2.07	--	--	Peak	2	4944.00	47.28	74.00	-26.72	35.39	32.79	10.49	32.98	1.59	--	--	PEAK	3	7416.00	50.64	74.00	-23.36	34.26	37.20	12.83	35.63	1.98	--	--	PEAK	4	7416.00	39.89	54.00	-14.11	23.51	37.20	12.83	35.63	1.98	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	3218.00	41.91	-----	-----	35.43	28.08	8.40	32.07	2.07	--	--	Peak																																																																																		
2	4944.00	47.28	74.00	-26.72	35.39	32.79	10.49	32.98	1.59	--	--	PEAK																																																																																		
3	7416.00	50.64	74.00	-23.36	34.26	37.20	12.83	35.63	1.98	--	--	PEAK																																																																																		
4	7416.00	39.89	54.00	-14.11	23.51	37.20	12.83	35.63	1.98	--	--	Average																																																																																		







Mode	21	
	Harmonic	
	2400-2483.5_802.11b_CH13_2472MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	26																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>72.62</td><td>74.00</td><td>-1.38</td><td>59.72</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>204</td><td>66</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	72.62	74.00	-1.38	59.72	26.84	7.47	31.79	10.38	204	66	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>106.29</td><td>-----</td><td>-----</td><td>93.43</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>204</td><td>66</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	106.29	-----	-----	93.43	26.80	7.46	31.78	10.38	204	66	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.77	72.62	74.00	-1.38	59.72	26.84	7.47	31.79	10.38	204	66	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2472.00	106.29	-----	-----	93.43	26.80	7.46	31.78	10.38	204	66	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.65</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>36.31</td><td>26.85</td><td>7.47</td><td>31.79</td><td>10.38</td><td>204</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.65	49.22	54.00	-4.78	36.31	26.85	7.47	31.79	10.38	204	66	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>98.58</td><td>-----</td><td>-----</td><td>85.72</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>204</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	98.58	-----	-----	85.72	26.80	7.46	31.78	10.38	204	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2484.65	49.22	54.00	-4.78	36.31	26.85	7.47	31.79	10.38	204	66	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2472.00	98.58	-----	-----	85.72	26.80	7.46	31.78	10.38	204	66	AVERAGE																																																																																									





Mode	26																																																							
	Band Edge																																																							
	2400-2483.5_802.11g_CH13_2472MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																	
Avg																																																								
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>69.07</td><td>74.00</td><td>-4.93</td><td>56.17</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>294</td><td>82</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	69.07	74.00	-4.93	56.17	26.84	7.47	31.79	10.38	294	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.58	69.07	74.00	-4.93	56.17	26.84	7.47	31.79	10.38	294	82	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>105.23</td><td>-----</td><td>-----</td><td>92.37</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>294</td><td>82</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	105.23	-----	-----	92.37	26.80	7.46	31.78	10.38	294	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2472.00	105.23	-----	-----	92.37	26.80	7.46	31.78	10.38	294	82	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>36.28</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>294</td><td>82</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	49.18	54.00	-4.82	36.28	26.84	7.47	31.79	10.38	294	82	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.46	49.18	54.00	-4.82	36.28	26.84	7.47	31.79	10.38	294	82	AVERAGE																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>97.43</td><td>-----</td><td>-----</td><td>84.57</td><td>26.80</td><td>7.46</td><td>31.78</td><td>10.38</td><td>294</td><td>82</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	97.43	-----	-----	84.57	26.80	7.46	31.78	10.38	294	82	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2472.00	97.43	-----	-----	84.57	26.80	7.46	31.78	10.38	294	82	AVERAGE																																												







Mode	26																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal							Vertical																																																																																									
Peak Avg																																																																																																	
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL																																																																																																
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3195.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>37.61</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.09</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4944.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>34.14</td><td>32.79</td><td>10.49</td><td>32.98</td><td>1.59</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7416.00</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>33.27</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7416.00</td><td>39.86</td><td>54.00</td><td>-14.14</td><td>23.48</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3195.00	44.12	74.00	-29.88	37.61	28.09	8.38	32.05	2.09	--	--	--	Peak	2	4944.00	46.03	74.00	-27.97	34.14	32.79	10.49	32.98	1.59	--	--	--	PEAK	3	7416.00	49.65	74.00	-24.35	33.27	37.20	12.83	35.63	1.98	--	--	--	PEAK	4	7416.00	39.86	54.00	-14.14	23.48	37.20	12.83	35.63	1.98	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	3195.00	44.12	74.00	-29.88	37.61	28.09	8.38	32.05	2.09	--	--	--	Peak																																																																																				
2	4944.00	46.03	74.00	-27.97	34.14	32.79	10.49	32.98	1.59	--	--	--	PEAK																																																																																				
3	7416.00	49.65	74.00	-24.35	33.27	37.20	12.83	35.63	1.98	--	--	--	PEAK																																																																																				
4	7416.00	39.86	54.00	-14.14	23.48	37.20	12.83	35.63	1.98	--	--	--	Average																																																																																				







Mode	26	
	Harmonic	
	2400-2483.5_802.11g_CH13_2472MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	30																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.67</td><td>62.82</td><td>74.00</td><td>-11.18</td><td>49.92</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>116</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.67	62.82	74.00	-11.18	49.92	26.84	7.47	31.79	10.38	200	116	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>111.79</td><td>-----</td><td>-----</td><td>98.94</td><td>26.80</td><td>7.45</td><td>31.78</td><td>10.38</td><td>200</td><td>116</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	111.79	-----	-----	98.94	26.80	7.45	31.78	10.38	200	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.67	62.82	74.00	-11.18	49.92	26.84	7.47	31.79	10.38	200	116	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	111.79	-----	-----	98.94	26.80	7.45	31.78	10.38	200	116	Peak																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.53</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>37.56</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>116</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.53	50.46	54.00	-3.54	37.56	26.84	7.47	31.79	10.38	200	116	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>102.44</td><td>-----</td><td>-----</td><td>89.53</td><td>26.86</td><td>7.45</td><td>31.78</td><td>10.38</td><td>200</td><td>116</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.44	-----	-----	89.53	26.86	7.45	31.78	10.38	200	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.53	50.46	54.00	-3.54	37.56	26.84	7.47	31.79	10.38	200	116	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	102.44	-----	-----	89.53	26.86	7.45	31.78	10.38	200	116	Average																																																																																							



Mode	30																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_802.11ax HE20_CH12_2467MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.63</td><td>62.56</td><td>74.00</td><td>-11.44</td><td>49.66</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>295</td><td>93 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.63	62.56	74.00	-11.44	49.66	26.84	7.47	31.79	10.38	295	93 Peak	 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>111.24</td><td>-----</td><td>-----</td><td>98.35</td><td>26.84</td><td>7.45</td><td>31.78</td><td>10.38</td><td>295</td><td>93 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	111.24	-----	-----	98.35	26.84	7.45	31.78	10.38	295	93 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	2483.63	62.56	74.00	-11.44	49.66	26.84	7.47	31.79	10.38	295	93 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	2467.00	111.24	-----	-----	98.35	26.84	7.45	31.78	10.38	295	93 Peak																																																																																																	
Avg	 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.53</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>38.07</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>295</td><td>93 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.53	50.97	54.00	-3.03	38.07	26.84	7.47	31.79	10.38	295	93 Average	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>101.79</td><td>-----</td><td>-----</td><td>88.88</td><td>26.86</td><td>7.45</td><td>31.78</td><td>10.38</td><td>295</td><td>93 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	101.79	-----	-----	88.88	26.86	7.45	31.78	10.38	295	93 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	2483.53	50.97	54.00	-3.03	38.07	26.84	7.47	31.79	10.38	295	93 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	2467.00	101.79	-----	-----	88.88	26.86	7.45	31.78	10.38	295	93 Average																																																																																																	







Mode	30																										
	Harmonic																										
	2400-2483.5_802.11ax HE20_CH12_2467MHz																										
ANT	1																										
Pol.	Horizontal							Vertical																			
Peak Avg																											
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL							Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		
1	3195.00	47.62	74.00	-26.38		41.11	28.09	8.38	32.05	2.09	--	--	Peak	1	3195.00	53.15	74.00	-20.85		46.64	28.09	8.38	32.05	2.09	--	--	Peak
2	4934.00	45.55	74.00	-28.45		33.70	32.77	10.49	32.98	1.57	--	--	PEAK	2	4934.00	46.18	74.00	-27.82		34.33	32.77	10.49	32.98	1.57	--	--	PEAK
3	7401.00	50.95	74.00	-23.05		34.54	37.20	12.84	35.61	1.98	--	--	PEAK	3	7401.00	50.53	74.00	-23.47		34.12	37.20	12.84	35.61	1.98	--	--	PEAK
4	7401.00	40.83	54.00	-13.17		24.42	37.20	12.84	35.61	1.98	--	--	Average	4	7401.00	40.41	54.00	-13.59		24.00	37.20	12.84	35.61	1.98	--	--	Average







Mode	30	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH12_2467MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	31																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>68.79</td><td>74.00</td><td>-5.21</td><td>55.89</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>116</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	68.79	74.00	-5.21	55.89	26.84	7.47	31.79	10.38	200	116	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>107.48</td><td>-----</td><td>-----</td><td>94.59</td><td>26.84</td><td>7.45</td><td>31.78</td><td>10.38</td><td>200</td><td>116</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	107.48	-----	-----	94.59	26.84	7.45	31.78	10.38	200	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	68.79	74.00	-5.21	55.89	26.84	7.47	31.79	10.38	200	116	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	107.48	-----	-----	94.59	26.84	7.45	31.78	10.38	200	116	Peak																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>34.99</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>116</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	47.89	54.00	-6.11	34.99	26.84	7.47	31.79	10.38	200	116	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>97.43</td><td>-----</td><td>-----</td><td>84.54</td><td>26.84</td><td>7.45</td><td>31.78</td><td>10.38</td><td>200</td><td>116</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	97.43	-----	-----	84.54	26.84	7.45	31.78	10.38	200	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	47.89	54.00	-6.11	34.99	26.84	7.47	31.79	10.38	200	116	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	97.43	-----	-----	84.54	26.84	7.45	31.78	10.38	200	116	Average																																																																																							



Mode	31																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH13_2472MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.38</td><td>68.97</td><td>74.00</td><td>-5.03</td><td>56.07</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>95 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.38	68.97	74.00	-5.03	56.07	26.84	7.47	31.79	10.38	300	95 Peak	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>106.84</td><td>-----</td><td>-----</td><td>93.97</td><td>26.82</td><td>7.45</td><td>31.78</td><td>10.38</td><td>300</td><td>95 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.84	-----	-----	93.97	26.82	7.45	31.78	10.38	300	95 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.38	68.97	74.00	-5.03	56.07	26.84	7.47	31.79	10.38	300	95 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	106.84	-----	-----	93.97	26.82	7.45	31.78	10.38	300	95 Peak																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>34.83</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>95 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	47.73	54.00	-6.27	34.83	26.84	7.47	31.79	10.38	300	95 Average	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>96.57</td><td>-----</td><td>-----</td><td>83.68</td><td>26.84</td><td>7.45</td><td>31.78</td><td>10.38</td><td>300</td><td>95 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	96.57	-----	-----	83.68	26.84	7.45	31.78	10.38	300	95 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.51	47.73	54.00	-6.27	34.83	26.84	7.47	31.79	10.38	300	95 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	96.57	-----	-----	83.68	26.84	7.45	31.78	10.38	300	95 Average																																																																																							







Mode	31																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	2400-2483.5_802.11ax HE20_CH13_2472MHz																																																																																																																																																																														
ANT	1																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																								
Peak Avg																																																																																																																																																																															
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>3210.00</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>49.66</td><td>28.08</td><td>8.40</td><td>32.07</td><td>2.07</td><td>400</td><td>249</td><td>Peak</td></tr><tr><td>2</td><td>4944.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>34.06</td><td>32.79</td><td>10.49</td><td>32.98</td><td>1.59</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7416.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>23.77</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7416.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>33.82</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table> Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>3210.00</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>53.25</td><td>28.08</td><td>8.40</td><td>32.07</td><td>2.07</td><td>100</td><td>178</td><td>Peak</td></tr><tr><td>2</td><td>4944.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>34.27</td><td>32.79</td><td>10.49</td><td>32.98</td><td>1.59</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7416.00</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>32.90</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7416.00</td><td>40.16</td><td>54.00</td><td>-13.84</td><td>23.78</td><td>37.20</td><td>12.83</td><td>35.63</td><td>1.98</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	3210.00	56.14	74.00	-17.86	49.66	28.08	8.40	32.07	2.07	400	249	Peak	2	4944.00	45.95	74.00	-28.05	34.06	32.79	10.49	32.98	1.59	--	--	PEAK	3	7416.00	40.15	74.00	-33.85	23.77	37.20	12.83	35.63	1.98	--	--	PEAK	4	7416.00	50.20	74.00	-23.80	33.82	37.20	12.83	35.63	1.98	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	3210.00	59.73	74.00	-14.27	53.25	28.08	8.40	32.07	2.07	100	178	Peak	2	4944.00	46.16	74.00	-27.84	34.27	32.79	10.49	32.98	1.59	--	--	PEAK	3	7416.00	49.28	74.00	-24.72	32.90	37.20	12.83	35.63	1.98	--	--	PEAK	4	7416.00	40.16	54.00	-13.84	23.78	37.20	12.83	35.63	1.98	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																						
1	3210.00	56.14	74.00	-17.86	49.66	28.08	8.40	32.07	2.07	400	249	Peak																																																																																																																																																																			
2	4944.00	45.95	74.00	-28.05	34.06	32.79	10.49	32.98	1.59	--	--	PEAK																																																																																																																																																																			
3	7416.00	40.15	74.00	-33.85	23.77	37.20	12.83	35.63	1.98	--	--	PEAK																																																																																																																																																																			
4	7416.00	50.20	74.00	-23.80	33.82	37.20	12.83	35.63	1.98	--	--	PEAK																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																						
1	3210.00	59.73	74.00	-14.27	53.25	28.08	8.40	32.07	2.07	100	178	Peak																																																																																																																																																																			
2	4944.00	46.16	74.00	-27.84	34.27	32.79	10.49	32.98	1.59	--	--	PEAK																																																																																																																																																																			
3	7416.00	49.28	74.00	-24.72	32.90	37.20	12.83	35.63	1.98	--	--	PEAK																																																																																																																																																																			
4	7416.00	40.16	54.00	-13.84	23.78	37.20	12.83	35.63	1.98	--	--	Average																																																																																																																																																																			





Mode	31	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH13_2472MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL



Mode	36																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.80</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>41.69</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>200</td><td>61 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	54.58	74.00	-19.42	41.69	26.90	7.34	31.73	10.38	200	61 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.41</td><td>-----</td><td>-----</td><td>92.55</td><td>26.80</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>61 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.41	-----	-----	92.55	26.80	7.47	31.79	10.38	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.80	54.58	74.00	-19.42	41.69	26.90	7.34	31.73	10.38	200	61 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	105.41	-----	-----	92.55	26.80	7.47	31.79	10.38	200	61 Peak																																																																																						
Avg																																																																																																	
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.50</td><td>40.44</td><td>54.00</td><td>-13.56</td><td>27.55</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>200</td><td>61 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.50	40.44	54.00	-13.56	27.55	26.90	7.34	31.73	10.38	200	61 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.61</td><td>-----</td><td>-----</td><td>82.75</td><td>26.80</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>61 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.61	-----	-----	82.75	26.80	7.47	31.79	10.38	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.50	40.44	54.00	-13.56	27.55	26.90	7.34	31.73	10.38	200	61 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	95.61	-----	-----	82.75	26.80	7.47	31.79	10.38	200	61 Average																																																																																						





Mode	36																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>68.60</td><td>74.00</td><td>-5.40</td><td>55.70</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>61 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	68.60	74.00	-5.40	55.70	26.84	7.47	31.79	10.38	200	61 Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.54	68.60	74.00	-5.40	55.70	26.84	7.47	31.79	10.38	200	61 Peak																																											
Avg	 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>52.97</td><td>54.00</td><td>-1.03</td><td>40.07</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>200</td><td>61 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	52.97	54.00	-1.03	40.07	26.84	7.47	31.79	10.38	200	61 Average	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.54	52.97	54.00	-1.03	40.07	26.84	7.47	31.79	10.38	200	61 Average																																											





Mode	36																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.50</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>40.55</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>300</td><td>97 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.50	53.44	74.00	-20.56	40.55	26.90	7.34	31.73	10.38	300	97 Peak	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.13</td><td>-----</td><td>-----</td><td>93.27</td><td>26.80</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>97 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.13	-----	-----	93.27	26.80	7.47	31.79	10.38	300	97 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.50	53.44	74.00	-20.56	40.55	26.90	7.34	31.73	10.38	300	97 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	106.13	-----	-----	93.27	26.80	7.47	31.79	10.38	300	97 Peak																																																																																						
Avg	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>40.46</td><td>54.00</td><td>-13.54</td><td>27.57</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>300</td><td>97 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	40.46	54.00	-13.54	27.57	26.90	7.34	31.73	10.38	300	97 Average	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.27</td><td>-----</td><td>-----</td><td>81.41</td><td>26.80</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>97 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.27	-----	-----	81.41	26.80	7.47	31.79	10.38	300	97 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	40.46	54.00	-13.54	27.57	26.90	7.34	31.73	10.38	300	97 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	94.27	-----	-----	81.41	26.80	7.47	31.79	10.38	300	97 Average																																																																																						





Mode	36																																												
	Band Edge - R																																												
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>68.05</td><td>74.00</td><td>-5.95</td><td>55.15</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>97 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	68.05	74.00	-5.95	55.15	26.84	7.47	31.79	10.38	300	97 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2483.54	68.05	74.00	-5.95	55.15	26.84	7.47	31.79	10.38	300	97 Peak																																		
Avg	 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>52.14</td><td>54.00</td><td>-1.86</td><td>39.24</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>97 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	52.14	54.00	-1.86	39.24	26.84	7.47	31.79	10.38	300	97 Average	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2483.54	52.14	54.00	-1.86	39.24	26.84	7.47	31.79	10.38	300	97 Average																																		



Mode	36																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3210.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>35.96</td><td>28.00</td><td>8.40</td><td>32.07</td><td>2.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>34.04</td><td>32.75</td><td>10.50</td><td>32.98</td><td>1.56</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>50.31</td><td>74.00</td><td>-23.69</td><td>33.09</td><td>37.23</td><td>12.81</td><td>35.60</td><td>1.98</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>23.85</td><td>37.23</td><td>12.81</td><td>35.60</td><td>1.98</td><td>--</td><td>--</td><td>Average</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3210.00	42.44	74.00	-31.56	35.96	28.00	8.40	32.07	2.07	--	--	Peak	2	4924.00	46.67	74.00	-27.33	34.04	32.75	10.50	32.98	1.56	--	--	PEAK	3	7386.00	50.31	74.00	-23.69	33.09	37.23	12.81	35.60	1.98	--	--	PEAK	4	7386.00	40.27	54.00	-13.73	23.85	37.23	12.81	35.60	1.98	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	3210.00	42.44	74.00	-31.56	35.96	28.00	8.40	32.07	2.07	--	--	Peak																																																																																			
2	4924.00	46.67	74.00	-27.33	34.04	32.75	10.50	32.98	1.56	--	--	PEAK																																																																																			
3	7386.00	50.31	74.00	-23.69	33.09	37.23	12.81	35.60	1.98	--	--	PEAK																																																																																			
4	7386.00	40.27	54.00	-13.73	23.85	37.23	12.81	35.60	1.98	--	--	Average																																																																																			





Mode	36	
	Harmonic	
	2400-2483.5_802.11ax HE40_CH11_2462MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL







Mode	63																																																																																																																																																																																																																																					
	LF																																																																																																																																																																																																																																					
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																																																																																																																																																																																																					
ANT	1																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																															
QP/ Peak	Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>74.62</td><td>26.87</td><td>40.00</td><td>-13.13</td><td>44.84</td><td>13.18</td><td>1.49</td><td>32.72</td><td>0.08</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>109.54</td><td>31.66</td><td>43.50</td><td>-11.84</td><td>45.69</td><td>16.93</td><td>1.66</td><td>32.69</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>259.89</td><td>34.10</td><td>46.00</td><td>-11.90</td><td>44.36</td><td>19.92</td><td>2.42</td><td>32.75</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>472.32</td><td>31.17</td><td>46.00</td><td>-14.83</td><td>37.34</td><td>23.44</td><td>3.20</td><td>32.92</td><td>0.11</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>531.49</td><td>28.58</td><td>46.00</td><td>-17.42</td><td>33.95</td><td>24.10</td><td>3.36</td><td>32.97</td><td>0.14</td><td>200</td><td>58 QP</td></tr><tr><td>6</td><td>799.21</td><td>39.50</td><td>46.00</td><td>-6.50</td><td>39.99</td><td>28.05</td><td>4.02</td><td>32.73</td><td>0.17</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	74.62	26.87	40.00	-13.13	44.84	13.18	1.49	32.72	0.08	--	Peak	2	109.54	31.66	43.50	-11.84	45.69	16.93	1.66	32.69	0.07	--	Peak	3	259.89	34.10	46.00	-11.90	44.36	19.92	2.42	32.75	0.15	--	Peak	4	472.32	31.17	46.00	-14.83	37.34	23.44	3.20	32.92	0.11	--	Peak	5	531.49	28.58	46.00	-17.42	33.95	24.10	3.36	32.97	0.14	200	58 QP	6	799.21	39.50	46.00	-6.50	39.99	28.05	4.02	32.73	0.17	--	Peak	Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>33.75</td><td>40.00</td><td>-6.25</td><td>42.80</td><td>22.65</td><td>1.05</td><td>32.75</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>162.89</td><td>31.99</td><td>43.50</td><td>-11.51</td><td>46.10</td><td>16.37</td><td>2.01</td><td>32.70</td><td>0.21</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>264.74</td><td>28.74</td><td>46.00</td><td>-17.26</td><td>38.93</td><td>19.98</td><td>2.44</td><td>32.76</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>499.48</td><td>32.04</td><td>46.00</td><td>-13.96</td><td>37.73</td><td>23.87</td><td>3.23</td><td>32.94</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>531.49</td><td>33.12</td><td>46.00</td><td>-12.88</td><td>38.49</td><td>24.10</td><td>3.36</td><td>32.97</td><td>0.14</td><td>100</td><td>157 QP</td></tr><tr><td>6</td><td>798.24</td><td>39.09</td><td>46.00</td><td>-6.91</td><td>39.59</td><td>28.04</td><td>4.02</td><td>32.73</td><td>0.17</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	34.85	33.75	40.00	-6.25	42.80	22.65	1.05	32.75	0.00	--	Peak	2	162.89	31.99	43.50	-11.51	46.10	16.37	2.01	32.70	0.21	--	Peak	3	264.74	28.74	46.00	-17.26	38.93	19.98	2.44	32.76	0.15	--	Peak	4	499.48	32.04	46.00	-13.96	37.73	23.87	3.23	32.94	0.15	--	Peak	5	531.49	33.12	46.00	-12.88	38.49	24.10	3.36	32.97	0.14	100	157 QP	6	798.24	39.09	46.00	-6.91	39.59	28.04	4.02	32.73	0.17	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	74.62	26.87	40.00	-13.13	44.84	13.18	1.49	32.72	0.08	--	Peak																																																																																																																																																																																																																											
2	109.54	31.66	43.50	-11.84	45.69	16.93	1.66	32.69	0.07	--	Peak																																																																																																																																																																																																																											
3	259.89	34.10	46.00	-11.90	44.36	19.92	2.42	32.75	0.15	--	Peak																																																																																																																																																																																																																											
4	472.32	31.17	46.00	-14.83	37.34	23.44	3.20	32.92	0.11	--	Peak																																																																																																																																																																																																																											
5	531.49	28.58	46.00	-17.42	33.95	24.10	3.36	32.97	0.14	200	58 QP																																																																																																																																																																																																																											
6	799.21	39.50	46.00	-6.50	39.99	28.05	4.02	32.73	0.17	--	Peak																																																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	34.85	33.75	40.00	-6.25	42.80	22.65	1.05	32.75	0.00	--	Peak																																																																																																																																																																																																																											
2	162.89	31.99	43.50	-11.51	46.10	16.37	2.01	32.70	0.21	--	Peak																																																																																																																																																																																																																											
3	264.74	28.74	46.00	-17.26	38.93	19.98	2.44	32.76	0.15	--	Peak																																																																																																																																																																																																																											
4	499.48	32.04	46.00	-13.96	37.73	23.87	3.23	32.94	0.15	--	Peak																																																																																																																																																																																																																											
5	531.49	33.12	46.00	-12.88	38.49	24.10	3.36	32.97	0.14	100	157 QP																																																																																																																																																																																																																											
6	798.24	39.09	46.00	-6.91	39.59	28.04	4.02	32.73	0.17	--	Peak																																																																																																																																																																																																																											







Mode	64																																																																																									
	SHF																																																																																									
	2400-2483.5_802.11ax HE40_CH11_2462MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak	 Site : 03CH23-HY Condition: PEAK_74 1m SHF_1223_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 21498.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>52.78</td><td>38.30</td><td>19.19</td><td>60.90</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 21498.00	39.83	74.00	-34.17	52.78	38.30	19.19	60.90	-9.54	-- -- Peak	 Site : 03CH23-HY Condition: PEAK_74 1m SHF_1223_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 23599.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>52.40</td><td>38.70</td><td>20.10</td><td>59.96</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 23599.00	41.70	74.00	-32.30	52.40	38.70	20.10	59.96	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 21498.00	39.83	74.00	-34.17	52.78	38.30	19.19	60.90	-9.54	-- -- Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 23599.00	41.70	74.00	-32.30	52.40	38.70	20.10	59.96	-9.54	-- -- Peak																																																																																	





<Ant. 2>

	17																																																																																																		
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.70</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>40.82</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>113</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	53.71	74.00	-20.29	40.82	26.90	7.34	31.73	10.38	113	246	PEAK	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>112.02</td><td>-----</td><td>-----</td><td>98.93</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>113</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.02	-----	-----	98.93	27.08	7.38	31.75	10.38	113	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.70	53.71	74.00	-20.29	40.82	26.90	7.34	31.73	10.38	113	246	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	112.02	-----	-----	98.93	27.08	7.38	31.75	10.38	113	246	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.78</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>31.17</td><td>27.03</td><td>7.32</td><td>31.72</td><td>10.38</td><td>113</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.78	44.18	54.00	-9.82	31.17	27.03	7.32	31.72	10.38	113	246	AVERAGE	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.96</td><td>-----</td><td>-----</td><td>95.87</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>113</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.96	-----	-----	95.87	27.08	7.38	31.75	10.38	113	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2375.78	44.18	54.00	-9.82	31.17	27.03	7.32	31.72	10.38	113	246	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	108.96	-----	-----	95.87	27.08	7.38	31.75	10.38	113	246	AVERAGE																																																																																							





Mode	17																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH1_2412MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Site : 03CH23-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.83</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>40.01</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>328</td><td>268</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.83	52.90	74.00	-21.10	40.01	26.90	7.34	31.73	10.38	328	268	PEAK	 Site : 03CH23-HY Condition: PEAK_74_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.45</td><td>-----</td><td>-----</td><td>97.36</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>328</td><td>268</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.45	-----	-----	97.36	27.08	7.38	31.75	10.38	328	268	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.83	52.90	74.00	-21.10	40.01	26.90	7.34	31.73	10.38	328	268	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	110.45	-----	-----	97.36	27.08	7.38	31.75	10.38	328	268	PEAK																																																																														
Avg	 Site : 03CH23-HY Condition: AVG_BE_54_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.65</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>30.63</td><td>27.03</td><td>7.31</td><td>31.72</td><td>10.38</td><td>328</td><td>268</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.65	43.63	54.00	-10.37	30.63	27.03	7.31	31.72	10.38	328	268	AVERAGE	 Site : 03CH23-HY Condition: AVG_54_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.37</td><td>-----</td><td>-----</td><td>94.28</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>328</td><td>268</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.37	-----	-----	94.28	27.08	7.38	31.75	10.38	328	268	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2375.65	43.63	54.00	-10.37	30.63	27.03	7.31	31.72	10.38	328	268	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	107.37	-----	-----	94.28	27.08	7.38	31.75	10.38	328	268	AVERAGE																																																																														





Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3195.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>37.33</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4824.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>34.52</td><td>32.55</td><td>10.55</td><td>32.98</td><td>1.81</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	3195.00	44.21	74.00	-29.79	37.33	28.09	8.38	32.05	2.46	--	-- Peak	2	4824.00	46.45	74.00	-27.55	34.52	32.55	10.55	32.98	1.81	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3195.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>37.78</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4824.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>34.91</td><td>32.55</td><td>10.55</td><td>32.98</td><td>1.81</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	3195.00	44.66	74.00	-29.34	37.78	28.09	8.38	32.05	2.46	--	-- Peak	2	4824.00	46.84	74.00	-27.16	34.91	32.55	10.55	32.98	1.81	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	3195.00	44.21	74.00	-29.79	37.33	28.09	8.38	32.05	2.46	--	-- Peak																																																																																																															
2	4824.00	46.45	74.00	-27.55	34.52	32.55	10.55	32.98	1.81	--	-- PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	3195.00	44.66	74.00	-29.34	37.78	28.09	8.38	32.05	2.46	--	-- Peak																																																																																																															
2	4824.00	46.84	74.00	-27.16	34.91	32.55	10.55	32.98	1.81	--	-- PEAK																																																																																																															





Mode	17	
	Harmonic	
	2400-2483.5_802.11b_CH1_2412MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL







Mode	18																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11b_CH7_2442MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>43.28</td><td>74.00</td><td>-30.72</td><td>36.40</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4884.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>35.29</td><td>32.67</td><td>10.52</td><td>32.98</td><td>1.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7326.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>33.26</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7326.00</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>22.96</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>Average</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3195.00	43.28	74.00	-30.72	36.40	28.09	8.38	32.05	2.46	--	--	Peak	2	4884.00	47.29	74.00	-26.71	35.29	32.67	10.52	32.98	1.79	--	--	PEAK	3	7326.00	49.72	74.00	-24.28	33.26	37.35	12.65	35.55	2.01	--	--	PEAK	4	7326.00	39.42	54.00	-14.58	22.96	37.35	12.65	35.55	2.01	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	3195.00	43.28	74.00	-30.72	36.40	28.09	8.38	32.05	2.46	--	--	Peak																																																																																			
2	4884.00	47.29	74.00	-26.71	35.29	32.67	10.52	32.98	1.79	--	--	PEAK																																																																																			
3	7326.00	49.72	74.00	-24.28	33.26	37.35	12.65	35.55	2.01	--	--	PEAK																																																																																			
4	7326.00	39.42	54.00	-14.58	22.96	37.35	12.65	35.55	2.01	--	--	Average																																																																																			







Mode	18	
	Harmonic	
	2400-2483.5_802.11b_CH7_2442MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	19																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.97</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>39.91</td><td>26.90</td><td>7.49</td><td>31.80</td><td>10.38</td><td>100</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.97	52.88	74.00	-21.12	39.91	26.90	7.49	31.80	10.38	100	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.30</td><td>-----</td><td>-----</td><td>99.38</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>100</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	112.30	-----	-----	99.38	26.88	7.44	31.78	10.38	100	246	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2492.97	52.88	74.00	-21.12	39.91	26.90	7.49	31.80	10.38	100	246	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	112.30	-----	-----	99.38	26.88	7.44	31.78	10.38	100	246	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.47</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>29.98</td><td>26.86</td><td>7.48</td><td>31.79</td><td>10.38</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.47	42.91	54.00	-11.09	29.98	26.86	7.48	31.79	10.38	100	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>109.19</td><td>-----</td><td>-----</td><td>96.27</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	109.19	-----	-----	96.27	26.88	7.44	31.78	10.38	100	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2496.47	42.91	54.00	-11.09	29.98	26.86	7.48	31.79	10.38	100	246	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	109.19	-----	-----	96.27	26.88	7.44	31.78	10.38	100	246	AVERAGE																																																																																									





Mode	19																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.02</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>40.37</td><td>26.86</td><td>7.48</td><td>31.79</td><td>10.38</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.02	53.30	74.00	-20.70	40.37	26.86	7.48	31.79	10.38	300	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.93</td><td>-----</td><td>-----</td><td>99.01</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.93	-----	-----	99.01	26.88	7.44	31.78	10.38	300	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.02	53.30	74.00	-20.70	40.37	26.86	7.48	31.79	10.38	300	261	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	111.93	-----	-----	99.01	26.88	7.44	31.78	10.38	300	261	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.47</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>29.84</td><td>26.86</td><td>7.48</td><td>31.79</td><td>10.38</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.47	42.77	54.00	-11.23	29.84	26.86	7.48	31.79	10.38	300	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.00</td><td>-----</td><td>-----</td><td>95.16</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.00	-----	-----	95.16	26.88	7.44	31.78	10.38	300	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.47	42.77	54.00	-11.23	29.84	26.86	7.48	31.79	10.38	300	261	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	100.00	-----	-----	95.16	26.88	7.44	31.78	10.38	300	261	AVERAGE																																																																																							







Mode	19													
	Harmonic													
	2400-2483.5_802.11b_CH11_2462MHz													
ANT	2													
Pol.	Horizontal													
Peak Avg														
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		
1	3195.00	44.72	74.00	-29.28		37.84	28.09	8.38	32.05	2.46	--	--	Peak	
2	4924.00	47.83	74.00	-26.17		35.79	32.75	10.50	32.98	1.77	--	--	PEAK	
3	7386.00	50.16	74.00	-23.84		33.73	37.23	12.81	35.60	1.99	--	--	PEAK	
4	7386.00	39.11	54.00	-14.89		22.68	37.23	12.81	35.60	1.99	--	--	Average	

Mode	19													
	Harmonic													
	2400-2483.5_802.11b_CH11_2462MHz													
ANT	2													
Pol.	Vertical													
Peak Avg														
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		
1	3195.00	46.20	74.00	-27.80		39.32	28.09	8.38	32.05	2.46	--	--	Peak	
2	4924.00	45.66	74.00	-28.34		33.62	32.75	10.50	32.98	1.77	--	--	PEAK	
3	7386.00	49.29	74.00	-24.71		32.86	37.23	12.81	35.60	1.99	--	--	PEAK	
4	7386.00	39.09	54.00	-14.91		22.66	37.23	12.81	35.60	1.99	--	--	Average	







Mode	19	
	Harmonic	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	20																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.53</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>42.70</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>100</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.53	55.60	74.00	-18.40	42.70	26.84	7.47	31.79	10.38	100	245	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>111.49</td><td>-----</td><td>-----</td><td>98.61</td><td>26.83</td><td>7.45</td><td>31.78</td><td>10.38</td><td>100</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	111.49	-----	-----	98.61	26.83	7.45	31.78	10.38	100	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.53	55.60	74.00	-18.40	42.70	26.84	7.47	31.79	10.38	100	245	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	111.49	-----	-----	98.61	26.83	7.45	31.78	10.38	100	245	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.62</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>33.28</td><td>26.85</td><td>7.47</td><td>31.79</td><td>10.38</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.62	46.19	54.00	-7.81	33.28	26.85	7.47	31.79	10.38	100	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>100.39</td><td>-----</td><td>-----</td><td>95.51</td><td>26.83</td><td>7.45</td><td>31.78</td><td>10.38</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	100.39	-----	-----	95.51	26.83	7.45	31.78	10.38	100	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.62	46.19	54.00	-7.81	33.28	26.85	7.47	31.79	10.38	100	245	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	100.39	-----	-----	95.51	26.83	7.45	31.78	10.38	100	245	AVERAGE																																																																																							





Mode	20																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																																
ANT	2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																										
Avg																																																																																																																	
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.33</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>41.96</td><td>26.90</td><td>7.49</td><td>31.80</td><td>10.38</td><td>294</td><td>264</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.33	54.93	74.00	-19.07	41.96	26.90	7.49	31.80	10.38	294	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>110.64</td><td>-----</td><td>-----</td><td>97.76</td><td>26.83</td><td>7.45</td><td>31.78</td><td>10.38</td><td>294</td><td>264</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	110.64	-----	-----	97.76	26.83	7.45	31.78	10.38	294	264	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2493.33	54.93	74.00	-19.07	41.96	26.90	7.49	31.80	10.38	294	264	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2467.00	110.64	-----	-----	97.76	26.83	7.45	31.78	10.38	294	264	PEAK																																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.15</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>31.70</td><td>26.85</td><td>7.47</td><td>31.79</td><td>10.38</td><td>294</td><td>264</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.15	44.61	54.00	-9.39	31.70	26.85	7.47	31.79	10.38	294	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>107.55</td><td>-----</td><td>-----</td><td>94.67</td><td>26.83</td><td>7.45</td><td>31.78</td><td>10.38</td><td>294</td><td>264</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	107.55	-----	-----	94.67	26.83	7.45	31.78	10.38	294	264	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2495.15	44.61	54.00	-9.39	31.70	26.85	7.47	31.79	10.38	294	264	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2467.00	107.55	-----	-----	94.67	26.83	7.45	31.78	10.38	294	264	AVERAGE																																																																																																					







Mode	20																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																																																																																		
ANT	2																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																			
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 3195.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>39.13</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>-- -- Peak</td></tr><tr><td>2 4934.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>34.39</td><td>32.77</td><td>10.49</td><td>32.98</td><td>1.77</td><td>-- -- PEAK</td></tr><tr><td>3 7401.00</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>33.58</td><td>37.20</td><td>12.84</td><td>35.61</td><td>1.99</td><td>-- -- PEAK</td></tr><tr><td>4 7401.00</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>22.63</td><td>37.20</td><td>12.84</td><td>35.61</td><td>1.99</td><td>-- -- Average</td></tr></tbody></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 3195.00	46.01	74.00	-27.99	39.13	28.09	8.38	32.05	2.46	-- -- Peak	2 4934.00	46.44	74.00	-27.56	34.39	32.77	10.49	32.98	1.77	-- -- PEAK	3 7401.00	50.00	74.00	-24.00	33.58	37.20	12.84	35.61	1.99	-- -- PEAK	4 7401.00	39.05	54.00	-14.95	22.63	37.20	12.84	35.61	1.99	-- -- Average	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 3195.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>38.22</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>-- -- Peak</td></tr><tr><td>2 4934.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>33.99</td><td>32.77</td><td>10.49</td><td>32.98</td><td>1.77</td><td>-- -- PEAK</td></tr><tr><td>3 7401.00</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>34.03</td><td>37.20</td><td>12.84</td><td>35.61</td><td>1.99</td><td>-- -- PEAK</td></tr><tr><td>4 7401.00</td><td>39.02</td><td>54.00</td><td>-14.98</td><td>22.60</td><td>37.20</td><td>12.84</td><td>35.61</td><td>1.99</td><td>-- -- Average</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 3195.00	45.10	74.00	-28.90	38.22	28.09	8.38	32.05	2.46	-- -- Peak	2 4934.00	46.04	74.00	-27.96	33.99	32.77	10.49	32.98	1.77	-- -- PEAK	3 7401.00	50.45	74.00	-23.55	34.03	37.20	12.84	35.61	1.99	-- -- PEAK	4 7401.00	39.02	54.00	-14.98	22.60	37.20	12.84	35.61	1.99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																										
1 3195.00	46.01	74.00	-27.99	39.13	28.09	8.38	32.05	2.46	-- -- Peak																																																																																																																																																										
2 4934.00	46.44	74.00	-27.56	34.39	32.77	10.49	32.98	1.77	-- -- PEAK																																																																																																																																																										
3 7401.00	50.00	74.00	-24.00	33.58	37.20	12.84	35.61	1.99	-- -- PEAK																																																																																																																																																										
4 7401.00	39.05	54.00	-14.95	22.63	37.20	12.84	35.61	1.99	-- -- Average																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																										
1 3195.00	45.10	74.00	-28.90	38.22	28.09	8.38	32.05	2.46	-- -- Peak																																																																																																																																																										
2 4934.00	46.04	74.00	-27.96	33.99	32.77	10.49	32.98	1.77	-- -- PEAK																																																																																																																																																										
3 7401.00	50.45	74.00	-23.55	34.03	37.20	12.84	35.61	1.99	-- -- PEAK																																																																																																																																																										
4 7401.00	39.02	54.00	-14.98	22.60	37.20	12.84	35.61	1.99	-- -- Average																																																																																																																																																										







Mode	20	
	Harmonic	
	2400-2483.5_802.11b_CH12_2467MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL





Mode	22																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>44.60</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>114</td><td>241 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	57.49	74.00	-16.51	44.60	26.90	7.34	31.73	10.38	114	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>112.18</td><td>-----</td><td>-----</td><td>99.09</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>114</td><td>241 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.18	-----	-----	99.09	27.08	7.38	31.75	10.38	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	57.49	74.00	-16.51	44.60	26.90	7.34	31.73	10.38	114	241 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	112.18	-----	-----	99.09	27.08	7.38	31.75	10.38	114	241 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>33.91</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>114</td><td>241 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.80	54.00	-7.20	33.91	26.90	7.34	31.73	10.38	114	241 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.97</td><td>-----</td><td>-----</td><td>90.88</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>114</td><td>241 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.97	-----	-----	90.88	27.08	7.38	31.75	10.38	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	46.80	54.00	-7.20	33.91	26.90	7.34	31.73	10.38	114	241 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	103.97	-----	-----	90.88	27.08	7.38	31.75	10.38	114	241 AVERAGE																																																																																						





Mode	22																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH1_2412MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Site : 03CH23-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>44.68</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>290</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	57.57	74.00	-16.43	44.68	26.90	7.34	31.73	10.38	290	258	PEAK	 Site : 03CH23-HY Condition: PEAK_74_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.12</td><td>-----</td><td>-----</td><td>98.03</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>290</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.12	-----	-----	98.03	27.08	7.38	31.75	10.38	290	258	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.56	57.57	74.00	-16.43	44.68	26.90	7.34	31.73	10.38	290	258	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	111.12	-----	-----	98.03	27.08	7.38	31.75	10.38	290	258	PEAK																																																																														
Avg	 Site : 03CH23-HY Condition: AVG_BE_54_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>33.93</td><td>26.90</td><td>7.34</td><td>31.73</td><td>10.38</td><td>290</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.82	54.00	-7.18	33.93	26.90	7.34	31.73	10.38	290	258	AVERAGE	 Site : 03CH23-HY Condition: AVG_54_3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.82</td><td>-----</td><td>-----</td><td>89.73</td><td>27.08</td><td>7.38</td><td>31.75</td><td>10.38</td><td>290</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.82	-----	-----	89.73	27.08	7.38	31.75	10.38	290	258	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.95	46.82	54.00	-7.18	33.93	26.90	7.34	31.73	10.38	290	258	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	102.82	-----	-----	89.73	27.08	7.38	31.75	10.38	290	258	AVERAGE																																																																														





Mode	22																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>36.35</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>34.68</td><td>32.55</td><td>10.55</td><td>32.98</td><td>1.81</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3195.00	43.23	74.00	-30.77	36.35	28.09	8.38	32.05	2.46	--	Peak	2	4824.00	46.61	74.00	-27.39	34.68	32.55	10.55	32.98	1.81	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>40.93</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>35.07</td><td>32.55</td><td>10.55</td><td>32.98</td><td>1.81</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3195.00	47.81	74.00	-26.19	40.93	28.09	8.38	32.05	2.46	--	Peak	2	4824.00	47.00	74.00	-27.00	35.07	32.55	10.55	32.98	1.81	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	3195.00	43.23	74.00	-30.77	36.35	28.09	8.38	32.05	2.46	--	Peak																																																																																																																				
2	4824.00	46.61	74.00	-27.39	34.68	32.55	10.55	32.98	1.81	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	3195.00	47.81	74.00	-26.19	40.93	28.09	8.38	32.05	2.46	--	Peak																																																																																																																				
2	4824.00	47.00	74.00	-27.00	35.07	32.55	10.55	32.98	1.81	--	PEAK																																																																																																																				



Mode	22	
	Harmonic	
	2400-2483.5_802.11g_CH1_2412MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL







Mode	23																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	2400-2483.5_802.11g_CH07_2442MHz																																																																																																																																																																																	
ANT	2																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>36.12</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4884.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>34.90</td><td>32.67</td><td>10.52</td><td>32.98</td><td>1.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7326.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>33.91</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7326.00</td><td>40.22</td><td>54.00</td><td>-13.78</td><td>23.76</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>Average</td></tr></table> Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>39.47</td><td>28.09</td><td>8.38</td><td>32.05</td><td>2.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4884.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>34.29</td><td>32.67</td><td>10.52</td><td>32.98</td><td>1.79</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7326.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>34.19</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>7326.00</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>23.72</td><td>37.35</td><td>12.65</td><td>35.55</td><td>2.01</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3195.00	43.00	74.00	-31.00	36.12	28.09	8.38	32.05	2.46	--	--	Peak	2	4884.00	46.90	74.00	-27.10	34.90	32.67	10.52	32.98	1.79	--	--	PEAK	3	7326.00	50.37	74.00	-23.63	33.91	37.35	12.65	35.55	2.01	--	--	PEAK	4	7326.00	40.22	54.00	-13.78	23.76	37.35	12.65	35.55	2.01	--	--	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3195.00	46.35	74.00	-27.65	39.47	28.09	8.38	32.05	2.46	--	--	Peak	2	4884.00	46.29	74.00	-27.71	34.29	32.67	10.52	32.98	1.79	--	--	PEAK	3	7326.00	50.65	74.00	-23.35	34.19	37.35	12.65	35.55	2.01	--	--	PEAK	4	7326.00	40.18	54.00	-13.82	23.72	37.35	12.65	35.55	2.01	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	3195.00	43.00	74.00	-31.00	36.12	28.09	8.38	32.05	2.46	--	--	Peak																																																																																																																																																																						
2	4884.00	46.90	74.00	-27.10	34.90	32.67	10.52	32.98	1.79	--	--	PEAK																																																																																																																																																																						
3	7326.00	50.37	74.00	-23.63	33.91	37.35	12.65	35.55	2.01	--	--	PEAK																																																																																																																																																																						
4	7326.00	40.22	54.00	-13.78	23.76	37.35	12.65	35.55	2.01	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	3195.00	46.35	74.00	-27.65	39.47	28.09	8.38	32.05	2.46	--	--	Peak																																																																																																																																																																						
2	4884.00	46.29	74.00	-27.71	34.29	32.67	10.52	32.98	1.79	--	--	PEAK																																																																																																																																																																						
3	7326.00	50.65	74.00	-23.35	34.19	37.35	12.65	35.55	2.01	--	--	PEAK																																																																																																																																																																						
4	7326.00	40.18	54.00	-13.82	23.72	37.35	12.65	35.55	2.01	--	--	Average																																																																																																																																																																						







Mode	23	
	Harmonic	
	2400-2483.5_802.11g_CH07_2442MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL



Mode	24																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.81</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>45.68</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	58.58	74.00	-15.42	45.68	26.84	7.47	31.79	10.38	100	248	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.44</td><td>-----</td><td>-----</td><td>99.52</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.44	-----	-----	99.52	26.88	7.44	31.78	10.38	100	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.81	58.58	74.00	-15.42	45.68	26.84	7.47	31.79	10.38	100	248	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	112.44	-----	-----	99.52	26.88	7.44	31.78	10.38	100	248	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>33.47</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>100</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	46.37	54.00	-7.63	33.47	26.84	7.47	31.79	10.38	100	248	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.50</td><td>-----</td><td>-----</td><td>91.58</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>100</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.50	-----	-----	91.58	26.88	7.44	31.78	10.38	100	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	46.37	54.00	-7.63	33.47	26.84	7.47	31.79	10.38	100	248	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	104.50	-----	-----	91.58	26.88	7.44	31.78	10.38	100	248	AVERAGE																																																																																							



Mode	24																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>57.04</td><td>74.00</td><td>-16.96</td><td>44.14</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	57.04	74.00	-16.96	44.14	26.84	7.47	31.79	10.38	300	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.80</td><td>-----</td><td>-----</td><td>98.88</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.80	-----	-----	98.88	26.88	7.44	31.78	10.38	300	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.55	57.04	74.00	-16.96	44.14	26.84	7.47	31.79	10.38	300	261	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	111.80	-----	-----	98.88	26.88	7.44	31.78	10.38	300	261	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>32.62</td><td>26.84</td><td>7.47</td><td>31.79</td><td>10.38</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.52	54.00	-8.48	32.62	26.84	7.47	31.79	10.38	300	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.85</td><td>-----</td><td>-----</td><td>90.93</td><td>26.88</td><td>7.44</td><td>31.78</td><td>10.38</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.85	-----	-----	90.93	26.88	7.44	31.78	10.38	300	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	45.52	54.00	-8.48	32.62	26.84	7.47	31.79	10.38	300	261	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	103.85	-----	-----	90.93	26.88	7.44	31.78	10.38	300	261	AVERAGE																																																																																							