









		86																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_484/66_5290MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5015.08</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>41.22</td><td>33.04</td><td>11.07</td><td>29.41</td><td>0.00</td><td>200</td><td>87</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5015.08	55.92	74.00	-18.08	41.22	33.04	11.07	29.41	0.00	200	87	PEAK	Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>103.33</td><td>-----</td><td>-----</td><td>88.58</td><td>32.80</td><td>11.32</td><td>29.37</td><td>0.00</td><td>200</td><td>87</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	103.33	-----	-----	88.58	32.80	11.32	29.37	0.00	200	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5015.08	55.92	74.00	-18.08	41.22	33.04	11.07	29.41	0.00	200	87	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	103.33	-----	-----	88.58	32.80	11.32	29.37	0.00	200	87	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH16-HY Condition: AVG_BE_54 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.73</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>30.44</td><td>32.95</td><td>11.16</td><td>29.39</td><td>0.00</td><td>200</td><td>87</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.73	45.16	54.00	-8.84	30.44	32.95	11.16	29.39	0.00	200	87	AVERAGE	Site : 03CH16-HY Condition: AVG_54 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.75</td><td>-----</td><td>-----</td><td>80.00</td><td>32.80</td><td>11.32</td><td>29.37</td><td>0.00</td><td>200</td><td>87</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.75	-----	-----	80.00	32.80	11.32	29.37	0.00	200	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5126.73	45.16	54.00	-8.84	30.44	32.95	11.16	29.39	0.00	200	87	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	94.75	-----	-----	80.00	32.80	11.32	29.37	0.00	200	87	AVERAGE																																																																																							





FCC RADIO TEST REPORT





Report No. :FR480505D

Mode	86																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_484/66_5290MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH16-HY Condition: PEAK_BE_74 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.11</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>40.03</td><td>32.00</td><td>11.37</td><td>29.37</td><td>0.00</td><td>200</td><td>87</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.11	54.83	74.00	-19.17	40.03	32.00	11.37	29.37	0.00	200	87	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.11	54.83	74.00	-19.17	40.03	32.00	11.37	29.37	0.00	200	87	PEAK																																												
Avg.	 Site : 03CH16-HY Condition: AVG_BE_54 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>29.74</td><td>32.00</td><td>11.48</td><td>29.35</td><td>0.00</td><td>200</td><td>87</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	44.67	54.00	-9.33	29.74	32.00	11.48	29.35	0.00	200	87	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5460.00	44.67	54.00	-9.33	29.74	32.00	11.48	29.35	0.00	200	87	AVERAGE																																												







Mode	86																																																																	
	Harmonic																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_484/66_5290MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg.																																																																		
	Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>47.37</td><td>68.20</td><td>-20.83</td><td>58.50</td><td>38.74</td><td>15.98</td><td>66.30</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>56.10</td><td>37.32</td><td>19.64</td><td>66.49</td><td>0.62</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	47.37	68.20	-20.83	58.50	38.74	15.98	66.30	0.45	--	PEAK	2	15870.00	47.19	74.00	-26.81	56.10	37.32	19.64	66.49	0.62	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10580.00	47.37	68.20	-20.83	58.50	38.74	15.98	66.30	0.45	--	PEAK																																																							
2	15870.00	47.19	74.00	-26.81	56.10	37.32	19.64	66.49	0.62	--	PEAK																																																							




Mode	86	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_484/66_5290MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
17.7G ~18G Avg.	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL



	87																																																																																																													
Mode	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_B3 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.70</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>40.10</td><td>32.00</td><td>11.47</td><td>29.36</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5468.26</td><td>55.58</td><td>68.20</td><td>-12.62</td><td>40.64</td><td>32.00</td><td>11.49</td><td>29.35</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.70	55.01	74.00	-18.99	40.10	32.00	11.47	29.36	0.00	100	284	PEAK	2	5468.26	55.58	68.20	-12.62	40.64	32.00	11.49	29.35	0.00	100	284	PEAK	Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.24</td><td>-----</td><td>-----</td><td>87.26</td><td>32.80</td><td>11.53</td><td>29.35</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.24	-----	-----	87.26	32.80	11.53	29.35	0.00	100	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5451.70	55.01	74.00	-18.99	40.10	32.00	11.47	29.36	0.00	100	284	PEAK																																																																																																		
2	5468.26	55.58	68.20	-12.62	40.64	32.00	11.49	29.35	0.00	100	284	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	102.24	-----	-----	87.26	32.80	11.53	29.35	0.00	100	284	PEAK																																																																																																		
Avg.																																																																																																														
	Site : 03CH16-HY Condition: AVG_BE(UNII)_B3 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.26</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>29.74</td><td>32.00</td><td>11.48</td><td>29.35</td><td>0.00</td><td>100</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.26	44.67	54.00	-9.33	29.74	32.00	11.48	29.35	0.00	100	284	AVERAGE	Site : 03CH16-HY Condition: AVG_54 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.47</td><td>-----</td><td>-----</td><td>79.48</td><td>32.80</td><td>11.54</td><td>29.35</td><td>0.00</td><td>100</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.47	-----	-----	79.48	32.80	11.54	29.35	0.00	100	284	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.26	44.67	54.00	-9.33	29.74	32.00	11.48	29.35	0.00	100	284	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	94.47	-----	-----	79.48	32.80	11.54	29.35	0.00	100	284	AVERAGE																																																																																																		




Mode	87																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_B3 3m 91200-1522_240328 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.63</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>40.42</td><td>33.46</td><td>11.79</td><td>29.40</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>284</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.63	56.27	68.20	-11.93	40.42	33.46	11.79	29.40	0.00									100	284	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5731.63	56.27	68.20	-11.93	40.42	33.46	11.79	29.40	0.00																																											
								100	284																																											





		87																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz																																																																																																												
ANT	1+2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	Site : 03CH16-HY Condition: PEAK_BE(UNII)_B3 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.54</td><td>54.45</td><td>74.00</td><td>-19.55</td><td>39.55</td><td>32.80</td><td>11.46</td><td>29.36</td><td>0.00</td><td>200 266 PEAK</td></tr><tr><td>2</td><td>5465.56</td><td>54.05</td><td>68.20</td><td>-14.15</td><td>39.11</td><td>32.80</td><td>11.49</td><td>29.35</td><td>0.00</td><td>200 266 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.54	54.45	74.00	-19.55	39.55	32.80	11.46	29.36	0.00	200 266 PEAK	2	5465.56	54.05	68.20	-14.15	39.11	32.80	11.49	29.35	0.00	200 266 PEAK	Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.35</td><td>-----</td><td>-----</td><td>89.36</td><td>32.80</td><td>11.54</td><td>29.35</td><td>0.00</td><td>200 266 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.35	-----	-----	89.36	32.80	11.54	29.35	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5448.54	54.45	74.00	-19.55	39.55	32.80	11.46	29.36	0.00	200 266 PEAK																																																																																																			
2	5465.56	54.05	68.20	-14.15	39.11	32.80	11.49	29.35	0.00	200 266 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	104.35	-----	-----	89.36	32.80	11.54	29.35	0.00	200 266 PEAK																																																																																																			
Avg.																																																																																																													
	Site : 03CH16-HY Condition: AVG_BE(UNII)_B3 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>29.06</td><td>32.80</td><td>11.48</td><td>29.35</td><td>0.00</td><td>200 266 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	44.79	54.00	-9.21	29.06	32.80	11.48	29.35	0.00	200 266 AVERAGE	Site : 03CH16-HY Condition: AVG_54 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.62</td><td>-----</td><td>-----</td><td>81.63</td><td>32.80</td><td>11.54</td><td>29.35</td><td>0.00</td><td>200 266 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.62	-----	-----	81.63	32.80	11.54	29.35	0.00	200 266 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.00	44.79	54.00	-9.21	29.06	32.80	11.48	29.35	0.00	200 266 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	96.62	-----	-----	81.63	32.80	11.54	29.35	0.00	200 266 AVERAGE																																																																																																			







Mode	87																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz																																													
ANT	1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH16-HY Condition: PEAK_BE(UNII)_B3 3m 91200-1522_240328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.98</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>39.76</td><td>33.48</td><td>11.79</td><td>29.40</td><td>0.00</td><td>200</td><td>266</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5737.98	55.63	68.20	-12.57	39.76	33.48	11.79	29.40	0.00	200	266	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5737.98	55.63	68.20	-12.57	39.76	33.48	11.79	29.40	0.00	200	266	PEAK																																		





Mode	87																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg.																																																																		
	Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII) 3m 91200-1522_240328 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>56.47</td><td>38.70</td><td>16.35</td><td>65.66</td><td>0.44</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16590.00</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>56.83</td><td>37.90</td><td>20.29</td><td>66.73</td><td>0.63</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.30	74.00	-27.70	56.47	38.70	16.35	65.66	0.44	--	PEAK	2	16590.00	48.92	68.20	-19.28	56.83	37.90	20.29	66.73	0.63	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11060.00	46.30	74.00	-27.70	56.47	38.70	16.35	65.66	0.44	--	PEAK																																																							
2	16590.00	48.92	68.20	-19.28	56.83	37.90	20.29	66.73	0.63	--	PEAK																																																							





Mode	87	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_484/65_5530MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL
17.7G ~18G Avg.	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 HORIZONTAL	 Site : 03CH16-HY Condition: AVG_54 3m 91280-1522_240328 VERTICAL



Mode	90													
	LF													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_484/65_5210MHz													
ANT	1+2													
Pol.	Horizontal							Vertical						
QP/ Peak														
	Site : 03CH16-HY													
	Condition: QP 3m CBL6111D&00002N1D01N-06_47020 & 06 HORIZONTAL													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		
1	57.16	23.01	40.00	-16.99	41.95	12.12	1.18	32.30	0.06	--	--	--	Peak	
2	166.77	30.55	43.50	-12.95	44.87	15.94	2.01	32.36	0.09	--	--	--	Peak	
3	254.07	30.10	46.00	-15.90	40.94	19.04	2.47	32.40	0.05	--	--	--	Peak	
4	453.89	36.92	46.00	-9.08	42.94	23.12	3.32	32.57	0.11	--	--	--	Peak	
5	531.49	31.99	46.00	-14.01	37.25	24.05	3.59	33.02	0.12	--	--	--	Peak	
6	933.07	35.17	46.00	-10.83	31.98	30.09	4.76	31.93	0.27	--	--	--	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		
1	58.13	33.37	40.00	-6.63	52.43	11.98	1.19	32.29	0.06	--	--	--	Peak	
2	95.96	31.95	43.50	-11.55	47.48	15.45	1.51	32.53	0.04	--	--	--	Peak	
3	247.28	28.70	46.00	-17.30	40.50	18.15	2.44	32.43	0.04	--	--	--	Peak	
4	462.62	36.61	46.00	-9.39	42.48	23.29	3.35	32.62	0.11	--	--	--	Peak	
5	531.49	33.16	46.00	-12.84	38.42	24.05	3.59	33.02	0.12	--	--	--	Peak	
6	938.89	34.12	46.00	-11.88	30.57	30.36	4.78	31.87	0.28	--	--	--	Peak	



Mode	91																																																																			
	SHF																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_484/65_5210MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak																																																																				
	Site : 03CH16-HY																																																																			
	Condition: PEAK(UNII) 1m SHF_00993_231124 HORIZONTAL																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39197.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>59.51</td><td>44.96</td><td>9.10</td><td>56.38</td><td>-9.54</td><td>100</td><td>300</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39197.00	47.65	74.00	-26.35	59.51	44.96	9.10	56.38	-9.54	100	300	Peak												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	39197.00	47.65	74.00	-26.35	59.51	44.96	9.10	56.38	-9.54	100	300	Peak																																																								
Site : 03CH16-HY																																																																				
Condition: PEAK(UNII) 1m SHF_00993_231124 VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>20838.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>62.84</td><td>37.88</td><td>6.17</td><td>54.86</td><td>-9.54</td><td>100</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>20838.00</td><td>36.04</td><td>54.00</td><td>-17.96</td><td>56.39</td><td>37.88</td><td>6.17</td><td>54.86</td><td>-9.54</td><td>100</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	20838.00	42.49	74.00	-31.51	62.84	37.88	6.17	54.86	-9.54	100	189	PEAK	2	20838.00	36.04	54.00	-17.96	56.39	37.88	6.17	54.86	-9.54	100	189	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	20838.00	42.49	74.00	-31.51	62.84	37.88	6.17	54.86	-9.54	100	189	PEAK																																																								
2	20838.00	36.04	54.00	-17.96	56.39	37.88	6.17	54.86	-9.54	100	189	AVERAGE																																																								



Appendix D. Duty Cycle Plots


<Ant. 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	802.11a	97.66	2085	0.48	510Hz
1	5GHz 802.11ax HE20 Full RU	98.17	-	-	10Hz
1	5GHz 802.11ax HE20 26 RU	98.28	-	-	10Hz
1	5GHz 802.11ax HE20 52 RU	98.49	-	-	10Hz
1	5GHz 802.11ax HE20 106 RU	98.49	-	-	10Hz
1	5GHz 802.11ax HE40 Full RU	98.81	-	-	10Hz
1	5GHz 802.11ax HE40 242 RU	98.81	-	-	10Hz
1	5GHz 802.11ax HE80 Full RU	98.76	-	-	10Hz
1	5GHz 802.11ax HE80 484 RU	98.81	-	-	10Hz




<Ant. 1>


802.11a



5GHz 802.11ax HE20 Full RU




5GHz 802.11ax HE20 26 RU




5GHz 802.11ax HE20 52 RU




5GHz 802.11ax HE20 106 RU



5GHz 802.11ax HE40 Full RU






<Ant. 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
2	802.11a	98.03	-	-	10Hz
2	5GHz 802.11ax HE20 Full RU	98.99	-	-	10Hz
2	5GHz 802.11ax HE20 26 RU	98.28	-	-	10Hz
2	5GHz 802.11ax HE20 52 RU	98.38	-	-	10Hz
2	5GHz 802.11ax HE20 106 RU	98.38	-	-	10Hz
2	5GHz 802.11ax HE40 Full RU	98.76	-	-	10Hz
2	5GHz 802.11ax HE40 242 RU	98.81	-	-	10Hz
2	5GHz 802.11ax HE80 Full RU	98.87	-	-	10Hz
2	5GHz 802.11ax HE80 484 RU	98.81	-	-	10Hz




<Ant. 2>


802.11a



5GHz 802.11ax HE20 Full RU




5GHz 802.11ax HE20 26 RU




5GHz 802.11ax HE20 52 RU




5GHz 802.11ax HE20 106 RU



5GHz 802.11ax HE40 Full RU






**MIMO<Ant. 1+2>**

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	5GHz 802.11ax HE20 Full RU	98.51	-	-	10Hz
1+2	5GHz 802.11ax HE20 26 RU	98.36	-	-	10Hz
1+2	5GHz 802.11ax HE20 52 RU	98.36	-	-	10Hz
1+2	5GHz 802.11ax HE20 106 RU	98.36	-	-	10Hz
1+2	5GHz 802.11ax HE40 Full RU	98.88	-	-	10Hz
1+2	5GHz 802.11ax HE40 242 RU	98.80	-	-	10Hz
1+2	5GHz 802.11ax HE80 Full RU	99.03	-	-	10Hz
1+2	5GHz 802.11ax HE80 484 RU	98.81	-	-	10Hz




MIMO<Ant. 1+2>


5GHz 802.11ax HE20 Full RU




5GHz 802.11ax HE20 26 RU




5GHz 802.11ax HE20 52 RU



5GHz 802.11ax HE20 106 RU



5GHz 802.11ax HE40 Full RU



5GHz 802.11ax HE40 242 RU

