




MIMO <Ant. 1+2(1)>


EUT Mode

802.11ax HE160 FullIRU


Plot on Channel 6025 MHz




Plot on Channel 6185 MHz



Plot on Channel 6345 MHz




Plot on Channel 6505 MHz






Plot on Channel 6665 MHz




04:21:16 PM 02/18/2025

Plot on Channel 6825 MHz



04:33:25 PM 02/18/2025

Plot on Channel 6985 MHz



04:40:11 PM 02/18/2025




MIMO <Ant. 1+2(2)>


EUT Mode

802.11ax HE160 FullIRU


Plot on Channel 6025 MHz




Plot on Channel 6185 MHz



Plot on Channel 6345 MHz




Plot on Channel 6505 MHz






Plot on Channel 6665 MHz




04:23:16 PM 02/18/2025

Plot on Channel 6825 MHz



04:34:57 PM 02/18/2025

Plot on Channel 6985 MHz



04:41:40 PM 02/18/2025




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	19.2~22.3℃
		Relative Humidity :	45.4~52.1%

EUT Information

Report NO : 400149-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.155670	53.06	---	65.69	12.63	L1	FLO	19.9
0.155670	---	41.01	55.69	14.68	L1	FLO	19.9
0.171600	51.02	---	64.88	13.86	L1	FLO	19.9
0.171600	---	39.39	54.88	15.49	L1	FLO	19.9
0.191040	47.78	---	63.99	16.21	L1	FLO	19.9
0.191040	---	36.39	53.99	17.60	L1	FLO	19.9
0.236580	41.44	---	62.22	20.78	L1	FLO	19.9
0.236580	---	31.42	52.22	20.80	L1	FLO	19.9
0.269250	38.09	---	61.14	23.05	L1	FLO	19.9
0.269250	---	29.31	51.14	21.83	L1	FLO	19.9
0.399750	39.12	---	57.86	18.74	L1	FLO	19.9
0.399750	---	34.13	47.86	13.73	L1	FLO	19.9
0.402450	38.88	---	57.80	18.92	L1	FLO	19.9
0.402450	---	35.27	47.80	12.53	L1	FLO	19.9
0.546090	32.58	---	56.00	23.42	L1	FLO	19.9
0.546090	---	25.53	46.00	20.47	L1	FLO	19.9
0.681540	36.90	---	56.00	19.10	L1	FLO	19.9
0.681540	---	24.59	46.00	21.41	L1	FLO	19.9
0.730500	35.71	---	56.00	20.29	L1	FLO	19.9

0.730500	---	28.10	46.00	17.90	L1	FLO	19.9
0.757500	38.69	---	56.00	17.31	L1	FLO	19.9
0.757500	---	33.83	46.00	12.17	L1	FLO	19.9
0.820050	32.49	---	56.00	23.51	L1	FLO	19.9
0.820050	---	24.51	46.00	21.49	L1	FLO	19.9
0.899250	31.52	---	56.00	24.48	L1	FLO	19.9
0.899250	---	21.48	46.00	24.52	L1	FLO	19.9
1.079250	32.92	---	56.00	23.08	L1	FLO	19.9
1.079250	---	25.34	46.00	20.66	L1	FLO	19.9
1.212990	31.97	---	56.00	24.03	L1	FLO	19.9
1.212990	---	26.28	46.00	19.72	L1	FLO	19.9
1.356000	35.17	---	56.00	20.83	L1	FLO	20.0
1.356000	---	25.60	46.00	20.40	L1	FLO	20.0
2.044050	35.15	---	56.00	20.85	L1	FLO	20.0
2.044050	---	29.40	46.00	16.60	L1	FLO	20.0
2.433750	36.78	---	56.00	19.22	L1	FLO	20.0
2.433750	---	31.11	46.00	14.89	L1	FLO	20.0
2.915340	38.26	---	56.00	17.74	L1	FLO	20.0
2.915340	---	32.02	46.00	13.98	L1	FLO	20.0
3.635250	37.05	---	56.00	18.95	L1	FLO	20.0
3.635250	---	31.00	46.00	15.00	L1	FLO	20.0
6.818460	38.16	---	60.00	21.84	L1	FLO	20.1
6.818460	---	33.44	50.00	16.56	L1	FLO	20.1
12.134940	40.47	---	60.00	19.53	L1	FLO	20.1
12.134940	---	36.21	50.00	13.79	L1	FLO	20.1
13.253100	43.17	---	60.00	16.83	L1	FLO	20.1
13.253100	---	37.88	50.00	12.12	L1	FLO	20.1
19.321260	27.97	---	60.00	32.03	L1	FLO	20.1
19.321260	---	23.63	50.00	26.37	L1	FLO	20.1

EUT Information

Report NO : 4O0149-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.150000	---	41.04	56.00	14.96	N	FLO	20.0
0.150000	55.35	---	66.00	10.65	N	FLO	20.0
0.166110	---	39.52	55.15	15.63	N	FLO	19.9
0.166110	52.91	---	65.15	12.24	N	FLO	19.9
0.185370	---	36.30	54.24	17.94	N	FLO	19.9
0.185370	48.42	---	64.24	15.82	N	FLO	19.9
0.201210	---	34.58	53.56	18.98	N	FLO	19.9
0.201210	46.36	---	63.56	17.20	N	FLO	19.9
0.231000	---	30.60	52.41	21.81	N	FLO	19.9
0.231000	42.10	---	62.41	20.31	N	FLO	19.9
0.242250	---	28.40	52.02	23.62	N	FLO	19.9
0.242250	38.93	---	62.02	23.09	N	FLO	19.9
0.396960	---	33.87	47.92	14.05	N	FLO	19.9
0.396960	41.57	---	57.92	16.35	N	FLO	19.9
0.402000	---	37.14	47.81	10.67	N	FLO	19.9
0.402000	40.64	---	57.81	17.17	N	FLO	19.9
0.531600	---	27.46	46.00	18.54	N	FLO	19.9
0.531600	35.40	---	56.00	20.60	N	FLO	19.9
0.680190	---	23.57	46.00	22.43	N	FLO	19.9

0.680190	36.50	---	56.00	19.50	N	FLO	19.9
0.719250	---	31.01	46.00	14.99	N	FLO	19.9
0.719250	37.70	---	56.00	18.30	N	FLO	19.9
0.750390	---	33.10	46.00	12.90	N	FLO	19.9
0.750390	40.33	---	56.00	15.67	N	FLO	19.9
0.812760	---	23.04	46.00	22.96	N	FLO	19.9
0.812760	34.03	---	56.00	21.97	N	FLO	19.9
0.892500	---	17.41	46.00	28.59	N	FLO	19.9
0.892500	29.30	---	56.00	26.70	N	FLO	19.9
1.079250	---	20.24	46.00	25.76	N	FLO	20.0
1.079250	34.16	---	56.00	21.84	N	FLO	20.0
1.223250	---	21.61	46.00	24.39	N	FLO	20.0
1.223250	29.00	---	56.00	27.00	N	FLO	20.0
1.320720	---	21.47	46.00	24.53	N	FLO	20.0
1.320720	32.08	---	56.00	23.92	N	FLO	20.0
2.118750	---	25.66	46.00	20.34	N	FLO	20.0
2.118750	31.79	---	56.00	24.21	N	FLO	20.0
2.476500	---	27.24	46.00	18.76	N	FLO	20.0
2.476500	32.57	---	56.00	23.43	N	FLO	20.0
2.895810	---	27.60	46.00	18.40	N	FLO	20.0
2.895810	33.82	---	56.00	22.18	N	FLO	20.0
3.664050	---	26.46	46.00	19.54	N	FLO	20.0
3.664050	33.04	---	56.00	22.96	N	FLO	20.0
6.940500	---	29.76	50.00	20.24	N	FLO	20.1
6.940500	34.63	---	60.00	25.37	N	FLO	20.1
12.228180	---	36.10	50.00	13.90	N	FLO	20.1
12.228180	40.30	---	60.00	19.70	N	FLO	20.1
13.255440	---	37.43	50.00	12.57	N	FLO	20.1
13.255440	43.16	---	60.00	16.84	N	FLO	20.1



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Bill Chang and York Hung	Relative Humidity(%):	18.8 ~ 22.5 %
		Temperature(°C):	58.5 ~ 63.2 °C

Remark: For Radiated Spurious Emission Test Data, Ant. 1 means Chain 0 (Main) and Ant. 2 means Chain 1 (Aux.).

Note symbol

-L	Low channel location
-R	High channel location



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925~6.425	1 + 2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925~6.425	1 + 2	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925~6.425	1 + 2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925~6.425	1 + 2	802.11ax HE20	1	5955	MCS0	-	-
Mode 5	U-NII-5	5.925~6.425	1 + 2	802.11ax HE20	1	5955	MCS0	26/0	-
Mode 6	U-NII-5	5.925~6.425	1 + 2	802.11ax HE20	1	5955	MCS0	106/53	-
Mode 7	U-NII-5	5.925~6.425	1 + 2	802.11ax HE20	49	6195	MCS0	-	-
Mode 8	U-NII-5	5.925~6.425	1 + 2	802.11ax HE20	93	6415	MCS0	-	-
Mode 9	U-NII-5	5.925~6.425	1 + 2	802.11ax HE40	3	5965	MCS0	-	-
Mode 10	U-NII-5	5.925~6.425	1 + 2	802.11ax HE40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925~6.425	1 + 2	802.11ax HE40	91	6405	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925~6.425	1 + 2	802.11ax HE80	7	5985	MCS0	-	-
Mode 13	U-NII-5	5.925~6.425	1 + 2	802.11ax HE80	55	6225	MCS0	-	-
Mode 14	U-NII-5	5.925~6.425	1 + 2	802.11ax HE80	87	6385	MCS0	-	-
Mode 15	U-NII-5	5.925~6.425	1 + 2	802.11ax HE160	15	6025	MCS0	-	-
Mode 16	U-NII-5	5.925~6.425	1 + 2	802.11ax HE160	47	6185	MCS0	-	-
Mode 17	U-NII-5	5.925~6.425	1 + 2	802.11ax HE160	79	6345	MCS0	-	-
Mode 18	U-NII-6	6.425~6.525	1 + 2	802.11a	97	6435	6Mbps	-	-
Mode 19	U-NII-6	6.425~6.525	1 + 2	802.11a	105	6475	6Mbps	-	-
Mode 20	U-NII-6	6.425~6.525	1 + 2	802.11a	113	6515	6Mbps	-	-
Mode 21	U-NII-6	6.425~6.525	1 + 2	802.11ax HE20	97	6435	MCS0	-	-
Mode 22	U-NII-6	6.425~6.525	1 + 2	802.11ax HE20	105	6475	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425~6.525	1 + 2	802.11ax HE20	113	6515	MCS0	-	-
Mode 24	U-NII-6	6.425~6.525	1 + 2	802.11ax HE40	99	6445	MCS0	-	-
Mode 25	U-NII-6	6.425~6.525	1 + 2	802.11ax HE40	107	6485	MCS0	-	-
Mode 26	U-NII-6	6.425~6.525	1 + 2	802.11ax HE40	115	6525	MCS0	-	-
Mode 27	U-NII-6	6.425~6.525	1 + 2	802.11ax HE80	103	6465	MCS0	-	-
Mode 28	U-NII-6	6.425~6.525	1 + 2	802.11ax HE160	111	6505	MCS0	-	-
Mode 29	U-NII-7	6.525-6.875	1 + 2	802.11a	117	6535	6Mbps	-	-
Mode 30	U-NII-7	6.525-6.875	1 + 2	802.11a	149	6695	6Mbps	-	-
Mode 31	U-NII-7	6.525-6.875	1 + 2	802.11a	181	6855	6Mbps	-	-
Mode 32	U-NII-7	6.525-6.875	1 + 2	802.11ax HE20	117	6535	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	1 + 2	802.11ax HE20	149	6695	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1 + 2	802.11ax HE20	181	6855	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	1 + 2	802.11ax HE40	123	6565	MCS0	-	-
Mode 36	U-NII-7	6.525-6.875	1 + 2	802.11ax HE40	147	6685	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	1 + 2	802.11ax HE40	179	6845	MCS0	-	-
Mode 38	U-NII-7	6.525-6.875	1 + 2	802.11ax HE80	135	6625	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	1 + 2	802.11ax HE80	151	6705	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	1 + 2	802.11ax HE80	167	6785	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	1 + 2	802.11ax HE160	143	6665	MCS0	-	-
Mode 42	U-NII-7	6.525-6.875	1 + 2	802.11ax HE160	175	6825	MCS0	-	-
Mode 43	U-NII-8	6.875-7.125	1 + 2	802.11a	189	6895	6Mbps	-	-
Mode 44	U-NII-8	6.875-7.125	1 + 2	802.11a	209	6995	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-8	6.875-7.125	1 + 2	802.11a	233	7115	6Mbps	-	-
Mode 46	U-NII-8	6.875-7.125	1 + 2	802.11ax HE20	189	6895	MCS0	-	-
Mode 47	U-NII-8	6.875-7.125	1 + 2	802.11ax HE20	209	6995	MCS0	-	-
Mode 48	U-NII-8	6.875-7.125	1 + 2	802.11ax HE20	233	7115	MCS0	-	-
Mode 49	U-NII-8	6.875-7.125	1 + 2	802.11ax HE20	233	7115	MCS0	26/8	-
Mode 50	U-NII-8	6.875-7.125	1 + 2	802.11ax HE20	233	7115	MCS0	106/54	-
Mode 51	U-NII-8	6.875-7.125	1 + 2	802.11ax HE40	195	6925	MCS0	-	-
Mode 52	U-NII-8	6.875-7.125	1 + 2	802.11ax HE40	211	7005	MCS0	-	-
Mode 53	U-NII-8	6.875-7.125	1 + 2	802.11ax HE40	227	7085	MCS0	-	-
Mode 54	U-NII-8	6.875-7.125	1 + 2	802.11ax HE80	199	6945	MCS0	-	-
Mode 55	U-NII-8	6.875-7.125	1 + 2	802.11ax HE80	215	7025	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-8	6.875-7.125	1 + 2	802.11ax HE160	207	6985	MCS0	-	-
Mode 57	U-NII-8	6.875-7.125	1 + 2	802.11a	233	7115	6Mbps	-	LF



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5919.25	41.18	68.20	-27.02	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	42.53	54.00	-11.47	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	40.38	54.00	-13.62	H	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	38.98	74.00	-35.02	V	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5914.96	41.33	68.20	-26.87	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	1	17865.00	41.32	54.00	-12.68	H	Avg.	Pass	-	Harmonic
5	802.11ax HE20	1	5887.01	41.20	68.20	-27.00	V	Avg.	Pass	26/0	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	26/0	Harmonic
6	802.11ax HE20	1	5922.24	41.35	68.20	-26.85	H	Avg.	Pass	106/53	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11ax HE20	1	-	-	-	-	-	-	-	106/53	Harmonic
7	802.11ax HE20	49	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	49	12390.00	40.54	54.00	-13.46	V	Avg.	Pass	-	Harmonic
8	802.11ax HE20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	93	19245.00	40.13	74.00	-33.87	H	Peak	Pass	-	Harmonic
9	802.11ax HE40	3	5924.96	42.83	68.20	-25.37	V	Avg.	Pass	-	Band Edge
	802.11ax HE40	3	17895.00	41.80	54.00	-12.20	V	Avg.	Pass	-	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	51	12410.00	40.81	54.00	-13.19	H	Avg.	Pass	-	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	91	19215.00	39.76	74.00	-34.24	V	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11ax HE80	7	5924.52	49.24	68.20	-18.96	V	Avg.	Pass	-	Band Edge
	802.11ax HE80	7	17955.00	41.62	54.00	-12.38	V	Avg.	Pass	-	Harmonic
13	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	40.68	54.00	-13.32	H	Avg.	Pass	-	Harmonic
14	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	19155.00	39.60	74.00	-34.40	H	Peak	Pass	-	Harmonic
15	802.11ax HE160	15	5902.40	49.84	68.20	-18.36	V	Avg.	Pass	-	Band Edge
	802.11ax HE160	15	12050.00	39.78	54.00	-14.22	H	Avg.	Pass	-	Harmonic
16	802.11ax HE160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	47	12370.00	40.50	54.00	-13.50	V	Avg.	Pass	-	Harmonic
17	802.11ax HE160	79	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11ax HE160	79	12690.00	42.35	54.00	-11.65	H	Avg.	Pass	-	Harmonic
18	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	39.55	74.00	-34.45	H	Peak	Pass	-	Harmonic
19	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	39.81	74.00	-34.19	H	Peak	Pass	-	Harmonic
20	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	40.56	74.00	-33.44	V	Peak	Pass	-	Harmonic
21	802.11ax HE20	97	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	97	19305.00	39.79	74.00	-34.21	H	Peak	Pass	-	Harmonic
22	802.11ax HE20	105	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	105	19425.00	39.92	74.00	-34.08	V	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11ax HE20	113	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	113	19545.00	40.14	74.00	-33.86	H	Peak	Pass	-	Harmonic
24	802.11ax HE40	99	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	99	19335.00	39.51	74.00	-34.49	V	Peak	Pass	-	Harmonic
25	802.11ax HE40	107	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	107	19455.00	39.64	74.00	-34.36	H	Peak	Pass	-	Harmonic
26	802.11ax HE40	115	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	115	19575.00	39.90	74.00	-34.10	V	Peak	Pass	-	Harmonic
27	802.11ax HE80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	103	19395.00	40.35	74.00	-33.65	V	Peak	Pass	-	Harmonic
28	802.11ax HE160	111	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11ax HE160	111	19515.00	41.01	74.00	-32.99	H	Peak	Pass	-	Harmonic
29	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	39.69	74.00	-34.31	V	Peak	Pass	-	Harmonic
30	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	42.79	54.00	-11.21	H	Avg.	Pass	-	Harmonic
31	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	13710.00	54.79	88.20	-33.41	V	Peak	Pass	-	Harmonic
32	802.11ax HE20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	117	19605.00	40.38	74.00	-33.62	V	Peak	Pass	-	Harmonic
33	802.11ax HE20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	149	13390.00	42.60	54.00	-11.40	V	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11ax HE20	181	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	181	13710.00	54.23	88.20	-33.97	H	Peak	Pass	-	Harmonic
35	802.11ax HE40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	123	19695.00	40.15	74.00	-33.85	V	Peak	Pass	-	Harmonic
36	802.11ax HE40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	147	13370.00	43.31	54.00	-10.69	H	Avg.	Pass	-	Harmonic
37	802.11ax HE40	179	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	179	13690.00	54.51	88.20	-33.69	V	Peak	Pass	-	Harmonic
38	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	43.66	54.00	-10.34	H	Avg.	Pass	-	Harmonic
39	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11ax HE80	151	20115.00	39.96	74.00	-34.04	V	Peak	Pass	-	Harmonic
40	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	20355.00	40.78	74.00	-33.22	H	Peak	Pass	-	Harmonic
41	802.11ax HE160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	143	13330.00	43.82	54.00	-10.18	V	Avg.	Pass	-	Harmonic
42	802.11ax HE160	175	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	175	20475.00	40.96	74.00	-33.04	V	Peak	Pass	-	Harmonic
43	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	40.45	74.00	-33.55	V	Peak	Pass	-	Harmonic
44	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	13990.00	54.47	88.20	-33.73	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11a	233	7125.01	63.31	68.20	-4.89	V	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.20	88.20	-33.00	V	Peak	Pass	-	Harmonic
46	802.11ax HE20	189	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	189	13790.00	53.67	88.20	-34.53	H	Peak	Pass	-	Harmonic
47	802.11ax HE20	209	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	209	13990.00	54.19	88.20	-34.01	V	Peak	Pass	-	Harmonic
48	802.11ax HE20	233	7125.01	60.51	68.20	-7.69	V	Avg.	Pass	-	Band Edge
	802.11ax HE20	233	21345.00	40.52	74.00	-33.48	V	Peak	Pass	-	Harmonic
49	802.11ax HE20	233	7126.05	60.74	68.20	-7.46	V	Avg.	Pass	26/8	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	26/8	Harmonic
50	802.11ax HE20	233	7125.01	61.33	68.20	-6.87	V	Avg.	Pass	106/54	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11ax HE20	233	-	-	-	-	-	-	-	106/54	Harmonic
51	802.11ax HE40	195	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	195	13850.00	54.39	88.20	-33.81	V	Peak	Pass	-	Harmonic
52	802.11ax HE40	211	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	211	14010.00	54.67	88.20	-33.53	V	Peak	Pass	-	Harmonic
53	802.11ax HE40	227	7225.96	44.92	68.20	-23.28	H	Avg.	Pass	-	Band Edge
	802.11ax HE40	227	14170.00	54.53	88.20	-33.67	H	Peak	Pass	-	Harmonic
54	802.11ax HE80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	199	20835.00	40.55	74.00	-33.45	V	Peak	Pass	-	Harmonic
55	802.11ax HE80	215	7243.46	45.44	68.20	-22.76	V	Avg.	Pass	-	Band Edge
	802.11ax HE80	215	14050.00	54.93	88.20	-33.27	H	Peak	Pass	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11ax HE160	207	7136.44	48.60	68.20	-19.60	V	Avg.	Pass	-	Band Edge
	802.11ax HE160	207	20955.00	40.96	74.00	-33.04	H	Peak	Pass	-	Harmonic
57	WLAN Tx	233	31.94	31.51	40.00	-8.49	V	QP	Pass	-	LF





Mode	1																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925~6.425_802.11a_CH1_5955MHz																																																																																													
ANT	1 + 2																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5859.06</td><td>50.23</td><td>88.20 -37.97</td><td>37.84</td><td>33.70</td><td>13.71</td><td>35.02</td><td>0.00</td><td>379</td><td>117</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5859.06	50.23	88.20 -37.97	37.84	33.70	13.71	35.02	0.00	379	117	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>96.21</td><td>-----</td><td>83.69</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>379</td><td>117</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	96.21	-----	83.69	33.72	13.84	35.04	0.00	379	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5859.06	50.23	88.20 -37.97	37.84	33.70	13.71	35.02	0.00	379	117	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	96.21	-----	83.69	33.72	13.84	35.04	0.00	379	117	PEAK																																																																																				
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.06</td><td>40.99</td><td>68.20 -27.21</td><td>28.53</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>379</td><td>117</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.06	40.99	68.20 -27.21	28.53	33.70	13.79	35.03	0.00	379	117	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>89.69</td><td>-----</td><td>77.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>379</td><td>117</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	89.69	-----	77.19	33.71	13.83	35.04	0.00	379	117	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.06	40.99	68.20 -27.21	28.53	33.70	13.79	35.03	0.00	379	117	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	89.69	-----	77.19	33.71	13.83	35.04	0.00	379	117	AVERAGE																																																																																				





Mode	1																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925~6.425_802.11a_CH1_5955MHz																																																																																												
ANT	1 + 2																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5808.12</td><td>50.21</td><td>88.20</td><td>-37.99</td><td>37.00</td><td>33.70</td><td>13.73</td><td>35.02</td><td>0.00</td><td>257</td><td>135 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5808.12	50.21	88.20	-37.99	37.00	33.70	13.73	35.02	0.00	257	135 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>98.92</td><td>-----</td><td>-----</td><td>86.42</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>257</td><td>135 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	98.92	-----	-----	86.42	33.71	13.83	35.04	0.00	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5808.12	50.21	88.20	-37.99	37.00	33.70	13.73	35.02	0.00	257	135 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5955.00	98.92	-----	-----	86.42	33.71	13.83	35.04	0.00	257	135 PEAK																																																																																			
Avg																																																																																													
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5919.25</td><td>41.18</td><td>68.20</td><td>-27.02</td><td>28.72</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>257</td><td>135 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5919.25	41.18	68.20	-27.02	28.72	33.70	13.79	35.03	0.00	257	135 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>92.52</td><td>-----</td><td>-----</td><td>80.02</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>257</td><td>135 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	92.52	-----	-----	80.02	33.71	13.83	35.04	0.00	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5919.25	41.18	68.20	-27.02	28.72	33.70	13.79	35.03	0.00	257	135 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5955.00	92.52	-----	-----	80.02	33.71	13.83	35.04	0.00	257	135 AVERAGE																																																																																			





Mode	1																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11a_CH1_5955MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>49.00</td><td>74.00</td><td>-24.20</td><td>31.32</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>211 39 PEAK</td></tr><tr><td>2 11910.00</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>19.98</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>211 39 AVERAGE</td></tr><tr><td>3 17865.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>30.38</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>400 103 Peak</td></tr><tr><td>4 17865.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>21.58</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>400 103 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	49.00	74.00	-24.20	31.32	39.02	19.83	40.82	0.45	211 39 PEAK	2 11910.00	38.46	54.00	-15.54	19.98	39.02	19.83	40.82	0.45	211 39 AVERAGE	3 17865.00	51.17	74.00	-22.83	30.38	41.46	24.63	45.76	0.46	400 103 Peak	4 17865.00	42.37	54.00	-11.63	21.58	41.46	24.63	45.76	0.46	400 103 AVERAGE	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>49.06</td><td>74.00</td><td>-24.14</td><td>31.38</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>398 286 PEAK</td></tr><tr><td>2 11910.00</td><td>39.54</td><td>54.00</td><td>-14.46</td><td>21.06</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>398 286 AVERAGE</td></tr><tr><td>3 17865.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>30.43</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>200 88 Peak</td></tr><tr><td>4 17865.00</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>21.74</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>200 88 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	49.06	74.00	-24.14	31.38	39.02	19.83	40.82	0.45	398 286 PEAK	2 11910.00	39.54	54.00	-14.46	21.06	39.02	19.83	40.82	0.45	398 286 AVERAGE	3 17865.00	51.22	74.00	-22.78	30.43	41.46	24.63	45.76	0.46	200 88 Peak	4 17865.00	42.53	54.00	-11.47	21.74	41.46	24.63	45.76	0.46	200 88 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	49.00	74.00	-24.20	31.32	39.02	19.83	40.82	0.45	211 39 PEAK																																																																																																																																					
2 11910.00	38.46	54.00	-15.54	19.98	39.02	19.83	40.82	0.45	211 39 AVERAGE																																																																																																																																					
3 17865.00	51.17	74.00	-22.83	30.38	41.46	24.63	45.76	0.46	400 103 Peak																																																																																																																																					
4 17865.00	42.37	54.00	-11.63	21.58	41.46	24.63	45.76	0.46	400 103 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	49.06	74.00	-24.14	31.38	39.02	19.83	40.82	0.45	398 286 PEAK																																																																																																																																					
2 11910.00	39.54	54.00	-14.46	21.06	39.02	19.83	40.82	0.45	398 286 AVERAGE																																																																																																																																					
3 17865.00	51.22	74.00	-22.78	30.43	41.46	24.63	45.76	0.46	200 88 Peak																																																																																																																																					
4 17865.00	42.53	54.00	-11.47	21.74	41.46	24.63	45.76	0.46	200 88 AVERAGE																																																																																																																																					





Mode	1	
	Harmonic	
	U-NII-5_5.925~6.425_802.11a_CH1_5955MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	2												
	Harmonic												
	U-NII-5_5.925~6.425_802.11a_CH49_6195MHz												
ANT	1 + 2												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg	
1	12390.00	51.44	74.00	-22.56	31.94	39.98	20.23	41.12	0.41	201	316	PEAK	
2	12390.00	40.38	54.00	-13.62	20.08	39.98	20.23	41.12	0.41	201	316	AVERAGE	
3	18585.00	39.02	74.00	-34.98	49.09	38.11	25.14	63.78	-9.54	--	--	PEAK	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg	
1	12390.00	50.73	74.00	-23.27	31.23	39.98	20.23	41.12	0.41	198	216	PEAK	
2	12390.00	39.67	54.00	-14.33	20.17	39.98	20.23	41.12	0.41	198	216	AVERAGE	
3	18585.00	39.37	74.00	-34.63	49.44	38.11	25.14	63.78	-9.54	--	--	PEAK	





Mode	2	
	Harmonic	
	U-NII-5_5.925~6.425_802.11a_CH49_6195MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	3																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925~6.425_802.11a_CH93_6415MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>51.24</td><td>88.20</td><td>-36.96</td><td>30.34</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.41</td><td>-- -- PEAK</td></tr><tr><td>2 19245.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>47.44</td><td>38.20</td><td>25.62</td><td>63.50</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	51.24	88.20	-36.96	30.34	41.10	20.60	41.21	0.41	-- -- PEAK	2 19245.00	38.22	74.00	-35.78	47.44	38.20	25.62	63.50	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>52.13</td><td>88.20</td><td>-36.07</td><td>31.23</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.41</td><td>-- -- PEAK</td></tr><tr><td>2 19245.00</td><td>38.98</td><td>74.00</td><td>-35.02</td><td>48.20</td><td>38.20</td><td>25.62</td><td>63.50</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	52.13	88.20	-36.07	31.23	41.10	20.60	41.21	0.41	-- -- PEAK	2 19245.00	38.98	74.00	-35.02	48.20	38.20	25.62	63.50	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12830.00	51.24	88.20	-36.96	30.34	41.10	20.60	41.21	0.41	-- -- PEAK																																																																																													
2 19245.00	38.22	74.00	-35.78	47.44	38.20	25.62	63.50	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12830.00	52.13	88.20	-36.07	31.23	41.10	20.60	41.21	0.41	-- -- PEAK																																																																																													
2 19245.00	38.98	74.00	-35.02	48.20	38.20	25.62	63.50	-9.54	-- -- PEAK																																																																																													







Mode	3	
	Harmonic	
	U-NII-5_5.925~6.425_802.11a_CH93_6415MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	4																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz																																																																																	
ANT	1 + 2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5905.21</td><td>50.90</td><td>88.20 -37.30</td><td>38.46</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>400</td><td>117 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5905.21	50.90	88.20 -37.30	38.46	33.70	13.77	35.03	0.00	400	117 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>97.32</td><td>-----</td><td>84.84</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>400</td><td>117 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	97.32	-----	84.84	33.70	13.82	35.04	0.00	400	117 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5905.21	50.90	88.20 -37.30	38.46	33.70	13.77	35.03	0.00	400	117 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	97.32	-----	84.84	33.70	13.82	35.04	0.00	400	117 PEAK																																																																									
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5902.61</td><td>41.22</td><td>68.20 -26.98</td><td>28.79</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>400</td><td>117 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5902.61	41.22	68.20 -26.98	28.79	33.70	13.76	35.03	0.00	400	117 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>89.18</td><td>-----</td><td>76.66</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>400</td><td>117 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	89.18	-----	76.66	33.72	13.84	35.04	0.00	400	117 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5902.61	41.22	68.20 -26.98	28.79	33.70	13.76	35.03	0.00	400	117 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	89.18	-----	76.66	33.72	13.84	35.04	0.00	400	117 AVERAGE																																																																									





Mode	4																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz																																																																																					
ANT	1 + 2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5916.65</td><td>50.75</td><td>88.20 -37.45</td><td>38.30</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>256</td><td>136</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5916.65	50.75	88.20 -37.45	38.30	33.70	13.78	35.03	0.00	256	136	PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>100.20</td><td>-----</td><td>87.70</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>256</td><td>136</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	100.20	-----	87.70	33.71	13.83	35.04	0.00	256	136	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5916.65	50.75	88.20 -37.45	38.30	33.70	13.78	35.03	0.00	256	136	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	100.20	-----	87.70	33.71	13.83	35.04	0.00	256	136	PEAK																																																																												
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5914.96</td><td>41.33</td><td>68.20 -26.87</td><td>28.88</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>256</td><td>136</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5914.96	41.33	68.20 -26.87	28.88	33.70	13.78	35.03	0.00	256	136	AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>91.43</td><td>-----</td><td>78.91</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>256</td><td>136</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	91.43	-----	78.91	33.72	13.84	35.04	0.00	256	136	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5914.96	41.33	68.20 -26.87	28.88	33.70	13.78	35.03	0.00	256	136	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	91.43	-----	78.91	33.72	13.84	35.04	0.00	256	136	AVERAGE																																																																												







Mode	4																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>31.11</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.43</td><td>100 60 PEAK</td></tr><tr><td>2 11910.00</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>20.97</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.43</td><td>100 60 AVERAGE</td></tr><tr><td>3 17865.00</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>30.92</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.67</td><td>298 229 PEAK</td></tr><tr><td>4 17865.00</td><td>41.32</td><td>54.00</td><td>-12.68</td><td>20.32</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.67</td><td>298 229 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	49.57	74.00	-24.43	31.11	39.02	19.83	40.82	0.43	100 60 PEAK	2 11910.00	39.43	54.00	-14.57	20.97	39.02	19.83	40.82	0.43	100 60 AVERAGE	3 17865.00	51.92	74.00	-22.08	30.92	41.46	24.63	45.76	0.67	298 229 PEAK	4 17865.00	41.32	54.00	-12.68	20.32	41.46	24.63	45.76	0.67	298 229 AVERAGE	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>31.00</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.43</td><td>398 179 PEAK</td></tr><tr><td>2 11910.00</td><td>39.22</td><td>54.00</td><td>-14.78</td><td>20.76</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.43</td><td>398 179 AVERAGE</td></tr><tr><td>3 17865.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>30.88</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.67</td><td>200 233 PEAK</td></tr><tr><td>4 17865.00</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>20.19</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.67</td><td>200 233 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	49.46	74.00	-24.54	31.00	39.02	19.83	40.82	0.43	398 179 PEAK	2 11910.00	39.22	54.00	-14.78	20.76	39.02	19.83	40.82	0.43	398 179 AVERAGE	3 17865.00	51.88	74.00	-22.12	30.88	41.46	24.63	45.76	0.67	200 233 PEAK	4 17865.00	41.19	54.00	-12.81	20.19	41.46	24.63	45.76	0.67	200 233 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11910.00	49.57	74.00	-24.43	31.11	39.02	19.83	40.82	0.43	100 60 PEAK																																																																																																																																					
2 11910.00	39.43	54.00	-14.57	20.97	39.02	19.83	40.82	0.43	100 60 AVERAGE																																																																																																																																					
3 17865.00	51.92	74.00	-22.08	30.92	41.46	24.63	45.76	0.67	298 229 PEAK																																																																																																																																					
4 17865.00	41.32	54.00	-12.68	20.32	41.46	24.63	45.76	0.67	298 229 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11910.00	49.46	74.00	-24.54	31.00	39.02	19.83	40.82	0.43	398 179 PEAK																																																																																																																																					
2 11910.00	39.22	54.00	-14.78	20.76	39.02	19.83	40.82	0.43	398 179 AVERAGE																																																																																																																																					
3 17865.00	51.88	74.00	-22.12	30.88	41.46	24.63	45.76	0.67	200 233 PEAK																																																																																																																																					
4 17865.00	41.19	54.00	-12.81	20.19	41.46	24.63	45.76	0.67	200 233 AVERAGE																																																																																																																																					







Mode	4	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	5																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_26/0_5955MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5904.30</td><td>49.69</td><td>88.20 -38.51</td><td>37.25</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>400</td><td>118 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5904.30	49.69	88.20 -38.51	37.25	33.70	13.77	35.03	0.00	400	118 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>96.42</td><td>-----</td><td>83.94</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>400</td><td>118 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	96.42	-----	83.94	33.70	13.82	35.04	0.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5904.30	49.69	88.20 -38.51	37.25	33.70	13.77	35.03	0.00	400	118 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	96.42	-----	83.94	33.70	13.82	35.04	0.00	400	118 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5879.99</td><td>41.09</td><td>68.20 -27.11</td><td>28.68</td><td>33.70</td><td>13.73</td><td>35.02</td><td>0.00</td><td>400</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5879.99	41.09	68.20 -27.11	28.68	33.70	13.73	35.02	0.00	400	118 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>88.00</td><td>-----</td><td>75.60</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>400</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	88.00	-----	75.60	33.70	13.82	35.04	0.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5879.99	41.09	68.20 -27.11	28.68	33.70	13.73	35.02	0.00	400	118 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	88.00	-----	75.60	33.70	13.82	35.04	0.00	400	118 AVERAGE																																																																																







		5																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_26/0_5955MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5830.46</td><td>49.80</td><td>88.20</td><td>-38.40</td><td>37.44</td><td>33.70</td><td>13.67</td><td>35.01</td><td>0.00 268 134 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5830.46	49.80	88.20	-38.40	37.44	33.70	13.67	35.01	0.00 268 134 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>97.94</td><td>-----</td><td>-----</td><td>85.46</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00 268 134 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	97.94	-----	-----	85.46	33.70	13.82	35.04	0.00 268 134 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5830.46	49.80	88.20	-38.40	37.44	33.70	13.67	35.01	0.00 268 134 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	97.94	-----	-----	85.46	33.70	13.82	35.04	0.00 268 134 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5887.01</td><td>41.20</td><td>68.20</td><td>-27.00</td><td>28.79</td><td>33.70</td><td>13.74</td><td>35.03</td><td>0.00 268 134 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5887.01	41.20	68.20	-27.00	28.79	33.70	13.74	35.03	0.00 268 134 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>90.84</td><td>-----</td><td>-----</td><td>78.36</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00 268 134 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	90.84	-----	-----	78.36	33.70	13.82	35.04	0.00 268 134 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5887.01	41.20	68.20	-27.00	28.79	33.70	13.74	35.03	0.00 268 134 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	90.84	-----	-----	78.36	33.70	13.82	35.04	0.00 268 134 AVERAGE																																																																																	





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_106/53_5955MHz																																																																																																		
ANT	1 + 2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.10</td><td>50.50</td><td>88.20</td><td>-37.70</td><td>38.05</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>400</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.10	50.50	88.20	-37.70	38.05	33.70	13.78	35.03	0.00	400	115	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.77</td><td>-----</td><td>-----</td><td>87.29</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>400</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.77	-----	-----	87.29	33.70	13.82	35.04	0.00	400	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.10	50.50	88.20	-37.70	38.05	33.70	13.78	35.03	0.00	400	115	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.77	-----	-----	87.29	33.70	13.82	35.04	0.00	400	115	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.24</td><td>41.35</td><td>68.20</td><td>-26.85</td><td>28.09</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>400</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	41.35	68.20	-26.85	28.09	33.70	13.79	35.03	0.00	400	115	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>93.16</td><td>-----</td><td>-----</td><td>80.68</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>400</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.16	-----	-----	80.68	33.70	13.82	35.04	0.00	400	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.24	41.35	68.20	-26.85	28.09	33.70	13.79	35.03	0.00	400	115	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	93.16	-----	-----	80.68	33.70	13.82	35.04	0.00	400	115	AVERAGE																																																																																							





Mode	6																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_106/53_5955MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5899.10</td><td>49.96</td><td>88.20 -38.24</td><td>37.53</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>248</td><td>134 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5899.10	49.96	88.20 -38.24	37.53	33.70	13.76	35.03	0.00	248	134 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>105.55</td><td>-----</td><td>-----</td><td>93.07</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>248 134 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	105.55	-----	-----	93.07	33.70	13.82	35.04	0.00	248 134 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5899.10	49.96	88.20 -38.24	37.53	33.70	13.76	35.03	0.00	248	134 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	105.55	-----	-----	93.07	33.70	13.82	35.04	0.00	248 134 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto					Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.71</td><td>41.24</td><td>68.20 -26.96</td><td>28.78</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>248</td><td>134 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.71	41.24	68.20 -26.96	28.78	33.70	13.79	35.03	0.00	248	134 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>96.35</td><td>-----</td><td>-----</td><td>83.87</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>248 134 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	96.35	-----	-----	83.87	33.70	13.82	35.04	0.00	248 134 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5924.71	41.24	68.20 -26.96	28.78	33.70	13.79	35.03	0.00	248	134 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	96.35	-----	-----	83.87	33.70	13.82	35.04	0.00	248 134 AVERAGE																																																																																





Mode	7																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-5_5.925~6.425_802.11ax HE20_CH49_6195MHz																																																																																																																																																						
ANT	1 + 2																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>31.46</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.41</td><td>122</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>40.44</td><td>54.00</td><td>-13.56</td><td>20.94</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.41</td><td>122</td><td>358</td><td>AVERAGE</td></tr><tr><td>3</td><td>18585.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>49.53</td><td>38.11</td><td>25.14</td><td>63.78</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table> Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>31.52</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.41</td><td>396</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>21.04</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.41</td><td>396</td><td>319</td><td>AVERAGE</td></tr><tr><td>3</td><td>18585.00</td><td>39.04</td><td>74.00</td><td>-34.96</td><td>49.11</td><td>38.11</td><td>25.14</td><td>63.78</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	50.96	74.00	-23.04	31.46	39.98	20.23	41.12	0.41	122	358	PEAK	2	12390.00	40.44	54.00	-13.56	20.94	39.98	20.23	41.12	0.41	122	358	AVERAGE	3	18585.00	39.46	74.00	-34.54	49.53	38.11	25.14	63.78	-9.54	--	--	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.02	74.00	-22.98	31.52	39.98	20.23	41.12	0.41	396	319	PEAK	2	12390.00	40.54	54.00	-13.46	21.04	39.98	20.23	41.12	0.41	396	319	AVERAGE	3	18585.00	39.04	74.00	-34.96	49.11	38.11	25.14	63.78	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12390.00	50.96	74.00	-23.04	31.46	39.98	20.23	41.12	0.41	122	358	PEAK																																																																																																																																											
2	12390.00	40.44	54.00	-13.56	20.94	39.98	20.23	41.12	0.41	122	358	AVERAGE																																																																																																																																											
3	18585.00	39.46	74.00	-34.54	49.53	38.11	25.14	63.78	-9.54	--	--	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12390.00	51.02	74.00	-22.98	31.52	39.98	20.23	41.12	0.41	396	319	PEAK																																																																																																																																											
2	12390.00	40.54	54.00	-13.46	21.04	39.98	20.23	41.12	0.41	396	319	AVERAGE																																																																																																																																											
3	18585.00	39.04	74.00	-34.96	49.11	38.11	25.14	63.78	-9.54	--	--	Peak																																																																																																																																											





Mode	7	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH49_6195MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	8																																																																	
	Harmonic																																																																	
	U-NII-5_5.925~6.425_802.11ax HE20_CH93_6415MHz																																																																	
ANT	1 + 2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>51.89</td><td>88.20</td><td>-36.31</td><td>30.99</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19245.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>49.35</td><td>38.20</td><td>25.62</td><td>63.50</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	51.89	88.20	-36.31	30.99	41.10	20.60	41.21	0.41	--	--	PEAK	2 19245.00	40.13	74.00	-33.87	49.35	38.20	25.62	63.50	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 12830.00	51.89	88.20	-36.31	30.99	41.10	20.60	41.21	0.41	--	--	PEAK																																																							
2 19245.00	40.13	74.00	-33.87	49.35	38.20	25.62	63.50	-9.54	--	--	PEAK																																																							







Mode	8	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH93_6415MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





		9																																																																																																												
Mode	Band Edge																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																																													
ANT	1 + 2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.02</td><td>50.18</td><td>88.20</td><td>-38.02</td><td>37.76</td><td>33.70</td><td>13.75</td><td>35.03</td><td>0.00</td><td>400</td><td>116</td><td>PEAK</td></tr></table>  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>97.33</td><td>-----</td><td>-----</td><td>84.78</td><td>33.74</td><td>13.85</td><td>35.04</td><td>0.00</td><td>400</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5894.02	50.18	88.20	-38.02	37.76	33.70	13.75	35.03	0.00	400	116	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	97.33	-----	-----	84.78	33.74	13.85	35.04	0.00	400	116	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5894.02	50.18	88.20	-38.02	37.76	33.70	13.75	35.03	0.00	400	116	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5965.00	97.33	-----	-----	84.78	33.74	13.85	35.04	0.00	400	116	PEAK																																																																																																		
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>42.39</td><td>68.20</td><td>-25.81</td><td>29.93</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>400</td><td>116</td><td>AVERAGE</td></tr></table>  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>91.54</td><td>-----</td><td>-----</td><td>79.02</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>400</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.68	42.39	68.20	-25.81	29.93	33.70	13.79	35.03	0.00	400	116	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	91.54	-----	-----	79.02	33.72	13.84	35.04	0.00	400	116	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5924.68	42.39	68.20	-25.81	29.93	33.70	13.79	35.03	0.00	400	116	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5965.00	91.54	-----	-----	79.02	33.72	13.84	35.04	0.00	400	116	AVERAGE																																																																																																		





Mode	9																																																																																																												
	Band Edge																																																																																																												
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																																												
ANT	1 + 2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.04</td><td>51.39</td><td>88.20</td><td>-36.81</td><td>39.00</td><td>33.70</td><td>13.71</td><td>35.02</td><td>0.00</td><td>238</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.04	51.39	88.20	-36.81	39.00	33.70	13.71	35.02	0.00	238	136	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>99.35</td><td>-----</td><td>-----</td><td>86.00</td><td>33.74</td><td>13.85</td><td>35.04</td><td>0.00</td><td>238</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	99.35	-----	-----	86.00	33.74	13.85	35.04	0.00	238	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5965.04	51.39	88.20	-36.81	39.00	33.70	13.71	35.02	0.00	238	136	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5965.00	99.35	-----	-----	86.00	33.74	13.85	35.04	0.00	238	136	PEAK																																																																																																	
Avg																																																																																																													
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>30.37</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>238</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	42.83	68.20	-25.37	30.37	33.70	13.79	35.03	0.00	238	136	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>93.12</td><td>-----</td><td>-----</td><td>80.58</td><td>33.73</td><td>13.85</td><td>35.04</td><td>0.00</td><td>238</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	93.12	-----	-----	80.58	33.73	13.85	35.04	0.00	238	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5924.96	42.83	68.20	-25.37	30.37	33.70	13.79	35.03	0.00	238	136	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5965.00	93.12	-----	-----	80.58	33.73	13.85	35.04	0.00	238	136	AVERAGE																																																																																																	





Mode	9																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>31.03</td><td>39.06</td><td>19.85</td><td>40.84</td><td>0.43</td><td>263 12 PEAK</td></tr><tr><td>2 11930.00</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>20.89</td><td>39.06</td><td>19.85</td><td>40.84</td><td>0.43</td><td>263 12 AVERAGE</td></tr><tr><td>3 17895.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>31.45</td><td>41.58</td><td>24.66</td><td>45.70</td><td>0.67</td><td>179 3 PEAK</td></tr><tr><td>4 17895.00</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>20.24</td><td>41.58</td><td>24.66</td><td>45.70</td><td>0.67</td><td>179 3 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	49.53	74.00	-24.47	31.03	39.06	19.85	40.84	0.43	263 12 PEAK	2 11930.00	39.39	54.00	-14.61	20.89	39.06	19.85	40.84	0.43	263 12 AVERAGE	3 17895.00	52.66	74.00	-21.34	31.45	41.58	24.66	45.70	0.67	179 3 PEAK	4 17895.00	41.45	54.00	-12.55	20.24	41.58	24.66	45.70	0.67	179 3 AVERAGE	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>32.05</td><td>39.06</td><td>19.85</td><td>40.84</td><td>0.43</td><td>259 355 PEAK</td></tr><tr><td>2 11930.00</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>21.21</td><td>39.06</td><td>19.85</td><td>40.84</td><td>0.43</td><td>259 355 AVERAGE</td></tr><tr><td>3 17895.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>31.60</td><td>41.58</td><td>24.66</td><td>45.70</td><td>0.67</td><td>396 355 PEAK</td></tr><tr><td>4 17895.00</td><td>41.80</td><td>54.00</td><td>-12.20</td><td>20.59</td><td>41.58</td><td>24.66</td><td>45.70</td><td>0.67</td><td>396 355 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	50.55	74.00	-23.45	32.05	39.06	19.85	40.84	0.43	259 355 PEAK	2 11930.00	39.71	54.00	-14.29	21.21	39.06	19.85	40.84	0.43	259 355 AVERAGE	3 17895.00	52.81	74.00	-21.19	31.60	41.58	24.66	45.70	0.67	396 355 PEAK	4 17895.00	41.80	54.00	-12.20	20.59	41.58	24.66	45.70	0.67	396 355 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11930.00	49.53	74.00	-24.47	31.03	39.06	19.85	40.84	0.43	263 12 PEAK																																																																																																																																					
2 11930.00	39.39	54.00	-14.61	20.89	39.06	19.85	40.84	0.43	263 12 AVERAGE																																																																																																																																					
3 17895.00	52.66	74.00	-21.34	31.45	41.58	24.66	45.70	0.67	179 3 PEAK																																																																																																																																					
4 17895.00	41.45	54.00	-12.55	20.24	41.58	24.66	45.70	0.67	179 3 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11930.00	50.55	74.00	-23.45	32.05	39.06	19.85	40.84	0.43	259 355 PEAK																																																																																																																																					
2 11930.00	39.71	54.00	-14.29	21.21	39.06	19.85	40.84	0.43	259 355 AVERAGE																																																																																																																																					
3 17895.00	52.81	74.00	-21.19	31.60	41.58	24.66	45.70	0.67	396 355 PEAK																																																																																																																																					
4 17895.00	41.80	54.00	-12.20	20.59	41.58	24.66	45.70	0.67	396 355 AVERAGE																																																																																																																																					





Mode	9	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	10																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE40_CH51_6205MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>32.81</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.41</td><td>303</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>12410.00</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>21.26</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.41</td><td>303</td><td>237</td><td>AVERAGE</td></tr><tr><td>3</td><td>18615.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>49.04</td><td>38.17</td><td>25.16</td><td>63.78</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	52.36	74.00	-21.64	32.81	40.02	20.25	41.13	0.41	303	237	PEAK	2	12410.00	40.81	54.00	-13.19	21.26	40.02	20.25	41.13	0.41	303	237	AVERAGE	3	18615.00	39.05	74.00	-34.95	49.04	38.17	25.16	63.78	-9.54	--	--	Peak	 Site : 03CH22-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>32.19</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.41</td><td>292</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>12410.00</td><td>40.34</td><td>54.00</td><td>-13.66</td><td>20.79</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.41</td><td>292</td><td>316</td><td>AVERAGE</td></tr><tr><td>3</td><td>18615.00</td><td>39.90</td><td>74.00</td><td>-34.10</td><td>49.89</td><td>38.17</td><td>25.16</td><td>63.78</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	51.74	74.00	-22.26	32.19	40.02	20.25	41.13	0.41	292	316	PEAK	2	12410.00	40.34	54.00	-13.66	20.79	40.02	20.25	41.13	0.41	292	316	AVERAGE	3	18615.00	39.90	74.00	-34.10	49.89	38.17	25.16	63.78	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12410.00	52.36	74.00	-21.64	32.81	40.02	20.25	41.13	0.41	303	237	PEAK																																																																																																																																		
2	12410.00	40.81	54.00	-13.19	21.26	40.02	20.25	41.13	0.41	303	237	AVERAGE																																																																																																																																		
3	18615.00	39.05	74.00	-34.95	49.04	38.17	25.16	63.78	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12410.00	51.74	74.00	-22.26	32.19	40.02	20.25	41.13	0.41	292	316	PEAK																																																																																																																																		
2	12410.00	40.34	54.00	-13.66	20.79	40.02	20.25	41.13	0.41	292	316	AVERAGE																																																																																																																																		
3	18615.00	39.90	74.00	-34.10	49.89	38.17	25.16	63.78	-9.54	--	--	Peak																																																																																																																																		





Mode	10	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH51_6205MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	11																																																																
	Harmonic																																																																
	U-NII-5_5.925~6.425_802.11ax HE40_CH91_6405MHz																																																																
ANT	1 + 2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>52.26</td><td>88.20</td><td>-35.94</td><td>31.37</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19215.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>48.76</td><td>38.20</td><td>25.60</td><td>63.53</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12810.00	52.26	88.20	-35.94	31.37	41.10	20.58	41.20	0.41	--	--	PEAK	2 19215.00	39.49	74.00	-34.51	48.76	38.20	25.60	63.53	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 12810.00	52.26	88.20	-35.94	31.37	41.10	20.58	41.20	0.41	--	--	PEAK																																																						
2 19215.00	39.49	74.00	-34.51	48.76	38.20	25.60	63.53	-9.54	--	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>52.04</td><td>88.20</td><td>-36.16</td><td>31.15</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19215.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>49.03</td><td>38.20</td><td>25.60</td><td>63.53</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12810.00	52.04	88.20	-36.16	31.15	41.10	20.58	41.20	0.41	--	--	PEAK	2 19215.00	39.76	74.00	-34.24	49.03	38.20	25.60	63.53	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 12810.00	52.04	88.20	-36.16	31.15	41.10	20.58	41.20	0.41	--	--	PEAK																																																						
2 19215.00	39.76	74.00	-34.24	49.03	38.20	25.60	63.53	-9.54	--	--	PEAK																																																						







Mode	11	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH91_6405MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	12										
	Band Edge										
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz										
ANT	1 + 2										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	12																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.36</td><td>57.18</td><td>88.20 -31.02</td><td>44.72</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>258</td><td>223 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.36	57.18	88.20 -31.02	44.72	33.70	13.79	35.03	0.00	258	223 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.37</td><td>-----</td><td>87.78</td><td>33.77</td><td>13.87</td><td>35.05</td><td>0.00</td><td>258</td><td>223 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.37	-----	87.78	33.77	13.87	35.05	0.00	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5924.36	57.18	88.20 -31.02	44.72	33.70	13.79	35.03	0.00	258	223 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	100.37	-----	87.78	33.77	13.87	35.05	0.00	258	223 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.52</td><td>49.24</td><td>68.20 -18.96</td><td>36.78</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>258</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.52	49.24	68.20 -18.96	36.78	33.70	13.79	35.03	0.00	258	223 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>91.97</td><td>-----</td><td>79.38</td><td>33.77</td><td>13.87</td><td>35.05</td><td>0.00</td><td>258</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	91.97	-----	79.38	33.77	13.87	35.05	0.00	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5924.52	49.24	68.20 -18.96	36.78	33.70	13.79	35.03	0.00	258	223 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	91.97	-----	79.38	33.77	13.87	35.05	0.00	258	223 AVERAGE																																																																																





Mode	12																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>32.22</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.42</td><td>100 349 PEAK</td></tr><tr><td>2 11970.00</td><td>38.74</td><td>54.00</td><td>-15.26</td><td>20.13</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.42</td><td>100 349 AVERAGE</td></tr><tr><td>3 17955.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>31.73</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.67</td><td>289 106 PEAK</td></tr><tr><td>4 17955.00</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>20.16</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.67</td><td>289 106 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	50.83	74.00	-23.17	32.22	39.18	19.88	40.87	0.42	100 349 PEAK	2 11970.00	38.74	54.00	-15.26	20.13	39.18	19.88	40.87	0.42	100 349 AVERAGE	3 17955.00	53.14	74.00	-20.86	31.73	41.62	24.70	45.58	0.67	289 106 PEAK	4 17955.00	41.57	54.00	-12.43	20.16	41.62	24.70	45.58	0.67	289 106 AVERAGE	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>32.10</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.42</td><td>100 25 PEAK</td></tr><tr><td>2 11970.00</td><td>38.64</td><td>54.00</td><td>-15.36</td><td>20.03</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.42</td><td>100 25 AVERAGE</td></tr><tr><td>3 17955.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>31.82</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.67</td><td>378 358 PEAK</td></tr><tr><td>4 17955.00</td><td>41.62</td><td>54.00</td><td>-12.38</td><td>20.21</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.67</td><td>378 358 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	50.71	74.00	-23.29	32.10	39.18	19.88	40.87	0.42	100 25 PEAK	2 11970.00	38.64	54.00	-15.36	20.03	39.18	19.88	40.87	0.42	100 25 AVERAGE	3 17955.00	53.23	74.00	-20.77	31.82	41.62	24.70	45.58	0.67	378 358 PEAK	4 17955.00	41.62	54.00	-12.38	20.21	41.62	24.70	45.58	0.67	378 358 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11970.00	50.83	74.00	-23.17	32.22	39.18	19.88	40.87	0.42	100 349 PEAK																																																																																																																																					
2 11970.00	38.74	54.00	-15.26	20.13	39.18	19.88	40.87	0.42	100 349 AVERAGE																																																																																																																																					
3 17955.00	53.14	74.00	-20.86	31.73	41.62	24.70	45.58	0.67	289 106 PEAK																																																																																																																																					
4 17955.00	41.57	54.00	-12.43	20.16	41.62	24.70	45.58	0.67	289 106 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 11970.00	50.71	74.00	-23.29	32.10	39.18	19.88	40.87	0.42	100 25 PEAK																																																																																																																																					
2 11970.00	38.64	54.00	-15.36	20.03	39.18	19.88	40.87	0.42	100 25 AVERAGE																																																																																																																																					
3 17955.00	53.23	74.00	-20.77	31.82	41.62	24.70	45.58	0.67	378 358 PEAK																																																																																																																																					
4 17955.00	41.62	54.00	-12.38	20.21	41.62	24.70	45.58	0.67	378 358 AVERAGE																																																																																																																																					





Mode	12	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	13												
	Harmonic												
	U-NII-5_5.925~6.425_802.11ax HE80_CH55_6225MHz												
ANT	1 + 2												
Pol.	Horizontal												Vertical
Peak Avg													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL												Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12450.00	51.91	74.00	-22.09	32.27	40.10	20.28	41.15	0.41	245			2 PEAK
2	12450.00	40.68	54.00	-13.32	21.04	40.10	20.28	41.15	0.41	245			2 AVERAGE
3	18675.00	39.86	74.00	-34.14	49.06	38.10	25.20	63.76	-9.54	--			-- PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12450.00	51.08	74.00	-22.92	31.44	40.10	20.28	41.15	0.41	303			146 PEAK
2	12450.00	40.32	54.00	-13.68	20.68	40.10	20.28	41.15	0.41	303			146 AVERAGE
3	18675.00	39.12	74.00	-34.88	49.12	38.10	25.20	63.76	-9.54	--			-- PEAK





Mode	13	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH55_6225MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	14																																																																	
	Harmonic																																																																	
	U-NII-5_5.925~6.425_802.11ax HE80_CH87_6385MHz																																																																	
ANT	1 + 2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>52.35</td><td>88.20</td><td>-35.85</td><td>31.55</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>48.97</td><td>38.20</td><td>25.55</td><td>63.58</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	52.35	88.20	-35.85	31.55	41.04	20.55	41.20	0.41	--	PEAK	2	19155.00	39.60	74.00	-34.40	48.97	38.20	25.55	63.58	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12770.00	52.35	88.20	-35.85	31.55	41.04	20.55	41.20	0.41	--	PEAK																																																							
2	19155.00	39.60	74.00	-34.40	48.97	38.20	25.55	63.58	-9.54	--	PEAK																																																							







Mode	14	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH87_6385MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	15																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5902.00</td><td>57.97</td><td>88.20 -30.23</td><td>45.54</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>400</td><td>115 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5902.00	57.97	88.20 -30.23	45.54	33.70	13.76	35.03	0.00	400	115 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6025.00</td><td>95.94</td><td>-----</td><td>83.05</td><td>34.04</td><td>13.92</td><td>35.07</td><td>0.00</td><td>400</td><td>115 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 6025.00	95.94	-----	83.05	34.04	13.92	35.07	0.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5902.00	57.97	88.20 -30.23	45.54	33.70	13.76	35.03	0.00	400	115 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 6025.00	95.94	-----	83.05	34.04	13.92	35.07	0.00	400	115 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5918.00</td><td>47.92</td><td>68.20 -20.28</td><td>35.47</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>400</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5918.00	47.92	68.20 -20.28	35.47	33.70	13.78	35.03	0.00	400	115 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6025.00</td><td>88.66</td><td>-----</td><td>75.84</td><td>33.97</td><td>13.91</td><td>35.06</td><td>0.00</td><td>400</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 6025.00	88.66	-----	75.84	33.97	13.91	35.06	0.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5918.00	47.92	68.20 -20.28	35.47	33.70	13.78	35.03	0.00	400	115 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 6025.00	88.66	-----	75.84	33.97	13.91	35.06	0.00	400	115 AVERAGE																																																																																





Mode	15																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																																
ANT	1 + 2																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.00</td><td>59.84</td><td>88.20</td><td>-28.36</td><td>47.41</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>300</td><td>134</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.00	59.84	88.20	-28.36	47.41	33.70	13.76	35.03	0.00	300	134	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>97.63</td><td>-----</td><td>-----</td><td>84.76</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>300</td><td>134</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.63	-----	-----	84.76	34.01	13.92	35.06	0.00	300	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5902.00	59.84	88.20	-28.36	47.41	33.70	13.76	35.03	0.00	300	134	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	97.63	-----	-----	84.76	34.01	13.92	35.06	0.00	300	134	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.40</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>37.41</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>300</td><td>134</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.40	49.84	68.20	-18.36	37.41	33.70	13.76	35.03	0.00	300	134	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>89.97</td><td>-----</td><td>-----</td><td>77.19</td><td>33.93</td><td>13.91</td><td>35.06</td><td>0.00</td><td>300</td><td>134</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.97	-----	-----	77.19	33.93	13.91	35.06	0.00	300	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5902.40	49.84	68.20	-18.36	37.41	33.70	13.76	35.03	0.00	300	134	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	89.97	-----	-----	77.19	33.93	13.91	35.06	0.00	300	134	AVERAGE																																																																																					





Mode	15																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>31.89</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.42</td><td>385 261 PEAK</td></tr><tr><td>2 12850.00</td><td>39.78</td><td>54.00</td><td>-14.22</td><td>20.93</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.42</td><td>385 261 AVERAGE</td></tr><tr><td>3 18075.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>51.10</td><td>37.60</td><td>24.79</td><td>63.97</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	50.74	74.00	-23.26	31.89	39.40	19.95	40.92	0.42	385 261 PEAK	2 12850.00	39.78	54.00	-14.22	20.93	39.40	19.95	40.92	0.42	385 261 AVERAGE	3 18075.00	39.98	74.00	-34.02	51.10	37.60	24.79	63.97	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>31.45</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.42</td><td>298 355 PEAK</td></tr><tr><td>2 12850.00</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>20.64</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.42</td><td>298 355 AVERAGE</td></tr><tr><td>3 18075.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>50.40</td><td>37.60</td><td>24.79</td><td>63.97</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	50.30	74.00	-23.70	31.45	39.40	19.95	40.92	0.42	298 355 PEAK	2 12850.00	39.49	54.00	-14.51	20.64	39.40	19.95	40.92	0.42	298 355 AVERAGE	3 18075.00	39.28	74.00	-34.72	50.40	37.60	24.79	63.97	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12850.00	50.74	74.00	-23.26	31.89	39.40	19.95	40.92	0.42	385 261 PEAK																																																																																																																	
2 12850.00	39.78	54.00	-14.22	20.93	39.40	19.95	40.92	0.42	385 261 AVERAGE																																																																																																																	
3 18075.00	39.98	74.00	-34.02	51.10	37.60	24.79	63.97	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12850.00	50.30	74.00	-23.70	31.45	39.40	19.95	40.92	0.42	298 355 PEAK																																																																																																																	
2 12850.00	39.49	54.00	-14.51	20.64	39.40	19.95	40.92	0.42	298 355 AVERAGE																																																																																																																	
3 18075.00	39.28	74.00	-34.72	50.40	37.60	24.79	63.97	-9.54	-- -- PEAK																																																																																																																	





Mode	15	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	16																																																																																
	Harmonic																																																																																
	U-NII-5_5.925~6.425_802.11ax HE160_CH47_6185MHz																																																																																
ANT	1 + 2																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>31.31</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.41</td><td>219</td><td>3</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>20.64</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.41</td><td>219</td><td>3</td><td>AVERAGE</td></tr><tr><td>3</td><td>18555.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>50.30</td><td>37.93</td><td>25.12</td><td>63.79</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	50.78	74.00	-23.22	31.31	39.94	20.22	41.10	0.41	219	3	PEAK	2	12370.00	40.11	54.00	-13.89	20.64	39.94	20.22	41.10	0.41	219	3	AVERAGE	3	18555.00	40.02	74.00	-33.98	50.30	37.93	25.12	63.79	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12370.00	50.78	74.00	-23.22	31.31	39.94	20.22	41.10	0.41	219	3	PEAK																																																																					
2	12370.00	40.11	54.00	-13.89	20.64	39.94	20.22	41.10	0.41	219	3	AVERAGE																																																																					
3	18555.00	40.02	74.00	-33.98	50.30	37.93	25.12	63.79	-9.54	--	--	PEAK																																																																					
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>31.91</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.41</td><td>300</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>40.50</td><td>54.00</td><td>-13.50</td><td>21.03</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.41</td><td>300</td><td>280</td><td>AVERAGE</td></tr><tr><td>3</td><td>18555.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>50.43</td><td>37.93</td><td>25.12</td><td>63.79</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	51.38	74.00	-22.62	31.91	39.94	20.22	41.10	0.41	300	280	PEAK	2	12370.00	40.50	54.00	-13.50	21.03	39.94	20.22	41.10	0.41	300	280	AVERAGE	3	18555.00	40.15	74.00	-33.85	50.43	37.93	25.12	63.79	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12370.00	51.38	74.00	-22.62	31.91	39.94	20.22	41.10	0.41	300	280	PEAK																																																																					
2	12370.00	40.50	54.00	-13.50	21.03	39.94	20.22	41.10	0.41	300	280	AVERAGE																																																																					
3	18555.00	40.15	74.00	-33.85	50.43	37.93	25.12	63.79	-9.54	--	--	PEAK																																																																					





Mode	16	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH47_6185MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	17																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE160_CH79_6345MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>31.52</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.41</td><td>100</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>21.76</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.41</td><td>100</td><td>141</td><td>AVERAGE</td></tr><tr><td>3</td><td>19035.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>49.24</td><td>38.23</td><td>25.45</td><td>63.67</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	52.11	74.00	-21.89	31.52	40.90	20.48	41.20	0.41	100	141	PEAK	2	12690.00	42.35	54.00	-11.65	21.76	40.90	20.48	41.20	0.41	100	141	AVERAGE	3	19035.00	39.71	74.00	-34.29	49.24	38.23	25.45	63.67	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>31.00</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.41</td><td>400</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>41.91</td><td>54.00</td><td>-12.09</td><td>21.32</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.41</td><td>400</td><td>22</td><td>AVERAGE</td></tr><tr><td>3</td><td>19035.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>49.34</td><td>38.23</td><td>25.45</td><td>63.67</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	51.59	74.00	-22.41	31.00	40.90	20.48	41.20	0.41	400	22	PEAK	2	12690.00	41.91	54.00	-12.09	21.32	40.90	20.48	41.20	0.41	400	22	AVERAGE	3	19035.00	39.81	74.00	-34.19	49.34	38.23	25.45	63.67	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	52.11	74.00	-21.89	31.52	40.90	20.48	41.20	0.41	100	141	PEAK																																																																																																																																		
2	12690.00	42.35	54.00	-11.65	21.76	40.90	20.48	41.20	0.41	100	141	AVERAGE																																																																																																																																		
3	19035.00	39.71	74.00	-34.29	49.24	38.23	25.45	63.67	-9.54	--	--	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	51.59	74.00	-22.41	31.00	40.90	20.48	41.20	0.41	400	22	PEAK																																																																																																																																		
2	12690.00	41.91	54.00	-12.09	21.32	40.90	20.48	41.20	0.41	400	22	AVERAGE																																																																																																																																		
3	19035.00	39.81	74.00	-34.19	49.34	38.23	25.45	63.67	-9.54	--	--	PEAK																																																																																																																																		





Mode	17	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH79_6345MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11a_CH97_6435MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>50.95</td><td>88.20</td><td>-37.25</td><td>29.94</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19305.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>48.69</td><td>38.19</td><td>25.67</td><td>63.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	50.95	88.20	-37.25	29.94	41.18	20.63	41.21	0.41	--	--	PEAK	2 19305.00	39.55	74.00	-34.45	48.69	38.19	25.67	63.46	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>51.41</td><td>88.20</td><td>-36.79</td><td>30.40</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19305.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>48.46</td><td>38.19</td><td>25.67</td><td>63.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	51.41	88.20	-36.79	30.40	41.18	20.63	41.21	0.41	--	--	PEAK	2 19305.00	39.32	74.00	-34.68	48.46	38.19	25.67	63.46	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12870.00	50.95	88.20	-37.25	29.94	41.18	20.63	41.21	0.41	--	--	PEAK																																																																																																					
2 19305.00	39.55	74.00	-34.45	48.69	38.19	25.67	63.46	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12870.00	51.41	88.20	-36.79	30.40	41.18	20.63	41.21	0.41	--	--	PEAK																																																																																																					
2 19305.00	39.32	74.00	-34.68	48.46	38.19	25.67	63.46	-9.54	--	--	PEAK																																																																																																					





Mode	18	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH97_6435MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	19																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11a_CH105_6475MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>50.89</td><td>88.20</td><td>-37.31</td><td>29.70</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>48.04</td><td>38.10</td><td>25.77</td><td>63.36</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	50.89	88.20	-37.31	29.70	41.30	20.70	41.22	0.41	--	--	PEAK	2 19425.00	39.81	74.00	-34.19	48.04	38.10	25.77	63.36	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>52.30</td><td>88.20</td><td>-35.90</td><td>31.11</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>48.10</td><td>38.10</td><td>25.77</td><td>63.36</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	52.30	88.20	-35.90	31.11	41.30	20.70	41.22	0.41	--	--	PEAK	2 19425.00	39.07	74.00	-34.93	48.10	38.10	25.77	63.36	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	50.89	88.20	-37.31	29.70	41.30	20.70	41.22	0.41	--	--	PEAK																																																																																																					
2 19425.00	39.81	74.00	-34.19	48.04	38.10	25.77	63.36	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	52.30	88.20	-35.90	31.11	41.30	20.70	41.22	0.41	--	--	PEAK																																																																																																					
2 19425.00	39.07	74.00	-34.93	48.10	38.10	25.77	63.36	-9.54	--	--	PEAK																																																																																																					





Mode	19	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH105_6475MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	20																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11a_CH113_6515MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>51.18</td><td>88.20</td><td>-37.02</td><td>30.38</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19545.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>48.82</td><td>38.10</td><td>25.87</td><td>63.26</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	51.18	88.20	-37.02	30.38	40.92	20.76	41.28	0.40	--	PEAK	2	19545.00	39.99	74.00	-34.01	48.82	38.10	25.87	63.26	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>51.25</td><td>88.20</td><td>-36.95</td><td>30.45</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19545.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>49.39</td><td>38.10</td><td>25.87</td><td>63.26</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	51.25	88.20	-36.95	30.45	40.92	20.76	41.28	0.40	--	PEAK	2	19545.00	40.56	74.00	-33.44	49.39	38.10	25.87	63.26	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13030.00	51.18	88.20	-37.02	30.38	40.92	20.76	41.28	0.40	--	PEAK																																																																																																					
2	19545.00	39.99	74.00	-34.01	48.82	38.10	25.87	63.26	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13030.00	51.25	88.20	-36.95	30.45	40.92	20.76	41.28	0.40	--	PEAK																																																																																																					
2	19545.00	40.56	74.00	-33.44	49.39	38.10	25.87	63.26	-9.54	--	PEAK																																																																																																					





Mode	20	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH113_6515MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	21																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE20_CH97_6435MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>51.43</td><td>88.20</td><td>-36.77</td><td>30.42</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19305.00</td><td>39.79</td><td>74.00</td><td>-34.21</td><td>48.93</td><td>38.19</td><td>25.67</td><td>63.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	51.43	88.20	-36.77	30.42	41.18	20.63	41.21	0.41	--	--	PEAK	2 19305.00	39.79	74.00	-34.21	48.93	38.19	25.67	63.46	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>51.20</td><td>88.20</td><td>-37.00</td><td>30.19</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19305.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>48.78</td><td>38.19</td><td>25.67</td><td>63.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	51.20	88.20	-37.00	30.19	41.18	20.63	41.21	0.41	--	--	PEAK	2 19305.00	39.64	74.00	-34.36	48.78	38.19	25.67	63.46	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12870.00	51.43	88.20	-36.77	30.42	41.18	20.63	41.21	0.41	--	--	PEAK																																																																																																					
2 19305.00	39.79	74.00	-34.21	48.93	38.19	25.67	63.46	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12870.00	51.20	88.20	-37.00	30.19	41.18	20.63	41.21	0.41	--	--	PEAK																																																																																																					
2 19305.00	39.64	74.00	-34.36	48.78	38.19	25.67	63.46	-9.54	--	--	PEAK																																																																																																					





Mode	21	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH97_6435MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	22																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE20_CH105_6475MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>51.22</td><td>88.20</td><td>-36.98</td><td>30.03</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>48.15</td><td>38.10</td><td>25.77</td><td>63.36</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	51.22	88.20	-36.98	30.03	41.30	20.70	41.22	0.41	--	--	PEAK	2 19425.00	39.12	74.00	-34.88	48.15	38.10	25.77	63.36	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>50.83</td><td>88.20</td><td>-37.37</td><td>29.64</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>48.95</td><td>38.10</td><td>25.77</td><td>63.36</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	50.83	88.20	-37.37	29.64	41.30	20.70	41.22	0.41	--	--	PEAK	2 19425.00	39.92	74.00	-34.08	48.95	38.10	25.77	63.36	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	51.22	88.20	-36.98	30.03	41.30	20.70	41.22	0.41	--	--	PEAK																																																																																																					
2 19425.00	39.12	74.00	-34.88	48.15	38.10	25.77	63.36	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	50.83	88.20	-37.37	29.64	41.30	20.70	41.22	0.41	--	--	PEAK																																																																																																					
2 19425.00	39.92	74.00	-34.08	48.95	38.10	25.77	63.36	-9.54	--	--	PEAK																																																																																																					





Mode	22	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH105_6475MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	23																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425~6.525_802.11ax HE20_CH113_6515MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13030.00</td><td>51.26</td><td>88.20</td><td>-36.94</td><td>30.46</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>48.97</td><td>38.10</td><td>25.87</td><td>63.26</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13030.00	51.26	88.20	-36.94	30.46	40.92	20.76	41.28	0.40	-- -- PEAK	2 19545.00	40.14	74.00	-33.86	48.97	38.10	25.87	63.26	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13030.00</td><td>50.91</td><td>88.20</td><td>-37.29</td><td>30.11</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>48.84</td><td>38.10</td><td>25.87</td><td>63.26</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13030.00	50.91	88.20	-37.29	30.11	40.92	20.76	41.28	0.40	-- -- PEAK	2 19545.00	40.01	74.00	-33.99	48.84	38.10	25.87	63.26	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13030.00	51.26	88.20	-36.94	30.46	40.92	20.76	41.28	0.40	-- -- PEAK																																																																																													
2 19545.00	40.14	74.00	-33.86	48.97	38.10	25.87	63.26	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13030.00	50.91	88.20	-37.29	30.11	40.92	20.76	41.28	0.40	-- -- PEAK																																																																																													
2 19545.00	40.01	74.00	-33.99	48.84	38.10	25.87	63.26	-9.54	-- -- PEAK																																																																																													





Mode	23	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH113_6515MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	24																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE40_CH99_6445MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>52.93</td><td>88.20</td><td>-35.27</td><td>31.82</td><td>41.26</td><td>20.65</td><td>41.21</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19335.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>48.42</td><td>38.13</td><td>25.70</td><td>63.43</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	52.93	88.20	-35.27	31.82	41.26	20.65	41.21	0.41	--	PEAK	2	19335.00	39.28	74.00	-34.72	48.42	38.13	25.70	63.43	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>51.87</td><td>88.20</td><td>-36.33</td><td>30.76</td><td>41.26</td><td>20.65</td><td>41.21</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19335.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>48.65</td><td>38.13</td><td>25.70</td><td>63.43</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	51.87	88.20	-36.33	30.76	41.26	20.65	41.21	0.41	--	PEAK	2	19335.00	39.51	74.00	-34.49	48.65	38.13	25.70	63.43	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	52.93	88.20	-35.27	31.82	41.26	20.65	41.21	0.41	--	PEAK																																																																																																					
2	19335.00	39.28	74.00	-34.72	48.42	38.13	25.70	63.43	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	51.87	88.20	-36.33	30.76	41.26	20.65	41.21	0.41	--	PEAK																																																																																																					
2	19335.00	39.51	74.00	-34.49	48.65	38.13	25.70	63.43	-9.54	--	PEAK																																																																																																					





Mode	24	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH99_6445MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	25																																																																
	Harmonic																																																																
	U-NII-6_6.425~6.525_802.11ax HE40_CH107_6485MHz																																																																
ANT	1 + 2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>51.54</td><td>88.20</td><td>-36.66</td><td>30.41</td><td>41.22</td><td>20.72</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19455.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>48.62</td><td>38.10</td><td>25.80</td><td>63.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12970.00	51.54	88.20	-36.66	30.41	41.22	20.72	41.22	0.41	--	--	PEAK	2 19455.00	39.64	74.00	-34.36	48.62	38.10	25.80	63.34	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 12970.00	51.54	88.20	-36.66	30.41	41.22	20.72	41.22	0.41	--	--	PEAK																																																						
2 19455.00	39.64	74.00	-34.36	48.62	38.10	25.80	63.34	-9.54	--	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>51.96</td><td>88.20</td><td>-36.24</td><td>30.83</td><td>41.22</td><td>20.72</td><td>41.22</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19455.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>48.46</td><td>38.10</td><td>25.80</td><td>63.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12970.00	51.96	88.20	-36.24	30.83	41.22	20.72	41.22	0.41	--	--	PEAK	2 19455.00	39.48	74.00	-34.52	48.46	38.10	25.80	63.34	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 12970.00	51.96	88.20	-36.24	30.83	41.22	20.72	41.22	0.41	--	--	PEAK																																																						
2 19455.00	39.48	74.00	-34.52	48.46	38.10	25.80	63.34	-9.54	--	--	PEAK																																																						





Mode	25	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH107_6485MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	26																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE40_CH115_6525MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>51.85</td><td>88.20</td><td>-36.35</td><td>31.19</td><td>40.80</td><td>20.78</td><td>41.32</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19575.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>48.45</td><td>38.10</td><td>25.90</td><td>63.22</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	51.85	88.20	-36.35	31.19	40.80	20.78	41.32	0.40	--	PEAK	2	19575.00	39.69	74.00	-34.31	48.45	38.10	25.90	63.22	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>51.95</td><td>88.20</td><td>-36.25</td><td>31.29</td><td>40.80</td><td>20.78</td><td>41.32</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19575.00</td><td>39.90</td><td>74.00</td><td>-34.10</td><td>48.66</td><td>38.10</td><td>25.90</td><td>63.22</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	51.95	88.20	-36.25	31.29	40.80	20.78	41.32	0.40	--	PEAK	2	19575.00	39.90	74.00	-34.10	48.66	38.10	25.90	63.22	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	51.85	88.20	-36.35	31.19	40.80	20.78	41.32	0.40	--	PEAK																																																																																																					
2	19575.00	39.69	74.00	-34.31	48.45	38.10	25.90	63.22	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	51.95	88.20	-36.25	31.29	40.80	20.78	41.32	0.40	--	PEAK																																																																																																					
2	19575.00	39.90	74.00	-34.10	48.66	38.10	25.90	63.22	-9.54	--	PEAK																																																																																																					





Mode	26	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH115_6525MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	27																																																																	
	Harmonic																																																																	
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz																																																																	
ANT	1 + 2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>32.05</td><td>41.30</td><td>20.68</td><td>41.21</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19395.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>48.78</td><td>38.10</td><td>25.75</td><td>63.38</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	53.23	88.20	-34.97	32.05	41.30	20.68	41.21	0.41	--	PEAK	2	19395.00	39.71	74.00	-34.29	48.78	38.10	25.75	63.38	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12930.00	53.23	88.20	-34.97	32.05	41.30	20.68	41.21	0.41	--	PEAK																																																							
2	19395.00	39.71	74.00	-34.29	48.78	38.10	25.75	63.38	-9.54	--	PEAK																																																							





Mode	27	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	28																																																																
	Harmonic																																																																
	U-NII-6_6.425~6.525_802.11ax HE160_CH111_6505MHz																																																																
ANT	1 + 2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>32.47</td><td>41.04</td><td>20.75</td><td>41.24</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>49.88</td><td>38.10</td><td>25.85</td><td>63.28</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.42	88.20	-34.78	32.47	41.04	20.75	41.24	0.40	--	PEAK	2	19515.00	41.01	74.00	-32.99	49.88	38.10	25.85	63.28	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13010.00	53.42	88.20	-34.78	32.47	41.04	20.75	41.24	0.40	--	PEAK																																																						
2	19515.00	41.01	74.00	-32.99	49.88	38.10	25.85	63.28	-9.54	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>32.34</td><td>41.04</td><td>20.75</td><td>41.24</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>48.97</td><td>38.10</td><td>25.85</td><td>63.28</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.29	88.20	-34.91	32.34	41.04	20.75	41.24	0.40	--	PEAK	2	19515.00	40.10	74.00	-33.90	48.97	38.10	25.85	63.28	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13010.00	53.29	88.20	-34.91	32.34	41.04	20.75	41.24	0.40	--	PEAK																																																						
2	19515.00	40.10	74.00	-33.90	48.97	38.10	25.85	63.28	-9.54	--	PEAK																																																						



Mode	28	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE160_CH111_6505MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	29																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13070.00</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>31.32</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 19605.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>48.31</td><td>38.10</td><td>25.92</td><td>63.19</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13070.00	52.07	88.20	-36.13	31.32	40.92	20.79	41.36	0.40	-- -- PEAK	2 19605.00	39.60	74.00	-34.40	48.31	38.10	25.92	63.19	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13070.00</td><td>52.36</td><td>88.20</td><td>-35.84</td><td>31.61</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 19605.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>48.40</td><td>38.10</td><td>25.92</td><td>63.19</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13070.00	52.36	88.20	-35.84	31.61	40.92	20.79	41.36	0.40	-- -- PEAK	2 19605.00	39.69	74.00	-34.31	48.40	38.10	25.92	63.19	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13070.00	52.07	88.20	-36.13	31.32	40.92	20.79	41.36	0.40	-- -- PEAK																																																																																													
2 19605.00	39.60	74.00	-34.40	48.31	38.10	25.92	63.19	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13070.00	52.36	88.20	-35.84	31.61	40.92	20.79	41.36	0.40	-- -- PEAK																																																																																													
2 19605.00	39.69	74.00	-34.31	48.40	38.10	25.92	63.19	-9.54	-- -- PEAK																																																																																													





Mode	29	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	30																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																													
ANT	1 + 2																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	Site : 03CH22-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>32.29</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>22.51</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>47.21</td><td>38.14</td><td>26.31</td><td>62.66</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.57	74.00	-21.43	32.29	40.84	21.04	42.00	0.40	--	PEAK	2	13390.00	42.79	54.00	-11.21	22.51	40.84	21.04	42.00	0.40	--	Average	3	20085.00	39.46	74.00	-34.54	47.21	38.14	26.31	62.66	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	13390.00	52.57	74.00	-21.43	32.29	40.84	21.04	42.00	0.40	--	PEAK																																																																			
2	13390.00	42.79	54.00	-11.21	22.51	40.84	21.04	42.00	0.40	--	Average																																																																			
3	20085.00	39.46	74.00	-34.54	47.21	38.14	26.31	62.66	-9.54	--	PEAK																																																																			





Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	31																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13710.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>33.18</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.39</td><td>-- PEAK</td></tr><tr><td>2 20565.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>45.65</td><td>38.10</td><td>26.66</td><td>61.97</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	53.61	88.20	-34.59	33.18	41.20	21.29	42.45	0.39	-- PEAK	2 20565.00	38.90	74.00	-35.10	45.65	38.10	26.66	61.97	-9.54	-- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13710.00</td><td>54.79</td><td>88.20</td><td>-33.41</td><td>34.36</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.39</td><td>-- PEAK</td></tr><tr><td>2 20565.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>46.74</td><td>38.10</td><td>26.66</td><td>61.97</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	54.79	88.20	-33.41	34.36	41.20	21.29	42.45	0.39	-- PEAK	2 20565.00	39.99	74.00	-34.01	46.74	38.10	26.66	61.97	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13710.00	53.61	88.20	-34.59	33.18	41.20	21.29	42.45	0.39	-- PEAK																																																																																													
2 20565.00	38.90	74.00	-35.10	45.65	38.10	26.66	61.97	-9.54	-- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13710.00	54.79	88.20	-33.41	34.36	41.20	21.29	42.45	0.39	-- PEAK																																																																																													
2 20565.00	39.99	74.00	-34.01	46.74	38.10	26.66	61.97	-9.54	-- PEAK																																																																																													





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	32																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>52.25</td><td>88.20</td><td>-35.95</td><td>31.50</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>48.88</td><td>38.10</td><td>25.92</td><td>63.19</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	52.25	88.20	-35.95	31.50	40.92	20.79	41.36	0.40	--	PEAK	2	19605.00	40.17	74.00	-33.83	48.88	38.10	25.92	63.19	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>52.32</td><td>88.20</td><td>-35.88</td><td>31.57</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>49.09</td><td>38.10</td><td>25.92</td><td>63.19</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	52.32	88.20	-35.88	31.57	40.92	20.79	41.36	0.40	--	PEAK	2	19605.00	40.38	74.00	-33.62	49.09	38.10	25.92	63.19	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13070.00	52.25	88.20	-35.95	31.50	40.92	20.79	41.36	0.40	--	PEAK																																																																																																					
2	19605.00	40.17	74.00	-33.83	48.88	38.10	25.92	63.19	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13070.00	52.32	88.20	-35.88	31.57	40.92	20.79	41.36	0.40	--	PEAK																																																																																																					
2	19605.00	40.38	74.00	-33.62	49.09	38.10	25.92	63.19	-9.54	--	PEAK																																																																																																					





Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	33																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>32.22</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 13390.00</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>22.25</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>-- Average</td></tr><tr><td>3 20085.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>47.56</td><td>38.14</td><td>26.31</td><td>62.66</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	52.50	74.00	-21.50	32.22	40.84	21.04	42.00	0.40	-- PEAK	2 13390.00	42.53	54.00	-11.47	22.25	40.84	21.04	42.00	0.40	-- Average	3 20085.00	39.81	74.00	-34.19	47.56	38.14	26.31	62.66	-9.54	-- PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>32.49</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 13390.00</td><td>42.60</td><td>54.00</td><td>-11.40</td><td>22.32</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.40</td><td>-- Average</td></tr><tr><td>3 20085.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>47.67</td><td>38.14</td><td>26.31</td><td>62.66</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	52.77	74.00	-21.23	32.49	40.84	21.04	42.00	0.40	-- PEAK	2 13390.00	42.60	54.00	-11.40	22.32	40.84	21.04	42.00	0.40	-- Average	3 20085.00	39.92	74.00	-34.08	47.67	38.14	26.31	62.66	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	52.50	74.00	-21.50	32.22	40.84	21.04	42.00	0.40	-- PEAK																																																																																																																	
2 13390.00	42.53	54.00	-11.47	22.25	40.84	21.04	42.00	0.40	-- Average																																																																																																																	
3 20085.00	39.81	74.00	-34.19	47.56	38.14	26.31	62.66	-9.54	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	52.77	74.00	-21.23	32.49	40.84	21.04	42.00	0.40	-- PEAK																																																																																																																	
2 13390.00	42.60	54.00	-11.40	22.32	40.84	21.04	42.00	0.40	-- Average																																																																																																																	
3 20085.00	39.92	74.00	-34.08	47.67	38.14	26.31	62.66	-9.54	-- PEAK																																																																																																																	



Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL