

A.5 POWER SPECTRAL DENSITY

Test Date	2021/08/05 ~ 13	Temp./Hum.	24°C/53 ~ 62%
Cable Loss	2dB	Tested By	Sean Wang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		
Simultaneous Factor $10 \log(n)$ (Note: "n" is antenna number)		802.11a: 0dB 802.11n-HT20/40: 3dB 802.11ac-VHT80/160: 3dB 802.11ax-HE20/40/80/160: 3dB	

A.5.1 Power Spectral Density Result

Mode	U-NII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit
802.11a	I	5180	5.942	11 dBm/MHz
		5200	6.081	
		5240	5.936	
	2A	5260	8.306	
		5300	7.094	
		5320	6.026	
	2C	5500	6.919	
		5580	8.015	
		5700	6.263	
		5720	8.061	
	III ^{Note2}	5745	7.141	30dBm/500 kHz
		5785	7.000	
		5825	6.583	

Note 1: All results have been included cable loss and Simultaneous Factor and correct duty factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Mode	U-NII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit
802.11n-HT20	I	5180	6.084	11 dBm/MHz
		5200	5.915	
		5240	6.050	
	2A	5260	8.895	
		5300	7.252	
		5320	6.338	
	2C	5500	7.660	
		5580	8.655	
		5700	5.445	
		5720	8.415	
	III ^{Note2}	5745	4.276	30dBm/500 kHz
		5785	3.806	
		5825	3.099	
802.11n-HT40	I	5190	3.613	11 dBm/MHz
		5230	5.592	
	2A	5270	4.395	
		5310	2.111	
	2C	5510	2.913	
		5550	3.200	
		5670	4.184	
		5710	4.996	
	III ^{Note2}	5755	1.140	30dBm/500 kHz
		5795	1.207	
802.11ac-VHT80	I	5210	1.681	11 dBm/MHz
	2A	5290	0.513	
	2C	5530	1.221	
		5610	3.465	
		5690	3.737	
	III ^{Note2}	5775	-2.960	30dBm/500 kHz
802.11ac-VHT160	I/2A	5250	-4.800	11 dBm/MHz
	2C	5570	-5.504	

Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Mode	U-NII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit
802.11ax-HE20	I	5180	5.627	11 dBm/MHz
		5200	6.535	
		5240	7.848	
	2A	5260	7.768	
		5300	5.166	
		5320	3.680	
	2C	5500	2.702	
		5580	4.173	
		5700	3.314	
		5720	5.385	
	III ^{Note2}	5745	3.596	30dBm/500 kHz
		5785	4.264	
		5825	4.598	
802.11ax-HE40	I	5190	4.001	11 dBm/MHz
		5230	5.388	
	2A	5270	4.004	
		5310	1.881	
	2C	5510	-1.559	
		5550	-1.186	
		5670	1.604	
		5710	2.529	
	III ^{Note2}	5755	0.083	30dBm/500 kHz
		5795	0.573	
802.11ax-HE80	I	5210	0.835	11 dBm/MHz
	2A	5290	-0.724	
	2C	5530	-4.076	
		5610	-0.628	
		5690	0.730	
	III ^{Note2}	5775	-2.938	30dBm/500 kHz
802.11ax-HE160	I/2A	5250	-6.550	11 dBm/MHz
	2C	5570	-10.267	

Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Mode	U-NII Band	Centre Frequency (MHz)	RU Configuration	Power Spectral Density (dBm)	Limit
802.11ax-HE20	I	5180	26/0	10.581	11 dBm/MHz
			52/37	10.547	
			106/53	10.523	
	2A	5320	26/8	10.028	
			52/40	8.622	
			106/54	9.088	
	2C	5500	26/0	10.241	
			52/37	10.416	
			106/53	8.945	
		5700	26/8	10.161	
			52/40	10.015	
			106/54	8.068	
	III ^{Note2}	5745	26/0	8.771	30dBm/500 kHz
			52/37	8.967	
			106/53	8.185	
		5825	26/8	10.532	
			52/40	10.3337	
			106/54	7.229	
802.11ax-HE40	I	5190	242/61	7.222	11 dBm/MHz
	2A	5310	242/62	5.880	
	2C	5510	242/61	5.510	
		5670	242/62	3.062	
	III ^{Note2}	5755	242/61	4.989	30dBm/500 kHz
		5795	242/62	5.277	
802.11ax-HE80	I	5210	484/65	4.062	11 dBm/MHz
	2A	5290	484/66	2.378	
	2C	5530	484/65	3.580	
		5610	484/66	-4.329	
	III ^{Note2}	5775	484/65	-1.019	30dBm/500 kHz
			484/66	0.266	
802.11ax-HE160	I/2A	5250	996/67	0.120	11 dBm/MHz
			996/S67	-0.419	
	2C	5570	996/67	-0.271	
			996/S67	-0.145	


Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303

A.5.2 Measurement Plots










Mode: 802.11a

U-NII Band 2C




U-NII Band III












Mode: 802.11n-HT20


U-NII Band 2C




U-NII Band III









Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

