



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303






Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303





Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2024/08/27 ~ 29	Temp./Hum.	24 ~ 25°C/47 ~ 49%
Cable Loss	4.47dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11ax- HE20	5	5955	23.99	19.016	24.12	19.036	≤320MHz
		6175	23.27	19.027	23.55	19.046	
		6415	23.46	19.027	23.46	19.031	
	6	6435	23.24	19.030	23.12	19.002	
		6475	23.34	18.992	23.47	19.024	
		6515	23.41	19.017	23.25	19.037	
	7	6535	23.22	19.018	23.00	19.003	
		6695	23.08	19.018	24.01	19.001	
		6855	23.74	19.015	23.46	19.018	
	8	6875	23.48	19.053	23.00	19.041	
		6995	23.83	19.029	23.76	19.026	
		7115	23.11	18.968	23.15	19.028	
802.11ax- HE40	5	5965	42.46	37.879	42.90	37.813	≤320MHz
		6165	41.77	37.819	41.63	37.794	
		6405	42.62	37.827	41.51	37.844	
	6	6445	42.72	37.734	41.26	37.823	
		6485	41.97	37.837	40.62	37.803	
	7	6525	42.38	37.754	41.87	37.783	
		6685	42.45	37.802	41.07	37.773	
		6845	41.69	37.732	41.69	37.805	
	8	6885	41.86	37.861	42.13	37.816	
		7005	42.06	37.752	42.17	37.766	
		7085	42.70	37.785	42.32	37.810	
	802.11ax- HE80	5	5985	85.46	77.332	82.07	
6145			82.37	77.465	82.82	77.323	
6385			82.61	77.431	83.46	77.498	
6		6465	83.25	77.502	82.90	77.424	
		6545	84.32	77.246	84.19	77.521	
7		6625	83.41	77.344	81.83	77.513	
		6705	83.58	77.436	83.81	77.500	
		6785	82.88	77.463	82.77	77.355	
8		6865	83.31	77.403	82.99	77.384	
		6945	82.53	77.254	81.85	77.434	
		7025	82.10	77.465	83.08	77.251	
802.11ax- HE160		5	6025	162.60	156.58	162.20	156.38
	6185		162.30	156.61	162.40	156.55	
	6345		162.40	156.84	162.80	156.71	
	6	6505	162.70	156.77	162.60	156.73	
	7	6665	162.20	156.66	162.20	156.59	
		6825	162.10	156.75	162.40	156.63	
	8	6985	162.30	156.42	162.30	156.48	

Note: All results have been included cable loss.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11be-EHT20	5	5955	23.80	19.026	23.67	19.051	≤320MHz
		6175	23.28	19.022	23.58	19.043	
		6415	24.06	19.037	23.86	19.004	
	6	6435	23.85	19.016	23.46	19.024	
		6475	23.56	19.024	23.33	19.019	
		6515	23.16	19.032	23.33	18.986	
	7	6535	23.83	19.019	23.81	19.016	
		6695	23.89	19.018	23.27	19.034	
		6855	23.11	19.036	23.53	19.037	
	8	6875	23.44	19.038	23.79	19.036	
		6995	23.70	19.011	23.41	18.989	
		7115	22.90	19.002	23.44	19.020	
802.11be-EHT40	5	5965	42.15	37.793	41.65	37.839	≤320MHz
		6165	42.31	37.788	42.07	37.750	
		6405	42.16	37.899	41.97	37.843	
	6	6445	41.63	37.812	41.72	37.813	
		6485	42.85	37.811	42.29	37.823	
	7	6525	41.77	37.753	41.17	37.741	
		6685	41.81	37.814	42.44	37.782	
		6845	41.91	37.766	41.51	37.752	
	8	6885	42.26	37.797	42.60	37.804	
		7005	42.13	37.814	42.29	37.811	
		7085	42.49	37.838	42.55	37.849	
	802.11be-EHT80	5	5985	83.15	77.340	82.05	
6145			84.27	77.423	82.89	77.366	
6385			83.49	77.280	84.48	77.514	
6		6465	83.85	77.501	83.51	77.530	
		6545	84.65	77.392	84.66	77.515	
7		6625	84.24	77.380	83.22	77.548	
		6705	83.60	77.367	84.30	77.441	
		6785	82.12	77.318	84.18	77.417	
8		6865	82.95	77.392	82.75	77.390	
		6945	82.70	77.425	81.80	77.303	
		7025	84.28	77.448	83.89	77.267	
802.11be-EHT160		5	6025	162.50	156.57	162.10	156.54
	6185		162.20	156.77	162.80	156.45	
	6345		162.30	156.75	162.30	156.76	
	6	6505	162.80	156.90	162.40	156.76	
	7	6665	162.60	156.47	162.40	156.74	
		6825	162.60	156.58	162.20	156.72	
	8	6985	162.60	156.56	162.30	156.65	
		6985	162.60	156.56	162.30	156.65	
802.11be-EHT320	5	6105	327.10	312.45	326.90	312.30	≤320MHz
		6265	326.90	312.36	326.70	312.78	
		6425	326.80	312.57	326.60	312.60	
	6	6585	326.80	311.99	327.10	312.59	
	7	6745	326.50	312.25	326.90	312.65	
	8	6905	326.70	312.33	327.00	312.63	
		6905	326.70	312.33	327.00	312.63	
	6905	326.70	312.33	327.00	312.63		

Note: All results have been included cable loss.