



A.6 UNDESIRABLE EMISSION LIMITS: SPURIOUS EMISSION (CONDUCTED)


Test Date	2022/07/12~13	Temp./Hum.	25~26°C/42~50%
Cable Loss	1.50dB	Tested By	Kuper Hsu
Test Voltage	AC 120V 60Hz (Via AC Adapter)		
Simultaneous Factor 10 log(N _{ANT})(Note: where N _{ANT} is the number of outputs)			3dB

A.6.1 Measurement Plots for Spurious Emission

● OFDM Modulation








Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303


A.7 IN-BAND EMISSION (CHANNEL MASK)


Test Date	2022/07/12~13	Temp./Hum.	25~26°C/42~50%
Cable Loss	1.50dB	Tested By	Kuper Hsu
Test Voltage	AC 120V 60Hz (Via AC Adapter)		


● OFDM Modulation






































Mode: 802.11ax-HE160



Mode: 802.11ax-HE160



Audix Technology Corp.

No. 491, Zhongfu Rd., Linkou Dist.,

New Taipei City 244, Taiwan

Tel: +886 2 26099301

Fax: +886 2 26099303

● OFDMA Modulation

