








Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303






Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303





A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2024/10/30 ~ 11/07	Temp./Hum.	23 ~ 24°C/56 ~ 60%
Cable Loss	4.47dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11ax- HE20	5	5955	23.93	19.020	24.06	19.025	≤320MHz
		6175	23.66	19.027	23.06	19.011	
		6415	23.99	19.032	23.17	19.007	
	6	6435	23.54	19.040	24.09	19.040	
		6475	23.82	19.037	23.90	19.024	
		6515	23.43	19.042	23.56	19.026	
	7	6535	23.76	19.040	23.96	19.012	
		6695	23.89	19.022	23.89	19.019	
		6855	23.56	19.020	23.86	19.021	
	8	6875	23.89	19.042	23.52	19.055	
		6995	23.71	19.012	23.55	18.991	
		7115	23.55	19.015	23.65	19.010	
802.11ax- HE40	5	5965	42.06	37.808	42.26	37.794	≤320MHz
		6165	42.78	37.839	42.47	37.826	
		6405	42.49	37.806	42.30	37.772	
	6	6445	42.75	37.819	42.96	37.792	
		6485	43.10	37.734	41.90	37.828	
	7	6525	42.13	37.786	42.52	37.801	
		6685	42.09	37.765	42.79	37.763	
		6845	43.46	37.826	42.37	37.761	
	8	6885	42.57	37.794	42.35	37.795	
		7005	42.14	37.813	42.44	37.735	
		7085	42.06	37.810	42.71	37.828	
802.11ax- HE80	5	5985	84.56	77.424	83.96	77.415	≤320MHz
		6145	83.84	77.532	83.81	77.505	
		6385	84.47	77.409	83.96	77.443	
	6	6465	83.05	77.357	83.06	77.353	
		6545	84.31	77.415	84.27	77.423	
	7	6625	84.07	77.421	83.42	77.458	
		6705	83.74	77.510	84.38	77.454	
		6785	84.00	77.433	83.78	77.429	
	8	6865	84.04	77.411	83.20	77.371	
		6945	83.18	77.493	84.96	77.480	
		7025	83.04	77.341	83.44	77.395	
802.11ax- HE160	5	6025	162.70	156.72	162.30	156.73	≤320MHz
		6185	162.90	156.61	162.50	156.63	
		6345	162.70	156.71	162.50	156.68	
	6	6505	162.70	156.69	162.70	156.58	
	7	6665	162.80	156.65	162.70	156.60	
		6825	162.50	156.66	162.40	156.76	
	8	6985	162.40	156.52	162.50	156.53	

Note: 1. All results have been included cable loss.
2. We only presented the middle channel plots for each test mode.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303


Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11be- EHT20	5	5955	24.00	18.998	23.66	19.031	≤320MHz
		6175	23.90	19.029	23.71	18.969	
		6415	24.43	19.034	23.54	19.027	
	6	6435	23.71	19.016	23.52	19.005	
		6475	24.07	19.028	23.55	18.989	
		6515	23.47	19.023	23.68	19.018	
	7	6535	23.98	19.041	23.68	19.018	
		6695	23.65	19.016	23.83	19.008	
		6855	23.59	19.047	24.00	19.043	
	8	6875	23.50	19.000	23.69	18.999	
		6995	23.66	19.020	23.57	19.006	
		7115	23.49	19.026	23.63	19.040	
802.11be- EHT40	5	5965	42.36	37.757	42.54	37.828	≤320MHz
		6165	42.77	37.792	42.75	37.767	
		6405	42.19	37.794	42.45	37.848	
	6	6445	42.69	37.813	42.64	37.805	
		6485	42.53	37.820	42.66	37.803	
		6525	42.28	37.768	42.23	37.796	
	7	6685	42.16	37.786	42.74	37.787	
		6845	42.57	37.830	42.49	37.801	
		6885	42.80	37.794	42.87	37.871	
	8	7005	42.97	37.836	42.29	37.810	
		7085	42.13	37.815	42.49	37.766	
802.11be- EHT80	5	5985	85.26	77.368	82.79	77.342	≤320MHz
		6145	83.66	77.392	84.12	77.415	
		6385	84.18	77.331	83.85	77.433	
	6	6465	83.89	77.333	83.53	77.396	
		6545	84.33	77.403	83.51	77.364	
		6625	84.04	77.379	83.90	77.401	
	7	6705	83.66	77.459	83.97	77.327	
		6785	84.01	77.412	83.27	77.470	
		6865	82.42	77.433	85.15	77.430	
	8	6945	84.53	77.459	83.65	77.385	
		7025	84.14	77.401	83.50	77.464	
802.11be- EHT160	5	6025	162.60	156.60	162.60	156.61	≤320MHz
		6185	162.30	156.76	162.60	156.69	
		6345	162.70	156.70	162.50	156.74	
	6	6505	163.00	156.64	162.80	156.64	
	7	6665	162.80	156.69	162.40	156.74	
		6825	162.50	156.60	162.40	156.50	
	8	6985	162.30	156.52	162.50	156.67	
802.11be- EHT320	5	6105	327.00	312.50	326.90	312.36	≤320MHz
		6265	327.10	312.68	327.20	312.46	
		6425	326.90	312.43	326.80	311.92	
	6	6585	326.80	312.09	326.90	312.01	
	7	6745	326.90	312.50	326.90	312.48	
	8	6905	326.70	311.77	326.90	312.13	

Note: 1. All results have been included cable loss.
2. We only presented the middle channel plots for each test mode.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303

A.5.2 Measurement Plots




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303





Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

