




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2024/11/25	Temp./Hum.	23°C/52%
Cable Loss	4.47dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11ax-HE20	5	5955	24.36	19.113	23.33	19.088	≤320MHz
		6175	23.63	19.076	23.88	19.111	
		6415	24.24	19.108	24.80	19.099	
	6	6435	24.23	19.069	23.47	19.127	
		6475	24.00	19.080	24.25	19.066	
		6515	23.81	19.070	23.78	19.100	
	7	6535	24.22	19.117	24.72	19.131	
		6695	24.34	19.145	24.10	19.103	
		6855	23.83	19.059	23.92	19.103	
	8	6875	24.03	19.080	23.46	19.028	
		6995	24.06	19.093	23.70	19.058	
		7115	24.10	19.061	24.14	19.095	
802.11ax-HE40	5	5965	42.64	37.828	42.21	37.885	≤320MHz
		6165	43.75	37.835	42.95	37.856	
		6405	43.96	37.909	42.56	37.824	
	6	6445	42.65	37.904	41.67	37.910	
		6485	41.68	37.799	42.35	37.774	
		6525	41.82	37.836	42.40	37.722	
	7	6685	42.28	37.855	41.39	37.835	
		6845	41.04	37.794	42.32	37.864	
		6885	41.54	37.857	41.61	37.818	
	8	7005	42.38	37.820	43.44	37.846	
		7085	42.52	37.937	42.69	37.873	
802.11ax-HE80	5	5985	82.68	77.332	84.24	77.482	≤320MHz
		6145	88.08	77.441	84.28	77.629	
		6385	82.67	77.467	85.48	77.250	
	6	6465	83.12	77.539	83.80	77.457	
		6545	81.66	77.321	84.99	77.374	
		6625	83.95	77.433	84.20	77.375	
	7	6705	83.08	77.359	83.22	77.427	
		6785	85.16	77.459	84.31	77.440	
		6865	84.42	77.398	84.01	77.391	
	8	6945	83.20	77.502	83.63	77.580	
		7025	84.21	77.504	83.68	77.544	
802.11ax-HE160	5	6025	165.0	156.63	164.9	156.86	≤320MHz
		6185	164.1	157.05	164.1	156.64	
		6345	163.7	156.91	166.1	156.64	
	6	6505	165.8	156.51	165.5	156.61	
	7	6665	166.2	156.97	164.4	156.64	
		6825	164.2	157.04	164.8	156.96	
	8	6985	164.8	156.84	156.61	164.2	

Note: 1. All results have been included cable loss.
2. We only presented the middle channel plots for each test mode.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303


Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11be- EHT20	5	5955	24.65	19.078	24.70	19.025	≤320MHz
		6175	24.91	19.066	24.33	19.067	
		6415	23.41	19.060	25.09	19.129	
	6	6435	24.45	19.078	24.06	19.073	
		6475	24.42	19.077	24.23	19.078	
		6515	23.91	19.170	24.16	19.151	
	7	6535	24.15	19.071	23.95	19.098	
		6695	24.31	19.099	23.64	19.091	
		6855	25.22	19.088	24.47	19.085	
	8	6875	23.75	19.062	24.05	19.100	
		6995	24.25	19.084	24.96	19.073	
		7115	24.08	19.100	24.33	19.027	
802.11be- EHT40	5	5965	42.48	37.896	42.50	37.923	≤320MHz
		6165	42.87	37.776	42.27	37.791	
		6405	42.01	37.746	43.59	37.832	
	6	6445	42.25	37.861	42.73	37.849	
		6485	42.60	37.872	42.62	37.787	
		6525	42.53	37.837	41.82	37.905	
	7	6685	44.12	37.869	42.36	37.869	
		6845	41.95	37.962	41.99	37.829	
		6885	42.22	37.866	41.64	37.906	
	8	7005	42.32	37.802	43.02	37.960	
		7085	42.15	37.790	42.81	37.841	
802.11be- EHT80	5	5985	83.77	77.543	84.24	77.481	≤320MHz
		6145	82.83	77.447	81.83	77.407	
		6385	83.23	77.595	84.60	77.448	
	6	6465	83.29	77.388	83.91	77.426	
		6545	82.15	77.332	83.07	77.450	
		6625	83.31	77.569	82.96	77.334	
	7	6705	85.24	77.643	83.57	77.417	
		6785	84.03	77.406	86.06	77.362	
		6865	84.22	77.426	83.09	77.531	
	8	6945	84.14	77.587	84.23	77.357	
		7025	86.65	77.416	83.07	77.415	
802.11be- EHT160	5	6025	165.3	156.68	164.3	157.00	≤320MHz
		6185	165.0	156.86	163.9	156.59	
		6345	164.0	156.63	164.8	156.78	
	6	6505	163.9	156.49	163.5	156.28	
	7	6665	163.8	157.05	164.9	156.70	
		6825	164.4	156.59	164.1	156.74	
	8	6985	163.5	156.66	163.9	156.67	
	802.11be- EHT320	5	6105	327.5	312.54	327.2	
6265			327.9	312.20	327.6	312.08	
6425			327.2	312.32	327.1	312.08	
6		6585	328.7	312.22	328.0	311.61	
7		6745	327.7	312.61	326.7	312.20	
8		6905	328.3	312.48	328.8	312.31	

Note: 1. All results have been included cable loss.
2. We only presented the middle channel plots for each test mode.

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303

A.5.2 Measurement Plots




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

