LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.602 mW/g, SAR (10g): 0.232 mW/g

LG Tablet PC Model : LU20
DSSS Mode, Ch.1[2412MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(Cover) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]





LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.378 mW/g, SAR (10g): 0.161 mW/g

LG Tablet PC Model : LU20
DSSS Mode, Ch.6[2437MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(Cover) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]



LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.424 mW/g, SAR (10g): 0.176 mW/g

LG Tablet PC Model : LU20
DSSS Mode, Ch.11[2462MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(Cover) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]





LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.238 mW/g, SAR (10g): 0.0997 mW/g

LG Tablet PC Model : LU20
DSSS Mode, Ch.1[2412MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(LCD) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]



LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.210 mW/g, SAR (10g): 0.0889 mW/g

LG Tablet PC Model : LU20
DSSS Mode, Ch.6[2437MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(LCD) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]





LG FCC ID : BEJNTLU20 -- DSSS Body SAR

SAM(2450M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;
SAR (1g): 0.173 mW/g, SAR (10g): 0.0708 mW/g;

LG Tablet PC Model : LU20
DSSS Mode, Ch.11[2462MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(LCD) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]





LG FCC ID : BEJNTLU20 -- DSSS Body

SAM(2450M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(4.70,4.70,4.70);
Med. parameter 2450 MHz Muscle: σ = 2.01 mho/m ε_r = 54.5 ρ = 1.00 g/cm^3; Crest factor: 1.0;

LG Tablet PC Model : LU20
DSSS Mode, Ch.1[2412MHz]; Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 21℃
Conducted Power = 16.7 dBm; Flat Phantom, Top(Cover) position; Antenna Fixed
Test Date -- 1 / 8 / 2004 [FCC/OET Bulletin6 - Supplement C, July 2001]