


Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1534.4014	13.60	33.45	47.05	74.00	26.95	PASS	Horizontal	PK
2	2822.5529	17.30	33.18	50.48	74.00	23.52	PASS	Horizontal	PK
3	3927.6571	21.44	32.19	53.63	74.00	20.37	PASS	Horizontal	PK
4	5008.3403	24.90	32.54	57.44	74.00	16.56	PASS	Horizontal	PK
5	11831.1532	2.78	53.82	56.60	74.00	17.40	PASS	Horizontal	PK
6	15885.2954	10.01	51.78	61.79	74.00	12.21	PASS	Horizontal	PK
7	5027.9211	24.92	10.32	35.24	54.00	18.76	PASS	Horizontal	AV
8	11844.4938	3.02	41.35	44.37	54.00	9.63	PASS	Horizontal	AV
9	15893.5757	10.07	39.97	50.04	54.00	3.96	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1519.4408	13.42	32.89	46.31	74.00	27.69	PASS	Vertical	PK
2	2846.7539	17.57	33.48	51.05	74.00	22.95	PASS	Vertical	PK
3	3957.1383	21.50	32.44	53.94	74.00	20.06	PASS	Vertical	PK
4	5005.0402	24.82	32.78	57.60	74.00	16.40	PASS	Vertical	PK
5	11820.5728	2.59	54.41	57.00	74.00	17.00	PASS	Vertical	PK
6	15908.2963	10.09	51.37	61.46	74.00	12.54	PASS	Vertical	PK
7	5000.42	24.71	10.52	35.23	54.00	18.77	PASS	Vertical	AV
8	11830.6932	2.77	41.50	44.27	54.00	9.73	PASS	Vertical	AV
9	15895.8758	10.10	39.88	49.98	54.00	4.02	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20063.6825	-24.90	58.86	33.96	74.00	40.04	PASS	Horizontal	PK
2	22412.4965	-25.09	58.18	33.09	74.00	40.91	PASS	Horizontal	PK
3	26117.4447	-21.17	54.92	33.75	68.20	34.45	PASS	Horizontal	PK
4	30078.4831	-21.17	53.74	32.57	68.20	35.63	PASS	Horizontal	PK
5	34622.1049	-16.13	49.66	33.53	68.20	34.67	PASS	Horizontal	PK
6	38744.1898	-13.45	46.01	32.56	68.20	35.64	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19215.3286	-26.03	59.71	33.68	74.00	40.32	PASS	Vertical	PK
2	22093.9238	-25.61	58.81	33.20	74.00	40.80	PASS	Vertical	PK
3	25589.4236	-20.75	55.45	34.70	68.20	33.50	PASS	Vertical	PK
4	28977.5591	-21.32	56.43	35.11	68.20	33.09	PASS	Vertical	PK
5	33650.546	-17.45	52.04	34.59	68.20	33.61	PASS	Vertical	PK
6	38985.3194	-12.88	45.52	32.64	68.20	35.56	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1533.0813	13.58	32.69	46.27	74.00	27.73	PASS	Horizontal	PK
2	2822.1129	17.29	33.93	51.22	74.00	22.78	PASS	Horizontal	PK
3	3928.5371	21.47	31.63	53.10	74.00	20.90	PASS	Horizontal	PK
4	5009.8804	24.93	32.99	57.92	74.00	16.08	PASS	Horizontal	PK
5	11850.934	3.11	53.26	56.37	74.00	17.63	PASS	Horizontal	PK
6	15917.4967	10.03	51.27	61.30	74.00	12.70	PASS	Horizontal	PK
7	5008.3403	24.90	10.39	35.29	54.00	18.71	PASS	Horizontal	AV
8	11959.4984	2.81	41.73	44.54	54.00	9.46	PASS	Horizontal	AV
9	15893.5757	10.07	39.82	49.89	54.00	4.11	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1547.3819	13.66	33.73	47.39	74.00	26.61	PASS	Vertical	PK
2	2845.2138	17.62	33.30	50.92	74.00	23.08	PASS	Vertical	PK
3	3957.3583	21.50	31.46	52.96	74.00	21.04	PASS	Vertical	PK
4	5031.2212	24.95	33.04	57.99	74.00	16.01	PASS	Vertical	PK
5	12505.5402	4.56	52.58	57.14	74.00	16.86	PASS	Vertical	PK
6	15900.936	10.12	51.95	62.07	74.00	11.93	PASS	Vertical	PK
7	5004.8202	24.81	10.56	35.37	54.00	18.63	PASS	Vertical	AV
8	12501.8601	4.52	40.74	45.26	54.00	8.74	PASS	Vertical	AV
9	15906.9163	10.09	39.85	49.94	54.00	4.06	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18883.5553	-26.28	61.02	34.74	74.00	39.26	PASS	Horizontal	PK
2	22657.1463	-25.02	58.68	33.66	74.00	40.34	PASS	Horizontal	PK
3	26304.0122	-21.26	55.83	34.57	68.20	33.63	PASS	Horizontal	PK
4	30397.9359	-20.34	54.26	33.92	68.20	34.28	PASS	Horizontal	PK
5	33606.5443	-17.34	51.67	34.33	68.20	33.87	PASS	Horizontal	PK
6	38715.1486	-13.55	46.81	33.26	68.20	34.94	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19769.7508	-25.29	58.71	33.42	74.00	40.58	PASS	Vertical	PK
2	22799.712	-25.05	57.89	32.84	74.00	41.16	PASS	Vertical	PK
3	26080.4832	-21.09	54.72	33.63	68.20	34.57	PASS	Vertical	PK
4	28908.0363	-21.38	56.76	35.38	68.20	32.82	PASS	Vertical	PK
5	32388.5755	-18.11	52.26	34.15	68.20	34.05	PASS	Vertical	PK
6	38862.9945	-13.11	45.23	32.12	68.20	36.08	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1541.2216	13.64	32.52	46.16	74.00	27.84	PASS	Horizontal	PK
2	2827.8331	17.40	34.87	52.27	74.00	21.73	PASS	Horizontal	PK
3	4142.1657	22.15	31.74	53.89	74.00	20.11	PASS	Horizontal	PK
4	5005.7002	24.83	32.92	57.75	74.00	16.25	PASS	Horizontal	PK
5	12027.5811	3.54	52.64	56.18	74.00	17.82	PASS	Horizontal	PK
6	15907.8363	10.09	52.05	62.14	74.00	11.86	PASS	Horizontal	PK
7	5009.4404	24.92	10.12	35.04	54.00	18.96	PASS	Horizontal	AV
8	11988.0195	3.21	41.04	44.25	54.00	9.75	PASS	Horizontal	AV
9	15898.6359	10.12	39.67	49.79	54.00	4.21	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.2819	13.66	33.00	46.66	74.00	27.34	PASS	Vertical	PK
2	2850.714	17.47	33.42	50.89	74.00	23.11	PASS	Vertical	PK
3	4039.6416	21.62	31.59	53.21	74.00	20.79	PASS	Vertical	PK
4	5008.3403	24.90	32.79	57.69	74.00	16.31	PASS	Vertical	PK
5	11993.0797	3.29	53.34	56.63	74.00	17.37	PASS	Vertical	PK
6	15970.3988	9.90	51.52	61.42	74.00	12.58	PASS	Vertical	PK
7	5031.6613	24.95	10.12	35.07	54.00	18.93	PASS	Vertical	AV
8	11967.3187	2.92	41.68	44.60	54.00	9.40	PASS	Vertical	AV
9	15899.556	10.13	39.87	50.00	54.00	4.00	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19938.7175	-24.80	58.55	33.75	74.00	40.25	PASS	Horizontal	PK
2	23179.8872	-24.41	57.35	32.94	68.20	35.26	PASS	Horizontal	PK
3	27123.3249	-21.88	55.37	33.49	68.20	34.71	PASS	Horizontal	PK
4	31154.7662	-19.88	54.28	34.40	68.20	33.80	PASS	Horizontal	PK
5	34586.0234	-16.17	48.51	32.34	68.20	35.86	PASS	Horizontal	PK
6	38144.0058	-14.37	46.35	31.98	68.20	36.22	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20117.3647	-25.14	59.05	33.91	74.00	40.09	PASS	Vertical	PK
2	22930.8372	-25.46	57.97	32.51	74.00	41.49	PASS	Vertical	PK
3	27037.0815	-21.84	55.23	33.39	68.20	34.81	PASS	Vertical	PK
4	30912.7565	-19.46	54.00	34.54	68.20	33.66	PASS	Vertical	PK
5	35381.5753	-16.07	49.89	33.82	68.20	34.38	PASS	Vertical	PK
6	38131.6853	-14.42	46.06	31.64	68.20	36.56	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/08/26

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.4815	13.61	33.74	47.35	74.00	26.65	PASS	Vertical	PK
2	2808.6923	17.38	33.36	50.74	74.00	23.26	PASS	Vertical	PK
3	3921.2769	21.18	31.82	53.00	74.00	21.00	PASS	Vertical	PK
4	5020.2208	24.80	33.74	58.54	74.00	15.46	PASS	Vertical	PK
5	11847.2539	3.06	53.13	56.19	74.00	17.81	PASS	Vertical	PK
6	15894.9558	10.08	51.73	61.81	74.00	12.19	PASS	Vertical	PK
7	5012.3005	24.90	10.17	35.07	54.00	18.93	PASS	Vertical	AV
8	11834.3734	2.83	41.13	43.96	54.00	10.04	PASS	Vertical	AV
9	15895.4158	10.10	39.69	49.79	54.00	4.21	PASS	Vertical	AV