


Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2647.5765	16.88	36.25	53.13	74.00	20.87	PASS	Vertical	PK
2	2834.6556	17.38	36.28	53.66	74.00	20.34	PASS	Vertical	PK
3	3960.064	-11.87	55.61	43.74	74.00	30.26	PASS	Vertical	PK
4	8027.3352	-1.16	46.10	44.94	74.00	29.06	PASS	Vertical	PK
5	13679.712	7.34	43.10	50.44	74.00	23.56	PASS	Vertical	PK
6	17716.9811	16.00	36.85	52.85	74.00	21.15	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18814.3326	-26.29	63.34	37.05	74.00	36.95	PASS	Horizont	PK
2	20017.9807	-24.70	60.13	35.43	74.00	38.57	PASS	Horizont	PK
3	21186.9475	-25.76	60.84	35.08	74.00	38.92	PASS	Horizont	PK
4	21862.8945	-25.62	61.76	36.14	74.00	37.86	PASS	Horizont	PK
5	23791.1116	-22.36	58.40	36.04	74.00	37.96	PASS	Horizont	PK
6	25095.0638	-21.62	57.38	35.76	74.00	38.24	PASS	Horizont	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18942.8577	-26.28	63.07	36.79	74.00	37.21	PASS	Vertical	PK
2	20007.1003	-24.65	60.40	35.75	74.00	38.25	PASS	Vertical	PK
3	21166.5467	-25.80	61.11	35.31	74.00	38.69	PASS	Vertical	PK
4	22566.0426	-25.02	60.08	35.06	74.00	38.94	PASS	Vertical	PK
5	23899.236	-22.14	57.98	35.84	74.00	38.16	PASS	Vertical	PK
6	25748.2299	-20.79	57.64	36.85	74.00	37.15	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2674.2449	17.11	35.76	52.87	74.00	21.13	PASS	Horizont	PK
2	2872.1248	17.43	37.58	55.01	74.00	18.99	PASS	Horizont	PK
3	3844.0563	-12.12	54.64	42.52	74.00	31.48	PASS	Horizont	PK
4	7769.318	-1.68	45.89	44.21	74.00	29.79	PASS	Horizont	PK
5	13691.7128	7.29	43.77	51.06	74.00	22.94	PASS	Horizont	PK
6	16959.9307	13.16	39.27	52.43	74.00	21.57	PASS	Horizont	PK
7	2873.8583	17.42	18.15	35.57	54.00	18.43	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2535.9691	16.66	36.99	53.65	74.00	20.35	PASS	Vertical	PK
2	2955.8637	17.69	36.71	54.40	74.00	19.60	PASS	Vertical	PK
3	3959.0639	-11.88	56.72	44.84	74.00	29.16	PASS	Vertical	PK
4	7755.317	-1.50	45.79	44.29	74.00	29.71	PASS	Vertical	PK
5	13711.7141	7.24	43.58	50.82	74.00	23.18	PASS	Vertical	PK
6	16334.889	11.40	40.84	52.24	74.00	21.76	PASS	Vertical	PK
7	2958.6639	17.72	17.84	35.56	54.00	18.44	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19245.4698	-25.96	61.84	35.88	74.00	38.12	PASS	Horizont	PK
2	20337.2535	-25.49	61.64	36.15	74.00	37.85	PASS	Horizont	PK
3	21758.8504	-25.57	61.40	35.83	74.00	38.17	PASS	Horizont	PK
4	22820.3728	-25.12	59.99	34.87	74.00	39.13	PASS	Horizont	PK
5	24284.1314	-22.24	57.62	35.38	74.00	38.62	PASS	Horizont	PK
6	25770.6708	-20.81	57.66	36.85	74.00	37.15	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18819.4328	-26.29	63.18	36.89	74.00	37.11	PASS	Vertical	PK
2	19494.3598	-25.60	62.04	36.44	74.00	37.56	PASS	Vertical	PK
3	21180.1472	-25.77	61.89	36.12	74.00	37.88	PASS	Vertical	PK
4	21838.4135	-25.58	61.03	35.45	74.00	38.55	PASS	Vertical	PK
5	23886.3155	-22.17	58.39	36.22	74.00	37.78	PASS	Vertical	PK
6	25756.3903	-20.80	57.14	36.34	74.00	37.66	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2440
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2593.7062	16.52	36.79	53.31	74.00	20.69	PASS	Horizont	PK
2	2967.4645	17.89	36.54	54.43	74.00	19.57	PASS	Horizont	PK
3	4882.1255	-8.36	50.19	41.83	74.00	32.17	PASS	Horizont	PK
4	9038.4026	0.15	45.56	45.71	74.00	28.29	PASS	Horizont	PK
5	13713.7142	7.24	44.45	51.69	74.00	22.31	PASS	Horizont	PK
6	16917.9279	13.31	39.50	52.81	74.00	21.19	PASS	Horizont	PK
7	2964.531	17.83	18.26	36.09	54.00	17.91	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2440
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2673.4449	17.11	37.45	54.56	74.00	19.44	PASS	Vertical	PK
2	2944.663	17.63	37.05	54.68	74.00	19.32	PASS	Vertical	PK
3	3957.0638	-11.88	58.71	46.83	74.00	27.17	PASS	Vertical	PK
4	7949.33	-1.40	45.67	44.27	74.00	29.73	PASS	Vertical	PK
5	13748.7166	7.17	44.35	51.52	74.00	22.48	PASS	Vertical	PK
6	17597.9732	14.76	38.54	53.30	74.00	20.70	PASS	Vertical	PK
7	2670.9114	17.12	18.16	35.28	54.00	18.72	PASS	Vertical	AV
8	2932.6622	17.72	17.74	35.46	54.00	18.54	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2440
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18941.1576	-26.28	62.73	36.45	74.00	37.55	PASS	Horizont	PK
2	20376.015	-25.48	61.09	35.61	74.00	38.39	PASS	Horizont	PK
3	21811.5525	-25.55	60.94	35.39	74.00	38.61	PASS	Horizont	PK
4	23667.3467	-22.81	58.80	35.99	74.00	38.01	PASS	Horizont	PK
5	24824.413	-21.98	56.98	35.00	74.00	39.00	PASS	Horizont	PK
6	25796.1718	-20.82	57.19	36.37	74.00	37.63	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2440
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18573.2629	-26.69	62.68	35.99	74.00	38.01	PASS	Vertical	PK
2	19796.6319	-25.24	60.66	35.42	74.00	38.58	PASS	Vertical	PK
3	21100.244	-25.87	60.98	35.11	74.00	38.89	PASS	Vertical	PK
4	22720.7488	-25.03	60.16	35.13	74.00	38.87	PASS	Vertical	PK
5	24066.8627	-22.17	57.80	35.63	74.00	38.37	PASS	Vertical	PK
6	25829.8332	-20.83	57.46	36.63	74.00	37.37	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2639.7093	16.81	36.41	53.22	74.00	20.78	PASS	Horizont	PK
2	2874.1249	17.42	36.77	54.19	74.00	19.81	PASS	Horizont	PK
3	3884.0589	-12.01	53.96	41.95	74.00	32.05	PASS	Horizont	PK
4	8352.3568	-1.09	45.66	44.57	74.00	29.43	PASS	Horizont	PK
5	13707.7138	7.25	43.75	51.00	74.00	23.00	PASS	Horizont	PK
6	16989.9327	12.80	39.87	52.67	74.00	21.33	PASS	Horizont	PK
7	2863.4576	17.38	18.16	35.54	54.00	18.46	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2677.4452	17.09	37.19	54.28	74.00	19.72	PASS	Vertical	PK
2	2902.6602	17.73	36.56	54.29	74.00	19.71	PASS	Vertical	PK
3	3961.0641	-11.87	55.84	43.97	74.00	30.03	PASS	Vertical	PK
4	8046.3364	-1.02	45.69	44.67	74.00	29.33	PASS	Vertical	PK
5	13059.6706	6.04	44.36	50.40	74.00	23.60	PASS	Vertical	PK
6	16959.9307	13.16	39.94	53.10	74.00	20.90	PASS	Vertical	PK
7	2667.1778	17.06	18.32	35.38	54.00	18.62	PASS	Vertical	AV
8	2914.1276	17.68	17.92	35.60	54.00	18.40	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19206.0282	-26.05	62.84	36.79	74.00	37.21	PASS	Horizont	PK
2	20509.9804	-25.80	61.13	35.33	74.00	38.67	PASS	Horizont	PK
3	21815.9726	-25.56	61.23	35.67	74.00	38.33	PASS	Horizont	PK
4	23391.5957	-23.59	58.72	35.13	74.00	38.87	PASS	Horizont	PK
5	24767.9707	-21.94	56.94	35.00	74.00	39.00	PASS	Horizont	PK
6	25769.6508	-20.81	56.32	35.51	74.00	38.49	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18880.2952	-26.28	62.06	35.78	74.00	38.22	PASS	Vertical	PK
2	19959.4984	-24.75	60.79	36.04	74.00	37.96	PASS	Vertical	PK
3	21877.5151	-25.63	60.71	35.08	74.00	38.92	PASS	Vertical	PK
4	23153.9262	-24.60	59.98	35.38	74.00	38.62	PASS	Vertical	PK
5	24290.2516	-22.21	57.57	35.36	74.00	38.64	PASS	Vertical	PK
6	25849.214	-20.84	57.62	36.78	74.00	37.22	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.49	51.45	74.00	22.55	PASS	Horizont	PK
2	2390	15.96	28.45	44.41	54.00	9.59	PASS	Horizont	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.18	52.14	74.00	21.86	PASS	Vertical	PK
2	2390	15.96	28.48	44.44	54.00	9.56	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.62	48.91	74.00	25.09	PASS	Horizont	PK
2	2483.5	16.29	24.80	41.09	54.00	12.91	PASS	Horizont	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.21	49.50	74.00	24.50	PASS	Vertical	PK
2	2483.5	16.29	26.67	42.96	54.00	11.04	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.76	52.72	74.00	21.28	PASS	Horizont	PK
2	2390	15.96	28.37	44.33	54.00	9.67	PASS	Horizont	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.98	51.94	74.00	22.06	PASS	Vertical	PK
2	2390	15.96	28.46	44.42	54.00	9.58	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.11	48.40	74.00	25.60	PASS	Horizont	PK
2	2483.5	16.29	25.77	42.06	54.00	11.94	PASS	Horizont	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.34	48.63	74.00	25.37	PASS	Vertical	PK
2	2483.5	16.29	26.99	43.28	54.00	10.72	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.10	51.06	74.00	22.94	PASS	Horizont	PK
2	2390	15.96	28.70	44.66	54.00	9.34	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402
Remark:	/	Test_Date	2026/5/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.04	52.00	74.00	22.00	PASS	Vertical	PK
2	2390	15.96	28.03	43.99	54.00	10.01	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480
Remark:	/	Test_Date	2026/5/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.62	48.91	74.00	25.09	PASS	Horizont	PK
2	2483.5	16.29	25.09	41.38	54.00	12.62	PASS	Horizont	AV