


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	3253.1101	18.83	35.78	54.61	68.20	13.59	PASS	Horizontal	PK
2	5038.9216	24.97	34.82	59.79	74.00	14.21	PASS	Horizontal	PK
3	6464.3586	28.29	33.30	61.59	68.20	6.61	PASS	Horizontal	PK
4	10268.4707	1.95	46.90	48.85	68.20	19.35	PASS	Horizontal	PK
5	15093.1437	10.07	42.05	52.12	68.20	16.08	PASS	Horizontal	PK
6	17671.5469	14.86	41.74	56.60	68.20	11.60	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2376.155	16.01	35.12	51.13	74.00	22.87	PASS	Vertical	PK
2	5005.2602	24.82	34.37	59.19	74.00	14.81	PASS	Vertical	PK
3	6455.5582	28.38	32.60	60.98	68.20	7.22	PASS	Vertical	PK
4	10291.4717	1.97	45.92	47.89	68.20	20.31	PASS	Vertical	PK
5	14504.3202	8.68	41.22	49.90	68.20	18.30	PASS	Vertical	PK
6	17733.1893	15.80	40.44	56.24	74.00	17.76	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20880.3552	-25.79	58.86	33.07	74.00	40.93	PASS	Horizontal	PK
2	23849.594	-22.23	56.43	34.20	74.00	39.80	PASS	Horizontal	PK
3	26079.6032	-21.09	54.85	33.76	68.20	34.44	PASS	Horizontal	PK
4	29597.9839	-20.61	54.65	34.04	68.20	34.16	PASS	Horizontal	PK
5	33635.5854	-17.41	50.56	33.15	68.20	35.05	PASS	Horizontal	PK
6	36589.8636	-15.80	47.64	31.84	68.20	36.36	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20711.3885	-25.84	58.81	32.97	74.00	41.03	PASS	Vertical	PK
2	23810.8724	-22.31	56.26	33.95	74.00	40.05	PASS	Vertical	PK
3	26578.5831	-21.11	55.89	34.78	68.20	33.42	PASS	Vertical	PK
4	29123.6449	-21.41	55.15	33.74	68.20	34.46	PASS	Vertical	PK
5	32433.4573	-18.18	52.27	34.09	68.20	34.11	PASS	Vertical	PK
6	35072.6829	-16.03	49.15	33.12	68.20	35.08	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2180.7872	15.55	34.43	49.98	68.20	18.22	PASS	Horizontal	PK
2	5020.2208	24.80	33.30	58.10	74.00	15.90	PASS	Horizontal	PK
3	6314.9726	28.23	32.15	60.38	68.20	7.82	PASS	Horizontal	PK
4	9715.5286	1.15	46.21	47.36	68.20	20.84	PASS	Horizontal	PK
5	11897.3959	3.06	46.39	49.45	74.00	24.55	PASS	Horizontal	PK
6	17576.7831	14.01	41.26	55.27	68.20	12.93	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2441.2777	16.38	34.57	50.95	68.20	17.25	PASS	Vertical	PK
2	5034.3014	24.96	34.70	59.66	74.00	14.34	PASS	Vertical	PK
3	6477.1191	28.47	32.76	61.23	68.20	6.97	PASS	Vertical	PK
4	9140.9656	0.16	46.29	46.45	74.00	27.55	PASS	Vertical	PK
5	11276.3711	2.42	46.42	48.84	74.00	25.16	PASS	Vertical	PK
6	16536.6815	11.01	44.54	55.55	68.20	12.65	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21380.2152	-25.86	59.45	33.59	74.00	40.41	PASS	Horizontal	PK
2	23869.8348	-22.19	56.01	33.82	74.00	40.18	PASS	Horizontal	PK
3	26582.1033	-21.11	54.78	33.67	68.20	34.53	PASS	Horizontal	PK
4	29526.7011	-20.86	54.50	33.64	68.20	34.56	PASS	Horizontal	PK
5	32444.0178	-18.23	52.16	33.93	68.20	34.27	PASS	Horizontal	PK
6	35171.2469	-15.92	49.07	33.15	68.20	35.05	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21824.633	-25.57	58.83	33.26	68.20	34.94	PASS	Vertical	PK
2	23822.3129	-22.29	56.47	34.18	74.00	39.82	PASS	Vertical	PK
3	27947.0379	-21.16	55.40	34.24	68.20	33.96	PASS	Vertical	PK
4	30920.6768	-19.45	53.20	33.75	68.20	34.45	PASS	Vertical	PK
5	34902.8361	-16.28	48.72	32.44	68.20	35.76	PASS	Vertical	PK
6	36608.3443	-15.80	47.42	31.62	68.20	36.58	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2154.6062	15.31	35.38	50.69	68.20	17.51	PASS	Horizontal	PK
2	4994.4798	24.67	33.94	58.61	74.00	15.39	PASS	Horizontal	PK
3	6485.6994	28.63	32.39	61.02	68.20	7.18	PASS	Horizontal	PK
4	8341.4537	-1.21	48.26	47.05	74.00	26.95	PASS	Horizontal	PK
5	13734.2494	7.23	43.02	50.25	68.20	17.95	PASS	Horizontal	PK
6	17747.4499	15.91	39.20	55.11	74.00	18.89	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2679.3272	17.28	35.54	52.82	68.20	15.38	PASS	Vertical	PK
2	5015.1606	24.86	33.42	58.28	74.00	15.72	PASS	Vertical	PK
3	6492.2997	28.66	33.40	62.06	68.20	6.14	PASS	Vertical	PK
4	10130.9252	1.77	46.46	48.23	68.20	19.97	PASS	Vertical	PK
5	13327.1331	6.40	44.22	50.62	74.00	23.38	PASS	Vertical	PK
6	17747.9099	15.92	39.24	55.16	74.00	18.84	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21143.4857	-25.82	59.22	33.40	74.00	40.60	PASS	Horizontal	PK
2	23787.9915	-22.37	55.82	33.45	74.00	40.55	PASS	Horizontal	PK
3	26041.7617	-20.99	55.44	34.45	68.20	33.75	PASS	Horizontal	PK
4	28855.2342	-21.43	55.13	33.70	68.20	34.50	PASS	Horizontal	PK
5	32400.896	-18.03	51.89	33.86	68.20	34.34	PASS	Horizontal	PK
6	34956.5183	-16.19	48.47	32.28	68.20	35.92	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20221.2088	-25.51	59.40	33.89	74.00	40.11	PASS	Vertical	PK
2	23928.7972	-22.08	55.63	33.55	74.00	40.45	PASS	Vertical	PK
3	26968.4387	-21.78	56.20	34.42	68.20	33.78	PASS	Vertical	PK
4	30473.6189	-20.43	54.13	33.70	68.20	34.50	PASS	Vertical	PK
5	32227.5291	-19.14	52.51	33.37	68.20	34.83	PASS	Vertical	PK
6	34933.6373	-16.23	48.49	32.26	68.20	35.94	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2543.1417	16.80	34.78	51.58	68.20	16.62	PASS	Horizontal	PK
2	5017.5807	24.84	34.26	59.10	74.00	14.90	PASS	Horizontal	PK
3	6489.4396	28.67	32.38	61.05	68.20	7.15	PASS	Horizontal	PK
4	10417.0567	1.94	46.40	48.34	68.20	19.86	PASS	Horizontal	PK
5	13735.1694	7.23	43.05	50.28	68.20	17.92	PASS	Horizontal	PK
6	17572.1829	13.98	41.38	55.36	68.20	12.84	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3046.3019	18.01	35.06	53.07	68.20	15.13	PASS	Vertical	PK
2	5023.3009	24.85	33.06	57.91	74.00	16.09	PASS	Vertical	PK
3	6461.9385	28.33	34.35	62.68	68.20	5.52	PASS	Vertical	PK
4	9844.3338	1.48	46.20	47.68	68.20	20.52	PASS	Vertical	PK
5	13760.9304	7.18	43.50	50.68	68.20	17.52	PASS	Vertical	PK
6	17575.863	14.01	41.92	55.93	68.20	12.27	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	21477.0191	-25.82	59.68	33.86	68.20	34.34	PASS	Horizontal	PK
2	25243.5697	-21.13	55.27	34.14	68.20	34.06	PASS	Horizontal	PK
3	27943.5177	-21.16	56.31	35.15	68.20	33.05	PASS	Horizontal	PK
4	30871.3949	-19.53	53.40	33.87	68.20	34.33	PASS	Horizontal	PK
5	32424.657	-18.14	52.29	34.15	68.20	34.05	PASS	Horizontal	PK
6	35135.1654	-15.96	49.23	33.27	68.20	34.93	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19792.6317	-25.24	58.66	33.42	74.00	40.58	PASS	Vertical	PK
2	23787.1115	-22.38	57.19	34.81	74.00	39.19	PASS	Vertical	PK
3	25967.8387	-20.89	55.38	34.49	68.20	33.71	PASS	Vertical	PK
4	30898.6759	-19.48	53.67	34.19	68.20	34.01	PASS	Vertical	PK
5	32364.8146	-18.25	51.74	33.49	68.20	34.71	PASS	Vertical	PK
6	38755.6302	-13.40	46.42	33.02	68.20	35.18	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3044.7618	18.02	34.59	52.61	68.20	15.59	PASS	Horizontal	PK
2	5014.2806	24.88	33.66	58.54	74.00	15.46	PASS	Horizontal	PK
3	6484.5994	28.62	32.52	61.14	68.20	7.06	PASS	Horizontal	PK
4	9763.3705	1.11	46.34	47.45	68.20	20.75	PASS	Horizontal	PK
5	14362.1745	9.01	41.42	50.43	68.20	17.77	PASS	Horizontal	PK
6	17006.3603	12.64	42.79	55.43	68.20	12.77	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3198.5479	18.41	34.53	52.94	68.20	15.26	PASS	Vertical	PK
2	4995.3598	24.69	33.89	58.58	74.00	15.42	PASS	Vertical	PK
3	6483.7193	28.62	32.75	61.37	68.20	6.83	PASS	Vertical	PK
4	10788.7516	1.98	46.07	48.05	74.00	25.95	PASS	Vertical	PK
5	13900.776	8.04	42.57	50.61	68.20	17.59	PASS	Vertical	PK
6	17007.2803	12.63	42.64	55.27	68.20	12.93	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20745.7098	-25.76	58.76	33.00	74.00	41.00	PASS	Horizontal	PK
2	23861.0344	-22.22	56.50	34.28	74.00	39.72	PASS	Horizontal	PK
3	26046.1618	-21.00	55.53	34.53	68.20	33.67	PASS	Horizontal	PK
4	29231.0092	-21.45	55.69	34.24	68.20	33.96	PASS	Horizontal	PK
5	31389.7356	-19.74	52.93	33.19	74.00	40.81	PASS	Horizontal	PK
6	34909.8764	-16.27	49.44	33.17	68.20	35.03	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20807.3123	-25.66	58.66	33.00	74.00	41.00	PASS	Vertical	PK
2	23798.5519	-22.33	55.79	33.46	74.00	40.54	PASS	Vertical	PK
3	26575.063	-21.11	55.45	34.34	68.20	33.86	PASS	Vertical	PK
4	27489.4196	-21.61	56.13	34.52	68.20	33.68	PASS	Vertical	PK
5	30962.0385	-19.39	53.49	34.10	68.20	34.10	PASS	Vertical	PK
6	32378.8952	-18.16	51.34	33.18	68.20	35.02	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2248.99	15.59	35.52	51.11	74.00	22.89	PASS	Horizontal	PK
2	5015.6006	24.86	33.55	58.41	74.00	15.59	PASS	Horizontal	PK
3	6453.3581	28.38	33.05	61.43	68.20	6.77	PASS	Horizontal	PK
4	10294.6918	1.97	46.06	48.03	68.20	20.17	PASS	Horizontal	PK
5	13892.9557	7.93	42.53	50.46	68.20	17.74	PASS	Horizontal	PK
6	17579.5432	14.02	42.46	56.48	68.20	11.72	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2535.6614	16.86	34.77	51.63	68.20	16.57	PASS	Vertical	PK
2	4999.54	24.70	33.56	58.26	74.00	15.74	PASS	Vertical	PK
3	6489.6596	28.67	32.62	61.29	68.20	6.91	PASS	Vertical	PK
4	9813.9726	1.25	46.55	47.80	68.20	20.40	PASS	Vertical	PK
5	13093.4437	6.41	43.80	50.21	68.20	17.99	PASS	Vertical	PK
6	17578.6231	14.02	42.13	56.15	68.20	12.05	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20046.0818	-24.83	58.21	33.38	74.00	40.62	PASS	Horizontal	PK
2	21895.9158	-25.66	59.00	33.34	68.20	34.86	PASS	Horizontal	PK
3	24068.7227	-22.18	56.54	34.36	68.20	33.84	PASS	Horizontal	PK
4	28066.7227	-21.23	55.86	34.63	68.20	33.57	PASS	Horizontal	PK
5	30895.1558	-19.49	53.80	34.31	68.20	33.89	PASS	Horizontal	PK
6	33577.5031	-17.41	50.40	32.99	68.20	35.21	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19883.2753	-24.97	58.27	33.30	74.00	40.70	PASS	Vertical	PK
2	21605.5042	-25.74	58.75	33.01	68.20	35.19	PASS	Vertical	PK
3	23801.192	-22.33	56.93	34.60	74.00	39.40	PASS	Vertical	PK
4	27835.2734	-21.08	55.34	34.26	68.20	33.94	PASS	Vertical	PK
5	30899.556	-19.48	53.67	34.19	68.20	34.01	PASS	Vertical	PK
6	33547.5819	-17.53	51.39	33.86	68.20	34.34	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2649.846	17.15	34.93	52.08	68.20	16.12	PASS	Horizontal	PK
2	5026.8211	24.90	33.20	58.10	74.00	15.90	PASS	Horizontal	PK
3	6481.0792	28.59	32.73	61.32	68.20	6.88	PASS	Horizontal	PK
4	9745.8898	1.10	46.31	47.41	68.20	20.79	PASS	Horizontal	PK
5	13912.7365	7.94	41.90	49.84	68.20	18.36	PASS	Horizontal	PK
6	17006.8203	12.64	42.59	55.23	68.20	12.97	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755
Remark:	/	Test_Date	2026/5/11

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2677.5671	17.29	34.81	52.10	68.20	16.10	PASS	Vertical	PK
2	5033.4213	24.96	34.10	59.06	74.00	14.94	PASS	Vertical	PK
3	6490.5396	28.67	33.30	61.97	68.20	6.23	PASS	Vertical	PK
4	11203.2281	2.72	46.29	49.01	74.00	24.99	PASS	Vertical	PK
5	15952.4581	9.85	43.40	53.25	74.00	20.75	PASS	Vertical	PK
6	17659.5864	14.57	40.91	55.48	68.20	12.72	PASS	Vertical	PK