

File name: J25577C1.RES
Date: 06. May 05 12:21



CMA Testing
and Certification
Laboratories
廠商會檢定中心


Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
3	100k	30M	COND_CF

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Mode: CD



File name: J25577C1.RES
Date: 06. May 05 12:21

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.32000	32.3	-27.4	L1	gnd
0.41000	30.1	-27.5	L1	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
------------------	------------------	-------------------	------------	---------

no Results

* limit exceeded

File name: J25577C4.RES
Date: 06. May 05 14:24



CMA Testing
and Certification
Laboratories
廠商會檢定中心


Scan Settings (2 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	1M	5k	9k	QP+AV	20ms	AUTO	LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO	LN	OFF

Transducer No.	Start	Stop	Name
3	100k	30M	COND_CF

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Mode: Radio



File name: J25577C4.RES
Date: 06. May 05 14:24



**CMA Testing
and Certification
Laboratories**
廠商會檢定中心

Prescan Measurement Results:

no Results