

# BILL OF MATERIAL

MODEL WT-125 (49.860)主机

DATEL 98.12.26 ON 1 OFF 3

| DESCRIPTION         |            | UNIT | LOCATION        | REMAKE |
|---------------------|------------|------|-----------------|--------|
| RESISTOR            | 2.2 OHM    | 1    | R11             |        |
|                     | 68 OHM     | 1    | 2R1             |        |
|                     | 100 OHM    | 1    | R1              |        |
|                     | 220 OHM    | 2    | R2 R12          |        |
|                     | 560 OHM    | 1    | R9              |        |
|                     | 3.3 K      | 2    | 2R2 2R3         |        |
|                     | 4.7 K      | 1    | R4              |        |
|                     | 6.8 K      | 2    | R7 R19          |        |
|                     | 8.2 K      | 1    | R14             |        |
|                     | 10 K       | 2    | R6 R13          |        |
|                     | 12 K       | 2    | R3 R5           |        |
|                     | 22 K       | 2    | R16 R18         |        |
|                     | 39 K       | 2    | R17 2R4         |        |
|                     | 100 K      | 1    | J1              |        |
|                     | 1 M        | 1    | R8              |        |
|                     |            |      |                 |        |
|                     |            |      |                 |        |
| C CAP               | 15 PF      | 1    | C27             |        |
|                     | 20 PF      | 1    | C13             |        |
|                     | 24 PF      | 1    | C23             |        |
|                     | 25 PF      | 1    | C6              |        |
|                     | 33 PF      | 2    | C5 2C1          |        |
|                     | 35 PF      | 1    | C10             |        |
|                     | 56 PF      | 2    | C12 C25         |        |
|                     | 502 PF     | 1    | C26             |        |
|                     | 103 PF     | 1    | C22             |        |
|                     | 203 PF     | 5    | C2 C4 C7 C9 C20 |        |
|                     | 403 PF     | 1    | C16             |        |
|                     | 104 PF     | 2    | C10 C11         |        |
|                     |            |      |                 |        |
|                     |            |      |                 |        |
|                     |            |      |                 |        |
| E CAP               | 1 UF/50V   | 1    | C24             |        |
|                     | 100 UF/16V | 2    | C3 C18          |        |
|                     | 220 UF/16V | 1    | C17             |        |
| DOIDE<br>TRANSISTOR | IN4001     | 1    | D1              |        |
|                     | C9013      | 1    | Q2              |        |
|                     | C9014      | 5    | Q1 Q3 Q5 Q6 Q8  |        |
|                     | C9018      | 2    | Q4 Q7           |        |

GMT INDUSTRIAL LTD.  
FCC ID: BSYWT-125  
EXHIBIT #: 4A

# BILL OF MATERIAL

MODEL WT-125 (49.860)主机

DATEL 98.12.26 ON 2 OFF 3

| DESCRIPTION               | UNIT | LOCATION | REMAKE      |
|---------------------------|------|----------|-------------|
| QUARTZ CRYSTAL 49.860MHZ  | 1    | XL       |             |
|                           |      |          |             |
| CHOKE COIL 1.5 UH         | 1    | L1       |             |
| 25 UH                     | 1    | L2       |             |
|                           |      |          |             |
| IFT 402-333               | 1    | T4       |             |
| 402-041                   | 1    | T3       |             |
|                           |      |          |             |
| VOL D50K 16MM             | 1    | VR1      | HAVE SWITCH |
|                           |      |          |             |
| DC JACK DC-470            | 1    |          |             |
|                           |      |          |             |
| BAND SWITCH PS22F03NL     | 1    |          |             |
|                           |      |          |             |
| TRANSFORMER EI-149N       | 1    | T3       |             |
|                           |      |          |             |
| LED 3MM                   | 2    |          | RED GREEN   |
|                           |      |          |             |
| EYELET 2X4MM              | 4    |          |             |
| 2X5MM                     | 1    |          |             |
|                           |      |          |             |
| SOLDER WIRE 40MM          | 2    |          |             |
|                           |      |          |             |
| PCB WT-125-1              | 1    |          |             |
| WT-125-2                  | 1    |          |             |
|                           |      |          |             |
| MIC                       | 1    |          |             |
|                           |      |          |             |
| SPEAKER 2 1/4" 8 OHM 0.5W | 1    |          |             |
|                           |      |          |             |
| SP HOLDER F005            | 2    |          |             |
|                           |      |          |             |
| ANT SPRING                | 1    |          | WT-96       |
|                           |      |          |             |
| ANT PIPE                  | 1    |          |             |
|                           |      |          |             |
| ANT CON PLATE 3x12MM      | 1    |          |             |

GMT INDUSTRIAL LTD.  
FCC ID: BSYWT-125  
EXHIBIT #: 4B

## BILL OF MATERIAL

MODEL WT-125 (49.860)主机

DATEL 98.12.26 ON 3 OFF 3

| DESCRIPTION          |         | UNIT    | LOCATION     | REMAKE |
|----------------------|---------|---------|--------------|--------|
| METAL PLATE(呼叫片)     |         | 1       |              |        |
| BACK RIBBON(背带)      |         | ONE SET |              |        |
| BATTERY HOLDER       | 160MM   | 1       |              |        |
| MIC WIRE             | 6线      | 1       |              | WT-96  |
| JUMPER WIRE          | 60MM    | 3       | LED          |        |
|                      | 90MM    | 2       | MIC          |        |
|                      | 120MM   | 2       | DC           |        |
|                      | 200MM   | 3       | SP ANT       |        |
| SCREW                | 1.7X4PM | 1       | VOL          |        |
|                      | 2.6X5PM | 1       | ANT          |        |
|                      | 2.6X6PT | 5       | PCB          |        |
|                      | 2.6X8PT | 2       | DC JACK      |        |
|                      | 3X6PT   | 5       | MIC PCB SP   |        |
|                      | 3X8PT   | 3       | MIC CABINEL  |        |
|                      | 3X10PT  | 4       | BACK CABINEL |        |
| GMT INDUSTRIAL LTD.  |         |         |              |        |
| FCC ID: BSYWT-125    |         |         |              |        |
| EXHIBIT #: <u>4C</u> |         |         |              |        |