

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description             | Quantity |
|-------|-----------|-------------------------|----------|
| 0     | 40D2168G1 | AMP ASSY WHF HB 10W R-7 | 1 EA     |

| ine | Symbol | Item No.       | Description                     | Quantity |
|-----|--------|----------------|---------------------------------|----------|
| 1   |        | 40D2168        | ASSEMBLY DRAWING R-1            | 0 EA     |
| 10  |        | 40D216SP1      | FRONT PANEL R-0                 | 1 EA     |
| 11  |        | 40D2167P1      | CHASSIS R-2                     | 1 EA     |
| 12  |        | 30C1899G1      | HEATSINK ASSY HB R-5            | 1 EA     |
| 13  |        | 40D2189P1      | TOP COVER FOR MX10V R-2         | 1 EA     |
| 14  |        | 30C1986P1      | REAR PANEL R-2                  | 1 EA     |
| 15  |        | 20B2195P1      | CTRL MTG BRACKET R-0            | 1 EA     |
| 16  |        | 30C1829G2      | CONTROL BOARD ASSY (MX10V) R-5  | 1 EA     |
| 18  |        | KE-500AB-1/8   | KNOB                            | 1 EA     |
| 19  |        | 20B1235G7      | PCB METERING BOARD ASSY R-11    | 1 EA     |
| 20  |        | 30C1885P1      | FAN BRACKET R-2                 | 1 EA     |
| 21  |        | 20B534G6       | DIR CPLR QUAD CPLR LB ASM R-16  | 1 EA     |
| 23  |        | HA15-0.9-A     | CONTROL P/SUPPLY 12V, 0.9A      | 1 EA     |
| 24  |        | HD4B-3A        | POWER SUPPLY 48V 3A             | 1 EA     |
| 25  |        | 2031-5005-00   | CONNECTOR / SMA                 | 3 EA     |
| 26  |        | MDL3           | FUSE 3 AMP 250V SLO             | 1 EA     |
| 27  |        | 216B8880P31    | METER                           | 1 EA     |
| 29  |        | 86350          | CONNECTOR BNC BULKHEAD          | 3 EA     |
| 30  |        | 6J4            | LINE FILTER, 120/240V           | 1 EA     |
| 31  |        | GFT-6          | TERMINAL BOARD                  | 1 EA     |
| 32  |        | HWP            | FUSEHOLDER                      | 1 EA     |
| 33  |        | MC48B3         | FAN                             | 1 EA     |
| 34  |        | EC100F-4       | COVERS                          | 2 EA     |
| 35  |        | 82-5370        | CONNECTOR                       | 1 EA     |
| 36  |        | 31-371         | CONNECTOR                       | 4 EA     |
| 37  |        | 2001-5032-00   | CONNECTOR                       | 5 EA     |
| 38  |        | 2.5/8-ST-5.08  | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 39  |        | 2.5/10-ST-5.08 | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 40  |        | MDL1/4         | FUSE-1/4A 250V SLO BLO          | 1 EA     |
| 44  |        | 30C1987        | WIRING DIAGRAM R-1              | 0 EA     |
| 46  |        | 20B704G1       | BANDPASS FILTER ASSY R-2        | 1 EA     |
| 48  |        | EC100F-11      | COVER                           | 1 EA     |
| 55  |        | 476042         | FINGER GUARD                    | 1 EA     |
| 57  |        | RL10A2061G1    | RUNNING LIST R-1                | 0 EA     |
| 58  |        | RL10A2061G2    | RUNNING LIST R-1                | 0 EA     |
| 61  |        | 8835           | SPACER                          | 4 EA     |
| 64  |        | CE100F24-11    | END CONNECTORS                  | 1 EA     |
| 65  |        | CE100F24-4     | END CONNECTORS                  | 2 EA     |
| 66  |        | 8506           | SPACER 6-32 X .75", HHSM        | 4 EA     |
| 67  |        | 10A2075P1      | KEEPER PLATE R-0                | 1 EA     |
| 68  |        | 10A2076P1      | KEEP PLATE (PWR SUPPLY)         | 2 EA     |
| 70  |        | 10A2077P1      | SHEILD R-1                      | 1 EA     |
| 72  |        | 17250          | CORDSET, #18 10A/250V INT'L/USA | 1 EA     |
| 75  |        | 10A1255G1      | PIN ATTENUATOR ASM R-4          | 1 EA     |
|     | CR1    | 1N4001         | DIODE GEN PURP                  | 1 EA     |
|     | K1     | 587RSD2B1D1-12 | RELAY POTTER & BRUMFIELD        | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description             | Quantity |
|-------|-----------|-------------------------|----------|
| 0     | 400216861 | AMP ASSY WHF HB 10W R-7 | 1 EA     |
| 1     | 30C189961 | HEATSINK ASSY HB R-5    | 1 EA     |

| Line | Symbol | Item No.        | Description                 | Quantity |
|------|--------|-----------------|-----------------------------|----------|
| 1    |        | 30C1899         | ASSEMBLY DRAWING R-0        | 0 EA     |
| 10   |        | 10A145364       | PCB ASSY PHASE SHIFTER R-13 | 1 EA     |
| 11   |        | 20B122661       | PCB ASSY 250M OUTPUT R-7    | 1 EA     |
| 12   |        | 20B122262       | PCB ASSY 250M INPUT R-10    | 1 EA     |
| 13   |        | 20B1500P4       | THERMAL SWITCH R-5          | 1 EA     |
| 14   |        | SRF3943-2       | TRANSISTOR                  | 1 EA     |
| 15   |        | RH25-50 OHM     | RES 25W 1% 50               | 1 EA     |
| 16   |        | 10A1564P1       | TRANSISTOR CLAMP R-3        | 1 EA     |
| 17   |        | 10A1566P1       | PRESSURE PLATE CLAMP R-3    | 1 EA     |
| 18   |        | 30C1868P1       | HEATSINK R-1                | 1 EA     |
|      | F1-F2  | 312.007-7A/250V | FUSE 7A 250 (FAST)          | 2 EA     |

| Level | Item No.  | Description                 | Quantity |
|-------|-----------|-----------------------------|----------|
| 0     | 400216861 | AMP ASSY VHF HB 10W R-7     | 1 EA     |
| 1     | 30C189961 | HEATSINK ASSY HB R-5        | 1 EA     |
| 2     | 10A145364 | PCB ASSY PHASE SHIFTER R-13 | 1 EA     |

| Line | Symbol | Item No.       | Description                   | Quantity |
|------|--------|----------------|-------------------------------|----------|
| 4    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 6    |        | 10A1453P1      | PCB PHASE SHIFTER R-4         | 1 EA     |
| 7    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 8    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 9    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 10   |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 12   |        | 10A1453 SH10   | SCHEMATIC R-0                 | 0 EA     |
| 14   |        | 81570-B-1/4-05 | SPACER TIN PLATED             | 4 EA     |
| 18   |        | 12808          | TURRET                        | 1 EA     |
|      | C5     | 681-09478      | CAP 4p7 100V CERAMIC          | 1 EA     |
|      | C6     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C7     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C8     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C9     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C10    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C11    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | L3     | 10A212P1       | COIL 7t FAB IN HOUSE R-6      | 1 EA     |
|      | L4     | 10A212P1       | COIL 7t FAB IN HOUSE R-6      | 1 EA     |
|      | R4     | PR37J 300 OHMS | RES 1.6W 5% 300               | 1 EA     |
|      | U2     | MHM6185        | HYBRID                        | 1 EA     |
|      | U3     | MC7824CT       | IC VOLT REG TTC # 8220-017    | 1 EA     |
|      | U4     | MMA330         | IC RF AMP                     | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description              | Quantity |
|-------|-----------|--------------------------|----------|
| 0     | 400216861 | AMP ASSY VHF HB 10W R-7  | 1 EA     |
| 1     | 30C189961 | HEATSINK ASSY HB R-5     | 1 EA     |
| 2     | 20B122661 | PCB ASSY 250W OUTPUT R-7 | 1 EA     |

| Line | Symbol | Item No.        | Description                    | Quantity |
|------|--------|-----------------|--------------------------------|----------|
| 1    |        | 20B1226P1       | ASSEMBLY DRAWING R-7           | 0 EA     |
| 10   |        | 20B1224P1       | PCB OUTPUT BD HB 250W AMP R-3  | 1 EA     |
| 11   |        | 20B1225         | P.C. PATTERN R-3               | 0 EA     |
| 13   |        | 1A1120-05       | FUSE CLIP                      | 2 EA     |
| 17   |        | 30C1057         | SCHEMATIC R-4                  | 0 EA     |
| 19   |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 21   |        | UT-85C TP 50 ^  | COAX CABLE 50 OHM TIN PLATED   | 0 FT     |
| 27   |        | 100B-680-JP500X | CAP 68p 500V CHIP              | 1 EA     |
| 28   |        | 100B-680-JP500X | CAP 68p 500V CHIP              | 1 EA     |
| 29   |        | 175B-270-JMS500 | CAP 27p 500V CHIP              | 1 EA     |
| 30   |        | 175B-270-JMS500 | CAP 27p 500V CHIP              | 1 EA     |
|      | C1     | 5051-3105K      | CAP 1uf 100V POLY              | 1 EA     |
|      | C7     | 5051-3105K      | CAP 1uf 100V POLY              | 1 EA     |
|      | C8     | 100B-102-JP50X  | CAPACITOR: CHIP 1000pf         | 1 EA     |
|      | C9     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED    | 1 EA     |
|      | C10    | 100B-102-JP50X  | CAPACITOR: CHIP 1000pf         | 1 EA     |
|      | C11    | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED    | 1 EA     |
|      | L4     | 10A571P7        | COIL 3t 3/16" I.D. #20         | 1 EA     |
|      | L7     | 10A571P7        | COIL 3t 3/16" I.D. #20         | 1 EA     |
|      | L9     | 10A1135P1       | COIL HB OUTPUT FAB IN HOUSE R2 | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description              | Quantity |
|-------|-----------|--------------------------|----------|
| 0     | 400216861 | AMP ASSY WHF HB 10W R-7  | 1 EA     |
| 1     | 30C189961 | HEATSINK ASSY HB R-5     | 1 EA     |
| 2     | 20B122262 | PCB ASSY 250W INPUT R-10 | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 10   |        | 20B1220P1       | PCB INPUT HB R-2              | 1 EA     |
| 11   |        | 20B1221         | P.C. PATTERN                  | 0 EA     |
| 13   |        | 1A1119-05       | FUSE CLIP                     | 2 EA     |
| 15   |        | 2035B1          | TURRET RUSH # 252420044000070 | 2 EA     |
| 17   |        | 30C1057         | SCHEMATIC R-4                 | 0 EA     |
| 21   |        | UT-85C TP 50 ^  | COAX CABLE 50 OHM TIN PLATED  | 0 FT     |
|      | C2     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
|      | C3     | 100B-820-JP500X | CAP 82p 500V CHIP             | 1 EA     |
|      | C4     | 100B-330-JP500X | CAP 33p 500V CHIP             | 1 EA     |
|      | C5     | 100B-330-JP500X | CAP 33p 500V CHIP             | 1 EA     |
|      | C6     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
|      | C16    | 021-18102       | CAP 1000u 63V ELECT           | 1 EA     |
|      | C23    | 630-09102       | CAPACITOR                     | 1 EA     |
|      | C24    | 630-09102       | CAPACITOR                     | 1 EA     |
|      | CR1    | 1N5357A         | ZENER DIODE SAME AS 1N5357B   | 1 EA     |
|      | CR2    | 1N5357A         | ZENER DIODE SAME AS 1N5357B   | 1 EA     |
|      | J1     | 2064-0000-00    | CONNECTOR SUB 50-653-0000-31  | 1 EA     |
|      | R1     | 3299W-1-103     | POT 10K                       | 1 EA     |
|      | R2     | 3R77P392J       | RES 1/2W 5% 3K9               | 1 EA     |
|      | R3     | SRF25HMSR1      | RES 1/2W 5% SR1               | 1 EA     |
|      | R4     | 3R152P102J      | RES 1/4W 5% 1K                | 1 EA     |
|      | R5     | SRF25HMSR1      | RES 1/2W 5% SR1               | 1 EA     |
|      | R6     | 3R152P102J      | RES 1/4W 5% 1K                | 1 EA     |
|      | R7     | 3299W-1-103     | POT 10K                       | 1 EA     |
|      | R8     | 3R77P392J       | RES 1/2W 5% 3K9               | 1 EA     |
|      | R9     | 3R152P302J      | RES 1/4W 5% 3K                | 1 EA     |
|      | R10    | 3R152P302J      | RES 1/4W 5% 3K                | 1 EA     |
|      | RT1    | MSC154K         | THERMISTOR                    | 1 EA     |
|      | RT2    | MSC154K         | THERMISTOR                    | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 40D2168G1 | AMP ASSY VHF HB 10W R-7        | 1 EA     |
| 1     | 30C1829G2 | CONTROL BOARD ASSY (MX10V) R-5 | 1 EA     |

| Line | Symbol | Item No.        | Description                  | Quantity |
|------|--------|-----------------|------------------------------|----------|
| 2    |        | 30C1829         | ASSEMBLY DRAWING R1.2        | 0 EA     |
| 9    |        | 30C1829P1       | PCB CONTROL R-1              | 1 EA     |
| 10   |        | 30C1829 SH3-4   | PC PATTERN R-1.2             | 0 EA     |
| 11   |        | 30C1829 SH6     | SOLDER MASK R-1.2            | 0 EA     |
| 12   |        | 30C1829 SH5     | SILKSCREEN R-1.2             | 0 EA     |
| 14   |        | 20B2438         | SCHEMATIC R-0                | 0 EA     |
| 22   |        | 516-AG11D       | IC SOCKET 16 PIN             | 1 EA     |
| 94   |        | 2.5/10-ST-5.08  | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 97   |        | 2.5/8-ST-5.08   | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 118  |        | 16.327          | LENS FOR RECT LED (YELLOW)   | 2 EA     |
| 119  |        | 16.922          | LED RECT YELLOW              | 2 EA     |
| 122  |        | 16.325          | BEZEL EXTENDED BLACK         | 2 EA     |
| 123  |        | 16.300-07       | BUTTON ORANGE (OLD # 16.300) | 2 EA     |
| 124  |        | 16.270          | EXTENDER FOR EXTENDED BEZELS | 2 EA     |
|      | CR1    | 1N4148          | DIODE SWITCHING              | 1 EA     |
|      | CR2    | 1N4148          | DIODE SWITCHING              | 1 EA     |
|      | DS3    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | DS4    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | DS5    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | F1     | RXE090          | PROTECTOR RAYCHEM            | 1 EA     |
|      | J2     | VA2.5/10-6-5.08 | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J3     | VA2.5/8-6-5.08  | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J4     | MLSS100-4       | LOCKING HEADER               | 1 EA     |
|      | K1     | DS1E-SL2-DC12V  | RELAY                        | 1 EA     |
|      | R17    | 3R152P152J      | RES 1/4W 5% 1K5              | 1 EA     |
|      | RN1    | 4606X-101-102   | RES NET 1K 2%                | 1 EA     |
|      | S1     | 5OPT45-01-08NF  | SWITCH 5OPT45-01-1-08NF      | 1 EA     |
|      | S3     | 15.501          | SWITCH MOMENTARY             | 1 EA     |
|      | S4     | 15.501          | SWITCH MOMENTARY             | 1 EA     |
|      | U3     | ILQ1            | IC OPTO ISOLATOR             | 1 EA     |

Larcen Communication  
Final Handbook Parts List

Page 1

| Level | Item No.  | Description                  | Quantity |
|-------|-----------|------------------------------|----------|
| 0     | 400216861 | AMP ASSY VHF HB 10W R-7      | 1 EA     |
| 1     | 20B123567 | PCB METERING BOARD ASSY R-11 | 1 EA     |

| Level | Symbol | Item No.        | Description                   | Quantity |
|-------|--------|-----------------|-------------------------------|----------|
| 10    |        | 20B1233P1       | PCB R-4                       | 1 EA     |
| 11    |        | 20B1234         | PATTERN R-3                   | 0 EA     |
| 12    |        | 20B1236         | SILKSCREEN R-3                | 0 EA     |
| 14    |        | 20B1245         | SCHEMATIC R-5                 | 0 EA     |
| 15    |        | CE100F24-11     | END CONNECTORS                | 1 EA     |
| 17    |        | EC100F-11       | COVER                         | 1 EA     |
| 18    |        | MLSS100-11      | LOCKING HEADER                | 1 EA     |
| 19    |        | 1280B           | TURRET                        | 2 EA     |
| 20    |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 21    |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 22    |        | 508-A611D       | IC SOCKET 8 PIN               | 3 EA     |
| 23    |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 24    |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 25    |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 26    |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 27    |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 28    |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 29    |        | 344-15474       | CAP u4763V FILM SEE 372-21474 | 1 EA     |
| 30    |        | 344-21104       | CAP u1 100V FILM 344-25104    | 1 EA     |
| 32    |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 34    |        | 550-3640-450200 | INDUCTOR 10uH SEE 1537-36     | 1 EA     |
| 35    |        | 550-3640-450200 | INDUCTOR 10uH SEE 1537-36     | 1 EA     |
| 37    |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 38    |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 39    |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 40    |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 42    |        | LM358N          | IC OP AMP                     | 1 EA     |
| 43    |        | LM358N          | IC OP AMP                     | 1 EA     |
| 44    |        | LM358N          | IC OP AMP                     | 1 EA     |
| 45    |        | MPS8598         | TRANSISTOR PNP GEN PURP       | 1 EA     |
| 46    |        | MPS8598         | TRANSISTOR PNP GEN PURP       | 1 EA     |
| 49    |        | B1537-B-3/16-05 | SPACER TIN PLATED             | 1 EA     |
| 52    |        | JR152P911J      | RES 1/4W 5% 910               | 1 EA     |
| 53    |        | JR152P510J      | RES 1/4W 5% 51                | 1 EA     |
| 54    |        | JR152P911J      | RES 1/4W 5% 910               | 1 EA     |
| 55    |        | JR152P510J      | RES 1/4W 5% 51                | 1 EA     |
| 56    |        | JR152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 57    |        | JR152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 58    |        | JR152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 59    |        | JR152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 60    |        | JR152P102J      | RES 1/4W 5% 1K                | 1 EA     |
| 61    |        | JR152P102J      | RES 1/4W 5% 1K                | 1 EA     |
| 62    |        | JR152P275J      | RES 1/4W 5% 2M7               | 1 EA     |
| 63    |        | JR152P275J      | RES 1/4W 5% 2M7               | 1 EA     |
| 68    |        | JR152P122J      | RES 1/4W 5% 1K2               | 1 EA     |
| 69    |        | J329H-1-102     | POT 1K                        | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                  | Quantity |
|-------|-----------|------------------------------|----------|
| 1     | 208123567 | PCB METERING BOARD ASSY R-11 | 1 EA     |

| Line | Symbol | Item No.    | Description            | Quantity |
|------|--------|-------------|------------------------|----------|
| 70   |        | 3R152P122J  | RES 1/4W 5% 1K2        | 1 EA     |
| 71   |        | 3329H-1-102 | POT 1K                 | 1 EA     |
| 72   |        | 3R152P104J  | RES 1/4W 5% 100K       | 1 EA     |
| 74   |        | 3R152P104J  | RES 1/4W 5% 100K       | 1 EA     |
| 78   |        | 3R152P513J  | RES 1/4W 5% 51K        | 1 EA     |
| 79   |        | 3R152P513J  | RES 1/4W 5% 51K        | 1 EA     |
| 80   |        | 3R152P102J  | RES 1/4W 5% 1K         | 1 EA     |
| 83   |        | 3329H-1-104 | POT 100K               | 1 EA     |
| 85   |        | 3R152P472J  | RES 1/4W 5% 4K7        | 1 EA     |
| 86   |        | 3R152P472J  | RES 1/4W 5% 4K7        | 1 EA     |
| 87   |        | 3329H-1-103 | POT 10K                | 1 EA     |
| 88   |        | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
| 89   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 91   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 92   |        | 3R152P103J  | RES 1/4W 5% 10K        | 1 EA     |
| 93   |        | 3329H-1-103 | POT 10K                | 1 EA     |
| 94   |        | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
| 95   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 96   |        | 3R152P100J  | RES 1/4W 5% 10         | 1 EA     |
| 101  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
| 102  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
| 103  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
|      | R13    | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
|      | R30    | 3329H-1-104 | POT 100K               | 1 EA     |
|      | R31    | 3R152P123J  | RES 1/4W 5% 12K        | 1 EA     |
|      | R33    | 3R152P123J  | RES 1/4W 5% 12K        | 1 EA     |
|      | R39    | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |

Larcan Communication  
Final Handbook Parts List

Page 9

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 40D216861 | AMP ASSY VHF HB 10W R-7        | 1 EA     |
| 1     | 20853466  | DIR CPLR QUAD CPLR LB ASM R-16 | 1 EA     |

| Line | Symbol | Item No.  | Description                   | Quantity |
|------|--------|-----------|-------------------------------|----------|
| 10   |        | 15908     | HAMMOND DIECAST BOX           | 0 EA     |
| 16   |        | 208533P3  | BOX REWORK R-3                | 1 EA     |
| 19   |        | 10A194261 | QUAD DIR CPLR PCB LB ASSY R-2 | 1 EA     |
|      | J1     | UG-1098   | CONNECTOR Sub 31-222          | 1 EA     |
|      | J2     | UG-1098   | CONNECTOR Sub 31-222          | 1 EA     |
|      | J3     | UG-58A/U  | CONNECTOR Sub 82-97           | 1 EA     |
|      | J4     | UG-58A/U  | CONNECTOR Sub 82-97           | 1 EA     |
|      | J5     | UG-1098   | CONNECTOR Sub 31-222          | 1 EA     |
|      | J6     | UG-1098   | CONNECTOR Sub 31-222          | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 40D216861 | AMP ASSY VHF HB 10W R-7        | 1 EA     |
| 1     | 20B53466  | DIR CPLR QUAD CPLR LB ASM R-16 | 1 EA     |
| 2     | 10A194261 | QUAD DIR CPLR PCB LB ASSY R-2  | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 1    |        | 10A1942         | ASSEMBLY DRAW 50-100MHz R-0.1 | 0 EA     |
| 10   |        | 10A1942P1       | PCB QUAD DIR COUPLER R-0      | 1 EA     |
| 15   |        | B1533-B-5/16-05 | SPACER TIN PLATED             | 4 EA     |
|      | L1     | 10A584P2        | COIL -#16 GA R-2              | 1 EA     |
|      | L2     | 10A584P2        | COIL -#16 GA R-2              | 1 EA     |
|      | L3     | 10A584P2        | COIL -#16 GA R-2              | 1 EA     |
|      | L4     | 10A584P2        | COIL -#16 GA R-2              | 1 EA     |
|      | R1     | PR37J 51 OHMS   | RES 1.6W 5% 51                | 1 EA     |
|      | R2     | PR37J 51 OHMS   | RES 1.6W 5% 51                | 1 EA     |
|      | R3     | 9C12063A51R0JL  | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |
|      | R4     | 9C12063A51R0JL  | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description              | Quantity |
|-------|-----------|--------------------------|----------|
| 0     | 40D216861 | AMP ASSY VHF HB 10W R-7  | 1 EA     |
| 1     | 20B704G1  | BANDPASS FILTER ASSY R-2 | 1 EA     |

| Line | Symbol | Item No.        | Description                  | Quantity |
|------|--------|-----------------|------------------------------|----------|
| 1    |        | 20B704P1        | BANDPASS FILTER ASM DWG R-1  | 0 EA     |
| 9    |        | 20B2181P1       | NAMEPLATE R-0                | 1 EA     |
| 10   |        | 1590B           | HAMMOND DIECAST BOX          | 0 EA     |
| 11   |        | 20B705P1        | BOX REWORK R-1               | 1 EA     |
| 12   |        | 10A234P1        | FILTER BOX MOUNTING BRKT R-0 | 2 EA     |
| 13   |        | PR-5B           | POP RIVET                    | 4 EA     |
| 14   |        | #4              | HARNES                       | 5 EA     |
| 15   |        | 6-32 1-1/2 SCRM | SCREW                        | 4 EA     |
| 16   |        | #6 INT          | LOCKWASHER                   | 4 EA     |
| 22   |        | 10A769          | SCHEMATIC                    | 0 EA     |
| 23   |        | 5402            | CAPACITOR 5402PC             | 1 EA     |
| 24   |        | 5402            | CAPACITOR 5402PC             | 1 EA     |
| 25   |        | 5402            | CAPACITOR 5402PC             | 1 EA     |
| 26   |        | 5402            | CAPACITOR 5402PC             | 1 EA     |
| 27   |        | 5402            | CAPACITOR 5402PC             | 1 EA     |
| 30   |        | 10A766P1        | AIR COIL-6T 14GA 3/8" 0 R-1  | 1 EA     |
| 31   |        | 10A766P1        | AIR COIL-6T 14GA 3/8" 0 R-1  | 1 EA     |
| 32   |        | 10A766P1        | AIR COIL-6T 14GA 3/8" 0 R-1  | 1 EA     |
| 33   |        | 10A766P1        | AIR COIL-6T 14GA 3/8" 0 R-1  | 1 EA     |
| 34   |        | 10A766P2        | AIR COIL 8T 18GA 5/16" R-1   | 1 EA     |
| 38   |        | 2056-0000-00    | CONNECTOR                    | 1 EA     |
| 39   |        | 2056-0000-00    | CONNECTOR                    | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description         |     | Quantity |
|-------|-----------|---------------------|-----|----------|
| 0     | 400216861 | AMP ASSY VHF HB 10W | R-7 | 1 EA     |
| 1     | 10A125561 | PIN ATTENUATOR ASM  | R-4 | 1 EA     |

| Line | Symbol | Item No.       | Description                    | Quantity |
|------|--------|----------------|--------------------------------|----------|
| 1    |        | 10A1255P1      | ASSEMBLY DRAWING               | 0 EA     |
| 10   |        | 10A1253P1      | PCB PIN ATTENUATOR             | 1 EA     |
| 11   |        | 10A1254        | P.C. PATTERN                   | 0 EA     |
| 12   |        | 10A1256        | SILKSCREEN                     | 0 EA     |
| 14   |        | 20B1287        | SCHEMATIC                      | 0 EA     |
| 16   |        | B1571-8-1/4-05 | SPACER TIN PLATED              | 4 EA     |
| 18   |        | 508-A611D      | IC SOCKET 8 PIN                | 1 EA     |
| 19   |        | 12808          | TURRET                         | 1 EA     |
| 20   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 21   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 22   |        | MLSS100-4      | LOCKING HEADER                 | 1 EA     |
| 23   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 24   |        | 344-21105      | CAP 1u 100V FILM SEE 344-25105 | 1 EA     |
| 25   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 26   |        | 030-38109      | CAP 10u 63V ELECT              | 1 EA     |
| 27   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 28   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 29   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 30   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 31   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 32   |        | 344-55103      | CAP 10n 400V FILM 344-51103    | 1 EA     |
| 33   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 34   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 35   |        | 200B-104-HP50X | CAP u1 50V CHIP                | 1 EA     |
| 38   |        | 10A212P1       | COIL 7t FAB IN HOUSE           | 1 EA     |
| 39   |        | 10A212P1       | COIL 7t FAB IN HOUSE           | 1 EA     |
| 41   |        | MC78L12CP      | IC VOLT REG                    | 1 EA     |
| 42   |        | LM358N         | IC OP AMP                      | 1 EA     |
| 45   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 46   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 47   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 48   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 49   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 52   |        | MP58598        | TRANSISTOR PNP GEN PURP        | 1 EA     |
| 55   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 56   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 57   |        | 3R152P562J     | RES 1/4W 5% 5K6                | 1 EA     |
| 58   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 59   |        | 3329H-1-103    | POT 10K                        | 1 EA     |
| 60   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 61   |        | 3R152P431J     | RES 1/4W 5% 430                | 1 EA     |
| 62   |        | 3R152P112J     | RES 1/4W 5% 1K1                | 1 EA     |
| 63   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 64   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 65   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 66   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |

Larcen Communication  
Final Handbook Parts List

Page 20

| Level | Item No.  | Description        | Quantity |
|-------|-----------|--------------------|----------|
| 1     | 10A125561 | PIN ATTENUATOR ASM | 1 EA     |

| Line | Symbol | Item No.   | Description      | Quantity |
|------|--------|------------|------------------|----------|
| 67   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 68   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 69   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 70   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 71   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 72   |        | 3R152P202J | RES 1/4W 5% 2K   | 1 EA     |
| 73   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 74   |        | 3R152P471J | RES 1/4W 5% 470  | 1 EA     |
| 75   |        | 3R152P103J | RES 1/4W 5% 10K  | 1 EA     |
| 76   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Page | Item No.  | Description                |      |
|------|-----------|----------------------------|------|
| 1    | 40D2168G1 | AMP ASSY VHF HB 10W        | R-7  |
| 2    | 30C1899G1 | HEATSINK ASSY HB           | R-5  |
| 3    | 10A1453G4 | PCB ASSY PHASE SHIFTER     | R-13 |
| 4    | 20B1226G1 | PCB ASSY 250W OUTPUT       | R-7  |
| 5    | 20B1222G2 | PCB ASSY 250W INPUT        | R-10 |
| 6    | 30C1829G2 | CONTROL BOARD ASSY (MX10V) | R-5  |
| 7    | 20B1235G7 | PCB METERING BOARD ASSY    | R-11 |
| 9    | 20B534G6  | DIR CPLR QUAD CPLR LB ASM  | R-16 |
| 10   | 10A1942G1 | QUAD DIR CPLR PCB LB ASSY  | R-2  |
| 11   | 20B704G1  | BANDPASS FILTER ASSY       | R-2  |
| 12   | 10A1255G1 | PIN ATTENUATOR ASM         | R-4  |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description               | Quantity |
|-------|-----------|---------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7 | 1 EA     |

---

| Line | Symbol | Item No.       | Description                     | Quantity |
|------|--------|----------------|---------------------------------|----------|
| 2    |        | 4002168        | ASSEMBLY DRAWING R-1            | 0 EA     |
| 8    |        | 30C189962      | HEATSINK ASSY LB CH2-4 R-5      | 1 EA     |
| 10   |        | 4002165P1      | FRONT PANEL R-0                 | 1 EA     |
| 11   |        | 4002167P1      | CHASSIS R-2                     | 1 EA     |
| 13   |        | 4002189P1      | TOP COVER FOR MX10V R-2         | 1 EA     |
| 14   |        | 30C1986P1      | REAR PANEL R-2                  | 1 EA     |
| 15   |        | 2082195P1      | CTRL MTG BRACKET R-0            | 1 EA     |
| 16   |        | 30C182962      | CONTROL BOARD ASSY (MX10V) R-5  | 1 EA     |
| 18   |        | KE-500AB-1/8   | KNOB                            | 1 EA     |
| 19   |        | 208123587      | PCB METERING BOARD ASSY R-11    | 1 EA     |
| 20   |        | 30C1885P1      | FAN BRACKET R-2                 | 1 EA     |
| 22   |        | 20853469       | DIR CPLR QUAD 10W LB ASSY R-16  | 1 EA     |
| 23   |        | HA15-0.9-A     | CONTROL P/SUPPLY 12V, 0.9A      | 1 EA     |
| 24   |        | HD48-3A        | POWER SUPPLY 48V 3A             | 1 EA     |
| 25   |        | 2031-5005-00   | CONNECTOR / SMA                 | 1 EA     |
| 26   |        | MDLJ           | FUSE 3 AMP 250V SLO             | 1 EA     |
| 27   |        | 21688880P31    | METER                           | 1 EA     |
| 29   |        | 86350          | CONNECTOR BNC BULKHEAD          | 3 EA     |
| 30   |        | 6J4            | LINE FILTER, 120/240V           | 1 EA     |
| 31   |        | GFT-6          | TERMINAL BOARD                  | 1 EA     |
| 32   |        | HKP            | FUSEHOLDER                      | 1 EA     |
| 33   |        | MC48B3         | FAN                             | 1 EA     |
| 34   |        | EC100F-4       | COVERS                          | 2 EA     |
| 35   |        | 82-5370        | CONNECTOR                       | 1 EA     |
| 36   |        | 31-371         | CONNECTOR                       | 4 EA     |
| 37   |        | 2001-5032-00   | CONNECTOR                       | 5 EA     |
| 38   |        | 2.5/8-ST-5.08  | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 39   |        | 2.5/10-ST-5.08 | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 40   |        | MDL1/4         | FUSE-1/4A 250V SLO BLO          | 1 EA     |
| 44   |        | 30C1987        | WIRING DIAGRAM R-1              | 0 EA     |
| 45   |        | 208111862      | BAND PASS & NOTCH FLTR ASSY R2  | 1 EA     |
| 48   |        | EC100F-11      | COVER                           | 1 EA     |
| 55   |        | 476042         | FINGER GUARD                    | 1 EA     |
| 57   |        | RL10A206161    | RUNNING LIST R-1                | 0 EA     |
| 58   |        | RL10A206162    | RUNNING LIST R-1                | 0 EA     |
| 61   |        | 8835           | SPACER                          | 4 EA     |
| 64   |        | CE100F24-11    | END CONNECTORS                  | 1 EA     |
| 65   |        | CE100F24-4     | END CONNECTORS                  | 2 EA     |
| 66   |        | 8506           | SPACER 6-32 X .75", HHSM        | 4 EA     |
| 67   |        | 10A2075P1      | KEEPER PLATE R-0                | 1 EA     |
| 68   |        | 10A2076P1      | KEEP PLATE (PWR SUPPLY)         | 2 EA     |
| 70   |        | 10A2077P1      | SHIELD R-1                      | 1 EA     |
| 72   |        | 17250          | CORDSET, #18 10A/250V INT'L/USA | 1 EA     |
| 75   |        | 10A125561      | PIN ATTENUATOR ASM R-4          | 1 EA     |
|      | CR1    | 1N4001         | DIODE GEN PURP                  | 1 EA     |
|      | K1     | S87R5028101-12 | RELAY POTTER & BRUMFIELD        | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                | Quantity |
|-------|-----------|----------------------------|----------|
| 0     | 40D216862 | AMP ASSY VHF LB CH2-4 R-7  | 1 EA     |
| 1     | 30C189962 | HEATSINK ASSY LB CH2-4 R-5 | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 2    |        | 30C1899         | ASSEMBLY DRAWING R-0          | 0 EA     |
| 9    |        | 10A145365       | PCB ASSY PHASE SHIFTER R-13   | 1 EA     |
| 13   |        | 2081500P4       | THERMAL SWITCH R-5            | 1 EA     |
| 14   |        | SRF3943-2       | TRANSISTOR                    | 1 EA     |
| 15   |        | RH25-50 OHM     | RES 25W 1% 50                 | 1 EA     |
| 16   |        | 10A1564P1       | TRANSISTOR CLAMP R-3          | 1 EA     |
| 17   |        | 10A1566P1       | PRESSURE PLATE CLAMP R-3      | 1 EA     |
| 18   |        | 30C1868P1       | HEATSINK R-1                  | 1 EA     |
| 19   |        | 30C105463       | PCB ASSY LB INPUT CH 2-4 R-10 | 1 EA     |
| 20   |        | 30C105561       | PCB ASSY OUTPUT LB R-8        | 1 EA     |
|      | C21    | 366-55103       | CAP 10n 400V FILM             | 1 EA     |
|      | C22    | 366-55103       | CAP 10n 400V FILM             | 1 EA     |
|      | F1-F2  | 312.007-7A/250V | FUSE 7A 250 (FAST)            | 2 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                 | Quantity |
|-------|-----------|-----------------------------|----------|
| 0     | 40D216862 | AMP ASSY VHF LB CH2-4 R-7   | 1 EA     |
| 1     | 30C189962 | HEATSINK ASSY LB CH2-4 R-5  | 1 EA     |
| 2     | 10A145365 | PCB ASSY PHASE SHIFTER R-13 | 1 EA     |

| Line | Symbol | Item No.       | Description                   | Quantity |
|------|--------|----------------|-------------------------------|----------|
| 6    |        | 10A1453P1      | PCB PHASE SHIFTER R-4         | 1 EA     |
| 7    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 8    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 9    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 10   |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 13   |        | 10A1453 SH11   | SCHEMATIC R-0                 | 0 EA     |
| 14   |        | B1570-B-1/4-05 | SPACER TIN PLATED             | 4 EA     |
| 18   |        | 1280B          | TURRET                        | 1 EA     |
|      | C5     | 681-09478      | CAP 4p7 100V CERAMIC          | 1 EA     |
|      | C6     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C7     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C8     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C9     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C10    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C11    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | L3     | 10A212P1       | COIL 7t FAB IN HOUSE R-6      | 1 EA     |
|      | U2     | MHW6185        | HYBRID                        | 1 EA     |
|      | U3     | MC7824CT       | IC VOLT REG TTC # 8220-017    | 1 EA     |

Larcen Communication  
Final Handbook Parts List

Page 7

| Level | Item No.  | Description                   | Quantity |
|-------|-----------|-------------------------------|----------|
| 0     | 400216862 | AMP ASSY WHF LB CH2-4 R-7     | 1 EA     |
| 1     | 30C189962 | HEATSINK ASSY LB CH2-4 R-5    | 1 EA     |
| 2     | 30C105463 | PCB ASSY LB INPUT CH 2-4 R-10 | 1 EA     |

| Line | Symbol | Item No.        | Description                  | Quantity |
|------|--------|-----------------|------------------------------|----------|
| 10   |        | 30C1053P1       | PCB PA INPUT R-3             | 1 EA     |
| 11   |        | 30C1052         | P.C. PATTERN R-3             | 0 EA     |
| 12   |        | 1A1119-05       | FUSE CLIP                    | 2 EA     |
| 13   |        | 2865000 202     | BEAD                         | 1 EA     |
| 14   |        | 1280B           | TURRET                       | 2 EA     |
| 17   |        | 30C1056         | SCHEMATIC R-2                | 0 EA     |
|      | C1     | 100B-201-JP300X | CAP 200p 300V CHIP           | 1 EA     |
|      | C2     | 100B-201-JP300X | CAP 200p 300V CHIP           | 1 EA     |
|      | C3     | 100B-620-JP500X | CAP 62p 500V CHIP            | 1 EA     |
|      | C4     | 100B-201-JP300X | CAP 200p 300V CHIP           | 1 EA     |
|      | C6     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED  | 1 EA     |
|      | C7     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED  | 1 EA     |
|      | C8     | 021-18102       | CAP 1000u 63V ELECT          | 1 EA     |
|      | C23    | 630-09102       | CAPACITOR                    | 1 EA     |
|      | C24    | 630-09102       | CAPACITOR                    | 1 EA     |
|      | CR1    | 1N5357A         | ZENER DIODE SAME AS 1N5357B  | 1 EA     |
|      | CR2    | 1N5357A         | ZENER DIODE SAME AS 1N5357B  | 1 EA     |
|      | J1     | 2064-0000-00    | CONNECTOR SUB 50-653-0000-31 | 1 EA     |
|      | R1     | 3R77P392J       | RES 1/2W 5% 3K9              | 1 EA     |
|      | R2     | 3299W-1-103     | POT 10K                      | 1 EA     |
|      | R3     | SRF25HMSR1      | RES 1/2W 5% 5R1              | 1 EA     |
|      | R4     | 3R152P102J      | RES 1/4W 5% 1K               | 1 EA     |
|      | R5     | 3R152P102J      | RES 1/4W 5% 1K               | 1 EA     |
|      | R6     | SRF25HMSR1      | RES 1/2W 5% 5R1              | 1 EA     |
|      | R7     | 3299W-1-103     | POT 10K                      | 1 EA     |
|      | R8     | 3R77P392J       | RES 1/2W 5% 3K9              | 1 EA     |
|      | R9     | 3R152P302J      | RES 1/4W 5% 3K               | 1 EA     |
|      | R10    | 3R152P302J      | RES 1/4W 5% 3K               | 1 EA     |
|      | RT1    | MSC154K         | THERMISTOR                   | 1 EA     |
|      | RT2    | MSC154K         | THERMISTOR                   | 1 EA     |
|      | T1     | RG178B/U        | 50 OHM COAXIAL CABLE         | 1 IN     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                | Quantity |
|-------|-----------|----------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7  | 1 EA     |
| 1     | 30C189962 | HEATSINK ASSY LB CH2-4 R-5 | 1 EA     |
| 2     | 30C105561 | PCB ASSY OUTPUT LB R-8     | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 1    |        | 30C1055P1       | ASSEMBLY DRAWING R4.1         | 0 EA     |
| 10   |        | 30C1049P1       | PCB OUTPUT LB R-4             | 1 EA     |
| 11   |        | 30C1048         | P.C. PATTERN R-4              | 0 EA     |
| 12   |        | 1A1120-05       | FUSE CLIP                     | 2 EA     |
| 17   |        | 30C1056         | SCHEMATIC R-2                 | 0 EA     |
| 21   |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 27   |        | 100B-820-JP500X | CAP 82p 500V CHIP             | 1 EA     |
| 28   |        | 100B-181-JP300X | CAP 180p 300V CHIP            | 1 EA     |
| 29   |        | 100B-181-JP300X | CAP 180p 300V CHIP            | 1 EA     |
| 30   |        | 100B-510-JP500X | CAP 51p 500V CHIP             | 1 EA     |
| 40   |        | 10A571P9        | COIL: 5T #20 1/4 I.D.         | 1 EA     |
| 41   |        | 10A571P9        | COIL: 5T #20 1/4 I.D.         | 1 EA     |
| 43   |        | UT-85C TP 50 ^  | COAX CABLE 50 OHM TIN PLATED  | 0 FT     |
|      | C9     | 100B-102-JP50X  | CAPACITOR: CHIP 1000pf        | 1 EA     |
|      | C10    | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
|      | C11    | 100B-102-JP50X  | CAPACITOR: CHIP 1000pf        | 1 EA     |
|      | C12    | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
|      | C17    | 5051-3105K      | CAP 1uf 100V POLY             | 1 EA     |
|      | C18    | 5051-3105K      | CAP 1uf 100V POLY             | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7      | 1 EA     |
| 1     | 30C182962 | CONTROL BOARD ASSY (MX10V) R-5 | 1 EA     |

| Line | Symbol | Item No.        | Description                  | Quantity |
|------|--------|-----------------|------------------------------|----------|
| 2    |        | 30C1829         | ASSEMBLY DRAWING R1.2        | 0 EA     |
| 9    |        | 30C1829P1       | PCB CONTROL R-1              | 1 EA     |
| 10   |        | 30C1829 SH3-4   | PC PATTERN R-1.2             | 0 EA     |
| 11   |        | 30C1829 SH6     | SOLDER MASK R-1.2            | 0 EA     |
| 12   |        | 30C1829 SH5     | SILKSCREEN R-1.2             | 0 EA     |
| 14   |        | 20B2438         | SCHEMATIC R-0                | 0 EA     |
| 22   |        | 516-A611D       | IC SOCKET 16 PIN             | 1 EA     |
| 94   |        | 2.5/10-ST-5.08  | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 97   |        | 2.5/8-ST-5.08   | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 118  |        | 16.327          | LENS FOR RECT LED (YELLOW)   | 2 EA     |
| 119  |        | 16.922          | LED RECT YELLOW              | 2 EA     |
| 122  |        | 16.325          | BEZEL EXTENDED BLACK         | 2 EA     |
| 123  |        | 16.300-07       | BUTTON ORANGE (OLD # 16.300) | 2 EA     |
| 124  |        | 16.270          | EXTENDER FOR EXTENDED BEZELS | 2 EA     |
|      | CR1    | 1N4148          | DIODE SWITCHING              | 1 EA     |
|      | CR2    | 1N4148          | DIODE SWITCHING              | 1 EA     |
|      | DS3    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | DS4    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | DS5    | 561-2201-080    | LED DIALIGHT GREEN           | 1 EA     |
|      | F1     | RXE090          | PROTECTOR RAYCHEM            | 1 EA     |
|      | J2     | VA2.5/10-G-5.08 | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J3     | VA2.5/8-G-5.08  | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J4     | HLSS100-4       | LOCKING HEADER               | 1 EA     |
|      | K1     | DS1E-SL2-DC12V  | RELAY                        | 1 EA     |
|      | R17    | 3R152P152J      | RES 1/4W 5% 1K5              | 1 EA     |
|      | RN1    | 4606X-101-102   | RES NET 1K 2%                | 1 EA     |
|      | S1     | SOPT45-01-08NF  | SWITCH SOPT45-01-1-08NF      | 1 EA     |
|      | S3     | 15.501          | SWITCH MOMENTARY             | 1 EA     |
|      | S4     | 15.501          | SWITCH MOMENTARY             | 1 EA     |
|      | U3     | ILQ1            | IC OPTO ISOLATOR             | 1 EA     |

Larcan Communication  
Final Handbook Parts List

Page 1

| Level | Item No.  | Description                  | Quantity |
|-------|-----------|------------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7    | 1 EA     |
| 1     | 208123567 | PCB METERING BOARD ASSY R-11 | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 10   |        | 2081233P1       | PCB R-4                       | 1 EA     |
| 11   |        | 2081234         | PATTERN R-3                   | 0 EA     |
| 12   |        | 2081236         | SILKSCREEN R-3                | 0 EA     |
| 14   |        | 2081245         | SCHEMATIC R-5                 | 0 EA     |
| 15   |        | CE100F24-11     | END CONNECTORS                | 1 EA     |
| 17   |        | EC100F-11       | COVER                         | 1 EA     |
| 18   |        | MLSS100-11      | LOCKING HEADER                | 1 EA     |
| 19   |        | 12808           | TURRET                        | 2 EA     |
| 20   |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 21   |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 22   |        | 508-A611D       | IC SOCKET 8 PIN               | 3 EA     |
| 23   |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 24   |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 25   |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 26   |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 27   |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 28   |        | 681-10689       | CAP 68p 100V CERAMIC          | 1 EA     |
| 29   |        | 344-15474       | CAP u4763V FILM SEE 372-21474 | 1 EA     |
| 30   |        | 344-21104       | CAP u1 100V FILM 344-25104    | 1 EA     |
| 32   |        | 630-09472       | CAP 4700p 100V CERAMIC        | 1 EA     |
| 34   |        | 550-3640-450200 | INDUCTOR 10uH SEE 1537-36     | 1 EA     |
| 35   |        | 550-3640-450200 | INDUCTOR 10uH SEE 1537-36     | 1 EA     |
| 37   |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 38   |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 39   |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 40   |        | HP5082-2800     | DIODE SEE ECG#503 OR 1N5711   | 1 EA     |
| 42   |        | LM358N          | IC OP AMP                     | 1 EA     |
| 43   |        | LM358N          | IC OP AMP                     | 1 EA     |
| 44   |        | LM358N          | IC OP AMP                     | 1 EA     |
| 45   |        | MPS8598         | TRANSISTOR PNP GEN PURP       | 1 EA     |
| 46   |        | MPS8598         | TRANSISTOR PNP GEN PURP       | 1 EA     |
| 49   |        | B1537-B-3/16-05 | SPACER TIN PLATED             | 1 EA     |
| 52   |        | 3R152P911J      | RES 1/4W 5% 910               | 1 EA     |
| 53   |        | 3R152P510J      | RES 1/4W 5% 51                | 1 EA     |
| 54   |        | 3R152P911J      | RES 1/4W 5% 910               | 1 EA     |
| 55   |        | 3R152P510J      | RES 1/4W 5% 51                | 1 EA     |
| 56   |        | 3R152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 57   |        | 3R152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 58   |        | 3R152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 59   |        | 3R152P472J      | RES 1/4W 5% 4K7               | 1 EA     |
| 60   |        | 3R152P102J      | RES 1/4W 5% 1K                | 1 EA     |
| 61   |        | 3R152P102J      | RES 1/4W 5% 1K                | 1 EA     |
| 62   |        | 3R152P275J      | RES 1/4W 5% 2M7               | 1 EA     |
| 63   |        | 3R152P275J      | RES 1/4W 5% 2M7               | 1 EA     |
| 68   |        | 3R152P122J      | RES 1/4W 5% 1K2               | 1 EA     |
| 69   |        | 3329H-1-102     | POT 1K                        | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                  | Quantity |
|-------|-----------|------------------------------|----------|
| 1     | 20B123567 | PCB METERING BOARD ASSY R-11 | 1 EA     |

| Line | Symbol | Item No.    | Description            | Quantity |
|------|--------|-------------|------------------------|----------|
| 70   |        | 3R152P122J  | RES 1/4W 5% 1K2        | 1 EA     |
| 71   |        | 3329H-1-102 | POT 1K                 | 1 EA     |
| 72   |        | 3R152P104J  | RES 1/4W 5% 100K       | 1 EA     |
| 74   |        | 3R152P104J  | RES 1/4W 5% 100K       | 1 EA     |
| 78   |        | 3R152P513J  | RES 1/4W 5% 51K        | 1 EA     |
| 79   |        | 3R152P513J  | RES 1/4W 5% 51K        | 1 EA     |
| 80   |        | 3R152P102J  | RES 1/4W 5% 1K         | 1 EA     |
| 83   |        | 3329H-1-104 | POT 100K               | 1 EA     |
| 85   |        | 3R152P472J  | RES 1/4W 5% 4K7        | 1 EA     |
| 86   |        | 3R152P472J  | RES 1/4W 5% 4K7        | 1 EA     |
| 87   |        | 3329H-1-103 | POT 10K                | 1 EA     |
| 88   |        | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
| 89   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 91   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 92   |        | 3R152P103J  | RES 1/4W 5% 10K        | 1 EA     |
| 93   |        | 3329H-1-103 | POT 10K                | 1 EA     |
| 94   |        | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
| 95   |        | 3R152P393J  | RES 1/4W 5% 39K        | 1 EA     |
| 96   |        | 3R152P100J  | RES 1/4W 5% 10         | 1 EA     |
| 101  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
| 102  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
| 103  |        | 630-09472   | CAP 4700p 100V CERAMIC | 1 EA     |
|      | R13    | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |
|      | R30    | 3329H-1-104 | POT 100K               | 1 EA     |
|      | R31    | 3R152P123J  | RES 1/4W 5% 12K        | 1 EA     |
|      | R33    | 3R152P123J  | RES 1/4W 5% 12K        | 1 EA     |
|      | R39    | 3R152P101J  | RES 1/4W 5% 100        | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7      | 1 EA     |
| 1     | 20853469  | DIR CPLR QUAD 10W LB ASSY R-16 | 1 EA     |

| Line | Symbol | Item No.  | Description                  | Quantity |
|------|--------|-----------|------------------------------|----------|
| 9    |        | 208534P9  | ASSEMBLY DRAWING R-5         | 0 EA     |
| 10   |        | 1590B     | HAMMOND DIECAST BOX          | 0 EA     |
| 16   |        | 208533P3  | BOX REWORK R-3               | 1 EA     |
| 47   |        | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2 | 1 EA     |
|      | J1     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J2     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J3     | UG-58A/U  | CONNECTOR Sub 82-97          | 1 EA     |
|      | J4     | UG-58A/U  | CONNECTOR Sub 82-97          | 1 EA     |
|      | J5     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J6     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7      | 1 EA     |
| 1     | 20853469  | DIR CPLR QUAD 10W LB ASSY R-16 | 1 EA     |
| 2     | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2   | 1 EA     |

| Line | Symbol | Item No.              | Description                   | Quantity |
|------|--------|-----------------------|-------------------------------|----------|
| 2    |        | 10A1942               | ASSEMBLY DRAW 50-100MHz R-0.1 | 0 EA     |
| 10   |        | 10A1942P1             | PCB QUAD DIR COUPLER R-0      | 1 EA     |
| 15   |        | B1533-B-5/16-05       | SPACER TIN PLATED             | 4 EA     |
| 22   |        | 1/4" W X 1/100" THICK | COPPER STRAP, TINNED          | 3 EA     |
|      | L3     | 10A584P2              | COIL -#16 GA R-2              | 1 EA     |
|      | L4     | 10A584P2              | COIL -#16 GA R-2              | 1 EA     |
|      | R1     | PR37J 51 OHMS         | RES 1.6W 5% 51                | 1 EA     |
|      | R2     | PR37J 51 OHMS         | RES 1.6W 5% 51                | 1 EA     |
|      | R3     | 9C12063A51R0JL        | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |
|      | R4     | 9C12063A51R0JL        | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7      | 1 EA     |
| 1     | 208111862 | BAND PASS & NOTCH FLTR ASSY R2 | 1 EA     |

---

| Line | Symbol | Item No.  | Description          | Quantity |
|------|--------|-----------|----------------------|----------|
| 2    |        | 2081118   | ASSEMBLY DRAWING R-0 | 0 EA     |
| 10   |        | 2081119P1 | * BOX REMORK - 1590B | 1 EA     |
| 11   |        | 1590B     | HAMMOND DIECAST BOX  | 0 EA     |
| 12   |        | 20811176X | PCB ASSEMBLY         | 1 EA     |
| 13   |        | UG-58A/U  | CONNECTOR Sub 82-97  | 1 EA     |
| 15   |        | 49000     | COAX CONNECTOR       | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description               | Quantity |
|-------|-----------|---------------------------|----------|
| 0     | 400216862 | AMP ASSY VHF LB CH2-4 R-7 | 1 EA     |
| 1     | 10A125561 | PIN ATTENUATOR ASM R-4    | 1 EA     |

| Line | Symbol | Item No.       | Description                    | Quantity |
|------|--------|----------------|--------------------------------|----------|
| 1    |        | 10A1255P1      | ASSEMBLY DRAWING R-3           | 0 EA     |
| 10   |        | 10A1253P1      | PCB PIN ATTENUATOR R-3         | 1 EA     |
| 11   |        | 10A1254        | P.C. PATTERN R-3               | 0 EA     |
| 12   |        | 10A1256        | SILKSCREEN R-3                 | 0 EA     |
| 14   |        | 20B1287        | SCHEMATIC R-2                  | 0 EA     |
| 16   |        | B1571-B-1/4-05 | SPACER TIN PLATED              | 4 EA     |
| 18   |        | 508-A611D      | IC SOCKET 8 PIN                | 1 EA     |
| 19   |        | 1280B          | TURRET                         | 1 EA     |
| 20   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 21   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 22   |        | MLSS100-4      | LOCKING HEADER                 | 1 EA     |
| 23   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 24   |        | 344-21105      | CAP 1u 100V FILM SEE 344-25105 | 1 EA     |
| 25   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 26   |        | 030-38109      | CAP 10u 63V ELECT              | 1 EA     |
| 27   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 28   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 29   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 30   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 31   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 32   |        | 344-55103      | CAP 10u 400V FILM 344-51103    | 1 EA     |
| 33   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 34   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 35   |        | 2008-104-MP50X | CAP u1 50V CHIP                | 1 EA     |
| 38   |        | 10A212P1       | COIL 7t FAB IN HOUSE R-6       | 1 EA     |
| 39   |        | 10A212P1       | COIL 7t FAB IN HOUSE R-6       | 1 EA     |
| 41   |        | MC78L12CP      | IC VOLT REG                    | 1 EA     |
| 42   |        | LM358N         | IC OP AMP                      | 1 EA     |
| 45   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 46   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 47   |        | HP50823081     | DIODE PIN                      | 1 EA     |
| 48   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 49   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 52   |        | MPS8598        | TRANSISTOR PNP GEN PURP        | 1 EA     |
| 55   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 56   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 57   |        | 3R152P562J     | RES 1/4W 5% 5K6                | 1 EA     |
| 58   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 59   |        | 3329H-1-103    | POT 10K                        | 1 EA     |
| 60   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 61   |        | 3R152P431J     | RES 1/4W 5% 430                | 1 EA     |
| 62   |        | 3R152P112J     | RES 1/4W 5% 1K1                | 1 EA     |
| 63   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 64   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 65   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 66   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description            | Quantity |
|-------|-----------|------------------------|----------|
| 1     | 10A125561 | PIN ATTENUATOR ASM R-4 | 1 EA     |

| Line | Symbol | Item No.   | Description      | Quantity |
|------|--------|------------|------------------|----------|
| 67   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 68   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 69   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 70   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 71   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 72   |        | 3R152P202J | RES 1/4W 5% 2K   | 1 EA     |
| 73   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 74   |        | 3R152P471J | RES 1/4W 5% 470  | 1 EA     |
| 75   |        | 3R152P103J | RES 1/4W 5% 10K  | 1 EA     |
| 76   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Page | Item No.  | Description                    |
|------|-----------|--------------------------------|
| 1    | 40D216862 | AMP ASSY VHF LB CH2-4 R-7      |
| 2    | 30C189962 | HEATSINK ASSY LB CH2-4 R-5     |
| 3    | 10A145365 | PCB ASSY PHASE SHIFTER R-13    |
| 4    | 30C105463 | PCB ASSY LB INPUT CH 2-4 R-10  |
| 5    | 30C105561 | PCB ASSY OUTPUT LB R-8         |
| 6    | 30C182962 | CONTROL BOARD ASSY (MX10V) R-5 |
| 7    | 20B123567 | PCB METERING BOARD ASSY R-11   |
| 9    | 20B53469  | DIR CPLR QUAD 10W LB ASSY R-16 |
| 10   | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2   |
| 11   | 20B111862 | BAND PASS & NOTCH FLTR ASSY R2 |
| 12   | 10A125561 | PIN ATTENUATOR ASM R-4         |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description               | Quantity |
|-------|-----------|---------------------------|----------|
| 0     | 400216863 | AMP ASSY VHF LB CH4-6 R-7 | 1 EA     |

---

| Line | Symbol | Item No.       | Description                     | Quantity |
|------|--------|----------------|---------------------------------|----------|
| 3    |        | 4002168        | ASSEMBLY DRAWING R-1            | 0 EA     |
| 9    |        | 30C189963      | HEATSINK ASSY LB CH5-6 R-5      | 1 EA     |
| 10   |        | 4002165P1      | FRONT PANEL R-0                 | 1 EA     |
| 11   |        | 4002167P1      | CHASSIS R-2                     | 1 EA     |
| 13   |        | 4002189P1      | TOP COVER FOR MX10V R-2         | 1 EA     |
| 14   |        | 30C1986P1      | REAR PANEL R-2                  | 1 EA     |
| 15   |        | 20B2195P1      | CTRL MTG BRACKET R-0            | 1 EA     |
| 16   |        | 30C182962      | CONTROL BOARD ASSY (MX10V) R-5  | 1 EA     |
| 18   |        | KE-500AB-1/8   | KNOB                            | 1 EA     |
| 19   |        | 20B123567      | PCB METERING BOARD ASSY R-11    | 1 EA     |
| 20   |        | 30C1885P1      | FAN BRACKET R-2                 | 1 EA     |
| 22   |        | 20B53469       | DIR CPLR QUAD 10W LB ASSY R-16  | 1 EA     |
| 23   |        | HA15-0.9-A     | CONTROL P/SUPPLY 12V, 0.9A      | 1 EA     |
| 24   |        | HD48-3A        | POWER SUPPLY 48V 3A             | 1 EA     |
| 25   |        | 2031-5005-00   | CONNECTOR / SMA                 | 1 EA     |
| 26   |        | MDL3           | FUSE 3 AMP 250V SLO             | 1 EA     |
| 27   |        | 216B8880P31    | METER                           | 1 EA     |
| 29   |        | 86350          | CONNECTOR BNC BULKHEAD          | 3 EA     |
| 30   |        | 6J4            | LINE FILTER, 120/240V           | 1 EA     |
| 31   |        | GFT-6          | TERMINAL BOARD                  | 1 EA     |
| 32   |        | HKP            | FUSEHOLDER                      | 1 EA     |
| 33   |        | MC48B3         | FAN                             | 1 EA     |
| 34   |        | EC100F-4       | COVERS                          | 2 EA     |
| 35   |        | 82-5370        | CONNECTOR                       | 1 EA     |
| 36   |        | 31-371         | CONNECTOR                       | 4 EA     |
| 37   |        | 2001-5032-00   | CONNECTOR                       | 5 EA     |
| 38   |        | 2.5/8-ST-5.08  | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 39   |        | 2.5/10-ST-5.08 | PLUG 0.2 IN MSTB SERIES         | 1 EA     |
| 40   |        | MDL1/4         | FUSE-1/4A 250V SLO BLO          | 1 EA     |
| 44   |        | 30C1987        | WIRING DIAGRAM R-1              | 0 EA     |
| 45   |        | 20B111862      | BAND PASS & NOTCH FLTR ASSY R2  | 1 EA     |
| 48   |        | EC100F-11      | COVER                           | 1 EA     |
| 55   |        | 476042         | FINGER GUARD                    | 1 EA     |
| 57   |        | RL10A206161    | RUNNING LIST R-1                | 0 EA     |
| 58   |        | RL10A206162    | RUNNING LIST R-1                | 0 EA     |
| 61   |        | 8835           | SPACER                          | 4 EA     |
| 64   |        | CE100F24-11    | END CONNECTORS                  | 1 EA     |
| 65   |        | CE100F24-4     | END CONNECTORS                  | 2 EA     |
| 66   |        | 8506           | SPACER 6-32 X .75", HHSM        | 4 EA     |
| 67   |        | 10A2075P1      | KEEPER PLATE R-0                | 1 EA     |
| 68   |        | 10A2076P1      | KEEP PLATE (PWR SUPPLY)         | 2 EA     |
| 70   |        | 10A2077P1      | SHEILD R-1                      | 1 EA     |
| 72   |        | 17250          | CORDSET, #18 10A/250V INT'L/USA | 1 EA     |
| 75   |        | 10A125561      | PIN ATTENUATOR ASM R-4          | 1 EA     |
|      | CR1    | 1N4001         | DIODE GEN PURP                  | 1 EA     |
|      | K1     | S87R5D2B1D1-12 | RELAY POTTER & BRUMFIELD        | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                | Quantity |
|-------|-----------|----------------------------|----------|
| 0     | 400216863 | AMP ASSY VHF LB CH4-6 R-7  | 1 EA     |
| 1     | 30C189963 | HEATSINK ASSY LB CH5-6 R-5 | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 3    |        | 30C1899         | ASSEMBLY DRAWING R-0          | 0 EA     |
| 9    |        | 10A145365       | PCB ASSY PHASE SHIFTER R-13   | 1 EA     |
| 13   |        | 20B1500P4       | THERMAL SWITCH R-5            | 1 EA     |
| 14   |        | SRF3943-2       | TRANSISTOR                    | 1 EA     |
| 15   |        | RH25-50 OHM     | RES 25W 1% 50                 | 1 EA     |
| 16   |        | 10A1564P1       | TRANSISTOR CLAMP R-3          | 1 EA     |
| 17   |        | 10A1566P1       | PRESSURE PLATE CLAMP R-3      | 1 EA     |
| 18   |        | 30C1868P1       | HEATSINK R-1                  | 1 EA     |
| 21   |        | 30C105464       | PCB ASSY LB INPUT CH 5-6 R-10 | 1 EA     |
| 22   |        | 30C105562       | PCB ASSY OUTPUT LB R-7        | 1 EA     |
|      | C21    | 366-55103       | CAP 10n 400V FILM             | 1 EA     |
|      | C22    | 366-55103       | CAP 10n 400V FILM             | 1 EA     |
|      | F1-F2  | 312.007-7A/250V | FUSE 7A 250 (FAST)            | 2 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                 | Quantity |
|-------|-----------|-----------------------------|----------|
| 0     | 40D216863 | AMP ASSY WHF LB CH4-6 R-7   | 1 EA     |
| 1     | 30C189963 | HEATSINK ASSY LB CH5-6 R-5  | 1 EA     |
| 2     | 10A145365 | PCB ASSY PHASE SHIFTER R-13 | 1 EA     |

| Line | Symbol | Item No.       | Description                   | Quantity |
|------|--------|----------------|-------------------------------|----------|
| 6    |        | 10A1453P1      | PCB PHASE SHIFTER R-4         | 1 EA     |
| 7    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 8    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 9    |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 10   |        | 10A1453        | ASM DWG/PATT/SILKSCRN/SCH R-7 | 0 EA     |
| 13   |        | 10A1453 SH11   | SCHEMATIC R-0                 | 0 EA     |
| 14   |        | B1570-B-1/4-05 | SPACER TIN PLATED             | 4 EA     |
| 18   |        | 1280B          | TURRET                        | 1 EA     |
|      | C5     | 681-09478      | CAP 4p7 100V CERAMIC          | 1 EA     |
|      | C6     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C7     | 030-38108      | CAP 1u 63V ELECT              | 1 EA     |
|      | C8     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C9     | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C10    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | C11    | 630-09472      | CAP 4700p 100V CERAMIC        | 1 EA     |
|      | L3     | 10A212P1       | COIL 7t FAB IN HOUSE R-6      | 1 EA     |
|      | U2     | MM6185         | HYBRID                        | 1 EA     |
|      | U3     | MC7824CT       | IC VOLT REG TTC # 8220-017    | 1 EA     |

Larcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                   | Quantity |
|-------|-----------|-------------------------------|----------|
| 0     | 40D216863 | AMP ASSY VHF LB CH4-6 R-7     | 1 EA     |
| 1     | 30C189963 | HEATSINK ASSY LB CH5-6 R-5    | 1 EA     |
| 2     | 30C105464 | PCB ASSY LB INPUT CH 5-6 R-10 | 1 EA     |

| Line | Symbol | Item No.        | Description                  | Quantity |
|------|--------|-----------------|------------------------------|----------|
| 10   |        | 30C1053P1       | PCB PA INPUT R-3             | 1 EA     |
| 11   |        | 30C1052         | P.C. PATTERN R-3             | 0 EA     |
| 12   |        | 1A1119-05       | FUSE CLIP                    | 2 EA     |
| 13   |        | 2865000 202     | BEAD                         | 1 EA     |
| 14   |        | 12808           | TURRET                       | 2 EA     |
| 17   |        | 30C1056         | SCHEMATIC R-2                | 0 EA     |
|      | C1     | 100B-201-JP300X | CAP 200p 300V CHIP           | 1 EA     |
|      | C2     | 100B-201-JP300X | CAP 200p 300V CHIP           | 1 EA     |
|      | C3     | 100B-620-JP500X | CAP 62p 500V CHIP            | 1 EA     |
|      | C4     | 100B-241-JP200X | CAP 240p 200V CHIP           | 1 EA     |
|      | C6     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED  | 1 EA     |
|      | C7     | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED  | 1 EA     |
|      | C8     | 021-18102       | CAP 1000u 63V ELECT          | 1 EA     |
|      | C23    | 630-09102       | CAPACITOR                    | 1 EA     |
|      | C24    | 630-09102       | CAPACITOR                    | 1 EA     |
|      | CR1    | 1N5357A         | ZENER DIODE SAME AS 1N5357B  | 1 EA     |
|      | CR2    | 1N5357A         | ZENER DIODE SAME AS 1N5357B  | 1 EA     |
|      | J1     | 2064-0000-00    | CONNECTOR SUB 50-653-0000-31 | 1 EA     |
|      | R1     | 3R77P392J       | RES 1/2W 5% 3K9              | 1 EA     |
|      | R2     | 3299W-1-103     | POT 10K                      | 1 EA     |
|      | R3     | SRF25HMSR1      | RES 1/2W 5% 5R1              | 1 EA     |
|      | R4     | 3R152P102J      | RES 1/4W 5% 1K               | 1 EA     |
|      | R5     | 3R152P102J      | RES 1/4W 5% 1K               | 1 EA     |
|      | R6     | SRF25HMSR1      | RES 1/2W 5% 5R1              | 1 EA     |
|      | R7     | 3299W-1-103     | POT 10K                      | 1 EA     |
|      | R8     | 3R77P392J       | RES 1/2W 5% 3K9              | 1 EA     |
|      | R9     | 3R152P302J      | RES 1/4W 5% 3K               | 1 EA     |
|      | R10    | 3R152P302J      | RES 1/4W 5% 3K               | 1 EA     |
|      | RT1    | MSC154K         | THERMISTOR                   | 1 EA     |
|      | RT2    | MSC154K         | THERMISTOR                   | 1 EA     |
|      | T1     | RG178B/U        | 50 OHM COAXIAL CABLE         | 1 IN     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                | Quantity |
|-------|-----------|----------------------------|----------|
| 0     | 40D216863 | AMP ASSY VHF LB CH4-6 R-7  | 1 EA     |
| 1     | 30C189963 | HEATSINK ASSY LB CH5-6 R-5 | 1 EA     |
| 2     | 30C105562 | PCB ASSY OUTPUT LB R-7     | 1 EA     |

| Line | Symbol | Item No.        | Description                   | Quantity |
|------|--------|-----------------|-------------------------------|----------|
| 2    |        | 30C1055P2       | ASSEMBLY DRAWING R4.1         | 0 EA     |
| 10   |        | 30C1049P1       | PCB OUTPUT LB R-4             | 1 EA     |
| 11   |        | 30C1048         | P.C. PATTERN R-4              | 0 EA     |
| 12   |        | 1A1120-05       | FUSE CLIP                     | 2 EA     |
| 17   |        | 30C1056         | SCHEMATIC R-2                 | 0 EA     |
| 21   |        | 2062-0000-00    | RECEPTACLE SEE 50-651-0000-31 | 1 EA     |
| 33   |        | 1008-750-JP500X | CAP 75p 500V CHIP             | 1 EA     |
| 34   |        | 1008-121-JP300X | CAP 120p 300V CHIP            | 1 EA     |
| 35   |        | 1008-121-JP300X | CAP 120p 300V CHIP            | 1 EA     |
| 36   |        | 1008-150-JP500X | CAP 15p 500V CHIP             | 1 EA     |
| 38   |        | 10A571P13       | CHOKE                         | 1 EA     |
| 39   |        | 10A571P13       | CHOKE                         | 1 EA     |
| 43   |        | UT-65C TP 50 ^  | COAX CABLE 50 OHM TIN PLATED  | 0 FT     |
| C9   |        | 1008-102-JP50X  | CAPACITOR: CHIP 1000pf        | 1 EA     |
| C10  |        | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
| C11  |        | 1008-102-JP50X  | CAPACITOR: CHIP 1000pf        | 1 EA     |
| C12  |        | 2222-119-28479  | CAP 47u 63V ELECT PREFERRED   | 1 EA     |
| C17  |        | 5051-3105X      | CAP 1uf 100V POLY             | 1 EA     |
| C18  |        | 5051-3105X      | CAP 1uf 100V POLY             | 1 EA     |
| C19  |        | 370-11104       | CAP u10 63V FILM              | 1 EA     |
| C20  |        | 370-11104       | CAP u10 63V FILM              | 1 EA     |

Carcan Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 40D216863 | AMP ASSY VHF LB CH4-6 R-7      | 1 EA     |
| 1     | 30C182962 | CONTROL BOARD ASSY (MX10V) R-5 | 1 EA     |

| Line | Symbol | Item No.         | Description                  | Quantity |
|------|--------|------------------|------------------------------|----------|
| 2    |        | 30C1829          | ASSEMBLY DRAWING R1.2        | 0 EA     |
| 9    |        | 30C1829P1        | PCB CONTROL R-1              | 1 EA     |
| 10   |        | 30C1829 SH3-4    | PC PATTERN R-1.2             | 0 EA     |
| 11   |        | 30C1829 SH6      | SOLDER MASK R-1.2            | 0 EA     |
| 12   |        | 30C1829 SH5      | SILKSCREEN R-1.2             | 0 EA     |
| 14   |        | 20B2438          | SCHEMATIC R-0                | 0 EA     |
| 22   |        | 516-A611D        | IC SOCKET 16 PIN             | 1 EA     |
| 94   |        | 2.5/10-ST-5.08   | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 97   |        | 2.5/8-ST-5.08    | PLUG 0.2 IN MSTB SERIES      | 1 EA     |
| 118  |        | 16.327           | LENS FOR RECT LED (YELLOW)   | 2 EA     |
| 119  |        | 16.922           | LED RECT YELLOW              | 2 EA     |
| 122  |        | 16.325           | BEZEL EXTENDED BLACK         | 2 EA     |
| 123  |        | 16.300-07        | BUTTON ORANGE (OLD # 16.300) | 2 EA     |
| 124  |        | 16.270           | EXTENDER FOR EXTENDED BEZELS | 2 EA     |
|      | CR1    | 1N4148           | DIODE SWITCHING              | 1 EA     |
|      | CR2    | 1N4148           | DIODE SWITCHING              | 1 EA     |
|      | DS3    | 561-2201-080     | LED DIALIGHT GREEN           | 1 EA     |
|      | DS4    | 561-2201-080     | LED DIALIGHT GREEN           | 1 EA     |
|      | DS5    | 561-2201-080     | LED DIALIGHT GREEN           | 1 EA     |
|      | F1     | RXED90           | PROTECTOR RAYCHEM            | 1 EA     |
|      | J2     | VA2.5/10-6-5.08  | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J3     | VA2.5/8-6-5.08   | 0.2 IN HEADER (MSTB SERIES)  | 1 EA     |
|      | J4     | MLSS100-4        | LOCKING HEADER               | 1 EA     |
|      | K1     | DS1E-SL2-DC12V   | RELAY                        | 1 EA     |
|      | R17    | 3R152P152J       | RES 1/4W 5% 1K5              | 1 EA     |
|      | RN1    | 4606X-101-102    | RES NET 1K 2%                | 1 EA     |
|      | S1     | SOPT45-01-1-08NF | SWITCH SOPT45-01-1-08NF      | 1 EA     |
|      | S3     | 15.501           | SWITCH MOMENTARY             | 1 EA     |
|      | S4     | 15.501           | SWITCH MOMENTARY             | 1 EA     |
|      | U3     | ILQ1             | IC OPTO ISOLATOR             | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216863 | AMP ASSY VHF LB CH4-6 R-7      | 1 EA     |
| 1     | 20853469  | DIR CPLR QUAD 10W LB ASSY R-16 | 1 EA     |

| Line | Symbol | Item No.  | Description                  | Quantity |
|------|--------|-----------|------------------------------|----------|
| 9    |        | 208534P9  | ASSEMBLY DRAWING R-5         | 0 EA     |
| 10   |        | 15908     | HAMMOND DIECAST BOX          | 0 EA     |
| 16   |        | 208533P3  | BOX REMORK R-3               | 1 EA     |
| 47   |        | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2 | 1 EA     |
|      | J1     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J2     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J3     | UG-58A/U  | CONNECTOR Sub 82-97          | 1 EA     |
|      | J4     | UG-58A/U  | CONNECTOR Sub 82-97          | 1 EA     |
|      | J5     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |
|      | J6     | UG-1098   | CONNECTOR Sub 31-222         | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216863 | AMP ASSY VHF LB CH4-6 R-7      | 1 EA     |
| 1     | 20B53469  | DIR CPLR QUAD 10W LB ASSY R-16 | 1 EA     |
| 2     | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2   | 1 EA     |

| Line | Symbol | Item No.              | Description                   | Quantity |
|------|--------|-----------------------|-------------------------------|----------|
| 2    |        | 10A1942               | ASSEMBLY DRAW 50-100MHz R-0.1 | 0 EA     |
| 10   |        | 10A1942P1             | PCB QUAD DIR COUPLER R-0      | 1 EA     |
| 15   |        | B1533-B-5/16-05       | SPACER TIN PLATED             | 4 EA     |
| 22   |        | 1/4" W X 1/100" THICK | COPPER STRAP, TINNED          | 3 EA     |
|      | L3     | 10AS84P2              | COIL -#16 GA R-2              | 1 EA     |
|      | L4     | 10AS84P2              | COIL -#16 GA R-2              | 1 EA     |
|      | R1     | PR37J 51 OHMS         | RES 1.6W 5% 51                | 1 EA     |
|      | R2     | PR37J 51 OHMS         | RES 1.6W 5% 51                | 1 EA     |
|      | R3     | 9C12063A51R0JL        | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |
|      | R4     | 9C12063A51R0JL        | RESISTOR 51R 1/4W 5% CHIP     | 1 EA     |

Larcan Communication  
Final Handbook Parts List

Page 11

| Level | Item No.  | Description                    | Quantity |
|-------|-----------|--------------------------------|----------|
| 0     | 400216863 | AMP ASSY VMF LB CH4-6 R-7      | 1 EA     |
| 1     | 20B111862 | BAND PASS & NOTCH FLTR ASSY R2 | 1 EA     |

| Line | Symbol | Item No.  | Description          | Quantity |
|------|--------|-----------|----------------------|----------|
| 2    |        | 20B11118  | ASSEMBLY DRAWING R-0 | 0 EA     |
| 10   |        | 20B1119P1 | * BOX REWORK - 1590B | 1 EA     |
| 11   |        | 1590B     | HAMMOND DIECAST BOX  | 0 EA     |
| 12   |        | 20B11176X | PCB ASSEMBLY         | 1 EA     |
| 13   |        | UG-58A/U  | CONNECTOR Sub 82-97  | 1 EA     |
| 15   |        | 49000     | COAX CONNECTOR       | 1 EA     |

Larcen Communication  
Final Handbook Parts List

Page 12

| Level | Item No.  | Description               | Quantity |
|-------|-----------|---------------------------|----------|
| 0     | 40D216863 | AMP ASSY VHF LB CH4-6 R-7 | 1 EA     |
| 1     | 10A125561 | PIN ATTENUATOR ASM R-4    | 1 EA     |

| Line | Symbol | Item No.       | Description                    | Quantity |
|------|--------|----------------|--------------------------------|----------|
| 1    |        | 10A1255P1      | ASSEMBLY DRAWING R-3           | 0 EA     |
| 10   |        | 10A1253P1      | PCB PIN ATTENUATOR R-3         | 1 EA     |
| 11   |        | 10A1254        | P.C. PATTERN R-3               | 0 EA     |
| 12   |        | 10A1256        | SILKSCREEN R-3                 | 0 EA     |
| 14   |        | 20B1287        | SCHEMATIC R-2                  | 0 EA     |
| 16   |        | B1571-8-1/4-05 | SPACER TIN PLATED              | 4 EA     |
| 18   |        | 508-A611D      | IC SOCKET 8 PIN                | 1 EA     |
| 19   |        | 12808          | TURRET                         | 1 EA     |
| 20   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 21   |        | 2062-0000-00   | RECEPTACLE SEE 50-651-0000-31  | 1 EA     |
| 22   |        | MLSS100-4      | LOCKING HEADER                 | 1 EA     |
| 23   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 24   |        | 344-21105      | CAP 1u 100V FILM SEE 344-25105 | 1 EA     |
| 25   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 26   |        | 030-38109      | CAP 10u 63V ELECT              | 1 EA     |
| 27   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 28   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 29   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 30   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 31   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 32   |        | 344-55103      | CAP 10n 400V FILM 344-51103    | 1 EA     |
| 33   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 34   |        | 630-09472      | CAP 4700p 100V CERAMIC         | 1 EA     |
| 35   |        | 2008-104-MP50X | CAP u1 50V CHIP                | 1 EA     |
| 38   |        | 10A212P1       | COIL 7t FAB IN HOUSE R-6       | 1 EA     |
| 39   |        | 10A212P1       | COIL 7t FAB IN HOUSE R-6       | 1 EA     |
| 41   |        | MC78L12CP      | IC VOLT REG                    | 1 EA     |
| 42   |        | LM358N         | IC OP AMP                      | 1 EA     |
| 45   |        | HF50823081     | DIODE PIN                      | 1 EA     |
| 46   |        | HF50823081     | DIODE PIN                      | 1 EA     |
| 47   |        | HF50823081     | DIODE PIN                      | 1 EA     |
| 48   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 49   |        | 1N914          | DIODE SWITCHING                | 1 EA     |
| 52   |        | MP58598        | TRANSISTOR PNP GEN PURP        | 1 EA     |
| 55   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 56   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 57   |        | 3R152P562J     | RES 1/4W 5% 5K6                | 1 EA     |
| 58   |        | 3R152P103J     | RES 1/4W 5% 10K                | 1 EA     |
| 59   |        | 3329H-1-103    | POT 10K                        | 1 EA     |
| 60   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 61   |        | 3R152P431J     | RES 1/4W 5% 430                | 1 EA     |
| 62   |        | 3R152P112J     | RES 1/4W 5% 1K1                | 1 EA     |
| 63   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |
| 64   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 65   |        | 3R152P202J     | RES 1/4W 5% 2K                 | 1 EA     |
| 66   |        | 3R152P754J     | RES 1/4W 5% 750K               | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Level | Item No.  | Description        | Quantity |
|-------|-----------|--------------------|----------|
| 1     | 10A125561 | PIN ATTENUATOR ASM | 1 EA     |

| Line | Symbol | Item No.   | Description      | Quantity |
|------|--------|------------|------------------|----------|
| 67   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 68   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 69   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 70   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 71   |        | 3R152P201J | RES 1/4W 5% 200  | 1 EA     |
| 72   |        | 3R152P202J | RES 1/4W 5% 2K   | 1 EA     |
| 73   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |
| 74   |        | 3R152P471J | RES 1/4W 5% 470  | 1 EA     |
| 75   |        | 3R152P103J | RES 1/4W 5% 10K  | 1 EA     |
| 76   |        | 3R152P754J | RES 1/4W 5% 750K | 1 EA     |

Larcen Communication  
Final Handbook Parts List

| Page | Item No.  | Description                    |
|------|-----------|--------------------------------|
| 1    | 400216863 | AMP ASSY VHF LB CH4-6 R-7      |
| 2    | 30C189963 | HEATSINK ASSY LB CH5-6 R-5     |
| 3    | 10A145365 | PCB ASSY PHASE SHIFTER R-13    |
| 4    | 30C105464 | PCB ASSY LB INPUT CH 5-6 R-10  |
| 5    | 30C105562 | PCB ASSY OUTPUT LB R-7         |
| 6    | 30C182962 | CONTROL BOARD ASSY (MX10V) R-5 |
| 7    | 20B123567 | PCB METERING BOARD ASSY R-11   |
| 9    | 20B53469  | DIR CPLR QUAD 10W LB ASSY R-16 |
| 10   | 10A194262 | QUAD DIR CPLR PCB LB 10W R-2   |
| 11   | 20B111862 | BAND PASS & NOTCH FLTR ASSY R2 |
| 12   | 10A125561 | PIN ATTENUATOR ASM R-4         |