



Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	42.72	24.85	2.31	38.37	31.51	74.00	-42.49	VERTICAL	Peak
2	1682.477	42.47	25.68	2.80	37.91	33.04	74.00	-40.96	VERTICAL	Peak
3	3415.787	43.46	28.85	4.13	36.97	39.47	68.20	-28.73	VERTICAL	Peak
4	4443.453	43.67	30.73	4.83	36.81	42.42	68.20	-25.78	VERTICAL	Peak
5	10600.000	38.42	39.59	7.46	37.34	48.13	68.20	-20.07	VERTICAL	Peak
6	15900.000	35.98	38.44	9.86	35.40	48.88	74.00	-25.12	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11a; Bandwidth: 20MHz; Channel: High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	42.04	24.88	2.31	38.37	30.86	74.00	-43.14	HORIZONTAL Peak
2	1663.137	41.66	25.65	2.80	37.91	32.20	74.00	-41.80	HORIZONTAL Peak
3	3425.675	43.38	28.86	4.15	36.97	39.42	68.20	-28.78	HORIZONTAL Peak
4	4443.453	42.74	30.73	4.83	36.81	41.49	68.20	-26.71	HORIZONTAL Peak
5	10640.000	38.61	39.63	7.48	37.33	48.39	74.00	-25.61	HORIZONTAL Peak
6	15960.000	36.68	38.37	9.85	35.40	49.50	74.00	-24.50	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	41.77	24.82	2.32	38.37	30.54	74.00	-43.46	VERTICAL	Peak
2	1692.231	42.16	25.70	2.80	37.89	32.77	74.00	-41.23	VERTICAL	Peak
3	3435.590	43.16	28.87	4.16	36.97	39.22	68.20	-28.98	VERTICAL	Peak
4	4417.841	43.15	30.70	4.74	36.81	41.78	68.20	-26.42	VERTICAL	Peak
5	10640.000	38.39	39.63	7.48	37.33	48.17	74.00	-25.83	VERTICAL	Peak
6	15960.000	36.32	38.37	9.85	35.40	49.14	74.00	-24.86	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.73	24.98	2.31	38.35	30.67	68.20	-37.53	HORIZONTAL Peak
2	1677.621	42.84	25.68	2.80	37.91	33.41	74.00	-40.59	HORIZONTAL Peak
3	3455.508	43.65	28.88	4.20	36.96	39.77	68.20	-28.43	HORIZONTAL Peak
4	4050.904	43.95	29.87	4.60	36.80	41.62	74.00	-32.38	HORIZONTAL Peak
5	10520.000	37.85	39.50	7.42	37.35	47.42	68.20	-20.78	HORIZONTAL Peak
6	15780.000	35.88	38.70	9.86	35.39	49.05	74.00	-24.95	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	42.11	25.00	2.33	38.35	31.09	68.20	-37.11	VERTICAL	Peak
2	1692.231	41.34	25.70	2.80	37.89	31.95	74.00	-42.05	VERTICAL	Peak
3	3328.077	43.56	28.78	4.07	37.02	39.39	68.20	-28.81	VERTICAL	Peak
4	4469.214	43.80	30.77	4.93	36.81	42.69	68.20	-25.51	VERTICAL	Peak
5	10520.000	38.34	39.50	7.42	37.35	47.91	68.20	-20.29	VERTICAL	Peak
6	15780.000	36.22	38.70	9.86	35.39	49.39	74.00	-24.61	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.66	24.98	2.31	38.35	30.60	68.20	-37.60	HORIZONTAL	Peak
2	1672.779	43.37	25.67	2.80	37.91	33.93	74.00	-40.07	HORIZONTAL	Peak
3	3495.691	43.51	28.90	4.30	36.94	39.77	68.20	-28.43	HORIZONTAL	Peak
4	4341.886	43.57	30.57	4.67	36.81	42.00	74.00	-32.00	HORIZONTAL	Peak
5	10600.000	38.07	39.59	7.46	37.34	47.78	68.20	-20.42	HORIZONTAL	Peak
6	15900.000	36.49	38.44	9.86	35.40	49.39	74.00	-24.61	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1293.359	41.52	25.18	2.57	38.31	30.96	68.20	-37.24	VERTICAL	Peak
2	1682.477	42.32	25.68	2.80	37.91	32.89	74.00	-41.11	VERTICAL	Peak
3	3445.535	43.61	28.87	4.18	36.96	39.70	68.20	-28.50	VERTICAL	Peak
4	4430.628	43.25	30.72	4.78	36.81	41.94	68.20	-26.26	VERTICAL	Peak
5	10600.000	38.11	39.59	7.46	37.34	47.82	68.20	-20.38	VERTICAL	Peak
6	15900.000	36.45	38.44	9.86	35.40	49.35	74.00	-24.65	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1274.802	41.38	25.12	2.48	38.33	30.65	68.20	-37.55	HORIZONTAL	Peak
2	1697.129	41.89	25.71	2.80	37.89	32.51	74.00	-41.49	HORIZONTAL	Peak
3	3455.508	43.83	28.88	4.20	36.96	39.95	68.20	-28.25	HORIZONTAL	Peak
4	4392.376	43.87	30.66	4.70	36.81	42.42	74.00	-31.58	HORIZONTAL	Peak
5	10640.000	38.75	39.63	7.48	37.33	48.53	74.00	-25.47	HORIZONTAL	Peak
6	15960.000	35.85	38.37	9.85	35.40	48.67	74.00	-25.33	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	41.80	24.82	2.32	38.37	30.57	74.00	-43.43	VERTICAL	Peak
2	1692.231	42.20	25.70	2.80	37.89	32.81	74.00	-41.19	VERTICAL	Peak
3	3366.778	43.82	28.82	4.09	36.99	39.74	68.20	-28.46	VERTICAL	Peak
4	4341.886	43.59	30.57	4.67	36.81	42.02	74.00	-31.98	VERTICAL	Peak
5	10640.000	38.10	39.63	7.48	37.33	47.88	74.00	-26.12	VERTICAL	Peak
6	15960.000	35.82	38.37	9.85	35.40	48.64	74.00	-25.36	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1148.823	42.99	24.49	2.34	38.42	31.40	74.00	-42.60	HORIZONTAL Peak
2	1583.392	42.82	25.56	2.80	38.00	33.18	74.00	-40.82	HORIZONTAL Peak
3	3280.326	43.55	28.73	4.04	37.04	39.28	68.20	-28.92	HORIZONTAL Peak
4	4050.904	43.98	29.87	4.60	36.80	41.65	74.00	-32.35	HORIZONTAL Peak
5	10540.000	38.83	39.53	7.43	37.35	48.44	68.20	-19.76	HORIZONTAL Peak
6	15810.000	36.86	38.61	9.86	35.39	49.94	74.00	-24.06	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.33	25.20	2.60	38.31	30.82	74.00	-43.18	VERTICAL	Peak
2	1672.779	42.35	25.67	2.80	37.91	32.91	74.00	-41.09	VERTICAL	Peak
3	3357.061	43.79	28.81	4.09	37.01	39.68	74.00	-34.32	VERTICAL	Peak
4	4367.058	43.89	30.62	4.68	36.81	42.38	74.00	-31.62	VERTICAL	Peak
5	10540.000	38.06	39.53	7.43	37.35	47.67	68.20	-20.53	VERTICAL	Peak
6	15810.000	36.19	38.61	9.86	35.39	49.27	74.00	-24.73	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	42.05	24.98	2.31	38.35	30.99	68.20	-37.21	HORIZONTAL	Peak
2	1663.137	43.22	25.65	2.80	37.91	33.76	74.00	-40.24	HORIZONTAL	Peak
3	3252.005	44.09	28.68	4.03	37.06	39.74	68.20	-28.46	HORIZONTAL	Peak
4	4169.698	44.02	30.09	4.60	36.80	41.91	74.00	-32.09	HORIZONTAL	Peak
5	10620.000	38.56	39.59	7.46	37.34	48.27	74.00	-25.73	HORIZONTAL	Peak
6	15930.000	36.63	38.37	9.85	35.40	49.45	74.00	-24.55	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1155.483	42.12	24.51	2.38	38.42	30.59	74.00	-43.41	VERTICAL	Peak
2	1672.779	41.57	25.67	2.80	37.91	32.13	74.00	-41.87	VERTICAL	Peak
3	3485.601	43.85	28.89	4.27	36.95	40.06	68.20	-28.14	VERTICAL	Peak
4	4469.214	43.08	30.77	4.93	36.81	41.97	68.20	-26.23	VERTICAL	Peak
5	10620.000	38.48	39.59	7.46	37.34	48.19	74.00	-25.81	VERTICAL	Peak
6	15930.000	36.62	38.37	9.85	35.40	49.44	74.00	-24.56	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1293.359	41.58	25.18	2.57	38.31	31.02	68.20	-37.18	HORIZONTAL	Peak
2	1677.621	41.74	25.68	2.80	37.91	32.31	74.00	-41.69	HORIZONTAL	Peak
3	3405.929	43.26	28.85	4.11	36.98	39.24	68.20	-28.96	HORIZONTAL	Peak
4	4469.214	43.38	30.77	4.93	36.81	42.27	68.20	-25.93	HORIZONTAL	Peak
5	10520.000	37.91	39.50	7.42	37.35	47.48	68.20	-20.72	HORIZONTAL	Peak
6	15780.000	36.16	38.70	9.86	35.39	49.33	74.00	-24.67	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	42.56	24.46	2.27	38.42	30.87	74.00	-43.13	VERTICAL	Peak
2	1667.951	42.63	25.66	2.80	37.91	33.18	74.00	-40.82	VERTICAL	Peak
3	3386.297	43.39	28.83	4.10	36.99	39.33	68.20	-28.87	VERTICAL	Peak
4	4482.150	43.31	30.78	4.99	36.81	42.27	68.20	-25.93	VERTICAL	Peak
5	10520.000	38.84	39.50	7.42	37.35	48.41	68.20	-19.79	VERTICAL	Peak
6	15780.000	36.07	38.70	9.86	35.39	49.24	74.00	-24.76	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.86	24.88	2.31	38.37	30.68	74.00	-43.32	HORIZONTAL Peak
2	1682.477	42.03	25.68	2.80	37.91	32.60	74.00	-41.40	HORIZONTAL Peak
3	3495.691	43.13	28.90	4.30	36.94	39.39	68.20	-28.81	HORIZONTAL Peak
4	4341.886	43.48	30.57	4.67	36.81	41.91	74.00	-32.09	HORIZONTAL Peak
5	10600.000	37.97	39.59	7.46	37.34	47.68	68.20	-20.52	HORIZONTAL Peak
6	15900.000	35.32	38.44	9.86	35.40	48.22	74.00	-25.78	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	42.11	24.45	2.25	38.43	30.38	74.00	-43.62	VERTICAL	Peak
2	1672.779	42.80	25.67	2.80	37.91	33.36	74.00	-40.64	VERTICAL	Peak
3	3475.541	43.76	28.89	4.25	36.95	39.95	68.20	-28.25	VERTICAL	Peak
4	4456.315	42.66	30.75	4.88	36.81	41.48	68.20	-26.72	VERTICAL	Peak
5	10600.000	38.36	39.59	7.46	37.34	48.07	68.20	-20.13	VERTICAL	Peak
6	15900.000	35.58	38.44	9.86	35.40	48.48	74.00	-25.52	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.47	24.88	2.31	38.37	30.29	74.00	-43.71	HORIZONTAL	Peak
2	1672.779	42.20	25.67	2.80	37.91	32.76	74.00	-41.24	HORIZONTAL	Peak
3	3465.510	43.62	28.88	4.22	36.95	39.77	68.20	-28.43	HORIZONTAL	Peak
4	4495.125	43.14	30.80	5.05	36.82	42.17	68.20	-26.03	HORIZONTAL	Peak
5	10640.000	38.69	39.63	7.48	37.33	48.47	74.00	-25.53	HORIZONTAL	Peak
6	15960.000	36.50	38.37	9.85	35.40	49.32	74.00	-24.68	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.25	24.88	2.31	38.37	30.07	74.00	-43.93	VERTICAL	Peak
2	1663.137	42.55	25.65	2.80	37.91	33.09	74.00	-40.91	VERTICAL	Peak
3	3495.691	42.69	28.90	4.30	36.94	38.95	68.20	-29.25	VERTICAL	Peak
4	4329.354	43.78	30.54	4.67	36.81	42.18	74.00	-31.82	VERTICAL	Peak
5	10640.000	38.54	39.63	7.48	37.33	48.32	74.00	-25.68	VERTICAL	Peak
6	15960.000	36.37	38.37	9.85	35.40	49.19	74.00	-24.81	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1103.264	42.24	24.37	2.29	38.45	30.45	74.00	-43.55	HORIZONTAL	Peak
2	1687.347	42.82	25.69	2.80	37.91	33.40	74.00	-40.60	HORIZONTAL	Peak
3	3445.535	43.65	28.87	4.18	36.96	39.74	68.20	-28.46	HORIZONTAL	Peak
4	4354.454	43.44	30.59	4.68	36.81	41.90	74.00	-32.10	HORIZONTAL	Peak
5	10540.000	38.89	39.53	7.43	37.35	48.50	68.20	-19.70	HORIZONTAL	Peak
6	15810.000	36.31	38.61	9.86	35.39	49.39	74.00	-24.61	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.99	24.88	2.31	38.37	30.81	74.00	-43.19	VERTICAL	Peak
2	1667.951	41.80	25.66	2.80	37.91	32.35	74.00	-41.65	VERTICAL	Peak
3	3425.675	42.95	28.86	4.15	36.97	38.99	68.20	-29.21	VERTICAL	Peak
4	3969.767	44.29	29.77	4.60	36.81	41.85	74.00	-32.15	VERTICAL	Peak
5	10540.000	38.32	39.53	7.43	37.35	47.93	68.20	-20.27	VERTICAL	Peak
6	15810.000	36.04	38.61	9.86	35.39	49.12	74.00	-24.88	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	42.15	24.88	2.31	38.37	30.97	74.00	-43.03	HORIZONTAL	Peak
2	1682.477	42.30	25.68	2.80	37.91	32.87	74.00	-41.13	HORIZONTAL	Peak
3	3386.297	43.96	28.83	4.10	36.99	39.90	68.20	-28.30	HORIZONTAL	Peak
4	4218.186	43.74	30.22	4.60	36.81	41.75	74.00	-32.25	HORIZONTAL	Peak
5	10620.000	39.08	39.59	7.46	37.34	48.79	74.00	-25.21	HORIZONTAL	Peak
6	15930.000	35.84	38.37	9.85	35.40	48.66	74.00	-25.34	HORIZONTAL	Peak