



Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.60	24.93	2.30	38.37	30.46	74.00	-43.54	VERTICAL	Peak
2	1672.779	42.29	25.67	2.80	37.91	32.85	74.00	-41.15	VERTICAL	Peak
3	3475.541	43.90	28.89	4.25	36.95	40.09	68.20	-28.11	VERTICAL	Peak
4	4469.214	42.87	30.77	4.93	36.81	41.76	68.20	-26.44	VERTICAL	Peak
5	10620.000	38.62	39.59	7.46	37.34	48.33	74.00	-25.67	VERTICAL	Peak
6	15930.000	35.86	38.37	9.85	35.40	48.68	74.00	-25.32	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	42.07	24.85	2.31	38.37	30.86	74.00	-43.14	HORIZONTAL	Peak
2	1672.779	42.51	25.67	2.80	37.91	33.07	74.00	-40.93	HORIZONTAL	Peak
3	3485.601	43.65	28.89	4.27	36.95	39.86	68.20	-28.34	HORIZONTAL	Peak
4	4430.628	42.97	30.72	4.78	36.81	41.66	68.20	-26.54	HORIZONTAL	Peak
5	10580.000	38.12	39.56	7.45	37.34	47.79	68.20	-20.41	HORIZONTAL	Peak
6	15870.000	35.94	38.52	9.86	35.40	48.92	74.00	-25.08	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	42.44	24.48	2.32	38.42	30.82	74.00	-43.18	VERTICAL Peak
2	1682.477	42.24	25.68	2.80	37.91	32.81	74.00	-41.19	VERTICAL Peak
3	3445.535	44.17	28.87	4.18	36.96	40.26	68.20	-27.94	VERTICAL Peak
4	4379.699	43.15	30.64	4.69	36.81	41.67	74.00	-32.33	VERTICAL Peak
5	10580.000	37.65	39.56	7.45	37.34	47.32	68.20	-20.88	VERTICAL Peak
6	15870.000	35.93	38.52	9.86	35.40	48.91	74.00	-25.09	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.80	24.79	2.32	38.37	30.54	74.00	-43.46	HORIZONTAL Peak
2	1687.347	42.24	25.69	2.80	37.91	32.82	74.00	-41.18	HORIZONTAL Peak
3	3357.061	43.60	28.81	4.09	37.01	39.49	74.00	-34.51	HORIZONTAL Peak
4	4443.453	43.53	30.73	4.83	36.81	42.28	68.20	-25.92	HORIZONTAL Peak
5	11000.000	36.85	40.10	7.71	37.25	47.41	74.00	-26.59	HORIZONTAL Peak
6	16500.000	34.23	39.60	9.44	35.38	47.89	68.20	-20.31	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1155.483	42.83	24.51	2.38	38.42	31.30	74.00	-42.70	VERTICAL	Peak
2	1672.779	42.52	25.67	2.80	37.91	33.08	74.00	-40.92	VERTICAL	Peak
3	3495.691	43.68	28.90	4.30	36.94	39.94	68.20	-28.26	VERTICAL	Peak
4	4456.315	42.86	30.75	4.88	36.81	41.68	68.20	-26.52	VERTICAL	Peak
5	11000.000	36.78	40.10	7.71	37.25	47.34	74.00	-26.66	VERTICAL	Peak
6	16500.000	34.03	39.60	9.44	35.38	47.69	68.20	-20.51	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	41.53	24.52	2.40	38.42	30.03	74.00	-43.97	HORIZONTAL	Peak
2	1682.477	42.13	25.68	2.80	37.91	32.70	74.00	-41.30	HORIZONTAL	Peak
3	3405.929	43.32	28.85	4.11	36.98	39.30	68.20	-28.90	HORIZONTAL	Peak
4	4157.664	43.74	30.06	4.60	36.80	41.60	74.00	-32.40	HORIZONTAL	Peak
5	11160.000	35.99	40.04	7.90	37.21	46.72	74.00	-27.28	HORIZONTAL	Peak
6	16740.000	35.19	40.49	9.41	35.37	49.72	68.20	-18.48	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	42.50	24.45	2.25	38.43	30.77	74.00	-43.23	VERTICAL	Peak
2	1687.347	41.60	25.69	2.80	37.91	32.18	74.00	-41.82	VERTICAL	Peak
3	3435.590	43.75	28.87	4.16	36.97	39.81	68.20	-28.39	VERTICAL	Peak
4	4267.237	43.45	30.38	4.63	36.81	41.65	74.00	-32.35	VERTICAL	Peak
5	11160.000	36.55	40.04	7.90	37.21	47.28	74.00	-26.72	VERTICAL	Peak
6	16740.000	35.75	40.49	9.41	35.37	50.28	68.20	-17.92	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	42.13	24.88	2.31	38.37	30.95	74.00	-43.05	HORIZONTAL Peak
2	1697.129	42.52	25.71	2.80	37.89	33.14	74.00	-40.86	HORIZONTAL Peak
3	3308.894	43.49	28.76	4.06	37.03	39.28	68.20	-28.92	HORIZONTAL Peak
4	4329.354	43.25	30.54	4.67	36.81	41.65	74.00	-32.35	HORIZONTAL Peak
5	11400.000	38.09	39.94	8.28	37.16	49.15	74.00	-24.85	HORIZONTAL Peak
6	17100.000	32.23	42.32	9.63	35.34	48.84	68.20	-19.36	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1132.340	42.25	24.44	2.22	38.43	30.48	74.00	-43.52	VERTICAL Peak
2	1682.477	42.57	25.68	2.80	37.91	33.14	74.00	-40.86	VERTICAL Peak
3	3425.675	43.35	28.86	4.15	36.97	39.39	68.20	-28.81	VERTICAL Peak
4	4145.664	43.77	30.03	4.60	36.80	41.60	74.00	-32.40	VERTICAL Peak
5	11400.000	38.18	39.94	8.28	37.16	49.24	74.00	-24.76	VERTICAL Peak
6	17100.000	33.03	42.32	9.63	35.34	49.64	68.20	-18.56	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	42.73	24.67	2.35	38.39	31.36	74.00	-42.64	HORIZONTAL	Peak
2	1697.129	42.16	25.71	2.80	37.89	32.78	74.00	-41.22	HORIZONTAL	Peak
3	3485.601	43.26	28.89	4.27	36.95	39.47	68.20	-28.73	HORIZONTAL	Peak
4	4443.453	43.11	30.73	4.83	36.81	41.86	68.20	-26.34	HORIZONTAL	Peak
5	11000.000	36.57	40.10	7.71	37.25	47.13	74.00	-26.87	HORIZONTAL	Peak
6	16500.000	34.10	39.60	9.44	35.38	47.76	68.20	-20.44	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	42.66	24.50	2.36	38.42	31.10	74.00	-42.90	VERTICAL	Peak
2	1574.265	41.96	25.56	2.80	38.00	32.32	74.00	-41.68	VERTICAL	Peak
3	3455.508	43.64	28.88	4.20	36.96	39.76	68.20	-28.44	VERTICAL	Peak
4	4316.859	43.76	30.51	4.66	36.81	42.12	74.00	-31.88	VERTICAL	Peak
5	11000.000	36.57	40.10	7.71	37.25	47.13	74.00	-26.87	VERTICAL	Peak
6	16500.000	34.47	39.60	9.44	35.38	48.13	68.20	-20.07	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1293.359	41.19	25.18	2.57	38.31	30.63	68.20	-37.57	HORIZONTAL	Peak
2	1692.231	41.58	25.70	2.80	37.89	32.19	74.00	-41.81	HORIZONTAL	Peak
3	3366.778	43.35	28.82	4.09	36.99	39.27	68.20	-28.93	HORIZONTAL	Peak
4	4304.400	43.56	30.48	4.65	36.81	41.88	74.00	-32.12	HORIZONTAL	Peak
5	11160.000	36.24	40.04	7.90	37.21	46.97	74.00	-27.03	HORIZONTAL	Peak
6	16740.000	35.17	40.49	9.41	35.37	49.70	68.20	-18.50	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	42.16	24.62	2.37	38.40	30.75	74.00	-43.25	VERTICAL	Peak
2	1692.231	42.43	25.70	2.80	37.89	33.04	74.00	-40.96	VERTICAL	Peak
3	3445.535	43.07	28.87	4.18	36.96	39.16	68.20	-29.04	VERTICAL	Peak
4	4469.214	43.08	30.77	4.93	36.81	41.97	68.20	-26.23	VERTICAL	Peak
5	11160.000	36.41	40.04	7.90	37.21	47.14	74.00	-26.86	VERTICAL	Peak
6	16740.000	35.08	40.49	9.41	35.37	49.61	68.20	-18.59	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1220.714	41.91	24.82	2.32	38.37	30.68	74.00	-43.32	HORIZONTAL	Peak
2	1692.231	42.33	25.70	2.80	37.89	32.94	74.00	-41.06	HORIZONTAL	Peak
3	3465.510	43.57	28.88	4.22	36.95	39.72	68.20	-28.48	HORIZONTAL	Peak
4	4469.214	42.71	30.77	4.93	36.81	41.60	68.20	-26.60	HORIZONTAL	Peak
5	11400.000	37.26	39.94	8.28	37.16	48.32	74.00	-25.68	HORIZONTAL	Peak
6	17100.000	32.36	42.32	9.63	35.34	48.97	68.20	-19.23	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.67	24.79	2.32	38.37	30.41	74.00	-43.59	VERTICAL	Peak
2	1692.231	42.07	25.70	2.80	37.89	32.68	74.00	-41.32	VERTICAL	Peak
3	3425.675	43.35	28.86	4.15	36.97	39.39	68.20	-28.81	VERTICAL	Peak
4	4456.315	42.86	30.75	4.88	36.81	41.68	68.20	-26.52	VERTICAL	Peak
5	11400.000	38.02	39.94	8.28	37.16	49.08	74.00	-24.92	VERTICAL	Peak
6	17100.000	32.88	42.32	9.63	35.34	49.49	68.20	-18.71	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	43.13	24.93	2.30	38.37	31.99	74.00	-42.01	HORIZONTAL	Peak
2	1663.137	42.13	25.65	2.80	37.91	32.67	74.00	-41.33	HORIZONTAL	Peak
3	3435.590	43.03	28.87	4.16	36.97	39.09	68.20	-29.11	HORIZONTAL	Peak
4	4456.315	43.23	30.75	4.88	36.81	42.05	68.20	-26.15	HORIZONTAL	Peak
5	11020.000	37.22	40.10	7.71	37.24	47.79	74.00	-26.21	HORIZONTAL	Peak
6	16530.000	34.41	39.76	9.44	35.38	48.23	68.20	-19.97	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	42.01	25.00	2.33	38.35	30.99	68.20	-37.21	VERTICAL	Peak
2	1667.951	42.29	25.66	2.80	37.91	32.84	74.00	-41.16	VERTICAL	Peak
3	3425.675	43.60	28.86	4.15	36.97	39.64	68.20	-28.56	VERTICAL	Peak
4	4495.125	42.29	30.80	5.05	36.82	41.32	68.20	-26.88	VERTICAL	Peak
5	11020.000	36.76	40.10	7.71	37.24	47.33	74.00	-26.67	VERTICAL	Peak
6	16530.000	35.02	39.76	9.44	35.38	48.84	68.20	-19.36	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.69	24.93	2.30	38.37	30.55	74.00	-43.45	HORIZONTAL Peak
2	1672.779	42.67	25.67	2.80	37.91	33.23	74.00	-40.77	HORIZONTAL Peak
3	3475.541	43.32	28.89	4.25	36.95	39.51	68.20	-28.69	HORIZONTAL Peak
4	4417.841	43.09	30.70	4.74	36.81	41.72	68.20	-26.48	HORIZONTAL Peak
5	11100.000	37.55	40.07	7.82	37.22	48.22	74.00	-25.78	HORIZONTAL Peak
6	16650.000	34.41	40.10	9.43	35.38	48.56	68.20	-19.64	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	42.46	24.46	2.27	38.42	30.77	74.00	-43.23	VERTICAL	Peak
2	1692.231	41.37	25.70	2.80	37.89	31.98	74.00	-42.02	VERTICAL	Peak
3	3396.098	43.14	28.84	4.10	36.98	39.10	68.20	-29.10	VERTICAL	Peak
4	4218.186	44.03	30.22	4.60	36.81	42.04	74.00	-31.96	VERTICAL	Peak
5	11100.000	37.53	40.07	7.82	37.22	48.20	74.00	-25.80	VERTICAL	Peak
6	16650.000	34.14	40.10	9.43	35.38	48.29	68.20	-19.91	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.13	24.88	2.31	38.37	29.95	74.00	-44.05	HORIZONTAL Peak
2	1687.347	42.03	25.69	2.80	37.91	32.61	74.00	-41.39	HORIZONTAL Peak
3	3495.691	42.88	28.90	4.30	36.94	39.14	68.20	-29.06	HORIZONTAL Peak
4	3969.767	44.26	29.77	4.60	36.81	41.82	74.00	-32.18	HORIZONTAL Peak
5	11340.000	37.73	39.97	8.18	37.17	48.71	74.00	-25.29	HORIZONTAL Peak
6	17010.000	32.99	41.75	9.39	35.35	48.78	68.20	-19.42	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



		ReadAntenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	41.39	25.05	2.38	38.35	30.47	68.20	-37.73	VERTICAL	Peak
2	1692.231	41.84	25.70	2.80	37.89	32.45	74.00	-41.55	VERTICAL	Peak
3	3445.535	43.49	28.87	4.18	36.96	39.58	68.20	-28.62	VERTICAL	Peak
4	4482.150	42.86	30.78	4.99	36.81	41.82	68.20	-26.38	VERTICAL	Peak
5	11340.000	37.52	39.97	8.18	37.17	48.50	74.00	-25.50	VERTICAL	Peak
6	17010.000	33.49	41.75	9.39	35.35	49.28	68.20	-18.92	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.25	24.96	2.30	38.35	30.16	74.00	-43.84	HORIZONTAL	Peak
2	1663.137	42.07	25.65	2.80	37.91	32.61	74.00	-41.39	HORIZONTAL	Peak
3	3357.061	43.22	28.81	4.09	37.01	39.11	74.00	-34.89	HORIZONTAL	Peak
4	4354.454	42.92	30.59	4.68	36.81	41.38	74.00	-32.62	HORIZONTAL	Peak
5	11000.000	36.47	40.10	7.71	37.25	47.03	74.00	-26.97	HORIZONTAL	Peak
6	16500.000	34.41	39.60	9.44	35.38	48.07	68.20	-20.13	HORIZONTAL	Peak