



Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	44.07	24.50	2.36	38.42	32.51	74.00	-41.49	VERTICAL	Peak
2	1578.822	42.14	25.56	2.80	38.00	32.50	74.00	-41.50	VERTICAL	Peak
3	3495.691	43.36	28.90	4.30	36.94	39.62	68.20	-28.58	VERTICAL	Peak
4	4329.354	43.71	30.54	4.67	36.81	42.11	74.00	-31.89	VERTICAL	Peak
5	10360.000	37.51	39.28	7.29	37.37	46.71	68.20	-21.49	VERTICAL	Peak
6	15540.000	36.12	39.05	9.88	35.39	49.66	74.00	-24.34	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	41.68	24.85	2.31	38.37	30.47	74.00	-43.53	HORIZONTAL	Peak
2	1658.337	42.39	25.65	2.80	37.93	32.91	68.20	-35.29	HORIZONTAL	Peak
3	3405.929	43.33	28.85	4.11	36.98	39.31	68.20	-28.89	HORIZONTAL	Peak
4	4341.886	43.06	30.57	4.67	36.81	41.49	74.00	-32.51	HORIZONTAL	Peak
5	10400.000	38.59	39.33	7.32	37.36	47.88	68.20	-20.32	HORIZONTAL	Peak
6	15600.000	36.42	38.99	9.88	35.39	49.90	74.00	-24.10	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1148.823	42.13	24.49	2.34	38.42	30.54	74.00	-43.46	VERTICAL	Peak
2	1663.137	41.69	25.65	2.80	37.91	32.23	74.00	-41.77	VERTICAL	Peak
3	3425.675	42.99	28.86	4.15	36.97	39.03	68.20	-29.17	VERTICAL	Peak
4	4495.125	42.46	30.80	5.05	36.82	41.49	68.20	-26.71	VERTICAL	Peak
5	10400.000	38.11	39.33	7.32	37.36	47.40	68.20	-20.80	VERTICAL	Peak
6	15600.000	35.72	38.99	9.88	35.39	49.20	74.00	-24.80	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	41.12	25.17	2.55	38.31	30.53	68.20	-37.67	HORIZONTAL	Peak
2	1697.129	41.63	25.71	2.80	37.89	32.25	74.00	-41.75	HORIZONTAL	Peak
3	3495.691	42.87	28.90	4.30	36.94	39.13	68.20	-29.07	HORIZONTAL	Peak
4	4430.628	43.36	30.72	4.78	36.81	42.05	68.20	-26.15	HORIZONTAL	Peak
5	10480.000	37.90	39.46	7.40	37.36	47.40	68.20	-20.80	HORIZONTAL	Peak
6	15720.000	36.28	38.78	9.87	35.39	49.54	74.00	-24.46	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	42.01	25.19	2.58	38.31	31.47	68.20	-36.73	VERTICAL	Peak
2	1663.137	41.83	25.65	2.80	37.91	32.37	74.00	-41.63	VERTICAL	Peak
3	3357.061	43.06	28.81	4.09	37.01	38.95	74.00	-35.05	VERTICAL	Peak
4	4482.150	42.24	30.78	4.99	36.81	41.20	68.20	-27.00	VERTICAL	Peak
5	10480.000	38.22	39.46	7.40	37.36	47.72	68.20	-20.48	VERTICAL	Peak
6	15720.000	36.38	38.78	9.87	35.39	49.64	74.00	-24.36	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.37	24.88	2.31	38.37	30.19	74.00	-43.81	HORIZONTAL Peak
2	1682.477	41.06	25.68	2.80	37.91	31.63	74.00	-42.37	HORIZONTAL Peak
3	3205.345	44.02	28.60	4.00	37.09	39.53	68.20	-28.67	HORIZONTAL Peak
4	4469.214	42.73	30.77	4.93	36.81	41.62	68.20	-26.58	HORIZONTAL Peak
5	10360.000	38.46	39.28	7.29	37.37	47.66	68.20	-20.54	HORIZONTAL Peak
6	15540.000	35.59	39.05	9.88	35.39	49.13	74.00	-24.87	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.07	25.00	2.33	38.35	30.05	68.20	-38.15	VERTICAL	Peak
2	1658.337	42.27	25.65	2.80	37.93	32.79	68.20	-35.41	VERTICAL	Peak
3	3445.535	43.05	28.87	4.18	36.96	39.14	68.20	-29.06	VERTICAL	Peak
4	4405.090	42.96	30.68	4.70	36.81	41.53	68.20	-26.67	VERTICAL	Peak
5	10360.000	37.89	39.28	7.29	37.37	47.09	68.20	-21.11	VERTICAL	Peak
6	15540.000	36.16	39.05	9.88	35.39	49.70	74.00	-24.30	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	47.46	24.50	2.36	38.42	35.90	74.00	-38.10	HORIZONTAL	Peak
2	1583.392	41.38	25.56	2.80	38.00	31.74	74.00	-42.26	HORIZONTAL	Peak
3	3366.778	42.79	28.82	4.09	36.99	38.71	68.20	-29.49	HORIZONTAL	Peak
4	4495.125	42.37	30.80	5.05	36.82	41.40	68.20	-26.80	HORIZONTAL	Peak
5	10400.000	37.77	39.33	7.32	37.36	47.06	68.20	-21.14	HORIZONTAL	Peak
6	15600.000	36.32	38.99	9.88	35.39	49.80	74.00	-24.20	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	41.86	24.79	2.32	38.37	30.60	74.00	-43.40	VERTICAL	Peak
2	1692.231	41.99	25.70	2.80	37.89	32.60	74.00	-41.40	VERTICAL	Peak
3	3465.510	43.06	28.88	4.22	36.95	39.21	68.20	-28.99	VERTICAL	Peak
4	4329.354	43.43	30.54	4.67	36.81	41.83	74.00	-32.17	VERTICAL	Peak
5	10400.000	37.39	39.33	7.32	37.36	46.68	68.20	-21.52	VERTICAL	Peak
6	15600.000	35.83	38.99	9.88	35.39	49.31	74.00	-24.69	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	41.36	24.91	2.31	38.37	30.21	74.00	-43.79	HORIZONTAL	Peak
2	1692.231	41.94	25.70	2.80	37.89	32.55	74.00	-41.45	HORIZONTAL	Peak
3	3386.297	42.78	28.83	4.10	36.99	38.72	68.20	-29.48	HORIZONTAL	Peak
4	4495.125	43.02	30.80	5.05	36.82	42.05	68.20	-26.15	HORIZONTAL	Peak
5	10480.000	38.21	39.46	7.40	37.36	47.71	68.20	-20.49	HORIZONTAL	Peak
6	15720.000	36.22	38.78	9.87	35.39	49.48	74.00	-24.52	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1155.483	42.22	24.51	2.38	38.42	30.69	74.00	-43.31	VERTICAL	Peak
2	1663.137	41.65	25.65	2.80	37.91	32.19	74.00	-41.81	VERTICAL	Peak
3	3475.541	42.37	28.89	4.25	36.95	38.56	68.20	-29.64	VERTICAL	Peak
4	4482.150	42.40	30.78	4.99	36.81	41.36	68.20	-26.84	VERTICAL	Peak
5	10480.000	37.66	39.46	7.40	37.36	47.16	68.20	-21.04	VERTICAL	Peak
6	15720.000	36.62	38.78	9.87	35.39	49.88	74.00	-24.12	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	40.84	25.19	2.58	38.31	30.30	68.20	-37.90	HORIZONTAL	Peak
2	1587.975	42.39	25.57	2.80	37.98	32.78	74.00	-41.22	HORIZONTAL	Peak
3	3445.535	42.98	28.87	4.18	36.96	39.07	68.20	-29.13	HORIZONTAL	Peak
4	4405.090	42.96	30.68	4.70	36.81	41.53	68.20	-26.67	HORIZONTAL	Peak
5	10380.000	37.53	39.33	7.32	37.37	46.81	68.20	-21.39	HORIZONTAL	Peak
6	15570.000	35.97	38.99	9.88	35.39	49.45	74.00	-24.55	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.53	25.20	2.60	38.31	31.02	74.00	-42.98	VERTICAL	Peak
2	1672.779	41.45	25.67	2.80	37.91	32.01	74.00	-41.99	VERTICAL	Peak
3	3347.371	43.54	28.80	4.08	37.01	39.41	74.00	-34.59	VERTICAL	Peak
4	4098.010	43.47	29.94	4.60	36.80	41.21	74.00	-32.79	VERTICAL	Peak
5	10380.000	38.21	39.33	7.32	37.37	47.49	68.20	-20.71	VERTICAL	Peak
6	15570.000	36.47	38.99	9.88	35.39	49.95	74.00	-24.05	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	42.27	24.46	2.27	38.42	30.58	74.00	-43.42	HORIZONTAL	Peak
2	1672.779	41.62	25.67	2.80	37.91	32.18	74.00	-41.82	HORIZONTAL	Peak
3	3415.787	42.89	28.85	4.13	36.97	38.90	68.20	-29.30	HORIZONTAL	Peak
4	4392.376	42.83	30.66	4.70	36.81	41.38	74.00	-32.62	HORIZONTAL	Peak
5	10460.000	38.35	39.42	7.37	37.36	47.78	68.20	-20.42	HORIZONTAL	Peak
6	15690.000	36.72	38.86	9.87	35.39	50.06	74.00	-23.94	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1199.726	42.25	24.68	2.34	38.39	30.88	74.00	-43.12	VERTICAL	Peak
2	1677.621	41.76	25.68	2.80	37.91	32.33	74.00	-41.67	VERTICAL	Peak
3	3357.061	42.91	28.81	4.09	37.01	38.80	74.00	-35.20	VERTICAL	Peak
4	4354.454	43.06	30.59	4.68	36.81	41.52	74.00	-32.48	VERTICAL	Peak
5	10460.000	37.46	39.42	7.37	37.36	46.89	68.20	-21.31	VERTICAL	Peak
6	15690.000	36.29	38.86	9.87	35.39	49.63	74.00	-24.37	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	42.29	24.50	2.36	38.42	30.73	74.00	-43.27	HORIZONTAL	Peak
2	1697.129	41.50	25.71	2.80	37.89	32.12	74.00	-41.88	HORIZONTAL	Peak
3	3435.590	43.22	28.87	4.16	36.97	39.28	68.20	-28.92	HORIZONTAL	Peak
4	4329.354	43.55	30.54	4.67	36.81	41.95	74.00	-32.05	HORIZONTAL	Peak
5	10360.000	37.98	39.28	7.29	37.37	47.18	68.20	-21.02	HORIZONTAL	Peak
6	15540.000	35.83	39.05	9.88	35.39	49.37	74.00	-24.63	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	41.00	25.19	2.58	38.31	30.46	68.20	-37.74	VERTICAL	Peak
2	1677.621	41.67	25.68	2.80	37.91	32.24	74.00	-41.76	VERTICAL	Peak
3	3455.508	43.25	28.88	4.20	36.96	39.37	68.20	-28.83	VERTICAL	Peak
4	4354.454	42.90	30.59	4.68	36.81	41.36	74.00	-32.64	VERTICAL	Peak
5	10360.000	37.77	39.28	7.29	37.37	46.97	68.20	-21.23	VERTICAL	Peak
6	15540.000	36.16	39.05	9.88	35.39	49.70	74.00	-24.30	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	44.53	24.50	2.36	38.42	32.97	74.00	-41.03	HORIZONTAL	Peak
2	1672.779	41.56	25.67	2.80	37.91	32.12	74.00	-41.88	HORIZONTAL	Peak
3	3485.601	42.98	28.89	4.27	36.95	39.19	68.20	-29.01	HORIZONTAL	Peak
4	4482.150	42.62	30.78	4.99	36.81	41.58	68.20	-26.62	HORIZONTAL	Peak
5	10400.000	38.33	39.33	7.32	37.36	47.62	68.20	-20.58	HORIZONTAL	Peak
6	15600.000	37.09	38.99	9.88	35.39	50.57	74.00	-23.43	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark	
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1210.174	41.64	24.74	2.33	38.39	30.32	74.00	-43.68	VERTICAL	Peak
2	1682.477	42.66	25.68	2.80	37.91	33.23	74.00	-40.77	VERTICAL	Peak
3	3386.297	43.44	28.83	4.10	36.99	39.38	68.20	-28.82	VERTICAL	Peak
4	4443.453	43.17	30.73	4.83	36.81	41.92	68.20	-26.28	VERTICAL	Peak
5	10400.000	38.29	39.33	7.32	37.36	47.58	68.20	-20.62	VERTICAL	Peak
6	15600.000	35.99	38.99	9.88	35.39	49.47	74.00	-24.53	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	41.49	24.52	2.40	38.42	29.99	74.00	-44.01	HORIZONTAL	Peak
2	1658.337	42.45	25.65	2.80	37.93	32.97	68.20	-35.23	HORIZONTAL	Peak
3	3425.675	43.31	28.86	4.15	36.97	39.35	68.20	-28.85	HORIZONTAL	Peak
4	4367.058	43.19	30.62	4.68	36.81	41.68	74.00	-32.32	HORIZONTAL	Peak
5	10480.000	38.05	39.46	7.40	37.36	47.55	68.20	-20.65	HORIZONTAL	Peak
6	15720.000	36.61	38.78	9.87	35.39	49.87	74.00	-24.13	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	41.75	24.52	2.40	38.42	30.25	74.00	-43.75	VERTICAL	Peak
2	1597.181	41.82	25.58	2.80	37.98	32.22	74.00	-41.78	VERTICAL	Peak
3	3357.061	42.86	28.81	4.09	37.01	38.75	74.00	-35.25	VERTICAL	Peak
4	4482.150	43.50	30.78	4.99	36.81	42.46	68.20	-25.74	VERTICAL	Peak
5	10480.000	37.88	39.46	7.40	37.36	47.38	68.20	-20.82	VERTICAL	Peak
6	15720.000	36.47	38.78	9.87	35.39	49.73	74.00	-24.27	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: Low



	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	42.05	24.46	2.27	38.42	30.36	74.00	-43.64	HORIZONTAL Peak
2	1697.129	41.24	25.71	2.80	37.89	31.86	74.00	-42.14	HORIZONTAL Peak
3	3445.535	43.27	28.87	4.18	36.96	39.36	68.20	-28.84	HORIZONTAL Peak
4	4062.629	44.38	29.88	4.60	36.80	42.06	74.00	-31.94	HORIZONTAL Peak
5	10380.000	37.82	39.33	7.32	37.37	47.10	68.20	-21.10	HORIZONTAL Peak
6	15570.000	35.98	38.99	9.88	35.39	49.46	74.00	-24.54	HORIZONTAL Peak