



Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	40.90	25.02	2.34	38.35	29.91	68.20	-38.29	VERTICAL	Peak
2	1692.231	41.73	25.70	2.80	37.89	32.34	74.00	-41.66	VERTICAL	Peak
3	3475.541	43.83	28.89	4.25	36.95	40.02	68.20	-28.18	VERTICAL	Peak
4	4443.453	43.51	30.73	4.83	36.81	42.26	68.20	-25.94	VERTICAL	Peak
5	10380.000	37.80	39.33	7.32	37.37	47.08	68.20	-21.12	VERTICAL	Peak
6	15570.000	36.00	38.99	9.88	35.39	49.48	74.00	-24.52	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	41.92	24.45	2.25	38.43	30.19	74.00	-43.81	HORIZONTAL Peak
2	1667.951	41.91	25.66	2.80	37.91	32.46	74.00	-41.54	HORIZONTAL Peak
3	3495.691	42.79	28.90	4.30	36.94	39.05	68.20	-29.15	HORIZONTAL Peak
4	4329.354	43.42	30.54	4.67	36.81	41.82	74.00	-32.18	HORIZONTAL Peak
5	10460.000	37.81	39.42	7.37	37.36	47.24	68.20	-20.96	HORIZONTAL Peak
6	15690.000	36.77	38.86	9.87	35.39	50.11	74.00	-23.89	HORIZONTAL Peak

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	40.77	25.16	2.53	38.33	30.13	68.20	-38.07	VERTICAL	Peak
2	1692.231	41.41	25.70	2.80	37.89	32.02	74.00	-41.98	VERTICAL	Peak
3	3376.523	43.11	28.83	4.09	36.99	39.04	68.20	-29.16	VERTICAL	Peak
4	4367.058	42.76	30.62	4.68	36.81	41.25	74.00	-32.75	VERTICAL	Peak
5	10460.000	37.64	39.42	7.37	37.36	47.07	68.20	-21.13	VERTICAL	Peak
6	15690.000	36.71	38.86	9.87	35.39	50.05	74.00	-23.95	VERTICAL	Peak

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.02	25.20	2.60	38.31	30.51	74.00	-43.49	HORIZONTAL	Peak
2	1697.129	41.63	25.71	2.80	37.89	32.25	74.00	-41.75	HORIZONTAL	Peak
3	3415.787	43.69	28.85	4.13	36.97	39.70	68.20	-28.50	HORIZONTAL	Peak
4	4456.315	42.88	30.75	4.88	36.81	41.70	68.20	-26.50	HORIZONTAL	Peak
5	10420.000	37.73	39.38	7.35	37.36	47.10	68.20	-21.10	HORIZONTAL	Peak
6	15630.000	36.30	38.92	9.87	35.39	49.70	74.00	-24.30	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	41.53	24.46	2.27	38.42	29.84	74.00	-44.16	VERTICAL	Peak
2	1597.181	41.98	25.58	2.80	37.98	32.38	74.00	-41.62	VERTICAL	Peak
3	3465.510	42.69	28.88	4.22	36.95	38.84	68.20	-29.36	VERTICAL	Peak
4	4495.125	42.62	30.80	5.05	36.82	41.65	68.20	-26.55	VERTICAL	Peak
5	10420.000	38.05	39.38	7.35	37.36	47.42	68.20	-20.78	VERTICAL	Peak
6	15630.000	36.76	38.92	9.87	35.39	50.16	74.00	-23.84	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	41.38	24.88	2.31	38.37	30.20	74.00	-43.80	HORIZONTAL	Peak
2	1653.550	41.52	25.64	2.80	37.93	32.03	68.20	-36.17	HORIZONTAL	Peak
3	3435.590	42.85	28.87	4.16	36.97	38.91	68.20	-29.29	HORIZONTAL	Peak
4	4329.354	43.31	30.54	4.67	36.81	41.71	74.00	-32.29	HORIZONTAL	Peak
5	10520.000	37.91	39.50	7.42	37.35	47.48	68.20	-20.72	HORIZONTAL	Peak
6	15780.000	37.37	38.70	9.86	35.39	50.54	74.00	-23.46	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	46.37	24.50	2.36	38.42	34.81	74.00	-39.19	VERTICAL	Peak
2	1587.975	42.71	25.57	2.80	37.98	33.10	74.00	-40.90	VERTICAL	Peak
3	3386.297	43.63	28.83	4.10	36.99	39.57	68.20	-28.63	VERTICAL	Peak
4	4341.886	42.98	30.57	4.67	36.81	41.41	74.00	-32.59	VERTICAL	Peak
5	10520.000	38.27	39.50	7.42	37.35	47.84	68.20	-20.36	VERTICAL	Peak
6	15780.000	36.19	38.70	9.86	35.39	49.36	74.00	-24.64	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	40.92	25.17	2.55	38.31	30.33	68.20	-37.87	HORIZONTAL	Peak
2	1697.129	41.50	25.71	2.80	37.89	32.12	74.00	-41.88	HORIZONTAL	Peak
3	3435.590	43.31	28.87	4.16	36.97	39.37	68.20	-28.83	HORIZONTAL	Peak
4	4145.664	43.57	30.03	4.60	36.80	41.40	74.00	-32.60	HORIZONTAL	Peak
5	10600.000	38.66	39.59	7.46	37.34	48.37	68.20	-19.83	HORIZONTAL	Peak
6	15900.000	36.28	38.44	9.86	35.40	49.18	74.00	-24.82	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.29	24.93	2.30	38.37	30.15	74.00	-43.85	VERTICAL	Peak
2	1672.779	41.69	25.67	2.80	37.91	32.25	74.00	-41.75	VERTICAL	Peak
3	3252.005	43.53	28.68	4.03	37.06	39.18	68.20	-29.02	VERTICAL	Peak
4	4230.396	43.57	30.26	4.61	36.81	41.63	74.00	-32.37	VERTICAL	Peak
5	10600.000	38.42	39.59	7.46	37.34	48.13	68.20	-20.07	VERTICAL	Peak
6	15900.000	35.32	38.44	9.86	35.40	48.22	74.00	-25.78	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.48	24.93	2.30	38.37	30.34	74.00	-43.66	HORIZONTAL	Peak
2	1682.477	41.56	25.68	2.80	37.91	32.13	74.00	-41.87	HORIZONTAL	Peak
3	3455.508	42.73	28.88	4.20	36.96	38.85	68.20	-29.35	HORIZONTAL	Peak
4	4469.214	42.18	30.77	4.93	36.81	41.07	68.20	-27.13	HORIZONTAL	Peak
5	10640.000	37.70	39.63	7.48	37.33	47.48	74.00	-26.52	HORIZONTAL	Peak
6	15960.000	35.52	38.37	9.85	35.40	48.34	74.00	-25.66	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	40.48	25.20	2.60	38.31	29.97	74.00	-44.03	VERTICAL	Peak
2	1702.042	41.55	25.72	2.80	37.89	32.18	74.00	-41.82	VERTICAL	Peak
3	3485.601	42.76	28.89	4.27	36.95	38.97	68.20	-29.23	VERTICAL	Peak
4	4354.454	43.69	30.59	4.68	36.81	42.15	74.00	-31.85	VERTICAL	Peak
5	10640.000	38.71	39.63	7.48	37.33	48.49	74.00	-25.51	VERTICAL	Peak
6	15960.000	35.87	38.37	9.85	35.40	48.69	74.00	-25.31	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.40	24.98	2.31	38.35	30.34	68.20	-37.86	HORIZONTAL Peak
2	1702.042	41.88	25.72	2.80	37.89	32.51	74.00	-41.49	HORIZONTAL Peak
3	3485.601	42.99	28.89	4.27	36.95	39.20	68.20	-29.00	HORIZONTAL Peak
4	4230.396	43.92	30.26	4.61	36.81	41.98	74.00	-32.02	HORIZONTAL Peak
5	10520.000	37.29	39.50	7.42	37.35	46.86	68.20	-21.34	HORIZONTAL Peak
6	15780.000	35.59	38.70	9.86	35.39	48.76	74.00	-25.24	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1168.920	41.85	24.55	2.39	38.40	30.39	74.00	-43.61	VERTICAL	Peak
2	1682.477	41.73	25.68	2.80	37.91	32.30	74.00	-41.70	VERTICAL	Peak
3	3495.691	43.27	28.90	4.30	36.94	39.53	68.20	-28.67	VERTICAL	Peak
4	4495.125	42.83	30.80	5.05	36.82	41.86	68.20	-26.34	VERTICAL	Peak
5	10520.000	38.16	39.50	7.42	37.35	47.73	68.20	-20.47	VERTICAL	Peak
6	15780.000	35.62	38.70	9.86	35.39	48.79	74.00	-25.21	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	41.41	25.10	2.44	38.33	30.62	68.20	-37.58	HORIZONTAL	Peak
2	1658.337	41.52	25.65	2.80	37.93	32.04	68.20	-36.16	HORIZONTAL	Peak
3	3475.541	42.53	28.89	4.25	36.95	38.72	68.20	-29.48	HORIZONTAL	Peak
4	4482.150	42.85	30.78	4.99	36.81	41.81	68.20	-26.39	HORIZONTAL	Peak
5	10600.000	38.69	39.59	7.46	37.34	48.40	68.20	-19.80	HORIZONTAL	Peak
6	15900.000	35.80	38.44	9.86	35.40	48.70	74.00	-25.30	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	41.18	25.02	2.34	38.35	30.19	68.20	-38.01	VERTICAL	Peak
2	1625.121	41.11	25.61	2.80	37.95	31.57	74.00	-42.43	VERTICAL	Peak
3	3396.098	43.46	28.84	4.10	36.98	39.42	68.20	-28.78	VERTICAL	Peak
4	4379.699	42.94	30.64	4.69	36.81	41.46	74.00	-32.54	VERTICAL	Peak
5	10600.000	38.49	39.59	7.46	37.34	48.20	68.20	-20.00	VERTICAL	Peak
6	15900.000	36.74	38.44	9.86	35.40	49.64	74.00	-24.36	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1182.513	41.71	24.60	2.37	38.40	30.28	74.00	-43.72	HORIZONTAL	Peak
2	1677.621	41.97	25.68	2.80	37.91	32.54	74.00	-41.46	HORIZONTAL	Peak
3	3485.601	43.31	28.89	4.27	36.95	39.52	68.20	-28.68	HORIZONTAL	Peak
4	4495.125	42.42	30.80	5.05	36.82	41.45	68.20	-26.75	HORIZONTAL	Peak
5	10640.000	38.54	39.63	7.48	37.33	48.32	74.00	-25.68	HORIZONTAL	Peak
6	15960.000	35.29	38.37	9.85	35.40	48.11	74.00	-25.89	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.21	24.96	2.30	38.35	30.12	74.00	-43.88	VERTICAL	Peak
2	1569.721	42.30	25.55	2.80	38.00	32.65	74.00	-41.35	VERTICAL	Peak
3	3465.510	42.73	28.88	4.22	36.95	38.88	68.20	-29.32	VERTICAL	Peak
4	4482.150	42.11	30.78	4.99	36.81	41.07	68.20	-27.13	VERTICAL	Peak
5	10640.000	37.79	39.63	7.48	37.33	47.57	74.00	-26.43	VERTICAL	Peak
6	15960.000	36.10	38.37	9.85	35.40	48.92	74.00	-25.08	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1260.149	40.90	25.07	2.40	38.35	30.02	68.20	-38.18	HORIZONTAL	Peak
2	1672.779	42.17	25.67	2.80	37.91	32.73	74.00	-41.27	HORIZONTAL	Peak
3	3435.590	42.87	28.87	4.16	36.97	38.93	68.20	-29.27	HORIZONTAL	Peak
4	4482.150	42.04	30.78	4.99	36.81	41.00	68.20	-27.20	HORIZONTAL	Peak
5	10540.000	37.57	39.53	7.43	37.35	47.18	68.20	-21.02	HORIZONTAL	Peak
6	15810.000	36.07	38.61	9.86	35.39	49.15	74.00	-24.85	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	41.66	25.10	2.44	38.33	30.87	68.20	-37.33	VERTICAL	Peak
2	1692.231	41.94	25.70	2.80	37.89	32.55	74.00	-41.45	VERTICAL	Peak
3	3485.601	42.39	28.89	4.27	36.95	38.60	68.20	-29.60	VERTICAL	Peak
4	4495.125	42.66	30.80	5.05	36.82	41.69	68.20	-26.51	VERTICAL	Peak
5	10540.000	37.31	39.53	7.43	37.35	46.92	68.20	-21.28	VERTICAL	Peak
6	15810.000	36.41	38.61	9.86	35.39	49.49	74.00	-24.51	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.06	25.20	2.60	38.31	30.55	74.00	-43.45	HORIZONTAL	Peak
2	1697.129	41.45	25.71	2.80	37.89	32.07	74.00	-41.93	HORIZONTAL	Peak
3	3386.297	43.13	28.83	4.10	36.99	39.07	68.20	-29.13	HORIZONTAL	Peak
4	4495.125	42.23	30.80	5.05	36.82	41.26	68.20	-26.94	HORIZONTAL	Peak
5	10620.000	38.93	39.59	7.46	37.34	48.64	74.00	-25.36	HORIZONTAL	Peak
6	15930.000	35.54	38.37	9.85	35.40	48.36	74.00	-25.64	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1278.492	41.09	25.14	2.50	38.33	30.40	68.20	-37.80	VERTICAL	Peak
2	1648.778	42.22	25.63	2.80	37.93	32.72	68.20	-35.48	VERTICAL	Peak
3	3475.541	43.06	28.89	4.25	36.95	39.25	68.20	-28.95	VERTICAL	Peak
4	4193.872	43.46	30.15	4.60	36.81	41.40	74.00	-32.60	VERTICAL	Peak
5	10620.000	38.84	39.59	7.46	37.34	48.55	74.00	-25.45	VERTICAL	Peak
6	15930.000	35.32	38.37	9.85	35.40	48.14	74.00	-25.86	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	40.95	25.02	2.34	38.35	29.96	68.20	-38.24	HORIZONTAL	Peak
2	1667.951	41.99	25.66	2.80	37.91	32.54	74.00	-41.46	HORIZONTAL	Peak
3	3396.098	42.92	28.84	4.10	36.98	38.88	68.20	-29.32	HORIZONTAL	Peak
4	4405.090	42.35	30.68	4.70	36.81	40.92	68.20	-27.28	HORIZONTAL	Peak
5	10520.000	37.35	39.50	7.42	37.35	46.92	68.20	-21.28	HORIZONTAL	Peak
6	15780.000	35.64	38.70	9.86	35.39	48.81	74.00	-25.19	HORIZONTAL	Peak