



Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	41.39	24.48	2.32	38.42	29.77	74.00	-44.23	VERTICAL	Peak
2	1653.550	41.45	25.64	2.80	37.93	31.96	68.20	-36.24	VERTICAL	Peak
3	3485.601	42.98	28.89	4.27	36.95	39.19	68.20	-29.01	VERTICAL	Peak
4	4341.886	43.30	30.57	4.67	36.81	41.73	74.00	-32.27	VERTICAL	Peak
5	11400.000	37.27	39.94	8.28	37.16	48.33	74.00	-25.67	VERTICAL	Peak
6	17100.000	31.64	42.32	9.63	35.34	48.25	68.20	-19.95	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1271.123	40.96	25.11	2.46	38.33	30.20	68.20	-38.00	HORIZONTAL	Peak
2	1672.779	41.52	25.67	2.80	37.91	32.08	74.00	-41.92	HORIZONTAL	Peak
3	3475.541	43.10	28.89	4.25	36.95	39.29	68.20	-28.91	HORIZONTAL	Peak
4	4405.090	42.89	30.68	4.70	36.81	41.46	68.20	-26.74	HORIZONTAL	Peak
5	11020.000	36.34	40.10	7.71	37.24	46.91	74.00	-27.09	HORIZONTAL	Peak
6	16530.000	33.79	39.76	9.44	35.38	47.61	68.20	-20.59	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	41.62	25.03	2.36	38.35	30.66	68.20	-37.54	VERTICAL	Peak
2	1574.265	41.84	25.56	2.80	38.00	32.20	74.00	-41.80	VERTICAL	Peak
3	3475.541	42.95	28.89	4.25	36.95	39.14	68.20	-29.06	VERTICAL	Peak
4	4039.212	43.81	29.85	4.60	36.80	41.46	74.00	-32.54	VERTICAL	Peak
5	11020.000	36.77	40.10	7.71	37.24	47.34	74.00	-26.66	VERTICAL	Peak
6	16530.000	34.21	39.76	9.44	35.38	48.03	68.20	-20.17	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	41.53	24.45	2.25	38.43	29.80	74.00	-44.20	HORIZONTAL	Peak
2	1702.042	41.25	25.72	2.80	37.89	31.88	74.00	-42.12	HORIZONTAL	Peak
3	3366.778	43.14	28.82	4.09	36.99	39.06	68.20	-29.14	HORIZONTAL	Peak
4	3935.493	44.37	29.73	4.60	36.82	41.88	74.00	-32.12	HORIZONTAL	Peak
5	11100.000	36.87	40.07	7.82	37.22	47.54	74.00	-26.46	HORIZONTAL	Peak
6	16650.000	34.28	40.10	9.43	35.38	48.43	68.20	-19.77	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1142.201	41.93	24.47	2.30	38.42	30.28	74.00	-43.72	VERTICAL	Peak
2	1658.337	42.16	25.65	2.80	37.93	32.68	68.20	-35.52	VERTICAL	Peak
3	3357.061	43.06	28.81	4.09	37.01	38.95	74.00	-35.05	VERTICAL	Peak
4	4456.315	42.49	30.75	4.88	36.81	41.31	68.20	-26.89	VERTICAL	Peak
5	11100.000	36.80	40.07	7.82	37.22	47.47	74.00	-26.53	VERTICAL	Peak
6	16650.000	34.56	40.10	9.43	35.38	48.71	68.20	-19.49	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.36	24.96	2.30	38.35	30.27	74.00	-43.73	HORIZONTAL Peak
2	1682.477	41.64	25.68	2.80	37.91	32.21	74.00	-41.79	HORIZONTAL Peak
3	3475.541	43.68	28.89	4.25	36.95	39.87	68.20	-28.33	HORIZONTAL Peak
4	4169.698	43.63	30.09	4.60	36.80	41.52	74.00	-32.48	HORIZONTAL Peak
5	11340.000	37.54	39.97	8.18	37.17	48.52	74.00	-25.48	HORIZONTAL Peak
6	17010.000	32.96	41.75	9.39	35.35	48.75	68.20	-19.45	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	40.92	25.02	2.34	38.35	29.93	68.20	-38.27	VERTICAL	Peak
2	1677.621	41.11	25.68	2.80	37.91	31.68	74.00	-42.32	VERTICAL	Peak
3	3455.508	43.20	28.88	4.20	36.96	39.32	68.20	-28.88	VERTICAL	Peak
4	4379.699	42.95	30.64	4.69	36.81	41.47	74.00	-32.53	VERTICAL	Peak
5	11340.000	36.90	39.97	8.18	37.17	47.88	74.00	-26.12	VERTICAL	Peak
6	17010.000	33.28	41.75	9.39	35.35	49.07	68.20	-19.13	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1142.201	41.33	24.47	2.30	38.42	29.68	74.00	-44.32	HORIZONTAL Peak
2	1672.779	41.70	25.67	2.80	37.91	32.26	74.00	-41.74	HORIZONTAL Peak
3	3465.510	43.48	28.88	4.22	36.95	39.63	68.20	-28.57	HORIZONTAL Peak
4	4291.977	43.32	30.45	4.64	36.81	41.60	74.00	-32.40	HORIZONTAL Peak
5	11000.000	36.34	40.10	7.71	37.25	46.90	74.00	-27.10	HORIZONTAL Peak
6	16500.000	34.19	39.60	9.44	35.38	47.85	68.20	-20.35	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1271.123	41.49	25.11	2.46	38.33	30.73	68.20	-37.47	VERTICAL	Peak
2	1672.779	42.01	25.67	2.80	37.91	32.57	74.00	-41.43	VERTICAL	Peak
3	3495.691	43.02	28.90	4.30	36.94	39.28	68.20	-28.92	VERTICAL	Peak
4	4329.354	42.60	30.54	4.67	36.81	41.00	74.00	-33.00	VERTICAL	Peak
5	11000.000	36.91	40.10	7.71	37.25	47.47	74.00	-26.53	VERTICAL	Peak
6	16500.000	33.95	39.60	9.44	35.38	47.61	68.20	-20.59	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1182.513	41.72	24.60	2.37	38.40	30.29	74.00	-43.71	HORIZONTAL	Peak
2	1629.825	41.26	25.61	2.80	37.95	31.72	68.20	-36.48	HORIZONTAL	Peak
3	3465.510	43.34	28.88	4.22	36.95	39.49	68.20	-28.71	HORIZONTAL	Peak
4	4291.977	43.07	30.45	4.64	36.81	41.35	74.00	-32.65	HORIZONTAL	Peak
5	11160.000	36.09	40.04	7.90	37.21	46.82	74.00	-27.18	HORIZONTAL	Peak
6	16740.000	34.60	40.49	9.41	35.37	49.13	68.20	-19.07	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	41.10	25.10	2.44	38.33	30.31	68.20	-37.89	VERTICAL	Peak
2	1702.042	41.24	25.72	2.80	37.89	31.87	74.00	-42.13	VERTICAL	Peak
3	3396.098	43.00	28.84	4.10	36.98	38.96	68.20	-29.24	VERTICAL	Peak
4	4062.629	43.73	29.88	4.60	36.80	41.41	74.00	-32.59	VERTICAL	Peak
5	11160.000	36.97	40.04	7.90	37.21	47.70	74.00	-26.30	VERTICAL	Peak
6	16740.000	35.09	40.49	9.41	35.37	49.62	68.20	-18.58	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	41.70	24.91	2.31	38.37	30.55	74.00	-43.45	HORIZONTAL	Peak
2	1597.181	41.11	25.58	2.80	37.98	31.51	74.00	-42.49	HORIZONTAL	Peak
3	3475.541	42.74	28.89	4.25	36.95	38.93	68.20	-29.27	HORIZONTAL	Peak
4	4456.315	42.48	30.75	4.88	36.81	41.30	68.20	-26.90	HORIZONTAL	Peak
5	11400.000	37.94	39.94	8.28	37.16	49.00	74.00	-25.00	HORIZONTAL	Peak
6	17100.000	31.94	42.32	9.63	35.34	48.55	68.20	-19.65	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	41.83	24.50	2.36	38.42	30.27	74.00	-43.73	VERTICAL	Peak
2	1682.477	42.04	25.68	2.80	37.91	32.61	74.00	-41.39	VERTICAL	Peak
3	3465.510	43.66	28.88	4.22	36.95	39.81	68.20	-28.39	VERTICAL	Peak
4	4495.125	42.47	30.80	5.05	36.82	41.50	68.20	-26.70	VERTICAL	Peak
5	11400.000	37.83	39.94	8.28	37.16	48.89	74.00	-25.11	VERTICAL	Peak
6	17100.000	33.15	42.32	9.63	35.34	49.76	68.20	-18.44	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1168.920	41.36	24.55	2.39	38.40	29.90	74.00	-44.10	HORIZONTAL Peak
2	1702.042	41.12	25.72	2.80	37.89	31.75	74.00	-42.25	HORIZONTAL Peak
3	3396.098	42.97	28.84	4.10	36.98	38.93	68.20	-29.27	HORIZONTAL Peak
4	4482.150	43.44	30.78	4.99	36.81	42.40	68.20	-25.80	HORIZONTAL Peak
5	11020.000	36.67	40.10	7.71	37.24	47.24	74.00	-26.76	HORIZONTAL Peak
6	16530.000	34.03	39.76	9.44	35.38	47.85	68.20	-20.35	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.17	24.93	2.30	38.37	30.03	74.00	-43.97	VERTICAL	Peak
2	1663.137	41.42	25.65	2.80	37.91	31.96	74.00	-42.04	VERTICAL	Peak
3	3465.510	42.94	28.88	4.22	36.95	39.09	68.20	-29.11	VERTICAL	Peak
4	4482.150	42.84	30.78	4.99	36.81	41.80	68.20	-26.40	VERTICAL	Peak
5	11020.000	36.87	40.10	7.71	37.24	47.44	74.00	-26.56	VERTICAL	Peak
6	16530.000	34.16	39.76	9.44	35.38	47.98	68.20	-20.22	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	40.97	25.03	2.36	38.35	30.01	68.20	-38.19	HORIZONTAL	Peak
2	1587.975	42.31	25.57	2.80	37.98	32.70	74.00	-41.30	HORIZONTAL	Peak
3	3396.098	42.93	28.84	4.10	36.98	38.89	68.20	-29.31	HORIZONTAL	Peak
4	4379.699	43.47	30.64	4.69	36.81	41.99	74.00	-32.01	HORIZONTAL	Peak
5	11100.000	37.07	40.07	7.82	37.22	47.74	74.00	-26.26	HORIZONTAL	Peak
6	16650.000	34.19	40.10	9.43	35.38	48.34	68.20	-19.86	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.37	24.98	2.31	38.35	30.31	68.20	-37.89	VERTICAL	Peak
2	1663.137	41.39	25.65	2.80	37.91	31.93	74.00	-42.07	VERTICAL	Peak
3	3485.601	42.88	28.89	4.27	36.95	39.09	68.20	-29.11	VERTICAL	Peak
4	4482.150	42.15	30.78	4.99	36.81	41.11	68.20	-27.09	VERTICAL	Peak
5	11100.000	36.81	40.07	7.82	37.22	47.48	74.00	-26.52	VERTICAL	Peak
6	16650.000	33.70	40.10	9.43	35.38	47.85	68.20	-20.35	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1162.182	41.25	24.53	2.40	38.42	29.76	74.00	-44.24	HORIZONTAL Peak
2	1667.951	41.46	25.66	2.80	37.91	32.01	74.00	-41.99	HORIZONTAL Peak
3	3485.601	43.72	28.89	4.27	36.95	39.93	68.20	-28.27	HORIZONTAL Peak
4	4482.150	42.78	30.78	4.99	36.81	41.74	68.20	-26.46	HORIZONTAL Peak
5	11340.000	37.16	39.97	8.18	37.17	48.14	74.00	-25.86	HORIZONTAL Peak
6	17010.000	33.05	41.75	9.39	35.35	48.84	68.20	-19.36	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	41.85	25.20	2.60	38.31	31.34	74.00	-42.66	VERTICAL	Peak
2	1663.137	41.27	25.65	2.80	37.91	31.81	74.00	-42.19	VERTICAL	Peak
3	3415.787	43.01	28.85	4.13	36.97	39.02	68.20	-29.18	VERTICAL	Peak
4	4482.150	42.70	30.78	4.99	36.81	41.66	68.20	-26.54	VERTICAL	Peak
5	11340.000	36.89	39.97	8.18	37.17	47.87	74.00	-26.13	VERTICAL	Peak
6	17010.000	33.47	41.75	9.39	35.35	49.26	68.20	-18.94	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.37	24.96	2.30	38.35	30.28	74.00	-43.72	HORIZONTAL Peak
2	1653.550	41.67	25.64	2.80	37.93	32.18	68.20	-36.02	HORIZONTAL Peak
3	3455.508	43.17	28.88	4.20	36.96	39.29	68.20	-28.91	HORIZONTAL Peak
4	4482.150	42.26	30.78	4.99	36.81	41.22	68.20	-26.98	HORIZONTAL Peak
5	11060.000	37.16	40.09	7.74	37.23	47.76	74.00	-26.24	HORIZONTAL Peak
6	16590.000	33.95	39.93	9.43	35.38	47.93	68.20	-20.27	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	42.86	25.00	2.33	38.35	31.84	68.20	-36.36	VERTICAL	Peak
2	1672.779	41.17	25.67	2.80	37.91	31.73	74.00	-42.27	VERTICAL	Peak
3	3396.098	43.04	28.84	4.10	36.98	39.00	68.20	-29.20	VERTICAL	Peak
4	4456.315	42.75	30.75	4.88	36.81	41.57	68.20	-26.63	VERTICAL	Peak
5	11060.000	37.47	40.09	7.74	37.23	48.07	74.00	-25.93	VERTICAL	Peak
6	16590.000	35.56	39.93	9.43	35.38	49.54	68.20	-18.66	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.23	24.96	2.30	38.35	30.14	74.00	-43.86	HORIZONTAL	Peak
2	1583.392	41.70	25.56	2.80	38.00	32.06	74.00	-41.94	HORIZONTAL	Peak
3	3495.691	43.23	28.90	4.30	36.94	39.49	68.20	-28.71	HORIZONTAL	Peak
4	4379.699	43.66	30.64	4.69	36.81	42.18	74.00	-31.82	HORIZONTAL	Peak
5	11220.000	36.44	40.03	7.95	37.19	47.23	74.00	-26.77	HORIZONTAL	Peak
6	16830.000	34.72	40.94	9.40	35.37	49.69	68.20	-18.51	HORIZONTAL	Peak