



Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.66	24.96	2.30	38.35	30.57	74.00	-43.43	VERTICAL	Peak
2	1682.477	42.93	25.68	2.80	37.91	33.50	74.00	-40.50	VERTICAL	Peak
3	3485.601	43.05	28.89	4.27	36.95	39.26	68.20	-28.94	VERTICAL	Peak
4	4469.214	42.89	30.77	4.93	36.81	41.78	68.20	-26.42	VERTICAL	Peak
5	11220.000	36.27	40.03	7.95	37.19	47.06	74.00	-26.94	VERTICAL	Peak
6	16830.000	34.66	40.94	9.40	35.37	49.63	68.20	-18.57	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	41.81	24.62	2.37	38.40	30.40	74.00	-43.60	HORIZONTAL Peak
2	1663.137	41.97	25.65	2.80	37.91	32.51	74.00	-41.49	HORIZONTAL Peak
3	3405.929	43.73	28.85	4.11	36.98	39.71	68.20	-28.49	HORIZONTAL Peak
4	4291.977	43.38	30.45	4.64	36.81	41.66	74.00	-32.34	HORIZONTAL Peak
5	11490.000	34.65	39.90	8.41	37.15	45.81	74.00	-28.19	HORIZONTAL Peak
6	17235.000	31.47	43.01	10.08	35.33	49.23	68.20	-18.97	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.33	25.00	2.33	38.35	30.31	68.20	-37.89	VERTICAL	Peak
2	1682.477	40.75	25.68	2.80	37.91	31.32	74.00	-42.68	VERTICAL	Peak
3	3475.541	44.02	28.89	4.25	36.95	40.21	68.20	-27.99	VERTICAL	Peak
4	4379.699	42.50	30.64	4.69	36.81	41.02	74.00	-32.98	VERTICAL	Peak
5	11490.000	36.60	39.90	8.41	37.15	47.76	74.00	-26.24	VERTICAL	Peak
6	17235.000	30.86	43.01	10.08	35.33	48.62	68.20	-19.58	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.19	24.96	2.30	38.35	30.10	74.00	-43.90	HORIZONTAL	Peak
2	1702.042	41.33	25.72	2.80	37.89	31.96	74.00	-42.04	HORIZONTAL	Peak
3	3485.601	43.96	28.89	4.27	36.95	40.17	68.20	-28.03	HORIZONTAL	Peak
4	4341.886	42.87	30.57	4.67	36.81	41.30	74.00	-32.70	HORIZONTAL	Peak
5	11570.000	35.51	39.78	8.38	37.14	46.53	74.00	-27.47	HORIZONTAL	Peak
6	17355.000	31.02	43.40	10.39	35.32	49.49	68.20	-18.71	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	41.95	24.62	2.37	38.40	30.54	74.00	-43.46	VERTICAL	Peak
2	1672.779	41.21	25.67	2.80	37.91	31.77	74.00	-42.23	VERTICAL	Peak
3	3455.508	42.69	28.88	4.20	36.96	38.81	68.20	-29.39	VERTICAL	Peak
4	4304.400	43.07	30.48	4.65	36.81	41.39	74.00	-32.61	VERTICAL	Peak
5	11570.000	35.36	39.78	8.38	37.14	46.38	74.00	-27.62	VERTICAL	Peak
6	17355.000	31.62	43.40	10.39	35.32	50.09	68.20	-18.11	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1162.182	41.94	24.53	2.40	38.42	30.45	74.00	-43.55	HORIZONTAL	Peak
2	1692.231	41.40	25.70	2.80	37.89	32.01	74.00	-41.99	HORIZONTAL	Peak
3	3495.691	43.90	28.90	4.30	36.94	40.16	68.20	-28.04	HORIZONTAL	Peak
4	4392.376	43.35	30.66	4.70	36.81	41.90	74.00	-32.10	HORIZONTAL	Peak
5	11650.000	35.19	39.65	8.35	37.13	46.06	74.00	-27.94	HORIZONTAL	Peak
6	17475.000	29.75	43.90	10.77	35.32	49.10	68.20	-19.10	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.01	25.00	2.33	38.35	29.99	68.20	-38.21	VERTICAL	Peak
2	1667.951	41.52	25.66	2.80	37.91	32.07	74.00	-41.93	VERTICAL	Peak
3	3485.601	43.03	28.89	4.27	36.95	39.24	68.20	-28.96	VERTICAL	Peak
4	4495.125	42.44	30.80	5.05	36.82	41.47	68.20	-26.73	VERTICAL	Peak
5	11650.000	34.93	39.65	8.35	37.13	45.80	74.00	-28.20	VERTICAL	Peak
6	17475.000	29.66	43.90	10.77	35.32	49.01	68.20	-19.19	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1172.303	41.93	24.56	2.39	38.40	30.48	74.00	-43.52	HORIZONTAL	Peak
2	1663.137	41.82	25.65	2.80	37.91	32.36	74.00	-41.64	HORIZONTAL	Peak
3	3465.510	43.70	28.88	4.22	36.95	39.85	68.20	-28.35	HORIZONTAL	Peak
4	4405.090	43.14	30.68	4.70	36.81	41.71	68.20	-26.49	HORIZONTAL	Peak
5	11490.000	34.38	39.90	8.41	37.15	45.54	74.00	-28.46	HORIZONTAL	Peak
6	17235.000	31.58	43.01	10.08	35.33	49.34	68.20	-18.86	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	40.93	25.10	2.44	38.33	30.14	68.20	-38.06	VERTICAL	Peak
2	1663.137	41.85	25.65	2.80	37.91	32.39	74.00	-41.61	VERTICAL	Peak
3	3455.508	42.52	28.88	4.20	36.96	38.64	68.20	-29.56	VERTICAL	Peak
4	4329.354	43.22	30.54	4.67	36.81	41.62	74.00	-32.38	VERTICAL	Peak
5	11490.000	34.79	39.90	8.41	37.15	45.95	74.00	-28.05	VERTICAL	Peak
6	17235.000	31.54	43.01	10.08	35.33	49.30	68.20	-18.90	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.96	24.98	2.31	38.35	30.90	68.20	-37.30	HORIZONTAL	Peak
2	1592.571	41.90	25.57	2.80	37.98	32.29	74.00	-41.71	HORIZONTAL	Peak
3	3396.098	43.24	28.84	4.10	36.98	39.20	68.20	-29.00	HORIZONTAL	Peak
4	4341.886	42.77	30.57	4.67	36.81	41.20	74.00	-32.80	HORIZONTAL	Peak
5	11570.000	35.84	39.78	8.38	37.14	46.86	74.00	-27.14	HORIZONTAL	Peak
6	17355.000	30.93	43.40	10.39	35.32	49.40	68.20	-18.80	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	41.80	24.50	2.36	38.42	30.24	74.00	-43.76	VERTICAL Peak
2	1697.129	41.11	25.71	2.80	37.89	31.73	74.00	-42.27	VERTICAL Peak
3	3485.601	42.94	28.89	4.27	36.95	39.15	68.20	-29.05	VERTICAL Peak
4	4341.886	43.06	30.57	4.67	36.81	41.49	74.00	-32.51	VERTICAL Peak
5	11570.000	35.87	39.78	8.38	37.14	46.89	74.00	-27.11	VERTICAL Peak
6	17355.000	31.23	43.40	10.39	35.32	49.70	68.20	-18.50	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	41.03	24.91	2.31	38.37	29.88	74.00	-44.12	HORIZONTAL Peak
2	1658.337	41.34	25.65	2.80	37.93	31.86	68.20	-36.34	HORIZONTAL Peak
3	3141.145	43.77	28.51	3.95	37.12	39.11	68.20	-29.09	HORIZONTAL Peak
4	4329.354	43.54	30.54	4.67	36.81	41.94	74.00	-32.06	HORIZONTAL Peak
5	11650.000	35.71	39.65	8.35	37.13	46.58	74.00	-27.42	HORIZONTAL Peak
6	17475.000	31.51	43.90	10.77	35.32	50.86	68.20	-17.34	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1162.182	41.46	24.53	2.40	38.42	29.97	74.00	-44.03	VERTICAL	Peak
2	1648.778	41.23	25.63	2.80	37.93	31.73	68.20	-36.47	VERTICAL	Peak
3	3455.508	43.06	28.88	4.20	36.96	39.18	68.20	-29.02	VERTICAL	Peak
4	4495.125	42.79	30.80	5.05	36.82	41.82	68.20	-26.38	VERTICAL	Peak
5	11650.000	35.90	39.65	8.35	37.13	46.77	74.00	-27.23	VERTICAL	Peak
6	17475.000	29.93	43.90	10.77	35.32	49.28	68.20	-18.92	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1165.546	41.38	24.54	2.39	38.40	29.91	74.00	-44.09	HORIZONTAL Peak
2	1644.019	41.72	25.63	2.80	37.93	32.22	68.20	-35.98	HORIZONTAL Peak
3	3485.601	43.05	28.89	4.27	36.95	39.26	68.20	-28.94	HORIZONTAL Peak
4	4392.376	43.42	30.66	4.70	36.81	41.97	74.00	-32.03	HORIZONTAL Peak
5	11510.000	35.30	39.90	8.41	37.15	46.46	74.00	-27.54	HORIZONTAL Peak
6	17265.000	31.08	43.21	10.24	35.33	49.20	68.20	-19.00	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.03	24.93	2.30	38.37	29.89	74.00	-44.11	VERTICAL	Peak
2	1672.779	41.06	25.67	2.80	37.91	31.62	74.00	-42.38	VERTICAL	Peak
3	3465.510	43.77	28.88	4.22	36.95	39.92	68.20	-28.28	VERTICAL	Peak
4	4392.376	42.78	30.66	4.70	36.81	41.33	74.00	-32.67	VERTICAL	Peak
5	11510.000	34.41	39.90	8.41	37.15	45.57	74.00	-28.43	VERTICAL	Peak
6	17265.000	31.49	43.21	10.24	35.33	49.61	68.20	-18.59	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1297.103	40.84	25.19	2.58	38.31	30.30	68.20	-37.90	HORIZONTAL	Peak
2	1667.951	41.69	25.66	2.80	37.91	32.24	74.00	-41.76	HORIZONTAL	Peak
3	3396.098	43.16	28.84	4.10	36.98	39.12	68.20	-29.08	HORIZONTAL	Peak
4	4367.058	42.82	30.62	4.68	36.81	41.31	74.00	-32.69	HORIZONTAL	Peak
5	11590.000	34.93	39.72	8.37	37.14	45.88	74.00	-28.12	HORIZONTAL	Peak
6	17385.000	30.89	43.57	10.53	35.32	49.67	68.20	-18.53	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1263.796	40.90	25.08	2.42	38.33	30.07	68.20	-38.13	VERTICAL	Peak
2	1702.042	41.14	25.72	2.80	37.89	31.77	74.00	-42.23	VERTICAL	Peak
3	3425.675	43.23	28.86	4.15	36.97	39.27	68.20	-28.93	VERTICAL	Peak
4	4482.150	42.69	30.78	4.99	36.81	41.65	68.20	-26.55	VERTICAL	Peak
5	11590.000	34.97	39.72	8.37	37.14	45.92	74.00	-28.08	VERTICAL	Peak
6	17385.000	31.46	43.57	10.53	35.32	50.24	68.20	-17.96	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1245.663	41.34	25.00	2.33	38.35	30.32	68.20	-37.88	HORIZONTAL	Peak
2	1692.231	40.80	25.70	2.80	37.89	31.41	74.00	-42.59	HORIZONTAL	Peak
3	3465.510	42.73	28.88	4.22	36.95	38.88	68.20	-29.32	HORIZONTAL	Peak
4	4367.058	43.16	30.62	4.68	36.81	41.65	74.00	-32.35	HORIZONTAL	Peak
5	11490.000	34.87	39.90	8.41	37.15	46.03	74.00	-27.97	HORIZONTAL	Peak
6	17235.000	32.22	43.01	10.08	35.33	49.98	68.20	-18.22	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	41.03	24.96	2.30	38.35	29.94	74.00	-44.06	VERTICAL	Peak
2	1672.779	41.04	25.67	2.80	37.91	31.60	74.00	-42.40	VERTICAL	Peak
3	3376.523	43.49	28.83	4.09	36.99	39.42	68.20	-28.78	VERTICAL	Peak
4	4145.664	43.59	30.03	4.60	36.80	41.42	74.00	-32.58	VERTICAL	Peak
5	11490.000	34.82	39.90	8.41	37.15	45.98	74.00	-28.02	VERTICAL	Peak
6	17235.000	31.56	43.01	10.08	35.33	49.32	68.20	-18.88	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.68	24.98	2.31	38.35	30.62	68.20	-37.58	HORIZONTAL	Peak
2	1601.804	41.52	25.58	2.80	37.98	31.92	74.00	-42.08	HORIZONTAL	Peak
3	3396.098	43.40	28.84	4.10	36.98	39.36	68.20	-28.84	HORIZONTAL	Peak
4	4405.090	42.69	30.68	4.70	36.81	41.26	68.20	-26.94	HORIZONTAL	Peak
5	11570.000	35.11	39.78	8.38	37.14	46.13	74.00	-27.87	HORIZONTAL	Peak
6	17355.000	30.94	43.40	10.39	35.32	49.41	68.20	-18.79	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1165.546	41.59	24.54	2.39	38.40	30.12	74.00	-43.88	VERTICAL	Peak
2	1697.129	41.76	25.71	2.80	37.89	32.38	74.00	-41.62	VERTICAL	Peak
3	3465.510	43.00	28.88	4.22	36.95	39.15	68.20	-29.05	VERTICAL	Peak
4	4417.841	42.77	30.70	4.74	36.81	41.40	68.20	-26.80	VERTICAL	Peak
5	11570.000	36.06	39.78	8.38	37.14	47.08	74.00	-26.92	VERTICAL	Peak
6	17355.000	30.58	43.40	10.39	35.32	49.05	68.20	-19.15	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.09	24.98	2.31	38.35	30.03	68.20	-38.17	HORIZONTAL	Peak
2	1663.137	42.02	25.65	2.80	37.91	32.56	74.00	-41.44	HORIZONTAL	Peak
3	3485.601	42.31	28.89	4.27	36.95	38.52	68.20	-29.68	HORIZONTAL	Peak
4	4405.090	43.09	30.68	4.70	36.81	41.66	68.20	-26.54	HORIZONTAL	Peak
5	11650.000	35.26	39.65	8.35	37.13	46.13	74.00	-27.87	HORIZONTAL	Peak
6	17475.000	30.23	43.90	10.77	35.32	49.58	68.20	-18.62	HORIZONTAL	Peak