Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-18
Test Frequency	:5190 MHz	Temp./Humi.	:25.1/69
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.40	Average	37.04	15.11	52.15	54.00	-1.85
5148.40	Peak	55.50	15.11	70.61	74.00	-3.39
5150.00	Average	37.13	15.12	52.25	54.00	-1.75
5150.00	Peak	53.46	15.12	68.58	74.00	-5.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-18
Test Frequency	:5190 MHz	Temp./Humi.	:25.1/69
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5149.00	Average	34.79	15.11	49.90	54.00	-4.10
5149.00	Peak	52.39	15.11	67.50	74.00	-6.50
5150.00	Average	34.72	15.12	49.84	54.00	-4.16
5150.00	Peak	50.48	15.12	65.60	74.00	-8.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-11
Test Frequency	:5190 MHz	Temp./Humi.	:23.8/55
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.16	Average	31.66	15.11	46.77	54.00	-7.23
5148.16	Peak	44.84	15.11	59.95	74.00	-14.05
5150.00	Average	31.97	15.12	47.09	54.00	-6.91
5150.00	Peak	43.49	15.12	58.61	74.00	-15.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-11
Test Frequency	:5190 MHz	Temp./Humi.	:23.8/55
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5149.00	Average	30.74	15.11	45.85	54.00	-8.15
5149.00	Peak	43.70	15.11	58.81	74.00	-15.19
5150.00	Average	30.79	15.12	45.91	54.00	-8.09
5150.00	Peak	42.60	15.12	57.72	74.00	-16.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-18
Test Frequency	:5310 MHz	Temp./Humi.	:25.1/69
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.76	15.60	52.36	54.00	-1.64
5350.00	Peak	48.62	15.60	64.22	74.00	-9.78
5353.16	Average	36.54	15.62	52.16	54.00	-1.84
5353.16	Peak	51.41	15.62	67.03	74.00	-6.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-18
Test Frequency	:5310 MHz	Temp./Humi.	:25.1/69
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	32.94	15.60	48.54	54.00	-5.46
5350.00	Peak	45.08	15.60	60.68	74.00	-13.32
5355.80	Average	33.13	15.64	48.77	54.00	-5.23
5355.80	Peak	46.41	15.64	62.05	74.00	-11.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-18
Test Frequency	:5310 MHz	Temp./Humi.	:23.6/68
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.87	15.60	52.47	54.00	-1.53
5350.00	Peak	50.83	15.60	66.43	74.00	-7.57
5351.84	Average	36.49	15.61	52.10	54.00	-1.90
5351.84	Peak	53.56	15.61	69.17	74.00	-4.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-18
Test Frequency	:5310 MHz	Temp./Humi.	:23.6/68
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	34.50	15.60	50.10	54.00	-3.90
5350.00	Peak	48.20	15.60	63.80	74.00	-10.20
5351.84	Average	34.33	15.61	49.94	54.00	-4.06
5351.84	Peak	49.67	15.61	65.28	74.00	-8.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5510 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5452.68	Average	32.82	15.91	48.73	54.00	-5.27
5452.68	Peak	48.61	15.91	64.52	74.00	-9.48
5460.00	Average	34.02	15.90	49.92	54.00	-4.08
5460.00	Peak	47.09	15.90	62.99	74.00	-11.01
5469.72	Peak	50.74	15.89	66.63	68.20	-1.57
5470.00	Peak	49.72	15.89	65.61	68.20	-2.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5510 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.40	Average	31.28	15.90	47.18	54.00	-6.82
5456.40	Peak	44.52	15.90	60.42	74.00	-13.58
5460.00	Average	31.55	15.90	47.45	54.00	-6.55
5460.00	Peak	43.14	15.90	59.04	74.00	-14.96
5469.48	Peak	46.39	15.89	62.28	68.20	-5.92
5470.00	Peak	45.92	15.89	61.81	68.20	-6.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5510 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.52	Average	32.88	15.90	48.78	54.00	-5.22
5459.52	Peak	46.42	15.90	62.32	74.00	-11.68
5460.00	Average	32.93	15.90	48.83	54.00	-5.17
5460.00	Peak	45.66	15.90	61.56	74.00	-12.44
5469.24	Peak	50.04	15.88	65.92	68.20	-2.28
5470.00	Peak	49.30	15.89	65.19	68.20	-3.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5510 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.76	Average	31.42	15.90	47.32	54.00	-6.68
5459.76	Peak	44.31	15.90	60.21	74.00	-13.79
5460.00	Average	31.55	15.90	47.45	54.00	-6.55
5460.00	Peak	43.35	15.90	59.25	74.00	-14.75
5466.48	Peak	46.32	15.90	62.22	68.20	-5.98
5470.00	Peak	46.11	15.89	62.00	68.20	-6.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5670 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	42.47	16.44	58.91	68.20	-9.29
5731.88	Peak	44.52	16.48	61.00	68.20	-7.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5670 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	43.20	16.44	59.64	68.20	-8.56
5726.00	Peak	44.72	16.44	61.16	68.20	-7.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5670 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	43.55	16.44	59.99	68.20	-8.21
5737.76	Peak	44.24	16.53	60.77	68.20	-7.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-12
Test Frequency	:5670 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	42.06	16.44	58.50	68.20	-9.70
5727.08	Peak	44.47	16.44	60.91	68.20	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5755 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	43.17	16.08	59.25	68.20	-8.95
5700.00	Peak	57.14	16.23	73.37	105.20	-31.83
5720.00	Peak	68.42	16.39	84.81	110.80	-25.99
5725.00	Peak	69.53	16.44	85.97	122.20	-36.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5755 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.40	16.08	58.48	68.20	-9.72
5700.00	Peak	57.38	16.23	73.61	105.20	-31.59
5720.00	Peak	68.68	16.39	85.07	110.80	-25.73
5725.00	Peak	69.75	16.44	86.19	122.20	-36.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5755 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.94	16.08	58.02	68.20	-10.18
5700.00	Peak	50.26	16.23	66.49	105.20	-38.71
5720.00	Peak	66.28	16.39	82.67	110.80	-28.13
5725.00	Peak	69.84	16.44	86.28	122.20	-35.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5755 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.50	16.08	57.58	68.20	-10.62
5700.00	Peak	50.44	16.23	66.67	105.20	-38.53
5720.00	Peak	65.04	16.39	81.43	110.80	-29.37
5725.00	Peak	69.37	16.44	85.81	122.20	-36.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5795 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	54.87	16.85	71.72	122.20	-50.48
5855.00	Peak	55.12	16.84	71.96	110.80	-38.84
5875.00	Peak	47.81	16.77	64.58	105.20	-40.62
5925.00	Peak	40.92	16.94	57.86	68.20	-10.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5795 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	55.78	16.85	72.63	122.20	-49.57
5855.00	Peak	53.91	16.84	70.75	110.80	-40.05
5875.00	Peak	49.20	16.77	65.97	105.20	-39.23
5925.00	Peak	40.93	16.94	57.87	68.20	-10.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5795 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	49.37	16.85	66.22	122.20	-55.98
5855.00	Peak	48.69	16.84	65.53	110.80	-45.27
5875.00	Peak	42.02	16.77	58.79	105.20	-46.41
5925.00	Peak	40.64	16.94	57.58	68.20	-10.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-12
Test Frequency	:5795 MHz	Temp./Humi.	:23.6/54
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	49.33	16.85	66.18	122.20	-56.02
5855.00	Peak	48.27	16.84	65.11	110.80	-45.69
5875.00	Peak	41.34	16.77	58.11	105.20	-47.09
5925.00	Peak	39.91	16.94	56.85	68.20	-11.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-18
Test Frequency	:5210 MHz	Temp./Humi.	:24.4/65
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5146.10	Average	36.06	15.09	51.15	54.00	-2.85
5146.10	Peak	52.22	15.09	67.31	74.00	-6.69
5150.00	Average	36.61	15.12	51.73	54.00	-2.27
5150.00	Peak	50.89	15.12	66.01	74.00	-7.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-18
Test Frequency	:5210 MHz	Temp./Humi.	:24.4/65
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.30	Average	33.73	15.11	48.84	54.00	-5.16
5148.30	Peak	48.80	15.11	63.91	74.00	-10.09
5150.00	Average	33.87	15.12	48.99	54.00	-5.01
5150.00	Peak	47.34	15.12	62.46	74.00	-11.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-12
Test Frequency	:5210 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	37.28	15.12	52.40	54.00	-1.60
5150.00	Peak	54.24	15.12	69.36	74.00	-4.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-12
Test Frequency	:5210 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5150.00	Average	32.80	15.12	47.92	54.00	-6.08
5150.00	Peak	46.96	15.12	62.08	74.00	-11.92
5150.10	Average	32.71	15.12	47.83	54.00	-6.17
5150.10	Peak	48.83	15.12	63.95	68.20	-4.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-18
Test Frequency	:5290 MHz	Temp./Humi.	:24.4/65
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.33	15.60	51.93	54.00	-2.07
5350.00	Peak	47.20	15.60	62.80	74.00	-11.20
5363.80	Average	35.13	15.69	50.82	54.00	-3.18
5363.80	Peak	51.32	15.69	67.01	74.00	-6.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-18
Test Frequency	:5290 MHz	Temp./Humi.	:24.4/65
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	32.75	15.60	48.35	54.00	-5.65
5350.00	Peak	44.59	15.60	60.19	74.00	-13.81
5364.20	Average	32.13	15.71	47.84	54.00	-6.16
5364.20	Peak	46.52	15.71	62.23	74.00	-11.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-12
Test Frequency	:5290 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	35.61	15.60	51.21	54.00	-2.79
5350.00	Peak	52.31	15.60	67.91	74.00	-6.09
5361.00	Average	34.31	15.68	49.99	54.00	-4.01
5361.00	Peak	56.81	15.68	72.49	74.00	-1.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-12
Test Frequency	:5290 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	32.57	15.60	48.17	54.00	-5.83
5350.00	Peak	50.92	15.60	66.52	74.00	-7.48
5365.10	Average	31.60	15.72	47.32	54.00	-6.68
5365.10	Peak	52.85	15.72	68.57	74.00	-5.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-12
Test Frequency	:5530 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.20	Average	35.01	15.90	50.91	54.00	-3.09
5458.20	Peak	50.17	15.90	66.07	74.00	-7.93
5460.00	Average	35.11	15.90	51.01	54.00	-2.99
5460.00	Peak	49.32	15.90	65.22	74.00	-8.78
5463.90	Peak	50.75	15.90	66.65	68.20	-1.55
5470.00	Peak	48.35	15.89	64.24	68.20	-3.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-12
Test Frequency	:5530 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.60	Average	30.93	15.90	46.83	54.00	-7.17
5456.60	Peak	45.22	15.90	61.12	74.00	-12.88
5460.00	Average	31.20	15.90	47.10	54.00	-6.90
5460.00	Peak	43.45	15.90	59.35	74.00	-14.65
5466.50	Peak	46.12	15.90	62.02	68.20	-6.18
5470.00	Peak	44.23	15.89	60.12	68.20	-8.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-12
Test Frequency	:5530 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5460.00	Average	29.97	15.90	45.87	54.00	-8.13
5460.00	Peak	47.02	15.90	62.92	74.00	-11.08
5469.70	Peak	50.59	15.89	66.48	68.20	-1.72
5470.00	Peak	50.32	15.89	66.21	68.20	-1.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-12
Test Frequency	:5530 MHz	Temp./Humi.	:22.9/61
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.30	Average	28.85	15.92	44.77	54.00	-9.23
5453.30	Peak	43.29	15.92	59.21	74.00	-14.79
5460.00	Average	28.91	15.90	44.81	54.00	-9.19
5460.00	Peak	41.97	15.90	57.87	74.00	-16.13
5469.10	Peak	45.14	15.88	61.02	68.20	-7.18
5470.00	Peak	43.45	15.89	59.34	68.20	-8.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5631.64	Peak	50.44	16.02	66.46	68.20	-1.74
5650.00	Peak	46.40	16.08	62.48	68.20	-5.72
5700.00	Peak	47.60	16.23	63.83	105.20	-41.37
5720.00	Peak	49.75	16.39	66.14	110.80	-44.66
5725.00	Peak	56.30	16.44	72.74	122.20	-49.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.19	16.08	57.27	68.20	-10.93
5700.00	Peak	42.51	16.23	58.74	105.20	-46.46
5720.00	Peak	43.67	16.39	60.06	110.80	-50.74
5725.00	Peak	48.23	16.44	64.67	122.20	-57.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	47.86	16.85	64.71	122.20	-57.49
5855.00	Peak	48.05	16.84	64.89	110.80	-45.91
5875.00	Peak	41.69	16.77	58.46	105.20	-46.74
5925.00	Peak	40.77	16.94	57.71	68.20	-10.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	44.31	16.85	61.16	122.20	-61.04
5855.00	Peak	44.44	16.84	61.28	110.80	-49.52
5875.00	Peak	40.10	16.77	56.87	105.20	-48.33
5925.00	Peak	40.82	16.94	57.76	68.20	-10.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.55	Peak	50.61	16.06	66.67	68.20	-1.53
5650.00	Peak	48.74	16.08	64.82	68.20	-3.38
5700.00	Peak	55.16	16.23	71.39	105.20	-33.81
5720.00	Peak	64.69	16.39	81.08	110.80	-29.72
5725.00	Peak	66.98	16.44	83.42	122.20	-38.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	40.14	16.08	56.22	68.20	-11.98
5700.00	Peak	48.41	16.23	64.64	105.20	-40.56
5720.00	Peak	57.55	16.39	73.94	110.80	-36.86
5725.00	Peak	59.56	16.44	76.00	122.20	-46.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	58.84	16.85	75.69	122.20	-46.51
5855.00	Peak	58.97	16.84	75.81	110.80	-34.99
5875.00	Peak	53.72	16.77	70.49	105.20	-34.71
5925.00	Peak	47.27	16.94	64.21	68.20	-3.99
5929.20	Peak	49.47	16.98	66.45	68.20	-1.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-13
Test Frequency	:5775 MHz	Temp./Humi.	:22.5/63
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	51.68	16.85	68.53	122.20	-53.67
5855.00	Peak	50.61	16.84	67.45	110.80	-43.35
5875.00	Peak	46.69	16.77	63.46	105.20	-41.74
5925.00	Peak	42.45	16.94	59.39	68.20	-8.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5118.25	Average	31.96	15.00	46.96	54.00	-7.04
5118.25	Peak	45.35	15.00	60.35	74.00	-13.65
5150.00	Average	32.10	15.12	47.22	54.00	-6.78
5150.00	Peak	43.68	15.12	58.80	74.00	-15.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5118.88	Average	31.35	15.00	46.35	54.00	-7.65
5118.88	Peak	44.93	15.00	59.93	74.00	-14.07
5150.00	Average	31.50	15.12	46.62	54.00	-7.38
5150.00	Peak	43.42	15.12	58.54	74.00	-15.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	34.79	15.60	50.39	54.00	-3.61
5350.00	Peak	45.91	15.60	61.51	74.00	-12.49
5377.40	Average	36.29	15.80	52.09	54.00	-1.91
5377.40	Peak	49.48	15.80	65.28	74.00	-8.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	31.94	15.60	47.54	54.00	-6.46
5350.00	Peak	43.07	15.60	58.67	74.00	-15.33
5378.96	Average	33.08	15.82	48.90	54.00	-5.10
5378.96	Peak	46.07	15.82	61.89	74.00	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.75	Average	37.14	15.11	52.25	54.00	-1.75
5149.75	Peak	51.10	15.11	66.21	74.00	-7.79
5150.00	Average	37.22	15.12	52.34	54.00	-1.66
5150.00	Peak	50.03	15.12	65.15	74.00	-8.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-18
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/67
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.70	Average	34.11	15.11	49.22	54.00	-4.78
5148.70	Peak	47.29	15.11	62.40	74.00	-11.60
5150.00	Average	34.05	15.12	49.17	54.00	-4.83
5150.00	Peak	46.00	15.12	61.12	74.00	-12.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-13
Test Frequency	:5250 MHz	Temp./Humi.	:24.1/68
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.85	15.60	52.45	54.00	-1.55
5350.00	Peak	53.26	15.60	68.86	74.00	-5.14
5359.07	Average	35.65	15.67	51.32	54.00	-2.68
5359.07	Peak	56.77	15.67	72.44	74.00	-1.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-13
Test Frequency	:5250 MHz	Temp./Humi.	:24.1/68
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	33.28	15.60	48.88	54.00	-5.12
5350.00	Peak	49.27	15.60	64.87	74.00	-9.13
5350.49	Average	33.05	15.60	48.65	54.00	-5.35
5350.49	Peak	52.09	15.60	67.69	74.00	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5421.45	Average	36.46	15.95	52.41	54.00	-1.59
5421.45	Peak	53.82	15.95	69.77	74.00	-4.23
5460.00	Average	36.27	15.90	52.17	54.00	-1.83
5460.00	Peak	49.38	15.90	65.28	74.00	-8.72
5463.66	Peak	50.72	15.89	66.61	68.20	-1.59
5470.00	Peak	47.73	15.89	63.62	68.20	-4.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5432.58	Average	31.52	15.93	47.45	54.00	-6.55
5432.58	Peak	45.59	15.93	61.52	74.00	-12.48
5460.00	Average	31.22	15.90	47.12	54.00	-6.88
5460.00	Peak	44.10	15.90	60.00	74.00	-14.00
5461.35	Peak	45.17	15.90	61.07	68.20	-7.13
5470.00	Peak	42.37	15.89	58.26	68.20	-9.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	42.86	16.44	59.30	68.20	-8.90
5730.23	Peak	43.99	16.48	60.47	68.20	-7.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	40.15	16.44	56.59	68.20	-11.61
5735.27	Peak	41.52	16.51	58.03	68.20	-10.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5434.05	Average	31.03	15.93	46.96	54.00	-7.04
5434.05	Peak	48.11	15.93	64.04	74.00	-9.96
5460.00	Average	32.33	15.90	48.23	54.00	-5.77
5460.00	Peak	47.13	15.90	63.03	74.00	-10.97
5461.56	Peak	50.79	15.90	66.69	68.20	-1.51
5470.00	Peak	44.99	15.89	60.88	68.20	-7.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.10	Average	29.65	15.90	45.55	54.00	-8.45
5456.10	Peak	43.00	15.90	58.90	74.00	-15.10
5460.00	Average	29.66	15.90	45.56	54.00	-8.44
5460.00	Peak	42.18	15.90	58.08	74.00	-15.92
5468.91	Peak	42.88	15.88	58.76	68.20	-9.44
5470.00	Peak	43.10	15.89	58.99	68.20	-9.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	49.11	16.44	65.55	68.20	-2.65
5727.08	Peak	50.17	16.44	66.61	68.20	-1.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-13
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:Chain B		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.62	16.44	62.06	68.20	-6.14
5736.11	Peak	47.75	16.52	64.27	68.20	-3.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.9.5 Mode: MIMO

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 1	Test Date	:2020-11-23
Test Frequency	:5180 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.68	Average	28.76	15.11	43.87	54.00	-10.13
5147.68	Peak	43.51	15.11	58.62	74.00	-15.38
5150.00	Average	28.96	15.12	44.08	54.00	-9.92
5150.00	Peak	41.98	15.12	57.10	74.00	-16.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 1	Test Date	:2020-11-23
Test Frequency	:5180 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5144.92	Average	29.01	15.10	44.11	54.00	-9.89
5144.92	Peak	43.65	15.10	58.75	74.00	-15.25
5150.00	Average	29.33	15.12	44.45	54.00	-9.55
5150.00	Peak	42.64	15.12	57.76	74.00	-16.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 2	Test Date	:2020-11-23
Test Frequency	:5320 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	29.43	15.60	45.03	54.00	-8.97
5350.00	Peak	42.70	15.60	58.30	74.00	-15.70
5353.44	Average	29.18	15.62	44.80	54.00	-9.20
5353.44	Peak	43.47	15.62	59.09	74.00	-14.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 2	Test Date	:2020-11-23
Test Frequency	:5320 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	29.51	15.60	45.11	54.00	-8.89
5350.00	Peak	42.88	15.60	58.48	74.00	-15.52
5353.44	Average	29.16	15.62	44.78	54.00	-9.22
5353.44	Peak	44.64	15.62	60.26	74.00	-13.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-11-23
Test Frequency	:5500 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5457.68	Average	29.58	15.90	45.48	54.00	-8.52
5457.68	Peak	44.22	15.90	60.12	74.00	-13.88
5460.00	Average	29.77	15.90	45.67	54.00	-8.33
5460.00	Peak	43.25	15.90	59.15	74.00	-14.85
5469.44	Peak	46.50	15.88	62.38	68.20	-5.82
5470.00	Peak	46.38	15.89	62.27	68.20	-5.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-11-23
Test Frequency	:5500 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5448.56	Average	29.02	15.92	44.94	54.00	-9.06
5448.56	Peak	43.47	15.92	59.39	74.00	-14.61
5460.00	Average	29.42	15.90	45.32	54.00	-8.68
5460.00	Peak	42.21	15.90	58.11	74.00	-15.89
5468.36	Peak	45.81	15.89	61.70	68.20	-6.50
5470.00	Peak	44.73	15.89	60.62	68.20	-7.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-11-23
Test Frequency	:5700 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	44.93	16.44	61.37	68.20	-6.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-11-23
Test Frequency	:5700 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	40.85	16.44	57.29	68.20	-10.91
5752.04	Peak	41.73	16.64	58.37	68.20	-9.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-11-23
Test Frequency	:5745 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.71	16.08	57.79	68.20	-10.41
5700.00	Peak	44.98	16.23	61.21	105.20	-43.99
5720.00	Peak	47.76	16.39	64.15	110.80	-46.65
5725.00	Peak	51.56	16.44	68.00	122.20	-54.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-11-23
Test Frequency	:5745 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	40.85	16.08	56.93	68.20	-11.27
5700.00	Peak	42.07	16.23	58.30	105.20	-46.90
5720.00	Peak	43.59	16.39	59.98	110.80	-50.82
5725.00	Peak	46.83	16.44	63.27	122.20	-58.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-11-23
Test Frequency	:5825 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	52.97	16.85	69.82	122.20	-52.38
5855.00	Peak	50.66	16.84	67.50	110.80	-43.30
5875.00	Peak	44.15	16.77	60.92	105.20	-44.28
5925.00	Peak	40.46	16.94	57.40	68.20	-10.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-11-23
Test Frequency	:5825 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	45.30	16.85	62.15	122.20	-60.05
5855.00	Peak	42.24	16.84	59.08	110.80	-51.72
5875.00	Peak	40.39	16.77	57.16	105.20	-48.04
5925.00	Peak	40.47	16.94	57.41	68.20	-10.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 1	Test Date	:2020-11-23
Test Frequency	:5190 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.72	Average	35.74	15.11	50.85	54.00	-3.15
5149.72	Peak	50.74	15.11	65.85	74.00	-8.15
5150.00	Average	35.84	15.12	50.96	54.00	-3.04
5150.00	Peak	49.98	15.12	65.10	74.00	-8.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 1	Test Date	:2020-11-23
Test Frequency	:5190 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	32.37	15.12	47.49	54.00	-6.51
5150.00	Peak	47.93	15.12	63.05	74.00	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 2	Test Date	:2020-11-24
Test Frequency	:5310 MHz	Temp./Humi.	:24.4/64
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.31	15.60	51.91	54.00	-2.09
5350.00	Peak	52.08	15.60	67.68	74.00	-6.32
5351.12	Average	35.82	15.61	51.43	54.00	-2.57
5351.12	Peak	52.70	15.61	68.31	74.00	-5.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 2	Test Date	:2020-11-24
Test Frequency	:5310 MHz	Temp./Humi.	:24.4/64
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	34.47	15.60	50.07	54.00	-3.93
5350.00	Peak	49.38	15.60	64.98	74.00	-9.02
5351.00	Average	34.14	15.60	49.74	54.00	-4.26
5351.00	Peak	50.33	15.60	65.93	74.00	-8.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 3	Test Date	:2020-11-24
Test Frequency	:5510 MHz	Temp./Humi.	:24.4/64
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.64	Average	33.58	15.90	49.48	54.00	-4.52
5459.64	Peak	49.85	15.90	65.75	74.00	-8.25
5460.00	Average	33.76	15.90	49.66	54.00	-4.34
5460.00	Peak	47.48	15.90	63.38	74.00	-10.62
5470.00	Peak	50.36	15.89	66.25	68.20	-1.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 3	Test Date	:2020-11-24
Test Frequency	:5510 MHz	Temp./Humi.	:24.4/64
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.04	Average	32.09	15.90	47.99	54.00	-6.01
5459.04	Peak	48.44	15.90	64.34	74.00	-9.66
5460.00	Average	32.18	15.90	48.08	54.00	-5.92
5460.00	Peak	45.75	15.90	61.65	74.00	-12.35
5465.64	Peak	49.44	15.90	65.34	68.20	-2.86
5470.00	Peak	48.46	15.89	64.35	68.20	-3.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 3	Test Date	:2020-11-24
Test Frequency	:5670 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.09	16.44	61.53	68.20	-6.67
5741.48	Peak	46.23	16.56	62.79	68.20	-5.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 3	Test Date	:2020-11-24
Test Frequency	:5670 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.25	16.44	61.69	68.20	-6.51
5741.12	Peak	47.46	16.56	64.02	68.20	-4.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-11-24
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	43.69	16.08	59.77	68.20	-8.43
5700.00	Peak	47.02	16.23	63.25	105.20	-41.95
5720.00	Peak	55.06	16.39	71.45	110.80	-39.35
5725.00	Peak	59.23	16.44	75.67	122.20	-46.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-11-24
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5643.07	Peak	46.06	16.06	62.12	68.20	-6.08
5650.00	Peak	43.82	16.08	59.90	68.20	-8.30
5700.00	Peak	46.71	16.23	62.94	105.20	-42.26
5720.00	Peak	55.38	16.39	71.77	110.80	-39.03
5725.00	Peak	59.00	16.44	75.44	122.20	-46.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-11-24
Test Frequency	:5795 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	48.80	16.85	65.65	122.20	-56.55
5855.00	Peak	48.98	16.84	65.82	110.80	-44.98
5875.00	Peak	44.05	16.77	60.82	105.20	-44.38
5925.00	Peak	41.87	16.94	58.81	68.20	-9.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-11-24
Test Frequency	:5795 MHz	Temp./Humi.	:24.2/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	49.02	16.85	65.87	122.20	-56.33
5855.00	Peak	49.39	16.84	66.23	110.80	-44.57
5875.00	Peak	44.37	16.77	61.14	105.20	-44.06
5925.00	Peak	40.50	16.94	57.44	68.20	-10.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 1	Test Date	:2020-11-24
Test Frequency	:5210 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5147.00	Average	36.62	15.10	51.72	54.00	-2.28
5147.00	Peak	52.17	15.10	67.27	74.00	-6.73
5150.00	Average	37.01	15.12	52.13	54.00	-1.87
5150.00	Peak	51.11	15.12	66.23	74.00	-7.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 1	Test Date	:2020-11-24
Test Frequency	:5210 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5131.40	Average	32.59	15.05	47.64	54.00	-6.36
5131.40	Peak	51.67	15.05	66.72	74.00	-7.28
5150.00	Average	35.74	15.12	50.86	54.00	-3.14
5150.00	Peak	49.18	15.12	64.30	74.00	-9.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 2	Test Date	:2020-11-24
Test Frequency	:5290 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.89	15.60	52.49	54.00	-1.51
5350.00	Peak	50.57	15.60	66.17	74.00	-7.83
5356.10	Average	35.54	15.64	51.18	54.00	-2.82
5356.10	Peak	52.00	15.64	67.64	74.00	-6.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 2	Test Date	:2020-11-24
Test Frequency	:5290 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	36.45	15.60	52.05	54.00	-1.95
5350.00	Peak	50.13	15.60	65.73	74.00	-8.27
5350.40	Average	36.23	15.60	51.83	54.00	-2.17
5350.40	Peak	51.46	15.60	67.06	74.00	-6.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 3	Test Date	:2020-11-24
Test Frequency	:5530 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5450.90	Average	31.61	15.91	47.52	54.00	-6.48
5450.90	Peak	49.53	15.91	65.44	74.00	-8.56
5460.00	Average	32.51	15.90	48.41	54.00	-5.59
5460.00	Peak	46.08	15.90	61.98	74.00	-12.02
5469.80	Peak	49.00	15.89	64.89	68.20	-3.31
5470.00	Peak	47.21	15.89	63.10	68.20	-5.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 3	Test Date	:2020-11-24
Test Frequency	:5530 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5455.80	Average	33.42	15.91	49.33	54.00	-4.67
5455.80	Peak	49.04	15.91	64.95	74.00	-9.05
5460.00	Average	34.14	15.90	50.04	54.00	-3.96
5460.00	Peak	48.14	15.90	64.04	74.00	-9.96
5468.70	Peak	49.37	15.88	65.25	68.20	-2.95
5470.00	Peak	47.94	15.89	63.83	68.20	-4.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-11-24
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.74	Peak	50.51	16.06	66.57	68.20	-1.63
5650.00	Peak	48.55	16.08	64.63	68.20	-3.57
5700.00	Peak	51.42	16.23	67.65	105.20	-37.55
5720.00	Peak	53.31	16.39	69.70	110.80	-41.10
5725.00	Peak	57.54	16.44	73.98	122.20	-48.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-11-24
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5622.94	Peak	50.13	16.00	66.13	68.20	-2.07
5650.00	Peak	48.05	16.08	64.13	68.20	-4.07
5693.98	Peak	53.95	16.21	70.16	100.75	-30.59
5700.00	Peak	47.14	16.23	63.37	105.20	-41.83
5720.00	Peak	51.99	16.39	68.38	110.80	-42.42
5725.00	Peak	55.59	16.44	72.03	122.20	-50.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-11-24
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	50.51	16.85	67.36	122.20	-54.84
5855.00	Peak	50.24	16.84	67.08	110.80	-43.72
5875.00	Peak	48.99	16.77	65.76	105.20	-39.44
5925.00	Peak	44.04	16.94	60.98	68.20	-7.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-11-24
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	53.48	16.85	70.33	122.20	-51.87
5855.00	Peak	51.15	16.84	67.99	110.80	-42.81
5875.00	Peak	49.31	16.77	66.08	105.20	-39.12
5925.00	Peak	41.90	16.94	58.84	68.20	-9.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 1	Test Date	:2020-12-21
Test Frequency	:5250 MHz	Temp./Humi.	:21.5/62
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5118.46	Average	34.54	15.00	49.54	54.00	-4.46
5118.46	Peak	53.86	15.00	68.86	74.00	-5.14
5150.00	Average	34.62	15.12	49.74	54.00	-4.26
5150.00	Peak	51.06	15.12	66.18	74.00	-7.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 1	Test Date	:2020-12-21
Test Frequency	:5250 MHz	Temp./Humi.	:21.5/62
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5127.28	Average	32.31	15.04	47.35	54.00	-6.65
5127.28	Peak	49.67	15.04	64.71	74.00	-9.29
5150.00	Average	32.91	15.12	48.03	54.00	-5.97
5150.00	Peak	48.09	15.12	63.21	74.00	-10.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 2	Test Date	:2020-12-21
Test Frequency	:5250 MHz	Temp./Humi.	:21.5/62
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	35.45	15.60	51.05	54.00	-2.95
5350.00	Peak	51.27	15.60	66.87	74.00	-7.13
5374.67	Average	36.70	15.78	52.48	54.00	-1.52
5374.67	Peak	53.38	15.78	69.16	74.00	-4.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 2	Test Date	:2020-12-21
Test Frequency	:5250 MHz	Temp./Humi.	:21.5/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	35.59	15.60	51.19	54.00	-2.81
5350.00	Peak	50.40	15.60	66.00	74.00	-8.00
5371.68	Average	36.32	15.76	52.08	54.00	-1.92
5371.68	Peak	52.87	15.76	68.63	74.00	-5.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-11-24
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5402.55	Average	35.84	15.97	51.81	54.00	-2.19
5402.55	Peak	53.18	15.97	69.15	74.00	-4.85
5460.00	Average	36.38	15.90	52.28	54.00	-1.72
5460.00	Peak	49.07	15.90	64.97	74.00	-9.03
5462.61	Peak	50.76	15.90	66.66	68.20	-1.54
5470.00	Peak	50.00	15.89	65.89	68.20	-2.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-11-24
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5454.00	Average	33.65	15.92	49.57	54.00	-4.43
5454.00	Peak	49.87	15.92	65.79	74.00	-8.21
5460.00	Average	34.01	15.90	49.91	54.00	-4.09
5460.00	Peak	47.60	15.90	63.50	74.00	-10.50
5460.72	Peak	47.92	15.90	63.82	68.20	-4.38
5470.00	Peak	46.51	15.89	62.40	68.20	-5.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-11-24
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.77	16.44	62.21	68.20	-5.99
5737.16	Peak	47.69	16.52	64.21	68.20	-3.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-11-24
Test Frequency	:5570 MHz	Temp./Humi.	:24.3/65
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	43.31	16.44	59.75	68.20	-8.45
5741.57	Peak	46.26	16.56	62.82	68.20	-5.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.9.6 Mode: MIMO (ax FULL+Partial RU)

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-24
Test Frequency	:5180 MHz	Temp./Humi.	:23.9/64
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.44	Average	30.67	15.11	45.78	54.00	-8.22
5147.44	Peak	48.02	15.11	63.13	74.00	-10.87
5150.00	Average	30.86	15.12	45.98	54.00	-8.02
5150.00	Peak	46.29	15.12	61.41	74.00	-12.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-24
Test Frequency	:5180 MHz	Temp./Humi.	:23.9/64
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	30.09	15.12	45.21	54.00	-8.79
5150.00	Peak	46.11	15.12	61.23	74.00	-12.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-24
Test Frequency	:5180 MHz	Temp./Humi.	:23.9/64
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5140.72	Average	28.67	15.08	43.75	54.00	-10.25
5140.72	Peak	43.39	15.08	58.47	74.00	-15.53
5150.00	Average	28.51	15.12	43.63	54.00	-10.37
5150.00	Peak	41.31	15.12	56.43	74.00	-17.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-24
Test Frequency	:5180 MHz	Temp./Humi.	:23.9/64
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	28.69	15.12	43.81	54.00	-10.19
5150.00	Peak	42.02	15.12	57.14	74.00	-16.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-25
Test Frequency	:5180 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5150.00	Average	28.48	15.12	43.60	54.00	-10.40
5150.00	Peak	40.50	15.12	55.62	74.00	-18.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-25
Test Frequency	:5180 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	28.48	15.12	43.60	54.00	-10.40
5150.00	Peak	40.24	15.12	55.36	74.00	-18.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-25
Test Frequency	:5180 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	28.82	15.12	43.94	54.00	-10.06
5150.00	Peak	41.57	15.12	56.69	74.00	-17.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-11-25
Test Frequency	:5180 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	28.79	15.12	43.91	54.00	-10.09
5150.00	Peak	42.39	15.12	57.51	74.00	-16.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	33.12	15.60	48.72	54.00	-5.28
5350.00	Peak	47.69	15.60	63.29	74.00	-10.71
5352.96	Average	32.34	15.62	47.96	54.00	-6.04
5352.96	Peak	48.34	15.62	63.96	74.00	-10.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	31.93	15.60	47.53	54.00	-6.47
5350.00	Peak	45.69	15.60	61.29	74.00	-12.71
5352.12	Average	31.03	15.61	46.64	54.00	-7.36
5352.12	Peak	46.69	15.61	62.30	74.00	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	29.36	15.60	44.96	54.00	-9.04
5350.00	Peak	43.52	15.60	59.12	74.00	-14.88
5378.04	Average	30.78	15.81	46.59	54.00	-7.41
5378.04	Peak	44.23	15.81	60.04	74.00	-13.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	29.81	15.60	45.41	54.00	-8.59
5350.00	Peak	41.98	15.60	57.58	74.00	-16.42
5379.00	Average	30.51	15.82	46.33	54.00	-7.67
5379.00	Peak	44.77	15.82	60.59	74.00	-13.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.9/68
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	30.81	15.60	46.41	54.00	-7.59
5350.00	Peak	43.04	15.60	58.64	74.00	-15.36
5398.68	Average	30.72	15.98	46.70	54.00	-7.30
5398.68	Peak	44.23	15.98	60.21	74.00	-13.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.9/68
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	31.03	15.60	46.63	54.00	-7.37
5350.00	Peak	42.63	15.60	58.23	74.00	-15.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.9/68
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	31.03	15.60	46.63	54.00	-7.37
5350.00	Peak	43.67	15.60	59.27	74.00	-14.73
5426.64	Average	30.66	15.95	46.61	54.00	-7.39
5426.64	Peak	44.36	15.95	60.31	74.00	-13.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-11-25
Test Frequency	:5320 MHz	Temp./Humi.	:23.9/68
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	31.38	15.60	46.98	54.00	-7.02
5350.00	Peak	42.94	15.60	58.54	74.00	-15.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.00	Average	32.98	15.90	48.88	54.00	-5.12
5459.00	Peak	46.17	15.90	62.07	74.00	-11.93
5460.00	Average	33.20	15.90	49.10	54.00	-4.90
5460.00	Peak	45.06	15.90	60.96	74.00	-13.04
5468.48	Peak	50.03	15.89	65.92	68.20	-2.28
5470.00	Peak	48.34	15.89	64.23	68.20	-3.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5460.00	Average	32.93	15.90	48.83	54.00	-5.17
5460.00	Peak	46.05	15.90	61.95	74.00	-12.05
5469.44	Peak	48.10	15.88	63.98	68.20	-4.22
5470.00	Peak	47.45	15.89	63.34	68.20	-4.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5441.84	Average	30.44	15.93	46.37	54.00	-7.63
5441.84	Peak	44.22	15.93	60.15	74.00	-13.85
5460.00	Average	30.59	15.90	46.49	54.00	-7.51
5460.00	Peak	43.86	15.90	59.76	74.00	-14.24
5464.16	Peak	43.62	15.90	59.52	68.20	-8.68
5470.00	Peak	42.09	15.89	57.98	68.20	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5420.24	Average	30.61	15.95	46.56	54.00	-7.44
5420.24	Peak	44.73	15.95	60.68	74.00	-13.32
5460.00	Average	30.99	15.90	46.89	54.00	-7.11
5460.00	Peak	42.92	15.90	58.82	74.00	-15.18
5469.80	Peak	44.24	15.89	60.13	68.20	-8.07
5470.00	Peak	43.10	15.89	58.99	68.20	-9.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5427.08	Average	30.61	15.95	46.56	54.00	-7.44
5427.08	Peak	44.93	15.95	60.88	74.00	-13.12
5460.00	Average	30.56	15.90	46.46	54.00	-7.54
5460.00	Peak	43.31	15.90	59.21	74.00	-14.79
5469.80	Peak	44.02	15.89	59.91	68.20	-8.29
5470.00	Peak	42.95	15.89	58.84	68.20	-9.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5443.88	Average	30.48	15.92	46.40	54.00	-7.60
5443.88	Peak	44.22	15.92	60.14	74.00	-13.86
5460.00	Average	30.84	15.90	46.74	54.00	-7.26
5460.00	Peak	42.44	15.90	58.34	74.00	-15.66
5468.48	Peak	44.12	15.89	60.01	68.20	-8.19
5470.00	Peak	43.29	15.89	59.18	68.20	-9.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.60	Average	30.79	15.90	46.69	54.00	-7.31
5456.60	Peak	45.23	15.90	61.13	74.00	-12.87
5460.00	Average	30.85	15.90	46.75	54.00	-7.25
5460.00	Peak	43.43	15.90	59.33	74.00	-14.67
5469.68	Peak	44.43	15.89	60.32	68.20	-7.88
5470.00	Peak	44.00	15.89	59.89	68.20	-8.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5500 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5399.96	Average	30.54	15.98	46.52	54.00	-7.48
5399.96	Peak	44.34	15.98	60.32	74.00	-13.68
5460.00	Average	30.93	15.90	46.83	54.00	-7.17
5460.00	Peak	43.29	15.90	59.19	74.00	-14.81
5461.76	Peak	44.36	15.90	60.26	68.20	-7.94
5470.00	Peak	43.23	15.89	59.12	68.20	-9.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.34	16.44	61.78	68.20	-6.42
5725.52	Peak	46.96	16.44	63.40	68.20	-4.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Peak	45.73	16.44	62.17	68.20	-6.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	41.96	16.44	58.40	68.20	-9.80
5728.88	Peak	43.68	16.46	60.14	68.20	-8.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	42.64	16.44	59.08	68.20	-9.12
5753.60	Peak	43.55	16.66	60.21	68.20	-7.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	41.18	16.44	57.62	68.20	-10.58
5778.08	Peak	43.08	16.86	59.94	68.20	-8.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	41.38	16.44	57.82	68.20	-10.38
5769.56	Peak	43.14	16.79	59.93	68.20	-8.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	41.30	16.44	57.74	68.20	-10.46
5784.20	Peak	43.15	16.91	60.06	68.20	-8.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-11-25
Test Frequency	:5700 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	41.86	16.44	58.30	68.20	-9.90
5774.60	Peak	43.22	16.82	60.04	68.20	-8.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	43.22	16.08	59.30	68.20	-8.90
5700.00	Peak	43.63	16.23	59.86	105.20	-45.34
5720.00	Peak	47.01	16.39	63.40	110.80	-47.40
5725.00	Peak	49.78	16.44	66.22	122.20	-55.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5650.00	Peak	42.76	16.08	58.84	68.20	-9.36
5700.00	Peak	42.88	16.23	59.11	105.20	-46.09
5720.00	Peak	46.41	16.39	62.80	110.80	-48.00
5725.00	Peak	48.89	16.44	65.33	122.20	-56.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.23	16.08	58.31	68.20	-9.89
5700.00	Peak	43.17	16.23	59.40	105.20	-45.80
5720.00	Peak	47.91	16.39	64.30	110.80	-46.50
5725.00	Peak	47.01	16.44	63.45	122.20	-58.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.76	16.08	58.84	68.20	-9.36
5700.00	Peak	43.21	16.23	59.44	105.20	-45.76
5720.00	Peak	47.99	16.39	64.38	110.80	-46.42
5725.00	Peak	47.11	16.44	63.55	122.20	-58.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.79	16.08	58.87	68.20	-9.33
5700.00	Peak	41.37	16.23	57.60	105.20	-47.60
5720.00	Peak	41.98	16.39	58.37	110.80	-52.43
5725.00	Peak	41.81	16.44	58.25	122.20	-63.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.13	16.08	57.21	68.20	-10.99
5700.00	Peak	41.10	16.23	57.33	105.20	-47.87
5720.00	Peak	41.45	16.39	57.84	110.80	-52.96
5725.00	Peak	41.17	16.44	57.61	122.20	-64.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.39	16.08	58.47	68.20	-9.73
5700.00	Peak	41.87	16.23	58.10	105.20	-47.10
5720.00	Peak	45.50	16.39	61.89	110.80	-48.91
5725.00	Peak	47.93	16.44	64.37	122.20	-57.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5745 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.85	16.08	58.93	68.20	-9.27
5700.00	Peak	42.07	16.23	58.30	105.20	-46.90
5720.00	Peak	46.01	16.39	62.40	110.80	-48.40
5725.00	Peak	47.78	16.44	64.22	122.20	-57.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	51.19	16.85	68.04	122.20	-54.16
5855.00	Peak	50.30	16.84	67.14	110.80	-43.66
5875.00	Peak	43.17	16.77	59.94	105.20	-45.26
5925.00	Peak	41.89	16.94	58.83	68.20	-9.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	53.82	16.85	70.67	122.20	-51.53
5855.00	Peak	50.14	16.84	66.98	110.80	-43.82
5875.00	Peak	43.01	16.77	59.78	105.20	-45.42
5925.00	Peak	41.92	16.94	58.86	68.20	-9.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	51.19	16.85	68.04	122.20	-54.16
5855.00	Peak	46.22	16.84	63.06	110.80	-47.74
5875.00	Peak	42.47	16.77	59.24	105.20	-45.96
5925.00	Peak	41.72	16.94	58.66	68.20	-9.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	50.80	16.85	67.65	122.20	-54.55
5855.00	Peak	46.22	16.84	63.06	110.80	-47.74
5875.00	Peak	42.64	16.77	59.41	105.20	-45.79
5925.00	Peak	42.22	16.94	59.16	68.20	-9.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	47.83	16.85	64.68	122.20	-57.52
5855.00	Peak	46.61	16.84	63.45	110.80	-47.35
5875.00	Peak	42.51	16.77	59.28	105.20	-45.92
5925.00	Peak	41.90	16.94	58.84	68.20	-9.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	48.64	16.85	65.49	122.20	-56.71
5855.00	Peak	47.02	16.84	63.86	110.80	-46.94
5875.00	Peak	42.12	16.77	58.89	105.20	-46.31
5925.00	Peak	42.11	16.94	59.05	68.20	-9.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	46.37	16.85	63.22	122.20	-58.98
5855.00	Peak	46.75	16.84	63.59	110.80	-47.21
5875.00	Peak	42.31	16.77	59.08	105.20	-46.12
5925.00	Peak	41.74	16.94	58.68	68.20	-9.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-11-25
Test Frequency	:5825 MHz	Temp./Humi.	:23.8/63
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	47.21	16.85	64.06	122.20	-58.14
5855.00	Peak	45.39	16.84	62.23	110.80	-48.57
5875.00	Peak	41.78	16.77	58.55	105.20	-46.65
5925.00	Peak	41.24	16.94	58.18	68.20	-10.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-26
Test Frequency	:5190 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5140.72	Average	34.61	15.08	49.69	54.00	-4.31
5140.72	Peak	51.91	15.08	66.99	74.00	-7.01
5150.00	Average	36.08	15.12	51.20	54.00	-2.80
5150.00	Peak	47.95	15.12	63.07	74.00	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-26
Test Frequency	:5190 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5142.76	Average	33.76	15.09	48.85	54.00	-5.15
5142.76	Peak	52.19	15.09	67.28	74.00	-6.72
5150.00	Average	35.48	15.12	50.60	54.00	-3.40
5150.00	Peak	48.81	15.12	63.93	74.00	-10.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-26
Test Frequency	:5190 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.32	Average	31.96	15.11	47.07	54.00	-6.93
5147.32	Peak	45.39	15.11	60.50	74.00	-13.50
5150.00	Average	32.32	15.12	47.44	54.00	-6.56
5150.00	Peak	43.92	15.12	59.04	74.00	-14.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-11-26
Test Frequency	:5190 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5125.12	Average	30.48	15.03	45.51	54.00	-8.49
5125.12	Peak	44.60	15.03	59.63	74.00	-14.37
5150.00	Average	31.64	15.12	46.76	54.00	-7.24
5150.00	Peak	43.00	15.12	58.12	74.00	-15.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-26
Test Frequency	:5310 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.84	15.60	52.44	54.00	-1.56
5350.00	Peak	50.25	15.60	65.85	74.00	-8.15
5357.84	Average	36.33	15.65	51.98	54.00	-2.02
5357.84	Peak	50.43	15.65	66.08	74.00	-7.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-26
Test Frequency	:5310 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	33.92	15.60	49.52	54.00	-4.48
5350.00	Peak	47.78	15.60	63.38	74.00	-10.62
5359.04	Average	32.28	15.67	47.95	54.00	-6.05
5359.04	Peak	48.59	15.67	64.26	74.00	-9.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-26
Test Frequency	:5310 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	32.97	15.60	48.57	54.00	-5.43
5350.00	Peak	44.59	15.60	60.19	74.00	-13.81
5352.56	Average	32.47	15.61	48.08	54.00	-5.92
5352.56	Peak	46.23	15.61	61.84	74.00	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-11-26
Test Frequency	:5310 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	32.00	15.60	47.60	54.00	-6.40
5350.00	Peak	43.78	15.60	59.38	74.00	-14.62
5416.16	Average	30.64	15.96	46.60	54.00	-7.40
5416.16	Peak	44.23	15.96	60.19	74.00	-13.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5510 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.76	Average	34.86	15.90	50.76	54.00	-3.24
5459.76	Peak	49.65	15.90	65.55	74.00	-8.45
5460.00	Average	34.94	15.90	50.84	54.00	-3.16
5460.00	Peak	47.86	15.90	63.76	74.00	-10.24
5468.52	Peak	50.51	15.89	66.40	68.20	-1.80
5470.00	Peak	49.14	15.89	65.03	68.20	-3.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5510 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5459.88	Average	32.53	15.90	48.43	54.00	-5.57
5459.88	Peak	45.43	15.90	61.33	74.00	-12.67
5460.00	Average	32.58	15.90	48.48	54.00	-5.52
5460.00	Peak	45.35	15.90	61.25	74.00	-12.75
5469.84	Peak	47.63	15.89	63.52	68.20	-4.68
5470.00	Peak	46.90	15.89	62.79	68.20	-5.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5510 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.52	Average	32.88	15.90	48.78	54.00	-5.22
5459.52	Peak	46.60	15.90	62.50	74.00	-11.50
5460.00	Average	33.02	15.90	48.92	54.00	-5.08
5460.00	Peak	45.53	15.90	61.43	74.00	-12.57
5469.48	Peak	50.24	15.89	66.13	68.20	-2.07
5470.00	Peak	49.76	15.89	65.65	68.20	-2.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5510 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.68	Average	31.66	15.90	47.56	54.00	-6.44
5458.68	Peak	44.35	15.90	60.25	74.00	-13.75
5460.00	Average	31.87	15.90	47.77	54.00	-6.23
5460.00	Peak	44.11	15.90	60.01	74.00	-13.99
5468.40	Peak	46.80	15.89	62.69	68.20	-5.51
5470.00	Peak	46.09	15.89	61.98	68.20	-6.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5670 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	48.50	16.44	64.94	68.20	-3.26
5726.60	Peak	50.20	16.44	66.64	68.20	-1.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5670 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	47.03	16.44	63.47	68.20	-4.73
5738.36	Peak	47.02	16.54	63.56	68.20	-4.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5670 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	42.52	16.44	58.96	68.20	-9.24
5765.24	Peak	43.28	16.75	60.03	68.20	-8.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-11-26
Test Frequency	:5670 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Peak	41.86	16.44	58.30	68.20	-9.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5755 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	43.79	16.08	59.87	68.20	-8.33
5700.00	Peak	51.29	16.23	67.52	105.20	-37.68
5720.00	Peak	58.18	16.39	74.57	110.80	-36.23
5725.00	Peak	63.33	16.44	79.77	122.20	-42.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5755 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.90	Peak	46.03	16.06	62.09	68.20	-6.11
5650.00	Peak	43.57	16.08	59.65	68.20	-8.55
5700.00	Peak	46.52	16.23	62.75	105.20	-42.45
5720.00	Peak	54.14	16.39	70.53	110.80	-40.27
5725.00	Peak	59.34	16.44	75.78	122.20	-46.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5755 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	42.49	16.08	58.57	68.20	-9.63
5700.00	Peak	41.94	16.23	58.17	105.20	-47.03
5720.00	Peak	45.44	16.39	61.83	110.80	-48.97
5725.00	Peak	49.99	16.44	66.43	122.20	-55.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5755 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	41.78	16.08	57.86	68.20	-10.34
5700.00	Peak	41.65	16.23	57.88	105.20	-47.32
5720.00	Peak	44.24	16.39	60.63	110.80	-50.17
5725.00	Peak	47.53	16.44	63.97	122.20	-58.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5795 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	52.06	16.85	68.91	122.20	-53.29
5855.00	Peak	48.71	16.84	65.55	110.80	-45.25
5875.00	Peak	43.78	16.77	60.55	105.20	-44.65
5925.00	Peak	41.10	16.94	58.04	68.20	-10.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5795 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	51.00	16.85	67.85	122.20	-54.35
5855.00	Peak	49.46	16.84	66.30	110.80	-44.50
5875.00	Peak	43.01	16.77	59.78	105.20	-45.42
5925.00	Peak	42.98	16.94	59.92	68.20	-8.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5795 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	41.24	16.85	58.09	122.20	-64.11
5855.00	Peak	41.60	16.84	58.44	110.80	-52.36
5875.00	Peak	41.03	16.77	57.80	105.20	-47.40
5925.00	Peak	40.60	16.94	57.54	68.20	-10.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-11-26
Test Frequency	:5795 MHz	Temp./Humi.	:24.9/66
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	41.33	16.85	58.18	122.20	-64.02
5855.00	Peak	41.38	16.84	58.22	110.80	-52.58
5875.00	Peak	41.25	16.77	58.02	105.20	-47.18
5925.00	Peak	41.22	16.94	58.16	68.20	-10.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-26
Test Frequency	:5210 MHz	Temp./Humi.	:24.8/64
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5129.00	Average	35.36	15.03	50.39	54.00	-3.61
5129.00	Peak	52.26	15.03	67.29	74.00	-6.71
5150.00	Average	37.32	15.12	52.44	54.00	-1.56
5150.00	Peak	50.26	15.12	65.38	74.00	-8.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-26
Test Frequency	:5210 MHz	Temp./Humi.	:24.8/64
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.40	Average	35.61	15.11	50.72	54.00	-3.28
5147.40	Peak	49.36	15.11	64.47	74.00	-9.53
5150.00	Average	36.10	15.12	51.22	54.00	-2.78
5150.00	Peak	48.18	15.12	63.30	74.00	-10.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-26
Test Frequency	:5210 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.80	Average	34.31	15.12	49.43	54.00	-4.57
5149.80	Peak	49.82	15.12	64.94	74.00	-9.06
5150.00	Average	34.39	15.12	49.51	54.00	-4.49
5150.00	Peak	48.83	15.12	63.95	74.00	-10.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-11-26
Test Frequency	:5210 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5149.30	Average	31.23	15.11	46.34	54.00	-7.66
5149.30	Peak	46.02	15.11	61.13	74.00	-12.87
5150.00	Average	31.38	15.12	46.50	54.00	-7.50
5150.00	Peak	45.48	15.12	60.60	74.00	-13.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-26
Test Frequency	:5290 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.89	15.60	52.49	54.00	-1.51
5350.00	Peak	54.26	15.60	69.86	74.00	-4.14
5350.90	Average	36.67	15.60	52.27	54.00	-1.73
5350.90	Peak	56.19	15.60	71.79	74.00	-2.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-26
Test Frequency	:5290 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	36.16	15.60	51.76	54.00	-2.24
5350.00	Peak	49.98	15.60	65.58	74.00	-8.42
5352.70	Average	35.60	15.61	51.21	54.00	-2.79
5352.70	Peak	50.47	15.61	66.08	74.00	-7.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-27
Test Frequency	:5290 MHz	Temp./Humi.	:23.7/69
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	36.89	15.60	52.49	54.00	-1.51
5350.00	Peak	51.99	15.60	67.59	74.00	-6.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-11-27
Test Frequency	:5290 MHz	Temp./Humi.	:23.7/69
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	36.44	15.60	52.04	54.00	-1.96
5350.00	Peak	48.49	15.60	64.09	74.00	-9.91
5355.20	Average	34.71	15.64	50.35	54.00	-3.65
5355.20	Peak	50.15	15.64	65.79	74.00	-8.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-27
Test Frequency	:5530 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.10	Average	35.79	15.90	51.69	54.00	-2.31
5456.10	Peak	48.79	15.90	64.69	74.00	-9.31
5460.00	Average	35.82	15.90	51.72	54.00	-2.28
5460.00	Peak	47.50	15.90	63.40	74.00	-10.60
5469.50	Peak	50.77	15.89	66.66	68.20	-1.54
5470.00	Peak	48.65	15.89	64.54	68.20	-3.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-27
Test Frequency	:5530 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.90	Average	31.65	15.92	47.57	54.00	-6.43
5453.90	Peak	45.07	15.92	60.99	74.00	-13.01
5460.00	Average	31.87	15.90	47.77	54.00	-6.23
5460.00	Peak	44.17	15.90	60.07	74.00	-13.93
5468.40	Peak	45.45	15.89	61.34	68.20	-6.86
5470.00	Peak	44.93	15.89	60.82	68.20	-7.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-27
Test Frequency	:5530 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.50	Average	31.63	15.90	47.53	54.00	-6.47
5458.50	Peak	47.82	15.90	63.72	74.00	-10.28
5460.00	Average	31.75	15.90	47.65	54.00	-6.35
5460.00	Peak	46.10	15.90	62.00	74.00	-12.00
5469.40	Peak	50.72	15.88	66.60	68.20	-1.60
5470.00	Peak	48.54	15.89	64.43	68.20	-3.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-11-27
Test Frequency	:5530 MHz	Temp./Humi.	:23.8/68
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5459.80	Average	30.95	15.90	46.85	54.00	-7.15
5459.80	Peak	44.26	15.90	60.16	74.00	-13.84
5460.00	Average	31.03	15.90	46.93	54.00	-7.07
5460.00	Peak	43.45	15.90	59.35	74.00	-14.65
5469.00	Peak	46.52	15.88	62.40	68.20	-5.80
5470.00	Peak	44.79	15.89	60.68	68.20	-7.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5619.43	Peak	50.49	15.98	66.47	68.20	-1.73
5650.00	Peak	49.15	16.08	65.23	68.20	-2.97
5700.00	Peak	50.06	16.23	66.29	105.20	-38.91
5720.00	Peak	53.58	16.39	69.97	110.80	-40.83
5725.00	Peak	59.19	16.44	75.63	122.20	-46.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5619.61	Peak	48.49	15.98	64.47	68.20	-3.73
5650.00	Peak	47.45	16.08	63.53	68.20	-4.67
5700.00	Peak	45.92	16.23	62.15	105.20	-43.05
5720.00	Peak	52.17	16.39	68.56	110.80	-42.24
5725.00	Peak	57.68	16.44	74.12	122.20	-48.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	54.27	16.85	71.12	122.20	-51.08
5855.00	Peak	51.58	16.84	68.42	110.80	-42.38
5875.00	Peak	52.89	16.77	69.66	105.20	-35.54
5925.00	Peak	44.31	16.94	61.25	68.20	-6.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	50.79	16.85	67.64	122.20	-54.56
5855.00	Peak	50.14	16.84	66.98	110.80	-43.82
5875.00	Peak	51.93	16.77	68.70	105.20	-36.50
5925.00	Peak	42.57	16.94	59.51	68.20	-8.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	45.41	16.08	61.49	68.20	-6.71
5700.00	Peak	51.45	16.23	67.68	105.20	-37.52
5720.00	Peak	56.58	16.39	72.97	110.80	-37.83
5725.00	Peak	62.44	16.44	78.88	122.20	-43.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5650.00	Peak	44.35	16.08	60.43	68.20	-7.77
5700.00	Peak	48.06	16.23	64.29	105.20	-40.91
5720.00	Peak	54.16	16.39	70.55	110.80	-40.25
5725.00	Peak	56.84	16.44	73.28	122.20	-48.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.00	Peak	54.65	16.85	71.50	122.20	-50.70
5855.00	Peak	53.11	16.84	69.95	110.80	-40.85
5875.00	Peak	47.70	16.77	64.47	105.20	-40.73
5925.00	Peak	42.08	16.94	59.02	68.20	-9.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-11-27
Test Frequency	:5775 MHz	Temp./Humi.	:23.5/67
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	53.06	16.85	69.91	122.20	-52.29
5855.00	Peak	51.60	16.84	68.44	110.80	-42.36
5875.00	Peak	45.56	16.77	62.33	105.20	-42.87
5925.00	Peak	41.94	16.94	58.88	68.20	-9.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5137.78	Average	32.36	15.07	47.43	54.00	-6.57
5137.78	Peak	47.26	15.07	62.33	74.00	-11.67
5150.00	Average	33.32	15.12	48.44	54.00	-5.56
5150.00	Peak	44.81	15.12	59.93	74.00	-14.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5145.55	Average	31.22	15.10	46.32	54.00	-7.68
5145.55	Peak	44.09	15.10	59.19	74.00	-14.81
5150.00	Average	31.63	15.12	46.75	54.00	-7.25
5150.00	Peak	42.90	15.12	58.02	74.00	-15.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	35.32	15.60	50.92	54.00	-3.08
5350.00	Peak	47.13	15.60	62.73	74.00	-11.27
5378.70	Average	35.07	15.82	50.89	54.00	-3.11
5378.70	Peak	49.30	15.82	65.12	74.00	-8.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	34.72	15.60	50.32	54.00	-3.68
5350.00	Peak	45.77	15.60	61.37	74.00	-12.63
5378.96	Average	33.78	15.82	49.60	54.00	-4.40
5378.96	Peak	47.42	15.82	63.24	74.00	-10.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	35.37	15.12	50.49	54.00	-3.51
5150.00	Peak	47.13	15.12	62.25	74.00	-11.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 1	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5150.00	Average	33.03	15.12	48.15	54.00	-5.85
5150.00	Peak	46.08	15.12	61.20	74.00	-12.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	36.41	15.60	52.01	54.00	-1.99
5350.00	Peak	48.95	15.60	64.55	74.00	-9.45
5353.74	Average	35.87	15.63	51.50	54.00	-2.50
5353.74	Peak	50.00	15.63	65.63	74.00	-8.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 2	Test Date	:2020-11-27
Test Frequency	:5250 MHz	Temp./Humi.	:24.5/65
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.00	Average	35.62	15.60	51.22	54.00	-2.78
5350.00	Peak	47.71	15.60	63.31	74.00	-10.69
5354.13	Average	34.75	15.63	50.38	54.00	-3.62
5354.13	Peak	48.68	15.63	64.31	74.00	-9.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5438.25	Average	34.61	15.93	50.54	54.00	-3.46
5438.25	Peak	51.21	15.93	67.14	74.00	-6.86
5460.00	Average	34.47	15.90	50.37	54.00	-3.63
5460.00	Peak	48.71	15.90	64.61	74.00	-9.39
5463.03	Peak	50.21	15.89	66.10	68.20	-2.10
5470.00	Peak	48.66	15.89	64.55	68.20	-3.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH LOW FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5451.90	Average	31.75	15.91	47.66	54.00	-6.34
5451.90	Peak	48.40	15.91	64.31	74.00	-9.69
5460.00	Average	31.87	15.90	47.77	54.00	-6.23
5460.00	Peak	45.33	15.90	61.23	74.00	-12.77
5469.75	Peak	47.57	15.89	63.46	68.20	-4.74
5470.00	Peak	47.15	15.89	63.04	68.20	-5.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	44.29	16.44	60.73	68.20	-7.47
5727.50	Peak	44.76	16.45	61.21	68.20	-6.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH HIGH FULL RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	43.57	16.44	60.01	68.20	-8.19
5735.69	Peak	44.84	16.52	61.36	68.20	-6.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5457.99	Average	33.08	15.90	48.98	54.00	-5.02
5457.99	Peak	47.99	15.90	63.89	74.00	-10.11
5460.00	Average	33.14	15.90	49.04	54.00	-4.96
5460.00	Peak	47.01	15.90	62.91	74.00	-11.09
5470.00	Peak	50.78	15.89	66.67	68.20	-1.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5459.46	Average	30.76	15.90	46.66	54.00	-7.34
5459.46	Peak	44.30	15.90	60.20	74.00	-13.80
5460.00	Average	30.68	15.90	46.58	54.00	-7.42
5460.00	Peak	44.04	15.90	59.94	74.00	-14.06
5468.70	Peak	44.95	15.88	60.83	68.20	-7.37
5470.00	Peak	44.76	15.89	60.65	68.20	-7.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	48.56	16.44	65.00	68.20	-3.20
5748.92	Peak	50.02	16.63	66.65	68.20	-1.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/90087	Test Site	:966 Chamber C
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-11-30
Test Frequency	:5570 MHz	Temp./Humi.	:22.8/59
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Enzo Chang
Ant Path / EUT	:MIMO		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5725.00	Peak	45.67	16.44	62.11	68.20	-6.09
5749.55	Peak	47.81	16.63	64.44	68.20	-3.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

13.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.