

APPENDIX E: DUT ANTENNA DIAGRAM & TEST SETUP PHOTOGRAPHS

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 1 of 7

REV 2.0




**Figure E-1
DUT Antenna Locations**

Note: Exact antenna dimensions and separation distances are shown in the Technical Descriptions in the FCC Filing.




**Figure E-2
EUmmWVx Probe**

Note: Distances below are distance from device surface to sensor-center. Therefore, distances include 1.5 mm for Probe Tip to Sensor Calibration Points.

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 2 of 7



Figure E-3
Near Field Power Density Test Setup Photo – Front Side at 2mm

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 3 of 7




Figure E-4
Near Field Power Density Test Setup Photo – Front Side at 2mm with Keyboard

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 4 of 7




Figure E-5
Near Field Power Density Test Setup Photo – Top Edge at 2mm

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 5 of 7




Figure E-6
Near Field Power Density Test Setup Photo – Right Edge at 2mm

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 6 of 7




Figure E-7
Near Field Power Density Test Setup Photo – Right Edge at 2mm with Keyboard

FCC ID: C3K1997	NEAR-FIELD POWER DENSITY EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Computing Device		APPENDIX E: Page 7 of 7

REV 2.0