

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1812G	104.13	Inf	-Inf	3	Horizontal	20	1.56	-
5180MHz	Pass	AV	15.52136G	48.45	54.00	-5.55	3	Vertical	7	2.74	-
5180MHz	Pass	PK	10.35392G	54.72	68.20	-13.48	3	Vertical	54	1.83	-
5180MHz	Pass	PK	15.53984G	61.56	74.00	-12.44	3	Vertical	7	2.74	-
5180MHz	Pass	AV	15.52152G	48.47	54.00	-5.53	3	Horizontal	93	1.48	-
5180MHz	Pass	PK	10.34656G	55.43	68.20	-12.77	3	Horizontal	236	2.33	-
5180MHz	Pass	PK	15.52824G	61.99	74.00	-12.01	3	Horizontal	93	1.48	-
5200MHz	Pass	AV	5.1484G	45.78	54.00	-8.22	3	Vertical	76	2.04	-
5200MHz	Pass	AV	5.2016G	96.98	Inf	-Inf	3	Vertical	76	2.04	-
5200MHz	Pass	PK	5.1372G	58.09	74.00	-15.91	3	Vertical	76	2.04	-
5200MHz	Pass	PK	5.196G	108.61	Inf	-Inf	3	Vertical	76	2.04	-
5200MHz	Pass	AV	5.1492G	45.79	54.00	-8.21	3	Horizontal	26	1.77	-
5200MHz	Pass	AV	5.2036G	92.55	Inf	-Inf	3	Horizontal	26	1.77	-
5200MHz	Pass	PK	5.102G	58.28	74.00	-15.72	3	Horizontal	26	1.77	-
5200MHz	Pass	PK	5.2032G	104.22	Inf	-Inf	3	Horizontal	26	1.77	-
5200MHz	Pass	AV	15.58614G	44.80	54.00	-9.20	3	Vertical	8	2.28	-
5200MHz	Pass	PK	10.40654G	54.35	68.20	-13.85	3	Vertical	136	1.50	-
5200MHz	Pass	PK	15.60762G	58.24	74.00	-15.76	3	Vertical	8	2.28	-
5200MHz	Pass	AV	15.58626G	44.78	54.00	-9.22	3	Horizontal	284	1.50	-
5200MHz	Pass	PK	10.40306G	54.54	68.20	-13.66	3	Horizontal	359	3.00	-
5200MHz	Pass	PK	15.60798G	57.92	74.00	-16.08	3	Horizontal	284	1.50	-
5240MHz	Pass	AV	5.15G	45.61	54.00	-8.39	3	Vertical	72	1.93	-
5240MHz	Pass	AV	5.2412G	96.13	Inf	-Inf	3	Vertical	72	1.93	-
5240MHz	Pass	AV	5.3846G	45.21	54.00	-8.79	3	Vertical	72	1.93	-
5240MHz	Pass	PK	5.0972G	57.97	74.00	-16.03	3	Vertical	72	1.93	-
5240MHz	Pass	PK	5.2358G	107.95	Inf	-Inf	3	Vertical	72	1.93	-
5240MHz	Pass	PK	5.3648G	58.29	74.00	-15.71	3	Vertical	72	1.93	-
5240MHz	Pass	AV	5.1452G	45.64	54.00	-8.36	3	Horizontal	25	1.66	-
5240MHz	Pass	AV	5.237G	91.28	Inf	-Inf	3	Horizontal	25	1.66	-
5240MHz	Pass	AV	5.378G	45.20	54.00	-8.80	3	Horizontal	25	1.66	-
5240MHz	Pass	PK	5.1404G	58.85	74.00	-15.15	3	Horizontal	25	1.66	-
5240MHz	Pass	PK	5.2352G	102.43	Inf	-Inf	3	Horizontal	25	1.66	-
5240MHz	Pass	PK	5.387G	57.61	74.00	-16.39	3	Horizontal	25	1.66	-
5240MHz	Pass	AV	15.70024G	46.31	54.00	-7.69	3	Vertical	69	2.78	-
5240MHz	Pass	PK	10.49488G	54.71	68.20	-13.49	3	Vertical	47	1.44	-
5240MHz	Pass	PK	15.70376G	59.52	74.00	-14.48	3	Vertical	69	2.78	-
5240MHz	Pass	AV	15.7028G	46.37	54.00	-7.63	3	Horizontal	163	1.32	-
5240MHz	Pass	PK	10.4824G	56.04	68.20	-12.16	3	Horizontal	331	2.87	-
5240MHz	Pass	PK	15.70848G	59.43	74.00	-14.57	3	Horizontal	163	1.32	-
5260MHz	Pass	AV	5.1112G	45.99	54.00	-8.01	3	Vertical	72	1.87	-
5260MHz	Pass	AV	5.2582G	99.72	Inf	-Inf	3	Vertical	72	1.87	-
5260MHz	Pass	AV	5.389G	45.52	54.00	-8.48	3	Vertical	72	1.87	-
5260MHz	Pass	PK	5.1268G	59.31	74.00	-14.69	3	Vertical	72	1.87	-
5260MHz	Pass	PK	5.2558G	111.09	Inf	-Inf	3	Vertical	72	1.87	-
5260MHz	Pass	PK	5.3674G	57.74	74.00	-16.26	3	Vertical	72	1.87	-
5260MHz	Pass	AV	5.1418G	45.68	54.00	-8.32	3	Horizontal	19	1.58	-
5260MHz	Pass	AV	5.2636G	94.94	Inf	-Inf	3	Horizontal	19	1.58	-
5260MHz	Pass	AV	5.3842G	45.41	54.00	-8.59	3	Horizontal	19	1.58	-
5260MHz	Pass	PK	5.1376G	58.31	74.00	-15.69	3	Horizontal	19	1.58	-
5260MHz	Pass	PK	5.257G	107.29	Inf	-Inf	3	Horizontal	19	1.58	-
5260MHz	Pass	PK	5.3506G	57.56	74.00	-16.44	3	Horizontal	19	1.58	-
5260MHz	Pass	AV	15.77304G	45.84	54.00	-8.16	3	Vertical	315	2.62	-
5260MHz	Pass	PK	10.52488G	55.79	68.20	-12.41	3	Vertical	316	1.63	-
5260MHz	Pass	PK	15.78064G	59.01	74.00	-14.99	3	Vertical	315	2.62	-
5260MHz	Pass	AV	15.76984G	45.88	54.00	-8.12	3	Horizontal	61	2.60	-
5260MHz	Pass	PK	10.5184G	55.73	68.20	-12.47	3	Horizontal	113	1.50	-
5260MHz	Pass	PK	15.7772G	59.27	74.00	-14.73	3	Horizontal	61	2.60	-
5300MHz	Pass	AV	5.3012G	100.97	Inf	-Inf	3	Vertical	80	1.73	-
5300MHz	Pass	AV	5.3516G	45.96	54.00	-8.04	3	Vertical	80	1.73	-
5300MHz	Pass	PK	5.2944G	112.53	Inf	-Inf	3	Vertical	80	1.73	-
5300MHz	Pass	PK	5.3964G	58.46	74.00	-15.54	3	Vertical	80	1.73	-
5300MHz	Pass	AV	5.2972G	97.08	Inf	-Inf	3	Horizontal	18	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	AV	5.35G	45.47	54.00	-8.53	3	Horizontal	18	1.50	-
5300MHz	Pass	PK	5.2968G	108.96	Inf	-Inf	3	Horizontal	18	1.50	-
5300MHz	Pass	PK	5.3828G	58.36	74.00	-15.64	3	Horizontal	18	1.50	-
5300MHz	Pass	AV	15.91584G	46.40	54.00	-7.60	3	Vertical	312	2.93	-
5300MHz	Pass	PK	10.586G	55.30	68.20	-12.90	3	Vertical	50	2.28	-
5300MHz	Pass	PK	15.91312G	59.24	74.00	-14.76	3	Vertical	312	2.93	-
5300MHz	Pass	AV	15.91992G	46.45	54.00	-7.55	3	Horizontal	335	2.59	-
5300MHz	Pass	PK	10.59136G	54.79	68.20	-13.41	3	Horizontal	98	2.71	-
5300MHz	Pass	PK	15.91808G	59.81	74.00	-14.19	3	Horizontal	335	2.59	-
5320MHz	Pass	AV	5.3228G	100.38	Inf	-Inf	3	Vertical	78	1.73	-
5320MHz	Pass	AV	5.35G	45.38	54.00	-8.62	3	Vertical	78	1.73	-
5320MHz	Pass	PK	5.3206G	110.50	Inf	-Inf	3	Vertical	78	1.73	-
5320MHz	Pass	PK	5.3506G	58.35	74.00	-15.65	3	Vertical	78	1.73	-
5320MHz	Pass	AV	5.3214G	95.94	Inf	-Inf	3	Horizontal	20	1.50	-
5320MHz	Pass	AV	5.3526G	44.51	54.00	-9.49	3	Horizontal	20	1.50	-
5320MHz	Pass	PK	5.3224G	106.24	Inf	-Inf	3	Horizontal	20	1.50	-
5320MHz	Pass	PK	5.355G	57.39	74.00	-16.61	3	Horizontal	20	1.50	-
5320MHz	Pass	AV	10.65696G	42.52	54.00	-11.48	3	Vertical	250	2.52	-
5320MHz	Pass	AV	15.97752G	46.92	54.00	-7.08	3	Vertical	281	1.63	-
5320MHz	Pass	PK	10.64344G	55.46	74.00	-18.54	3	Vertical	250	2.52	-
5320MHz	Pass	PK	15.95448G	60.18	74.00	-13.82	3	Vertical	281	1.63	-
5320MHz	Pass	AV	10.65544G	42.50	54.00	-11.50	3	Horizontal	315	1.45	-
5320MHz	Pass	AV	15.96832G	46.84	54.00	-7.16	3	Horizontal	75	1.67	-
5320MHz	Pass	PK	10.65176G	55.41	74.00	-18.59	3	Horizontal	315	1.45	-
5320MHz	Pass	PK	15.94952G	60.25	74.00	-13.75	3	Horizontal	75	1.67	-
5500MHz	Pass	AV	5.4556G	44.71	54.00	-9.29	3	Vertical	80	1.77	-
5500MHz	Pass	AV	5.5022G	101.90	Inf	-Inf	3	Vertical	80	1.77	-
5500MHz	Pass	PK	5.4698G	60.02	68.20	-8.18	3	Vertical	80	1.77	-
5500MHz	Pass	PK	5.502G	112.32	Inf	-Inf	3	Vertical	80	1.77	-
5500MHz	Pass	AV	5.453G	44.42	54.00	-9.58	3	Horizontal	13	1.93	-
5500MHz	Pass	AV	5.4984G	99.17	Inf	-Inf	3	Horizontal	13	1.93	-
5500MHz	Pass	PK	5.47G	58.92	68.20	-9.28	3	Horizontal	13	1.93	-
5500MHz	Pass	PK	5.499G	109.90	Inf	-Inf	3	Horizontal	13	1.93	-
5500MHz	Pass	AV	10.99632G	43.13	54.00	-10.87	3	Vertical	233	2.61	-
5500MHz	Pass	PK	11.01136G	57.05	74.00	-16.95	3	Vertical	233	2.61	-
5500MHz	Pass	PK	16.49216G	62.91	68.20	-5.29	3	Vertical	60	1.53	-
5500MHz	Pass	AV	11.0072G	43.13	54.00	-10.87	3	Horizontal	96	2.11	-
5500MHz	Pass	PK	11.00984G	56.51	74.00	-17.49	3	Horizontal	96	2.11	-
5500MHz	Pass	PK	16.48696G	62.67	68.20	-5.53	3	Horizontal	65	1.09	-
5580MHz	Pass	AV	5.4318G	45.91	54.00	-8.09	3	Vertical	79	1.83	-
5580MHz	Pass	AV	5.5818G	103.71	Inf	-Inf	3	Vertical	79	1.83	-
5580MHz	Pass	PK	5.4612G	57.95	68.20	-10.25	3	Vertical	79	1.83	-
5580MHz	Pass	PK	5.583G	114.67	Inf	-Inf	3	Vertical	79	1.83	-
5580MHz	Pass	PK	5.7282G	57.97	68.20	-10.23	3	Vertical	79	1.83	-
5580MHz	Pass	AV	5.4312G	45.33	54.00	-8.67	3	Horizontal	15	1.75	-
5580MHz	Pass	AV	5.583G	100.54	Inf	-Inf	3	Horizontal	15	1.75	-
5580MHz	Pass	PK	5.4612G	57.26	68.20	-10.94	3	Horizontal	15	1.75	-
5580MHz	Pass	PK	5.5824G	111.23	Inf	-Inf	3	Horizontal	15	1.75	-
5580MHz	Pass	PK	5.7252G	59.13	68.20	-9.07	3	Horizontal	15	1.75	-
5580MHz	Pass	AV	11.1678G	40.86	54.00	-13.14	3	Vertical	259	1.50	-
5580MHz	Pass	PK	11.14872G	55.67	74.00	-18.33	3	Vertical	259	1.50	-
5580MHz	Pass	PK	16.75464G	61.00	68.20	-7.20	3	Vertical	132	1.50	-
5580MHz	Pass	AV	11.16432G	41.07	54.00	-12.93	3	Horizontal	279	1.50	-
5580MHz	Pass	PK	11.16048G	54.56	74.00	-19.44	3	Horizontal	279	1.50	-
5580MHz	Pass	PK	16.75146G	60.44	68.20	-7.76	3	Horizontal	242	2.67	-
5700MHz	Pass	AV	5.7016G	101.75	Inf	-Inf	3	Vertical	80	1.74	-
5700MHz	Pass	PK	5.7012G	111.08	Inf	-Inf	3	Vertical	80	1.74	-
5700MHz	Pass	PK	5.7252G	63.08	68.20	-5.12	3	Vertical	80	1.74	-
5700MHz	Pass	AV	5.6968G	101.14	Inf	-Inf	3	Horizontal	10	2.61	-
5700MHz	Pass	PK	5.6952G	111.05	Inf	-Inf	3	Horizontal	10	2.61	-
5700MHz	Pass	PK	5.7264G	65.08	68.20	-3.12	3	Horizontal	10	2.61	-
5700MHz	Pass	AV	11.3856G	42.71	54.00	-11.29	3	Vertical	353	1.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	11.3856G	55.93	74.00	-18.07	3	Vertical	353	1.65	-
5700MHz	Pass	PK	17.08288G	64.05	68.20	-4.15	3	Vertical	323	1.44	-
5700MHz	Pass	AV	11.38992G	42.68	54.00	-11.32	3	Horizontal	166	2.62	-
5700MHz	Pass	PK	11.41488G	55.77	74.00	-18.23	3	Horizontal	166	2.62	-
5700MHz	Pass	PK	17.08848G	64.15	68.20	-4.05	3	Horizontal	124	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	45.28	54.00	-8.72	3	Vertical	82	1.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	102.29	Inf	-Inf	3	Vertical	82	1.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.79	68.20	-11.41	3	Vertical	82	1.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	112.83	Inf	-Inf	3	Vertical	82	1.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	59.35	68.20	-8.85	3	Vertical	82	1.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	45.11	54.00	-8.89	3	Horizontal	15	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	101.43	Inf	-Inf	3	Horizontal	15	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.51	68.20	-11.69	3	Horizontal	15	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	112.13	Inf	-Inf	3	Horizontal	15	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	58.91	68.20	-9.29	3	Horizontal	15	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43796G	41.44	54.00	-12.56	3	Vertical	101	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43184G	55.41	74.00	-18.59	3	Vertical	101	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14752G	62.12	68.20	-6.08	3	Vertical	86	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43292G	41.43	54.00	-12.57	3	Horizontal	287	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4337G	55.32	74.00	-18.68	3	Horizontal	287	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15478G	61.87	68.20	-6.33	3	Horizontal	61	1.50	-
5745MHz	Pass	AV	5.7414G	100.91	Inf	-Inf	3	Vertical	81	2.91	-
5745MHz	Pass	PK	5.5446G	57.00	68.20	-11.20	3	Vertical	81	2.91	-
5745MHz	Pass	PK	5.7414G	111.62	Inf	-Inf	3	Vertical	81	2.91	-
5745MHz	Pass	PK	5.9982G	58.37	68.20	-9.83	3	Vertical	81	2.91	-
5745MHz	Pass	AV	5.7474G	99.46	Inf	-Inf	3	Horizontal	32	1.70	-
5745MHz	Pass	PK	5.5854G	57.41	68.20	-10.79	3	Horizontal	32	1.70	-
5745MHz	Pass	PK	5.7474G	109.21	Inf	-Inf	3	Horizontal	32	1.70	-
5745MHz	Pass	PK	5.931G	58.29	68.20	-9.91	3	Horizontal	32	1.70	-
5745MHz	Pass	AV	11.50328G	43.11	54.00	-10.89	3	Vertical	170	1.54	-
5745MHz	Pass	PK	11.47928G	56.21	74.00	-17.79	3	Vertical	170	1.54	-
5745MHz	Pass	PK	17.22444G	63.55	68.20	-4.65	3	Vertical	128	1.94	-
5745MHz	Pass	AV	11.5036G	43.16	54.00	-10.84	3	Horizontal	308	2.66	-
5745MHz	Pass	PK	11.474G	55.96	74.00	-18.04	3	Horizontal	308	2.66	-
5745MHz	Pass	PK	17.23948G	63.46	68.20	-4.74	3	Horizontal	138	2.33	-
5785MHz	Pass	AV	5.779G	100.34	Inf	-Inf	3	Vertical	110	1.03	-
5785MHz	Pass	PK	5.5918G	57.86	68.20	-10.34	3	Vertical	110	1.03	-
5785MHz	Pass	PK	5.7826G	111.37	Inf	-Inf	3	Vertical	110	1.03	-
5785MHz	Pass	PK	5.953G	58.32	68.20	-9.88	3	Vertical	110	1.03	-
5785MHz	Pass	AV	5.7802G	98.29	Inf	-Inf	3	Horizontal	37	1.07	-
5785MHz	Pass	PK	5.5918G	57.53	68.20	-10.67	3	Horizontal	37	1.07	-
5785MHz	Pass	PK	5.7922G	108.43	Inf	-Inf	3	Horizontal	37	1.07	-
5785MHz	Pass	PK	5.995G	57.98	68.20	-10.22	3	Horizontal	37	1.07	-
5785MHz	Pass	AV	11.5568G	41.36	54.00	-12.64	3	Vertical	330	1.87	-
5785MHz	Pass	PK	11.56064G	56.28	74.00	-17.72	3	Vertical	330	1.87	-
5785MHz	Pass	PK	17.3595G	62.96	68.20	-5.24	3	Vertical	359	1.50	-
5785MHz	Pass	AV	11.555G	41.37	54.00	-12.63	3	Horizontal	28	1.50	-
5785MHz	Pass	PK	11.56844G	54.98	74.00	-19.02	3	Horizontal	28	1.50	-
5785MHz	Pass	PK	17.34534G	62.68	68.20	-5.52	3	Horizontal	1	1.50	-
5825MHz	Pass	AV	5.8214G	101.99	Inf	-Inf	3	Vertical	79	3.00	-
5825MHz	Pass	PK	5.6042G	56.85	68.20	-11.35	3	Vertical	79	3.00	-
5825MHz	Pass	PK	5.8214G	111.11	Inf	-Inf	3	Vertical	79	3.00	-
5825MHz	Pass	PK	6.0434G	58.39	68.20	-9.81	3	Vertical	79	3.00	-
5825MHz	Pass	AV	5.8286G	101.01	Inf	-Inf	3	Horizontal	33	1.49	-
5825MHz	Pass	PK	5.579G	57.66	68.20	-10.54	3	Horizontal	33	1.49	-
5825MHz	Pass	PK	5.8274G	110.49	Inf	-Inf	3	Horizontal	33	1.49	-
5825MHz	Pass	PK	6.0326G	58.46	68.20	-9.74	3	Horizontal	33	1.49	-
5825MHz	Pass	AV	11.63352G	42.45	54.00	-11.55	3	Vertical	122	1.61	-
5825MHz	Pass	PK	11.63688G	56.17	74.00	-17.83	3	Vertical	122	1.61	-
5825MHz	Pass	PK	17.47908G	63.90	68.20	-4.30	3	Vertical	198	2.94	-
5825MHz	Pass	AV	11.63096G	42.52	54.00	-11.48	3	Horizontal	206	2.93	-
5825MHz	Pass	PK	11.64544G	55.65	74.00	-18.35	3	Horizontal	206	2.93	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	17.46644G	63.89	68.20	-4.31	3	Horizontal	211	2.64	-
802.11n HT40_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.40	54.00	-4.60	3	Vertical	77	1.77	-
5190MHz	Pass	AV	5.1944G	96.81	Inf	-Inf	3	Vertical	77	1.77	-
5190MHz	Pass	PK	5.1496G	64.32	74.00	-9.68	3	Vertical	77	1.77	-
5190MHz	Pass	PK	5.2004G	107.23	Inf	-Inf	3	Vertical	77	1.77	-
5190MHz	Pass	AV	5.15G	45.94	54.00	-8.06	3	Horizontal	360	1.50	-
5190MHz	Pass	AV	5.1792G	89.24	Inf	-Inf	3	Horizontal	360	1.50	-
5190MHz	Pass	PK	5.1476G	58.69	74.00	-15.31	3	Horizontal	360	1.50	-
5190MHz	Pass	PK	5.1796G	100.17	Inf	-Inf	3	Horizontal	360	1.50	-
5190MHz	Pass	AV	15.55104G	47.63	54.00	-6.37	3	Vertical	86	2.73	-
5190MHz	Pass	PK	10.37088G	55.91	68.20	-12.29	3	Vertical	120	2.72	-
5190MHz	Pass	PK	15.55312G	60.58	74.00	-13.42	3	Vertical	86	2.73	-
5190MHz	Pass	AV	15.55072G	47.69	54.00	-6.31	3	Horizontal	135	1.26	-
5190MHz	Pass	PK	10.36864G	55.31	68.20	-12.89	3	Horizontal	308	1.09	-
5190MHz	Pass	PK	15.56512G	61.05	74.00	-12.95	3	Horizontal	135	1.26	-
5230MHz	Pass	AV	5.1468G	46.87	54.00	-7.13	3	Vertical	80	1.87	-
5230MHz	Pass	AV	5.226G	97.40	Inf	-Inf	3	Vertical	80	1.87	-
5230MHz	Pass	PK	5.1464G	59.19	74.00	-14.81	3	Vertical	80	1.87	-
5230MHz	Pass	PK	5.232G	109.13	Inf	-Inf	3	Vertical	80	1.87	-
5230MHz	Pass	AV	5.1432G	46.20	54.00	-7.80	3	Horizontal	360	1.50	-
5230MHz	Pass	AV	5.2336G	90.59	Inf	-Inf	3	Horizontal	360	1.50	-
5230MHz	Pass	PK	5.1468G	57.62	74.00	-16.38	3	Horizontal	360	1.50	-
5230MHz	Pass	PK	5.2372G	102.98	Inf	-Inf	3	Horizontal	360	1.50	-
5230MHz	Pass	AV	15.67698G	44.16	54.00	-9.84	3	Vertical	283	1.50	-
5230MHz	Pass	PK	10.44854G	53.20	68.20	-15.00	3	Vertical	48	1.50	-
5230MHz	Pass	PK	15.6876G	57.85	74.00	-16.15	3	Vertical	283	1.50	-
5230MHz	Pass	AV	15.67686G	44.12	54.00	-9.88	3	Horizontal	80	1.50	-
5230MHz	Pass	PK	10.4675G	54.85	68.20	-13.35	3	Horizontal	263	1.31	-
5230MHz	Pass	PK	15.6753G	58.20	74.00	-15.80	3	Horizontal	80	1.50	-
5270MHz	Pass	AV	5.2684G	101.18	Inf	-Inf	3	Vertical	87	1.90	-
5270MHz	Pass	AV	5.35G	51.07	54.00	-2.93	3	Vertical	87	1.90	-
5270MHz	Pass	PK	5.2772G	112.22	Inf	-Inf	3	Vertical	87	1.90	-
5270MHz	Pass	PK	5.3548G	64.76	74.00	-9.24	3	Vertical	87	1.90	-
5270MHz	Pass	AV	5.266G	94.99	Inf	-Inf	3	Horizontal	360	1.50	-
5270MHz	Pass	AV	5.3512G	47.81	54.00	-6.19	3	Horizontal	360	1.50	-
5270MHz	Pass	PK	5.2608G	105.93	Inf	-Inf	3	Horizontal	360	1.50	-
5270MHz	Pass	PK	5.3596G	60.20	74.00	-13.80	3	Horizontal	360	1.50	-
5270MHz	Pass	AV	15.80008G	45.68	54.00	-8.32	3	Vertical	160	1.02	-
5270MHz	Pass	PK	10.55456G	54.71	68.20	-13.49	3	Vertical	6	1.04	-
5270MHz	Pass	PK	15.80848G	58.72	74.00	-15.28	3	Vertical	160	1.02	-
5270MHz	Pass	AV	15.79488G	45.72	54.00	-8.28	3	Horizontal	193	1.63	-
5270MHz	Pass	PK	10.54144G	55.20	68.20	-13.00	3	Horizontal	5	1.63	-
5270MHz	Pass	PK	15.79512G	58.61	74.00	-15.39	3	Horizontal	193	1.63	-
5310MHz	Pass	AV	5.3176G	95.99	Inf	-Inf	3	Vertical	78	1.74	-
5310MHz	Pass	AV	5.35G	50.29	54.00	-3.71	3	Vertical	78	1.74	-
5310MHz	Pass	PK	5.2996G	106.94	Inf	-Inf	3	Vertical	78	1.74	-
5310MHz	Pass	PK	5.3508G	64.41	74.00	-9.59	3	Vertical	78	1.74	-
5310MHz	Pass	AV	5.3172G	89.88	Inf	-Inf	3	Horizontal	11	1.50	-
5310MHz	Pass	AV	5.35G	46.40	54.00	-7.60	3	Horizontal	11	1.50	-
5310MHz	Pass	PK	5.318G	100.69	Inf	-Inf	3	Horizontal	11	1.50	-
5310MHz	Pass	PK	5.3536G	59.75	74.00	-14.25	3	Horizontal	11	1.50	-
5310MHz	Pass	AV	10.62944G	42.27	54.00	-11.73	3	Vertical	127	1.46	-
5310MHz	Pass	AV	15.94192G	46.73	54.00	-7.27	3	Vertical	117	2.13	-
5310MHz	Pass	PK	10.61232G	55.72	74.00	-18.28	3	Vertical	127	1.46	-
5310MHz	Pass	PK	15.93368G	60.09	74.00	-13.91	3	Vertical	117	2.13	-
5310MHz	Pass	AV	10.63144G	42.25	54.00	-11.75	3	Horizontal	283	1.29	-
5310MHz	Pass	AV	15.94904G	46.71	54.00	-7.29	3	Horizontal	289	2.05	-
5310MHz	Pass	PK	10.62368G	55.14	74.00	-18.86	3	Horizontal	283	1.29	-
5310MHz	Pass	PK	15.932G	60.23	74.00	-13.77	3	Horizontal	289	2.05	-
5510MHz	Pass	AV	5.4596G	48.11	54.00	-5.89	3	Vertical	82	1.78	-
5510MHz	Pass	AV	5.5072G	97.91	Inf	-Inf	3	Vertical	82	1.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.4688G	64.32	68.20	-3.88	3	Vertical	82	1.78	-
5510MHz	Pass	PK	5.5072G	108.94	Inf	-Inf	3	Vertical	82	1.78	-
5510MHz	Pass	AV	5.4596G	46.35	54.00	-7.65	3	Horizontal	14	1.80	-
5510MHz	Pass	AV	5.5192G	94.22	Inf	-Inf	3	Horizontal	14	1.80	-
5510MHz	Pass	PK	5.4624G	62.02	68.20	-6.18	3	Horizontal	14	1.80	-
5510MHz	Pass	PK	5.516G	105.35	Inf	-Inf	3	Horizontal	14	1.80	-
5510MHz	Pass	AV	11.0088G	43.04	54.00	-10.96	3	Vertical	243	1.00	-
5510MHz	Pass	PK	11.02632G	56.12	74.00	-17.88	3	Vertical	243	1.00	-
5510MHz	Pass	PK	16.51768G	62.48	68.20	-5.72	3	Vertical	339	2.21	-
5510MHz	Pass	AV	11.0116G	43.06	54.00	-10.94	3	Horizontal	325	1.13	-
5510MHz	Pass	PK	11.0272G	55.95	74.00	-18.05	3	Horizontal	325	1.13	-
5510MHz	Pass	PK	16.528G	62.10	68.20	-6.10	3	Horizontal	59	1.43	-
5550MHz	Pass	AV	5.46G	49.06	54.00	-4.94	3	Vertical	87	1.78	-
5550MHz	Pass	AV	5.5464G	102.76	Inf	-Inf	3	Vertical	87	1.78	-
5550MHz	Pass	PK	5.47G	65.13	68.20	-3.07	3	Vertical	87	1.78	-
5550MHz	Pass	PK	5.5428G	114.22	Inf	-Inf	3	Vertical	87	1.78	-
5550MHz	Pass	AV	5.46G	47.11	54.00	-6.89	3	Horizontal	20	1.82	-
5550MHz	Pass	AV	5.5536G	98.44	Inf	-Inf	3	Horizontal	20	1.82	-
5550MHz	Pass	PK	5.4624G	62.81	68.20	-5.39	3	Horizontal	20	1.82	-
5550MHz	Pass	PK	5.5468G	110.23	Inf	-Inf	3	Horizontal	20	1.82	-
5550MHz	Pass	AV	11.10936G	40.81	54.00	-13.19	3	Vertical	102	1.50	-
5550MHz	Pass	PK	11.09646G	54.04	74.00	-19.96	3	Vertical	102	1.50	-
5550MHz	Pass	PK	16.64268G	59.61	68.20	-8.59	3	Vertical	3	1.50	-
5550MHz	Pass	AV	11.10762G	41.02	54.00	-12.98	3	Horizontal	280	1.82	-
5550MHz	Pass	PK	11.10906G	55.17	74.00	-18.83	3	Horizontal	280	1.82	-
5550MHz	Pass	PK	16.63602G	59.78	68.20	-8.42	3	Horizontal	246	1.28	-
5670MHz	Pass	AV	5.6676G	98.73	Inf	-Inf	3	Vertical	87	1.49	-
5670MHz	Pass	PK	5.6664G	109.77	Inf	-Inf	3	Vertical	87	1.49	-
5670MHz	Pass	PK	5.7264G	66.35	68.20	-1.85	3	Vertical	87	1.49	-
5670MHz	Pass	AV	5.6676G	97.26	Inf	-Inf	3	Horizontal	32	1.72	-
5670MHz	Pass	PK	5.6754G	108.06	Inf	-Inf	3	Horizontal	32	1.72	-
5670MHz	Pass	PK	5.7252G	65.33	68.20	-2.87	3	Horizontal	32	1.72	-
5670MHz	Pass	AV	11.34576G	42.88	54.00	-11.12	3	Vertical	336	1.00	-
5670MHz	Pass	PK	11.32352G	56.02	74.00	-17.98	3	Vertical	336	1.00	-
5670MHz	Pass	PK	16.99592G	64.06	68.20	-4.14	3	Vertical	59	1.30	-
5670MHz	Pass	AV	11.3556G	42.81	54.00	-11.19	3	Horizontal	235	2.30	-
5670MHz	Pass	PK	11.34832G	55.78	74.00	-18.22	3	Horizontal	235	2.30	-
5670MHz	Pass	PK	17.01704G	64.31	68.20	-3.89	3	Horizontal	120	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	45.96	54.00	-8.04	3	Vertical	86	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	101.79	Inf	-Inf	3	Vertical	86	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.18	68.20	-11.02	3	Vertical	86	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	113.68	Inf	-Inf	3	Vertical	86	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	59.79	68.20	-8.41	3	Vertical	86	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4292G	45.65	54.00	-8.35	3	Horizontal	38	1.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	98.79	Inf	-Inf	3	Horizontal	38	1.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.86	68.20	-10.34	3	Horizontal	38	1.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	109.31	Inf	-Inf	3	Horizontal	38	1.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8864G	59.13	68.20	-9.07	3	Horizontal	38	1.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42024G	41.41	54.00	-12.59	3	Vertical	252	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42036G	55.16	74.00	-18.84	3	Vertical	252	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11752G	61.98	68.20	-6.22	3	Vertical	153	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4305G	41.42	54.00	-12.58	3	Horizontal	100	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42318G	54.84	74.00	-19.16	3	Horizontal	100	2.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12586G	62.42	68.20	-5.78	3	Horizontal	333	1.50	-
5755MHz	Pass	AV	5.7622G	99.73	Inf	-Inf	3	Vertical	77	1.83	-
5755MHz	Pass	PK	5.6326G	58.15	68.20	-10.05	3	Vertical	77	1.83	-
5755MHz	Pass	PK	5.7634G	110.06	Inf	-Inf	3	Vertical	77	1.83	-
5755MHz	Pass	PK	5.9866G	58.83	68.20	-9.37	3	Vertical	77	1.83	-
5755MHz	Pass	AV	5.7574G	97.90	Inf	-Inf	3	Horizontal	33	1.93	-
5755MHz	Pass	PK	5.5966G	57.86	68.20	-10.34	3	Horizontal	33	1.93	-
5755MHz	Pass	PK	5.761G	107.97	Inf	-Inf	3	Horizontal	33	1.93	-
5755MHz	Pass	PK	6.0502G	58.05	68.20	-10.15	3	Horizontal	33	1.93	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	AV	11.4984G	43.17	54.00	-10.83	3	Vertical	257	2.03	-
5755MHz	Pass	PK	11.5256G	56.79	74.00	-17.21	3	Vertical	257	2.03	-
5755MHz	Pass	PK	17.27692G	63.14	68.20	-5.06	3	Vertical	117	2.26	-
5755MHz	Pass	AV	11.50624G	43.21	54.00	-10.79	3	Horizontal	38	1.85	-
5755MHz	Pass	PK	11.50816G	56.45	74.00	-17.55	3	Horizontal	38	1.85	-
5755MHz	Pass	PK	17.25636G	63.27	68.20	-4.93	3	Horizontal	254	1.03	-
5795MHz	Pass	AV	5.801G	99.47	Inf	-Inf	3	Vertical	76	1.76	-
5795MHz	Pass	PK	5.5622G	58.34	68.20	-9.86	3	Vertical	76	1.76	-
5795MHz	Pass	PK	5.801G	110.53	Inf	-Inf	3	Vertical	76	1.76	-
5795MHz	Pass	PK	6.0494G	58.77	68.20	-9.43	3	Vertical	76	1.76	-
5795MHz	Pass	AV	5.7998G	97.88	Inf	-Inf	3	Horizontal	33	1.86	-
5795MHz	Pass	PK	5.5862G	57.27	68.20	-10.93	3	Horizontal	33	1.86	-
5795MHz	Pass	PK	5.8082G	108.82	Inf	-Inf	3	Horizontal	33	1.86	-
5795MHz	Pass	PK	6.0122G	58.60	68.20	-9.60	3	Horizontal	33	1.86	-
5795MHz	Pass	AV	11.5748G	42.77	54.00	-11.23	3	Vertical	155	1.67	-
5795MHz	Pass	PK	11.58328G	55.63	74.00	-18.37	3	Vertical	155	1.67	-
5795MHz	Pass	PK	17.38972G	63.96	68.20	-4.24	3	Vertical	310	1.13	-
5795MHz	Pass	AV	11.57728G	42.80	54.00	-11.20	3	Horizontal	235	1.32	-
5795MHz	Pass	PK	11.58232G	55.85	74.00	-18.15	3	Horizontal	235	1.32	-
5795MHz	Pass	PK	17.39372G	63.88	68.20	-4.32	3	Horizontal	352	1.97	-
802.11n HT40_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	47.31	54.00	-6.69	3	Vertical	93	1.75	-
5190MHz	Pass	AV	5.198G	91.26	Inf	-Inf	3	Vertical	93	1.75	-
5190MHz	Pass	PK	5.1352G	59.55	74.00	-14.45	3	Vertical	93	1.75	-
5190MHz	Pass	PK	5.198G	102.37	Inf	-Inf	3	Vertical	93	1.75	-
5190MHz	Pass	AV	5.15G	47.69	54.00	-6.31	3	Horizontal	27	2.26	-
5190MHz	Pass	AV	5.1792G	92.93	Inf	-Inf	3	Horizontal	27	2.26	-
5190MHz	Pass	PK	5.15G	60.68	74.00	-13.32	3	Horizontal	27	2.26	-
5190MHz	Pass	PK	5.1816G	104.15	Inf	-Inf	3	Horizontal	27	2.26	-
5190MHz	Pass	AV	15.55G	46.71	54.00	-7.29	3	Vertical	87	1.08	-
5190MHz	Pass	PK	10.38192G	55.08	68.20	-13.12	3	Vertical	329	2.47	-
5190MHz	Pass	PK	15.56824G	59.59	74.00	-14.41	3	Vertical	87	1.08	-
5190MHz	Pass	AV	15.55248G	46.76	54.00	-7.24	3	Horizontal	93	1.83	-
5190MHz	Pass	PK	10.3868G	55.12	68.20	-13.08	3	Horizontal	137	2.80	-
5190MHz	Pass	PK	15.55968G	59.84	74.00	-14.16	3	Horizontal	93	1.83	-
5230MHz	Pass	AV	5.1404G	46.23	54.00	-7.77	3	Vertical	85	1.65	-
5230MHz	Pass	AV	5.228G	89.88	Inf	-Inf	3	Vertical	85	1.65	-
5230MHz	Pass	PK	5.1488G	58.67	74.00	-15.33	3	Vertical	85	1.65	-
5230MHz	Pass	PK	5.2192G	100.77	Inf	-Inf	3	Vertical	85	1.65	-
5230MHz	Pass	AV	5.1476G	46.37	54.00	-7.63	3	Horizontal	26	1.70	-
5230MHz	Pass	AV	5.228G	91.40	Inf	-Inf	3	Horizontal	26	1.70	-
5230MHz	Pass	PK	5.1404G	58.88	74.00	-15.12	3	Horizontal	26	1.70	-
5230MHz	Pass	PK	5.2244G	102.74	Inf	-Inf	3	Horizontal	26	1.70	-
5230MHz	Pass	AV	15.67672G	46.41	54.00	-7.59	3	Vertical	89	1.82	-
5230MHz	Pass	PK	10.44008G	55.11	68.20	-13.09	3	Vertical	228	2.28	-
5230MHz	Pass	PK	15.70976G	59.72	74.00	-14.28	3	Vertical	89	1.82	-
5230MHz	Pass	AV	15.69072G	46.48	54.00	-7.52	3	Horizontal	358	1.68	-
5230MHz	Pass	PK	10.46288G	55.15	68.20	-13.05	3	Horizontal	212	2.68	-
5230MHz	Pass	PK	15.6764G	59.93	74.00	-14.07	3	Horizontal	358	1.68	-
5270MHz	Pass	AV	5.2716G	94.05	Inf	-Inf	3	Vertical	92	1.82	-
5270MHz	Pass	AV	5.3508G	46.67	54.00	-7.33	3	Vertical	92	1.82	-
5270MHz	Pass	PK	5.266G	106.74	Inf	-Inf	3	Vertical	92	1.82	-
5270MHz	Pass	PK	5.3516G	58.55	74.00	-15.45	3	Vertical	92	1.82	-
5270MHz	Pass	AV	5.2612G	94.75	Inf	-Inf	3	Horizontal	24	2.88	-
5270MHz	Pass	AV	5.35G	46.71	54.00	-7.29	3	Horizontal	24	2.88	-
5270MHz	Pass	PK	5.2612G	106.18	Inf	-Inf	3	Horizontal	24	2.88	-
5270MHz	Pass	PK	5.3516G	58.78	74.00	-15.22	3	Horizontal	24	2.88	-
5270MHz	Pass	AV	15.79464G	45.77	54.00	-8.23	3	Vertical	332	2.97	-
5270MHz	Pass	PK	10.5468G	55.53	68.20	-12.67	3	Vertical	30	1.90	-
5270MHz	Pass	PK	15.80064G	59.00	74.00	-15.00	3	Vertical	332	2.97	-
5270MHz	Pass	AV	15.816G	45.74	54.00	-8.26	3	Horizontal	145	2.88	-
5270MHz	Pass	PK	10.52232G	55.27	68.20	-12.93	3	Horizontal	328	1.56	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.8052G	58.80	74.00	-15.20	3	Horizontal	145	2.88	-
5310MHz	Pass	AV	5.3032G	90.92	Inf	-Inf	3	Vertical	61	1.71	-
5310MHz	Pass	AV	5.35G	48.64	54.00	-5.36	3	Vertical	61	1.71	-
5310MHz	Pass	PK	5.2968G	102.55	Inf	-Inf	3	Vertical	61	1.71	-
5310MHz	Pass	PK	5.3504G	60.89	74.00	-13.11	3	Vertical	61	1.71	-
5310MHz	Pass	AV	5.3008G	92.01	Inf	-Inf	3	Horizontal	19	2.71	-
5310MHz	Pass	AV	5.35G	48.94	54.00	-5.06	3	Horizontal	19	2.71	-
5310MHz	Pass	PK	5.2992G	102.83	Inf	-Inf	3	Horizontal	19	2.71	-
5310MHz	Pass	PK	5.35G	62.34	74.00	-11.66	3	Horizontal	19	2.71	-
5310MHz	Pass	AV	10.6326G	41.00	54.00	-13.00	3	Vertical	250	1.50	-
5310MHz	Pass	AV	15.9390G	43.93	54.00	-10.07	3	Vertical	0	1.50	-
5310MHz	Pass	PK	10.61934G	54.81	74.00	-19.19	3	Vertical	250	1.50	-
5310MHz	Pass	PK	15.93402G	57.33	74.00	-16.67	3	Vertical	0	1.50	-
5310MHz	Pass	AV	10.62906G	40.98	54.00	-13.02	3	Horizontal	167	1.00	-
5310MHz	Pass	AV	15.9414G	43.88	54.00	-10.12	3	Horizontal	0	1.01	-
5310MHz	Pass	PK	10.63242G	54.76	74.00	-19.24	3	Horizontal	167	1.00	-
5310MHz	Pass	PK	15.9354G	57.34	74.00	-16.66	3	Horizontal	0	1.01	-
5510MHz	Pass	AV	5.46G	45.88	54.00	-8.12	3	Vertical	187	1.17	-
5510MHz	Pass	AV	5.5056G	92.77	Inf	-Inf	3	Vertical	187	1.17	-
5510MHz	Pass	PK	5.4696G	61.54	68.20	-6.66	3	Vertical	187	1.17	-
5510MHz	Pass	PK	5.5052G	103.96	Inf	-Inf	3	Vertical	187	1.17	-
5510MHz	Pass	AV	5.46G	46.41	54.00	-7.59	3	Horizontal	14	2.52	-
5510MHz	Pass	AV	5.512G	93.50	Inf	-Inf	3	Horizontal	14	2.52	-
5510MHz	Pass	PK	5.4696G	60.93	68.20	-7.27	3	Horizontal	14	2.52	-
5510MHz	Pass	PK	5.5128G	105.19	Inf	-Inf	3	Horizontal	14	2.52	-
5510MHz	Pass	AV	11.00608G	43.01	54.00	-10.99	3	Vertical	126	2.04	-
5510MHz	Pass	PK	11.01672G	57.33	74.00	-16.67	3	Vertical	126	2.04	-
5510MHz	Pass	PK	16.5232G	62.67	68.20	-5.53	3	Vertical	202	1.53	-
5510MHz	Pass	AV	11.01408G	43.03	54.00	-10.97	3	Horizontal	75	1.05	-
5510MHz	Pass	PK	11.00744G	56.44	74.00	-17.56	3	Horizontal	75	1.05	-
5510MHz	Pass	PK	16.5172G	62.42	68.20	-5.78	3	Horizontal	226	1.07	-
5550MHz	Pass	AV	5.46G	46.21	54.00	-7.79	3	Vertical	178	1.66	-
5550MHz	Pass	AV	5.5552G	95.35	Inf	-Inf	3	Vertical	178	1.66	-
5550MHz	Pass	PK	5.4672G	60.20	68.20	-8.00	3	Vertical	178	1.66	-
5550MHz	Pass	PK	5.5516G	106.86	Inf	-Inf	3	Vertical	178	1.66	-
5550MHz	Pass	AV	5.46G	46.46	54.00	-7.54	3	Horizontal	16	2.97	-
5550MHz	Pass	AV	5.554G	96.43	Inf	-Inf	3	Horizontal	16	2.97	-
5550MHz	Pass	PK	5.47G	58.92	68.20	-9.28	3	Horizontal	16	2.97	-
5550MHz	Pass	PK	5.554G	108.03	Inf	-Inf	3	Horizontal	16	2.97	-
5550MHz	Pass	AV	11.08232G	42.63	54.00	-11.37	3	Vertical	126	1.38	-
5550MHz	Pass	PK	11.1172G	55.88	74.00	-18.12	3	Vertical	126	1.38	-
5550MHz	Pass	PK	16.65616G	61.52	68.20	-6.68	3	Vertical	208	2.28	-
5550MHz	Pass	AV	11.08G	42.54	54.00	-11.46	3	Horizontal	308	2.82	-
5550MHz	Pass	PK	11.09784G	55.07	74.00	-18.93	3	Horizontal	308	2.82	-
5550MHz	Pass	PK	16.65088G	61.19	68.20	-7.01	3	Horizontal	149	1.93	-
5670MHz	Pass	AV	5.6742G	97.05	Inf	-Inf	3	Vertical	177	1.50	-
5670MHz	Pass	PK	5.682G	107.62	Inf	-Inf	3	Vertical	177	1.50	-
5670MHz	Pass	PK	5.736G	64.96	68.20	-3.24	3	Vertical	177	1.50	-
5670MHz	Pass	AV	5.6724G	98.04	Inf	-Inf	3	Horizontal	18	2.89	-
5670MHz	Pass	PK	5.6724G	109.12	Inf	-Inf	3	Horizontal	18	2.89	-
5670MHz	Pass	PK	5.73G	64.91	68.20	-3.29	3	Horizontal	18	2.89	-
5670MHz	Pass	AV	11.35392G	42.81	54.00	-11.19	3	Vertical	150	1.05	-
5670MHz	Pass	PK	11.33128G	56.64	74.00	-17.36	3	Vertical	150	1.05	-
5670MHz	Pass	PK	17.0116G	64.92	68.20	-3.28	3	Vertical	248	1.69	-
5670MHz	Pass	AV	11.3512G	42.82	54.00	-11.18	3	Horizontal	243	1.13	-
5670MHz	Pass	PK	11.35144G	56.12	74.00	-17.88	3	Horizontal	243	1.13	-
5670MHz	Pass	PK	17.02768G	64.03	68.20	-4.17	3	Horizontal	145	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4316G	45.71	54.00	-8.29	3	Vertical	178	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	97.09	Inf	-Inf	3	Vertical	178	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.02	68.20	-10.18	3	Vertical	178	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	108.17	Inf	-Inf	3	Vertical	178	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9848G	58.38	68.20	-9.82	3	Vertical	178	1.62	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4352G	45.77	54.00	-8.23	3	Horizontal	21	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	97.13	Inf	-Inf	3	Horizontal	21	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.39	68.20	-10.81	3	Horizontal	21	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	108.53	Inf	-Inf	3	Horizontal	21	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.866G	59.29	68.20	-8.91	3	Horizontal	21	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42216G	42.80	54.00	-11.20	3	Vertical	218	2.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41696G	56.09	74.00	-17.91	3	Vertical	218	2.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15G	64.23	68.20	-3.97	3	Vertical	72	1.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43368G	42.98	54.00	-11.02	3	Horizontal	159	1.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42296G	56.09	74.00	-17.91	3	Horizontal	159	1.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.122G	64.21	68.20	-3.99	3	Horizontal	63	1.75	-
5755MHz	Pass	AV	5.7574G	97.24	Inf	-Inf	3	Vertical	178	1.50	-
5755MHz	Pass	PK	5.6446G	62.03	68.20	-6.17	3	Vertical	178	1.50	-
5755MHz	Pass	PK	5.7622G	108.34	Inf	-Inf	3	Vertical	178	1.50	-
5755MHz	Pass	PK	5.9434G	59.49	68.20	-8.71	3	Vertical	178	1.50	-
5755MHz	Pass	AV	5.7574G	96.96	Inf	-Inf	3	Horizontal	11	2.82	-
5755MHz	Pass	PK	5.6194G	63.50	68.20	-4.70	3	Horizontal	11	2.82	-
5755MHz	Pass	PK	5.7586G	107.67	Inf	-Inf	3	Horizontal	11	2.82	-
5755MHz	Pass	PK	5.9266G	59.80	68.20	-8.40	3	Horizontal	11	2.82	-
5755MHz	Pass	AV	11.5061G	41.06	54.00	-12.94	3	Vertical	360	1.50	-
5755MHz	Pass	PK	11.5172G	55.64	74.00	-18.36	3	Vertical	360	1.50	-
5755MHz	Pass	PK	17.25864G	61.57	68.20	-6.63	3	Vertical	357	1.48	-
5755MHz	Pass	AV	11.50136G	41.73	54.00	-12.27	3	Horizontal	89	1.89	-
5755MHz	Pass	PK	11.51126G	55.34	74.00	-18.66	3	Horizontal	89	1.89	-
5755MHz	Pass	PK	17.27004G	61.60	68.20	-6.60	3	Horizontal	15	1.02	-
5795MHz	Pass	AV	5.7986G	97.02	Inf	-Inf	3	Vertical	170	1.50	-
5795MHz	Pass	PK	5.615G	58.99	68.20	-9.21	3	Vertical	170	1.50	-
5795MHz	Pass	PK	5.8022G	107.48	Inf	-Inf	3	Vertical	170	1.50	-
5795MHz	Pass	PK	6.0062G	60.52	68.20	-7.68	3	Vertical	170	1.50	-
5795MHz	Pass	AV	5.7926G	96.00	Inf	-Inf	3	Horizontal	13	1.80	-
5795MHz	Pass	PK	5.5646G	58.63	68.20	-9.57	3	Horizontal	13	1.80	-
5795MHz	Pass	PK	5.7842G	106.52	Inf	-Inf	3	Horizontal	13	1.80	-
5795MHz	Pass	PK	6.059G	59.60	68.20	-8.60	3	Horizontal	13	1.80	-
5795MHz	Pass	AV	11.55032G	43.22	54.00	-10.78	3	Vertical	31	1.50	-
5795MHz	Pass	PK	11.622G	56.40	74.00	-17.60	3	Vertical	31	1.50	-
5795MHz	Pass	PK	17.42484G	64.44	68.20	-3.76	3	Vertical	360	1.50	-
5795MHz	Pass	AV	11.55992G	43.23	54.00	-10.77	3	Horizontal	319	1.50	-
5795MHz	Pass	PK	11.56984G	57.39	74.00	-16.61	3	Horizontal	319	1.50	-
5795MHz	Pass	PK	17.41108G	64.48	68.20	-3.72	3	Horizontal	133	1.50	-
802.11n HT40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	45.91	54.00	-8.09	3	Vertical	77	1.76	-
5190MHz	Pass	AV	5.1888G	96.06	Inf	-Inf	3	Vertical	77	1.76	-
5190MHz	Pass	PK	5.1464G	58.87	74.00	-15.13	3	Vertical	77	1.76	-
5190MHz	Pass	PK	5.1988G	108.12	Inf	-Inf	3	Vertical	77	1.76	-
5190MHz	Pass	AV	5.15G	45.25	54.00	-8.75	3	Horizontal	19	1.72	-
5190MHz	Pass	AV	5.1868G	90.96	Inf	-Inf	3	Horizontal	19	1.72	-
5190MHz	Pass	PK	5.1332G	58.04	74.00	-15.96	3	Horizontal	19	1.72	-
5190MHz	Pass	PK	5.1856G	103.07	Inf	-Inf	3	Horizontal	19	1.72	-
5190MHz	Pass	AV	15.53016G	47.63	54.00	-6.37	3	Vertical	53	2.92	-
5190MHz	Pass	PK	10.41008G	55.51	68.20	-12.69	3	Vertical	233	1.50	-
5190MHz	Pass	PK	15.54008G	60.99	74.00	-13.01	3	Vertical	53	2.92	-
5190MHz	Pass	AV	15.53048G	47.66	54.00	-6.34	3	Horizontal	107	2.45	-
5190MHz	Pass	PK	10.36352G	55.40	68.20	-12.80	3	Horizontal	58	2.61	-
5190MHz	Pass	PK	15.57912G	60.36	74.00	-13.64	3	Horizontal	107	2.45	-
5230MHz	Pass	AV	5.15G	46.70	54.00	-7.30	3	Vertical	58	1.71	-
5230MHz	Pass	AV	5.2316G	98.21	Inf	-Inf	3	Vertical	58	1.71	-
5230MHz	Pass	PK	5.1464G	58.54	74.00	-15.46	3	Vertical	58	1.71	-
5230MHz	Pass	PK	5.232G	107.88	Inf	-Inf	3	Vertical	58	1.71	-
5230MHz	Pass	AV	5.1424G	46.44	54.00	-7.56	3	Horizontal	10	1.71	-
5230MHz	Pass	AV	5.2316G	94.91	Inf	-Inf	3	Horizontal	10	1.71	-
5230MHz	Pass	PK	5.142G	58.97	74.00	-15.03	3	Horizontal	10	1.71	-
5230MHz	Pass	PK	5.2312G	104.85	Inf	-Inf	3	Horizontal	10	1.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.67686G	44.48	54.00	-9.52	3	Vertical	334	1.50	-
5230MHz	Pass	PK	10.46528G	54.04	68.20	-14.16	3	Vertical	50	2.90	-
5230MHz	Pass	PK	15.6936G	58.12	74.00	-15.88	3	Vertical	334	1.50	-
5230MHz	Pass	AV	15.675G	44.44	54.00	-9.56	3	Horizontal	118	1.50	-
5230MHz	Pass	PK	10.4564G	54.70	68.20	-13.50	3	Horizontal	351	1.50	-
5230MHz	Pass	PK	15.70476G	57.81	74.00	-16.19	3	Horizontal	118	1.50	-
5270MHz	Pass	AV	5.2712G	101.72	Inf	-Inf	3	Vertical	58	1.87	-
5270MHz	Pass	AV	5.3508G	47.55	54.00	-6.45	3	Vertical	58	1.87	-
5270MHz	Pass	PK	5.2712G	111.49	Inf	-Inf	3	Vertical	58	1.87	-
5270MHz	Pass	PK	5.352G	60.17	74.00	-13.83	3	Vertical	58	1.87	-
5270MHz	Pass	AV	5.2716G	98.83	Inf	-Inf	3	Horizontal	10	1.61	-
5270MHz	Pass	AV	5.3512G	46.63	54.00	-7.37	3	Horizontal	10	1.61	-
5270MHz	Pass	PK	5.2712G	108.34	Inf	-Inf	3	Horizontal	10	1.61	-
5270MHz	Pass	PK	5.3568G	59.54	74.00	-14.46	3	Horizontal	10	1.61	-
5270MHz	Pass	AV	15.77192G	46.17	54.00	-7.83	3	Vertical	124	1.09	-
5270MHz	Pass	PK	10.52384G	55.41	68.20	-12.79	3	Vertical	244	1.13	-
5270MHz	Pass	PK	15.78408G	59.04	74.00	-14.96	3	Vertical	124	1.09	-
5270MHz	Pass	AV	15.84648G	46.20	54.00	-7.80	3	Horizontal	13	1.85	-
5270MHz	Pass	PK	10.5096G	55.18	68.20	-13.02	3	Horizontal	352	1.29	-
5270MHz	Pass	PK	15.83768G	59.49	74.00	-14.51	3	Horizontal	13	1.85	-
5310MHz	Pass	AV	5.3012G	96.35	Inf	-Inf	3	Vertical	77	1.72	-
5310MHz	Pass	AV	5.35G	50.91	54.00	-3.09	3	Vertical	77	1.72	-
5310MHz	Pass	PK	5.2988G	107.86	Inf	-Inf	3	Vertical	77	1.72	-
5310MHz	Pass	PK	5.3504G	63.70	74.00	-10.30	3	Vertical	77	1.72	-
5310MHz	Pass	AV	5.32G	91.08	Inf	-Inf	3	Horizontal	20	1.50	-
5310MHz	Pass	AV	5.35G	47.00	54.00	-7.00	3	Horizontal	20	1.50	-
5310MHz	Pass	PK	5.2972G	103.37	Inf	-Inf	3	Horizontal	20	1.50	-
5310MHz	Pass	PK	5.35G	60.30	74.00	-13.70	3	Horizontal	20	1.50	-
5310MHz	Pass	AV	10.66G	42.79	54.00	-11.21	3	Vertical	106	2.80	-
5310MHz	Pass	AV	15.96984G	47.14	54.00	-6.86	3	Vertical	360	2.33	-
5310MHz	Pass	PK	10.63152G	56.48	74.00	-17.52	3	Vertical	106	2.80	-
5310MHz	Pass	PK	15.93512G	60.53	74.00	-13.47	3	Vertical	360	2.33	-
5310MHz	Pass	AV	10.65984G	42.80	54.00	-11.20	3	Horizontal	333	1.76	-
5310MHz	Pass	AV	15.96472G	47.10	54.00	-6.90	3	Horizontal	265	2.62	-
5310MHz	Pass	PK	10.64752G	55.43	74.00	-18.57	3	Horizontal	333	1.76	-
5310MHz	Pass	PK	15.96216G	60.03	74.00	-13.97	3	Horizontal	265	2.62	-
5510MHz	Pass	AV	5.46G	47.33	54.00	-6.67	3	Vertical	78	1.79	-
5510MHz	Pass	AV	5.5072G	97.96	Inf	-Inf	3	Vertical	78	1.79	-
5510MHz	Pass	PK	5.47G	63.23	68.20	-4.97	3	Vertical	78	1.79	-
5510MHz	Pass	PK	5.5G	108.89	Inf	-Inf	3	Vertical	78	1.79	-
5510MHz	Pass	AV	5.4596G	46.00	54.00	-8.00	3	Horizontal	14	1.87	-
5510MHz	Pass	AV	5.5148G	94.84	Inf	-Inf	3	Horizontal	14	1.87	-
5510MHz	Pass	PK	5.4656G	60.08	68.20	-8.12	3	Horizontal	14	1.87	-
5510MHz	Pass	PK	5.5052G	107.07	Inf	-Inf	3	Horizontal	14	1.87	-
5510MHz	Pass	AV	11.00176G	43.18	54.00	-10.82	3	Vertical	307	2.52	-
5510MHz	Pass	PK	11.02816G	56.26	74.00	-17.74	3	Vertical	307	2.52	-
5510MHz	Pass	PK	16.51704G	62.23	68.20	-5.97	3	Vertical	235	1.47	-
5510MHz	Pass	AV	11.00608G	43.24	54.00	-10.76	3	Horizontal	247	2.44	-
5510MHz	Pass	PK	11.00176G	56.10	74.00	-17.90	3	Horizontal	247	2.44	-
5510MHz	Pass	PK	16.5124G	61.52	68.20	-6.68	3	Horizontal	57	1.00	-
5550MHz	Pass	AV	5.4596G	47.16	54.00	-6.84	3	Vertical	60	1.50	-
5550MHz	Pass	AV	5.5528G	103.18	Inf	-Inf	3	Vertical	60	1.50	-
5550MHz	Pass	PK	5.4684G	59.35	68.20	-8.85	3	Vertical	60	1.50	-
5550MHz	Pass	PK	5.5536G	112.95	Inf	-Inf	3	Vertical	60	1.50	-
5550MHz	Pass	AV	5.4592G	46.44	54.00	-7.56	3	Horizontal	9	2.57	-
5550MHz	Pass	AV	5.5476G	101.42	Inf	-Inf	3	Horizontal	9	2.57	-
5550MHz	Pass	PK	5.4664G	58.78	68.20	-9.42	3	Horizontal	9	2.57	-
5550MHz	Pass	PK	5.548G	110.90	Inf	-Inf	3	Horizontal	9	2.57	-
5550MHz	Pass	AV	11.10768G	41.10	54.00	-12.90	3	Vertical	120	1.50	-
5550MHz	Pass	PK	11.0868G	54.52	74.00	-19.48	3	Vertical	120	1.50	-
5550MHz	Pass	PK	16.65582G	61.44	68.20	-6.76	3	Vertical	63	1.50	-
5550MHz	Pass	AV	11.10726G	41.02	54.00	-12.98	3	Horizontal	199	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	PK	11.10828G	55.28	74.00	-18.72	3	Horizontal	199	1.50	-
5550MHz	Pass	PK	16.65882G	60.41	68.20	-7.79	3	Horizontal	3	1.94	-
5670MHz	Pass	AV	5.673G	98.74	Inf	-Inf	3	Vertical	82	1.62	-
5670MHz	Pass	PK	5.6598G	109.60	Inf	-Inf	3	Vertical	82	1.62	-
5670MHz	Pass	PK	5.727G	64.26	68.20	-3.94	3	Vertical	82	1.62	-
5670MHz	Pass	AV	5.6748G	97.91	Inf	-Inf	3	Horizontal	12	2.71	-
5670MHz	Pass	PK	5.6586G	109.82	Inf	-Inf	3	Horizontal	12	2.71	-
5670MHz	Pass	PK	5.7258G	63.77	68.20	-4.43	3	Horizontal	12	2.71	-
5670MHz	Pass	AV	11.35008G	42.96	54.00	-11.04	3	Vertical	353	1.86	-
5670MHz	Pass	PK	11.36688G	56.80	74.00	-17.20	3	Vertical	353	1.86	-
5670MHz	Pass	PK	17.02968G	64.43	68.20	-3.77	3	Vertical	187	1.46	-
5670MHz	Pass	AV	11.35792G	42.91	54.00	-11.09	3	Horizontal	75	2.30	-
5670MHz	Pass	PK	11.36016G	56.26	74.00	-17.74	3	Horizontal	75	2.30	-
5670MHz	Pass	PK	17.03448G	64.71	68.20	-3.49	3	Horizontal	6	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.416G	45.95	54.00	-8.05	3	Vertical	75	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	103.24	Inf	-Inf	3	Vertical	75	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.62	68.20	-10.58	3	Vertical	75	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	112.19	Inf	-Inf	3	Vertical	75	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9044G	59.63	68.20	-8.57	3	Vertical	75	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4292G	45.77	54.00	-8.23	3	Horizontal	20	2.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	102.34	Inf	-Inf	3	Horizontal	20	2.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	57.43	68.20	-10.77	3	Horizontal	20	2.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	111.29	Inf	-Inf	3	Horizontal	20	2.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8924G	59.59	68.20	-8.61	3	Horizontal	20	2.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4329G	41.43	54.00	-12.57	3	Vertical	161	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42546G	55.08	74.00	-18.92	3	Vertical	161	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	16.66314G	60.20	68.20	-8.00	3	Vertical	359	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42516G	41.38	54.00	-12.62	3	Horizontal	36	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42768G	54.73	74.00	-19.27	3	Horizontal	36	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12064G	61.92	68.20	-6.28	3	Horizontal	153	1.50	-
5755MHz	Pass	AV	5.7586G	98.61	Inf	-Inf	3	Vertical	75	1.81	-
5755MHz	Pass	PK	5.5978G	58.23	68.20	-9.97	3	Vertical	75	1.81	-
5755MHz	Pass	PK	5.7586G	109.21	Inf	-Inf	3	Vertical	75	1.81	-
5755MHz	Pass	PK	5.9338G	58.30	68.20	-9.90	3	Vertical	75	1.81	-
5755MHz	Pass	AV	5.7598G	96.96	Inf	-Inf	3	Horizontal	34	2.05	-
5755MHz	Pass	PK	5.5426G	57.45	68.20	-10.75	3	Horizontal	34	2.05	-
5755MHz	Pass	PK	5.7454G	108.13	Inf	-Inf	3	Horizontal	34	2.05	-
5755MHz	Pass	PK	5.935G	57.86	68.20	-10.34	3	Horizontal	34	2.05	-
5755MHz	Pass	AV	11.51864G	43.59	54.00	-10.41	3	Vertical	96	1.76	-
5755MHz	Pass	PK	11.53464G	57.21	74.00	-16.79	3	Vertical	96	1.76	-
5755MHz	Pass	PK	17.23476G	63.72	68.20	-4.48	3	Vertical	148	2.22	-
5755MHz	Pass	AV	11.52136G	43.62	54.00	-10.38	3	Horizontal	213	2.14	-
5755MHz	Pass	PK	11.50392G	56.79	74.00	-17.21	3	Horizontal	213	2.14	-
5755MHz	Pass	PK	17.23332G	63.66	68.20	-4.54	3	Horizontal	58	1.90	-
5795MHz	Pass	AV	5.7998G	98.24	Inf	-Inf	3	Vertical	82	2.96	-
5795MHz	Pass	PK	5.6258G	58.21	68.20	-9.99	3	Vertical	82	2.96	-
5795MHz	Pass	PK	5.8034G	109.66	Inf	-Inf	3	Vertical	82	2.96	-
5795MHz	Pass	PK	5.9726G	58.46	68.20	-9.74	3	Vertical	82	2.96	-
5795MHz	Pass	AV	5.7986G	96.60	Inf	-Inf	3	Horizontal	33	1.50	-
5795MHz	Pass	PK	5.603G	56.87	68.20	-11.33	3	Horizontal	33	1.50	-
5795MHz	Pass	PK	5.8094G	107.81	Inf	-Inf	3	Horizontal	33	1.50	-
5795MHz	Pass	PK	5.9822G	58.49	68.20	-9.71	3	Horizontal	33	1.50	-
5795MHz	Pass	AV	11.55032G	43.47	54.00	-10.53	3	Vertical	63	1.87	-
5795MHz	Pass	PK	11.6252G	56.67	74.00	-17.33	3	Vertical	63	1.87	-
5795MHz	Pass	PK	17.39668G	64.60	68.20	-3.60	3	Vertical	55	2.60	-
5795MHz	Pass	AV	11.55256G	43.49	54.00	-10.51	3	Horizontal	360	2.39	-
5795MHz	Pass	PK	11.5636G	55.83	74.00	-18.17	3	Horizontal	360	2.39	-
5795MHz	Pass	PK	17.39764G	64.47	68.20	-3.73	3	Horizontal	55	1.09	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	50.94	54.00	-3.06	3	Vertical	62	1.85	-
5210MHz	Pass	AV	5.207G	93.52	Inf	-Inf	3	Vertical	62	1.85	-
5210MHz	Pass	AV	5.4G	45.19	54.00	-8.81	3	Vertical	62	1.85	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.138G	64.33	74.00	-9.67	3	Vertical	62	1.85	-
5210MHz	Pass	PK	5.204G	103.68	Inf	-Inf	3	Vertical	62	1.85	-
5210MHz	Pass	PK	5.4G	57.95	74.00	-16.05	3	Vertical	62	1.85	-
5210MHz	Pass	AV	5.15G	47.29	54.00	-6.71	3	Horizontal	18	1.50	-
5210MHz	Pass	AV	5.214G	86.82	Inf	-Inf	3	Horizontal	18	1.50	-
5210MHz	Pass	AV	5.381G	44.78	54.00	-9.22	3	Horizontal	18	1.50	-
5210MHz	Pass	PK	5.143G	60.35	74.00	-13.65	3	Horizontal	18	1.50	-
5210MHz	Pass	PK	5.189G	97.95	Inf	-Inf	3	Horizontal	18	1.50	-
5210MHz	Pass	PK	5.393G	57.47	74.00	-16.53	3	Horizontal	18	1.50	-
5210MHz	Pass	AV	15.61G	46.94	54.00	-7.06	3	Vertical	352	1.19	-
5210MHz	Pass	PK	10.40808G	56.25	68.20	-11.95	3	Vertical	36	1.50	-
5210MHz	Pass	PK	15.62544G	60.24	74.00	-13.76	3	Vertical	352	1.19	-
5210MHz	Pass	AV	15.614G	47.01	54.00	-6.99	3	Horizontal	110	2.06	-
5210MHz	Pass	PK	10.4196G	56.11	68.20	-12.09	3	Horizontal	0	1.50	-
5210MHz	Pass	PK	15.62776G	61.36	74.00	-12.64	3	Horizontal	110	2.06	-
5290MHz	Pass	AV	5.143G	45.84	54.00	-8.16	3	Vertical	79	1.89	-
5290MHz	Pass	AV	5.287G	92.99	Inf	-Inf	3	Vertical	79	1.89	-
5290MHz	Pass	AV	5.35G	51.02	54.00	-2.98	3	Vertical	79	1.89	-
5290MHz	Pass	PK	5.141G	59.30	74.00	-14.70	3	Vertical	79	1.89	-
5290MHz	Pass	PK	5.269G	103.26	Inf	-Inf	3	Vertical	79	1.89	-
5290MHz	Pass	PK	5.365G	66.27	74.00	-7.73	3	Vertical	79	1.89	-
5290MHz	Pass	AV	5.143G	45.07	54.00	-8.93	3	Horizontal	357	1.50	-
5290MHz	Pass	AV	5.303G	86.56	Inf	-Inf	3	Horizontal	357	1.50	-
5290MHz	Pass	AV	5.352G	47.53	54.00	-6.47	3	Horizontal	357	1.50	-
5290MHz	Pass	PK	5.055G	57.09	74.00	-16.91	3	Horizontal	357	1.50	-
5290MHz	Pass	PK	5.307G	96.92	Inf	-Inf	3	Horizontal	357	1.50	-
5290MHz	Pass	PK	5.35G	62.83	74.00	-11.17	3	Horizontal	357	1.50	-
5290MHz	Pass	AV	15.87488G	46.66	54.00	-7.34	3	Vertical	176	2.05	-
5290MHz	Pass	PK	10.5728G	55.96	68.20	-12.24	3	Vertical	36	2.57	-
5290MHz	Pass	PK	15.86624G	59.97	74.00	-14.03	3	Vertical	176	2.05	-
5290MHz	Pass	AV	15.88288G	46.61	54.00	-7.39	3	Horizontal	216	1.03	-
5290MHz	Pass	PK	10.57136G	55.50	68.20	-12.70	3	Horizontal	22	1.04	-
5290MHz	Pass	PK	15.8852G	59.87	74.00	-14.13	3	Horizontal	216	1.03	-
5530MHz	Pass	AV	5.46G	50.08	54.00	-3.92	3	Vertical	78	1.89	-
5530MHz	Pass	AV	5.525G	95.15	Inf	-Inf	3	Vertical	78	1.89	-
5530MHz	Pass	PK	5.468G	64.78	68.20	-3.42	3	Vertical	78	1.89	-
5530MHz	Pass	PK	5.524G	105.10	Inf	-Inf	3	Vertical	78	1.89	-
5530MHz	Pass	PK	5.761G	58.38	68.20	-9.82	3	Vertical	78	1.89	-
5530MHz	Pass	AV	5.46G	47.37	54.00	-6.63	3	Horizontal	15	1.84	-
5530MHz	Pass	AV	5.527G	91.23	Inf	-Inf	3	Horizontal	15	1.84	-
5530MHz	Pass	PK	5.468G	62.34	68.20	-5.86	3	Horizontal	15	1.84	-
5530MHz	Pass	PK	5.523G	101.10	Inf	-Inf	3	Horizontal	15	1.84	-
5530MHz	Pass	PK	5.729G	57.39	68.20	-10.81	3	Horizontal	15	1.84	-
5530MHz	Pass	AV	11.04232G	43.46	54.00	-10.54	3	Vertical	360	1.50	-
5530MHz	Pass	PK	11.04256G	57.13	74.00	-16.87	3	Vertical	360	1.50	-
5530MHz	Pass	PK	16.57272G	62.51	68.20	-5.69	3	Vertical	42	1.47	-
5530MHz	Pass	AV	11.044G	43.42	54.00	-10.58	3	Horizontal	88	2.69	-
5530MHz	Pass	PK	11.04336G	56.05	74.00	-17.95	3	Horizontal	88	2.69	-
5530MHz	Pass	PK	16.6012G	62.66	68.20	-5.54	3	Horizontal	137	2.16	-
5610MHz	Pass	AV	5.46G	50.12	54.00	-3.88	3	Vertical	79	1.74	-
5610MHz	Pass	AV	5.598G	97.72	Inf	-Inf	3	Vertical	79	1.74	-
5610MHz	Pass	PK	5.469G	63.69	68.20	-4.51	3	Vertical	79	1.74	-
5610MHz	Pass	PK	5.623G	108.26	Inf	-Inf	3	Vertical	79	1.74	-
5610MHz	Pass	PK	5.727G	65.65	68.20	-2.55	3	Vertical	79	1.74	-
5610MHz	Pass	AV	5.46G	46.69	54.00	-7.31	3	Horizontal	32	1.78	-
5610MHz	Pass	AV	5.616G	94.32	Inf	-Inf	3	Horizontal	32	1.78	-
5610MHz	Pass	PK	5.468G	60.98	68.20	-7.22	3	Horizontal	32	1.78	-
5610MHz	Pass	PK	5.615G	104.69	Inf	-Inf	3	Horizontal	32	1.78	-
5610MHz	Pass	PK	5.726G	65.05	68.20	-3.15	3	Horizontal	32	1.78	-
5610MHz	Pass	AV	11.2092G	42.99	54.00	-11.01	3	Vertical	188	2.27	-
5610MHz	Pass	PK	11.22928G	56.09	74.00	-17.91	3	Vertical	188	2.27	-
5610MHz	Pass	PK	16.81728G	63.18	68.20	-5.02	3	Vertical	171	1.82	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.20664G	42.98	54.00	-11.02	3	Horizontal	158	2.13	-
5610MHz	Pass	PK	11.22696G	56.40	74.00	-17.60	3	Horizontal	158	2.13	-
5610MHz	Pass	PK	16.84016G	63.67	68.20	-4.53	3	Horizontal	140	2.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.01	54.00	-6.99	3	Vertical	77	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.674G	98.79	Inf	-Inf	3	Vertical	77	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	59.40	68.20	-8.80	3	Vertical	77	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.665G	110.28	Inf	-Inf	3	Vertical	77	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.51	68.20	-6.69	3	Vertical	77	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.22	54.00	-7.78	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.674G	95.68	Inf	-Inf	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	58.17	68.20	-10.03	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.669G	106.66	Inf	-Inf	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.851G	60.45	68.20	-7.75	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36304G	43.31	54.00	-10.69	3	Vertical	341	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39064G	56.73	74.00	-17.27	3	Vertical	341	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05992G	65.12	68.20	-3.08	3	Vertical	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3624G	43.40	54.00	-10.60	3	Horizontal	22	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39184G	56.77	74.00	-17.23	3	Horizontal	22	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06528G	64.81	68.20	-3.39	3	Horizontal	360	1.50	-
5775MHz	Pass	AV	5.7774G	96.38	Inf	-Inf	3	Vertical	78	1.80	-
5775MHz	Pass	PK	5.649G	66.32	68.20	-1.88	3	Vertical	78	1.80	-
5775MHz	Pass	PK	5.7618G	107.49	Inf	-Inf	3	Vertical	78	1.80	-
5775MHz	Pass	PK	5.9262G	63.05	68.20	-5.15	3	Vertical	78	1.80	-
5775MHz	Pass	AV	5.781G	94.75	Inf	-Inf	3	Horizontal	33	1.77	-
5775MHz	Pass	PK	5.6454G	62.88	68.20	-5.32	3	Horizontal	33	1.77	-
5775MHz	Pass	PK	5.7798G	104.66	Inf	-Inf	3	Horizontal	33	1.77	-
5775MHz	Pass	PK	5.925G	61.96	68.20	-6.24	3	Horizontal	33	1.77	-
5775MHz	Pass	AV	11.54176G	43.81	54.00	-10.19	3	Vertical	102	1.75	-
5775MHz	Pass	PK	11.55624G	57.38	74.00	-16.62	3	Vertical	102	1.75	-
5775MHz	Pass	PK	17.31852G	63.96	68.20	-4.24	3	Vertical	72	1.50	-
5775MHz	Pass	AV	11.53168G	43.78	54.00	-10.22	3	Horizontal	209	1.99	-
5775MHz	Pass	PK	11.54128G	56.23	74.00	-17.77	3	Horizontal	209	1.99	-
5775MHz	Pass	PK	17.30708G	63.87	68.20	-4.33	3	Horizontal	267	1.77	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.37	54.00	-6.63	3	Vertical	62	1.76	-
5210MHz	Pass	AV	5.212G	89.00	Inf	-Inf	3	Vertical	62	1.76	-
5210MHz	Pass	AV	5.393G	46.06	54.00	-7.94	3	Vertical	62	1.76	-
5210MHz	Pass	PK	5.15G	59.63	74.00	-14.37	3	Vertical	62	1.76	-
5210MHz	Pass	PK	5.215G	100.08	Inf	-Inf	3	Vertical	62	1.76	-
5210MHz	Pass	PK	5.434G	58.20	74.00	-15.80	3	Vertical	62	1.76	-
5210MHz	Pass	AV	5.149G	47.59	54.00	-6.41	3	Horizontal	12	1.75	-
5210MHz	Pass	AV	5.202G	89.52	Inf	-Inf	3	Horizontal	12	1.75	-
5210MHz	Pass	AV	5.396G	45.97	54.00	-8.03	3	Horizontal	12	1.75	-
5210MHz	Pass	PK	5.146G	59.90	74.00	-14.10	3	Horizontal	12	1.75	-
5210MHz	Pass	PK	5.202G	100.64	Inf	-Inf	3	Horizontal	12	1.75	-
5210MHz	Pass	PK	5.37G	58.48	74.00	-15.52	3	Horizontal	12	1.75	-
5210MHz	Pass	AV	15.61584G	44.67	54.00	-9.33	3	Vertical	237	1.29	-
5210MHz	Pass	PK	10.41388G	54.32	68.20	-13.88	3	Vertical	244	1.82	-
5210MHz	Pass	PK	15.62658G	58.00	74.00	-16.00	3	Vertical	237	1.29	-
5210MHz	Pass	AV	15.62124G	44.56	54.00	-9.44	3	Horizontal	133	1.49	-
5210MHz	Pass	PK	10.4068G	53.71	68.20	-14.49	3	Horizontal	305	2.56	-
5210MHz	Pass	PK	15.633G	57.81	74.00	-16.19	3	Horizontal	133	1.49	-
5290MHz	Pass	AV	5.149G	46.82	54.00	-7.18	3	Vertical	62	1.74	-
5290MHz	Pass	AV	5.287G	88.41	Inf	-Inf	3	Vertical	62	1.74	-
5290MHz	Pass	AV	5.35G	49.99	54.00	-4.01	3	Vertical	62	1.74	-
5290MHz	Pass	PK	5.132G	58.53	74.00	-15.47	3	Vertical	62	1.74	-
5290MHz	Pass	PK	5.285G	99.68	Inf	-Inf	3	Vertical	62	1.74	-
5290MHz	Pass	PK	5.466G	58.13	68.20	-10.07	3	Vertical	62	1.74	-
5290MHz	Pass	AV	5.149G	46.93	54.00	-7.07	3	Horizontal	12	3.00	-
5290MHz	Pass	AV	5.268G	89.26	Inf	-Inf	3	Horizontal	12	3.00	-
5290MHz	Pass	AV	5.35G	50.30	54.00	-3.70	3	Horizontal	12	3.00	-
5290MHz	Pass	PK	5.145G	58.81	74.00	-15.19	3	Horizontal	12	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.268G	101.19	Inf	-Inf	3	Horizontal	12	3.00	-
5290MHz	Pass	PK	5.5G	58.56	68.20	-9.64	3	Horizontal	12	3.00	-
5290MHz	Pass	AV	15.87444G	43.96	54.00	-10.04	3	Vertical	178	2.53	-
5290MHz	Pass	PK	10.59272G	54.49	68.20	-13.71	3	Vertical	20	1.49	-
5290MHz	Pass	PK	15.87012G	57.83	74.00	-16.17	3	Vertical	178	2.53	-
5290MHz	Pass	AV	15.87216G	43.86	54.00	-10.14	3	Horizontal	353	2.31	-
5290MHz	Pass	PK	10.5743G	54.90	68.20	-13.30	3	Horizontal	105	2.77	-
5290MHz	Pass	PK	15.85818G	57.03	74.00	-16.97	3	Horizontal	353	2.31	-
5530MHz	Pass	AV	5.46G	47.69	54.00	-6.31	3	Vertical	186	2.49	-
5530MHz	Pass	AV	5.534G	90.88	Inf	-Inf	3	Vertical	186	2.49	-
5530MHz	Pass	PK	5.461G	61.72	68.20	-6.48	3	Vertical	186	2.49	-
5530MHz	Pass	PK	5.532G	101.82	Inf	-Inf	3	Vertical	186	2.49	-
5530MHz	Pass	PK	5.744G	58.36	68.20	-9.84	3	Vertical	186	2.49	-
5530MHz	Pass	AV	5.46G	48.33	54.00	-5.67	3	Horizontal	19	3.00	-
5530MHz	Pass	AV	5.543G	91.80	Inf	-Inf	3	Horizontal	19	3.00	-
5530MHz	Pass	PK	5.47G	61.50	68.20	-6.70	3	Horizontal	19	3.00	-
5530MHz	Pass	PK	5.543G	102.85	Inf	-Inf	3	Horizontal	19	3.00	-
5530MHz	Pass	PK	5.727G	59.18	68.20	-9.02	3	Horizontal	19	3.00	-
5530MHz	Pass	AV	11.04032G	43.46	54.00	-10.54	3	Vertical	360	1.50	-
5530MHz	Pass	PK	11.06776G	56.57	74.00	-17.43	3	Vertical	360	1.50	-
5530MHz	Pass	PK	16.574G	61.75	68.20	-6.45	3	Vertical	181	1.40	-
5530MHz	Pass	AV	11.04064G	43.45	54.00	-10.55	3	Horizontal	52	1.70	-
5530MHz	Pass	PK	11.0512G	56.76	74.00	-17.24	3	Horizontal	52	1.70	-
5530MHz	Pass	PK	16.58424G	61.46	68.20	-6.74	3	Horizontal	228	1.07	-
5610MHz	Pass	AV	5.46G	47.07	54.00	-6.93	3	Vertical	190	1.66	-
5610MHz	Pass	AV	5.622G	93.86	Inf	-Inf	3	Vertical	190	1.66	-
5610MHz	Pass	PK	5.467G	60.89	68.20	-7.31	3	Vertical	190	1.66	-
5610MHz	Pass	PK	5.592G	105.20	Inf	-Inf	3	Vertical	190	1.66	-
5610MHz	Pass	PK	5.726G	61.36	68.20	-6.84	3	Vertical	190	1.66	-
5610MHz	Pass	AV	5.46G	47.55	54.00	-6.45	3	Horizontal	19	2.89	-
5610MHz	Pass	AV	5.622G	94.88	Inf	-Inf	3	Horizontal	19	2.89	-
5610MHz	Pass	PK	5.468G	60.81	68.20	-7.39	3	Horizontal	19	2.89	-
5610MHz	Pass	PK	5.625G	105.90	Inf	-Inf	3	Horizontal	19	2.89	-
5610MHz	Pass	PK	5.729G	62.71	68.20	-5.49	3	Horizontal	19	2.89	-
5610MHz	Pass	AV	11.20506G	41.25	54.00	-12.75	3	Vertical	7	2.39	-
5610MHz	Pass	PK	11.21004G	54.54	74.00	-19.46	3	Vertical	7	2.39	-
5610MHz	Pass	PK	16.83498G	61.03	68.20	-7.17	3	Vertical	175	1.22	-
5610MHz	Pass	AV	11.2056G	41.25	54.00	-12.75	3	Horizontal	192	2.89	-
5610MHz	Pass	PK	11.2095G	54.48	74.00	-19.52	3	Horizontal	192	2.89	-
5610MHz	Pass	PK	16.84176G	60.87	68.20	-7.33	3	Horizontal	136	1.27	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	46.05	54.00	-7.95	3	Vertical	177	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	94.71	Inf	-Inf	3	Vertical	177	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.13	68.20	-11.07	3	Vertical	177	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	105.24	Inf	-Inf	3	Vertical	177	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	59.78	68.20	-8.42	3	Vertical	177	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	46.09	54.00	-7.91	3	Horizontal	19	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6684G	94.98	Inf	-Inf	3	Horizontal	19	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.93	68.20	-11.27	3	Horizontal	19	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	106.72	Inf	-Inf	3	Horizontal	19	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9324G	59.40	68.20	-8.80	3	Horizontal	19	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36568G	43.35	54.00	-10.65	3	Vertical	63	1.82	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38672G	56.51	74.00	-17.49	3	Vertical	63	1.82	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07976G	65.26	68.20	-2.94	3	Vertical	166	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3612G	43.34	54.00	-10.66	3	Horizontal	9	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36624G	56.52	74.00	-17.48	3	Horizontal	9	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0556G	64.46	68.20	-3.74	3	Horizontal	336	2.54	-
5775MHz	Pass	AV	5.7618G	94.28	Inf	-Inf	3	Vertical	177	1.50	-
5775MHz	Pass	PK	5.649G	63.10	68.20	-5.10	3	Vertical	177	1.50	-
5775MHz	Pass	PK	5.7582G	105.31	Inf	-Inf	3	Vertical	177	1.50	-
5775MHz	Pass	PK	6.021G	60.88	68.20	-7.32	3	Vertical	177	1.50	-
5775MHz	Pass	AV	5.7618G	94.00	Inf	-Inf	3	Horizontal	20	2.67	-
5775MHz	Pass	PK	5.6274G	62.76	68.20	-5.44	3	Horizontal	20	2.67	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.757G	104.70	Inf	-Inf	3	Horizontal	20	2.67	-
5775MHz	Pass	PK	5.931G	59.52	68.20	-8.68	3	Horizontal	20	2.67	-
5775MHz	Pass	AV	11.53638G	41.10	54.00	-12.90	3	Vertical	206	1.64	-
5775MHz	Pass	PK	11.53728G	54.84	74.00	-19.16	3	Vertical	206	1.64	-
5775MHz	Pass	PK	17.31936G	61.58	68.20	-6.62	3	Vertical	81	1.50	-
5775MHz	Pass	AV	11.53638G	41.76	54.00	-12.24	3	Horizontal	360	2.29	-
5775MHz	Pass	PK	11.53674G	55.53	74.00	-18.47	3	Horizontal	360	2.29	-
5775MHz	Pass	PK	17.32944G	61.98	68.20	-6.22	3	Horizontal	356	3.00	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	47.06	54.00	-6.94	3	Vertical	80	1.78	-
5210MHz	Pass	AV	5.212G	94.39	Inf	-Inf	3	Vertical	80	1.78	-
5210MHz	Pass	AV	5.404G	44.96	54.00	-9.04	3	Vertical	80	1.78	-
5210MHz	Pass	PK	5.15G	58.98	74.00	-15.02	3	Vertical	80	1.78	-
5210MHz	Pass	PK	5.202G	104.18	Inf	-Inf	3	Vertical	80	1.78	-
5210MHz	Pass	PK	5.443G	57.13	74.00	-16.87	3	Vertical	80	1.78	-
5210MHz	Pass	AV	5.15G	45.94	54.00	-8.06	3	Horizontal	20	1.48	-
5210MHz	Pass	AV	5.202G	90.16	Inf	-Inf	3	Horizontal	20	1.48	-
5210MHz	Pass	AV	5.407G	44.73	54.00	-9.27	3	Horizontal	20	1.48	-
5210MHz	Pass	PK	5.114G	58.00	74.00	-16.00	3	Horizontal	20	1.48	-
5210MHz	Pass	PK	5.192G	99.77	Inf	-Inf	3	Horizontal	20	1.48	-
5210MHz	Pass	PK	5.364G	57.24	74.00	-16.76	3	Horizontal	20	1.48	-
5210MHz	Pass	AV	15.61168G	46.89	54.00	-7.11	3	Vertical	185	1.30	-
5210MHz	Pass	PK	10.40848G	55.84	68.20	-12.36	3	Vertical	265	1.68	-
5210MHz	Pass	PK	15.64256G	59.94	74.00	-14.06	3	Vertical	185	1.30	-
5210MHz	Pass	AV	15.61376G	46.98	54.00	-7.02	3	Horizontal	267	2.12	-
5210MHz	Pass	PK	10.41688G	55.69	68.20	-12.51	3	Horizontal	96	2.49	-
5210MHz	Pass	PK	15.61608G	60.09	74.00	-13.91	3	Horizontal	267	2.12	-
5290MHz	Pass	AV	5.141G	45.76	54.00	-8.24	3	Vertical	81	1.72	-
5290MHz	Pass	AV	5.292G	94.65	Inf	-Inf	3	Vertical	81	1.72	-
5290MHz	Pass	AV	5.352G	50.65	54.00	-3.35	3	Vertical	81	1.72	-
5290MHz	Pass	PK	5.116G	57.96	74.00	-16.04	3	Vertical	81	1.72	-
5290MHz	Pass	PK	5.273G	104.33	Inf	-Inf	3	Vertical	81	1.72	-
5290MHz	Pass	PK	5.353G	65.22	74.00	-8.78	3	Vertical	81	1.72	-
5290MHz	Pass	AV	5.149G	45.08	54.00	-8.92	3	Horizontal	20	1.49	-
5290MHz	Pass	AV	5.282G	90.51	Inf	-Inf	3	Horizontal	20	1.49	-
5290MHz	Pass	AV	5.352G	47.46	54.00	-6.54	3	Horizontal	20	1.49	-
5290MHz	Pass	PK	5.142G	57.50	74.00	-16.50	3	Horizontal	20	1.49	-
5290MHz	Pass	PK	5.272G	100.38	Inf	-Inf	3	Horizontal	20	1.49	-
5290MHz	Pass	PK	5.359G	61.06	74.00	-12.94	3	Horizontal	20	1.49	-
5290MHz	Pass	AV	15.87224G	46.73	54.00	-7.27	3	Vertical	50	2.07	-
5290MHz	Pass	PK	10.56224G	55.86	68.20	-12.34	3	Vertical	280	2.65	-
5290MHz	Pass	PK	15.86192G	59.81	74.00	-14.19	3	Vertical	50	2.07	-
5290MHz	Pass	AV	15.87664G	46.65	54.00	-7.35	3	Horizontal	90	2.59	-
5290MHz	Pass	PK	10.56016G	56.05	68.20	-12.15	3	Horizontal	221	1.51	-
5290MHz	Pass	PK	15.88176G	60.15	74.00	-13.85	3	Horizontal	90	2.59	-
5530MHz	Pass	AV	5.452G	50.17	54.00	-3.83	3	Vertical	77	1.77	-
5530MHz	Pass	AV	5.522G	96.55	Inf	-Inf	3	Vertical	77	1.77	-
5530MHz	Pass	PK	5.47G	64.83	68.20	-3.37	3	Vertical	77	1.77	-
5530MHz	Pass	PK	5.533G	106.46	Inf	-Inf	3	Vertical	77	1.77	-
5530MHz	Pass	PK	5.737G	58.51	68.20	-9.69	3	Vertical	77	1.77	-
5530MHz	Pass	AV	5.459G	48.38	54.00	-5.62	3	Horizontal	15	1.88	-
5530MHz	Pass	AV	5.519G	94.30	Inf	-Inf	3	Horizontal	15	1.88	-
5530MHz	Pass	PK	5.469G	62.12	68.20	-6.08	3	Horizontal	15	1.88	-
5530MHz	Pass	PK	5.56G	103.86	Inf	-Inf	3	Horizontal	15	1.88	-
5530MHz	Pass	PK	5.735G	56.79	68.20	-11.41	3	Horizontal	15	1.88	-
5530MHz	Pass	AV	11.04264G	43.50	54.00	-10.50	3	Vertical	164	1.37	-
5530MHz	Pass	PK	11.05704G	56.40	74.00	-17.60	3	Vertical	164	1.37	-
5530MHz	Pass	PK	16.57848G	62.01	68.20	-6.19	3	Vertical	58	2.41	-
5530MHz	Pass	AV	11.04152G	43.47	54.00	-10.53	3	Horizontal	354	1.68	-
5530MHz	Pass	PK	11.07312G	56.45	74.00	-17.55	3	Horizontal	354	1.68	-
5530MHz	Pass	PK	16.588G	61.53	68.20	-6.67	3	Horizontal	66	2.01	-
5610MHz	Pass	AV	5.46G	46.84	54.00	-7.16	3	Vertical	79	1.66	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	5.602G	99.05	Inf	-Inf	3	Vertical	79	1.66	-
5610MHz	Pass	PK	5.469G	60.23	68.20	-7.97	3	Vertical	79	1.66	-
5610MHz	Pass	PK	5.601G	108.65	Inf	-Inf	3	Vertical	79	1.66	-
5610MHz	Pass	PK	5.734G	61.71	68.20	-6.49	3	Vertical	79	1.66	-
5610MHz	Pass	AV	5.46G	45.82	54.00	-8.18	3	Horizontal	16	1.78	-
5610MHz	Pass	AV	5.62G	96.58	Inf	-Inf	3	Horizontal	16	1.78	-
5610MHz	Pass	PK	5.468G	58.51	68.20	-9.69	3	Horizontal	16	1.78	-
5610MHz	Pass	PK	5.62G	106.54	Inf	-Inf	3	Horizontal	16	1.78	-
5610MHz	Pass	PK	5.741G	60.66	68.20	-7.54	3	Horizontal	16	1.78	-
5610MHz	Pass	AV	11.22448G	43.00	54.00	-11.00	3	Vertical	165	2.06	-
5610MHz	Pass	PK	11.20336G	56.12	74.00	-17.88	3	Vertical	165	2.06	-
5610MHz	Pass	PK	16.83184G	63.28	68.20	-4.92	3	Vertical	203	1.61	-
5610MHz	Pass	AV	11.20192G	43.07	54.00	-10.93	3	Horizontal	257	1.86	-
5610MHz	Pass	PK	11.20128G	56.63	74.00	-17.37	3	Horizontal	257	1.86	-
5610MHz	Pass	PK	16.81312G	63.85	68.20	-4.35	3	Horizontal	52	1.32	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	46.94	54.00	-7.06	3	Vertical	86	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	100.81	Inf	-Inf	3	Vertical	86	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.44	68.20	-9.76	3	Vertical	86	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6708G	110.45	Inf	-Inf	3	Vertical	86	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8724G	59.75	68.20	-8.45	3	Vertical	86	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4056G	46.21	54.00	-7.79	3	Horizontal	19	2.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	99.50	Inf	-Inf	3	Horizontal	19	2.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.68	68.20	-11.52	3	Horizontal	19	2.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	109.02	Inf	-Inf	3	Horizontal	19	2.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8964G	59.53	68.20	-8.67	3	Horizontal	19	2.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36504G	43.36	54.00	-10.64	3	Vertical	160	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36776G	56.30	74.00	-17.70	3	Vertical	160	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06936G	64.97	68.20	-3.23	3	Vertical	68	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36464G	43.36	54.00	-10.64	3	Horizontal	226	2.89	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3732G	56.99	74.00	-17.01	3	Horizontal	226	2.89	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05368G	64.77	68.20	-3.43	3	Horizontal	25	2.00	-
5775MHz	Pass	AV	5.7678G	97.89	Inf	-Inf	3	Vertical	79	1.76	-
5775MHz	Pass	PK	5.6466G	63.88	68.20	-4.32	3	Vertical	79	1.76	-
5775MHz	Pass	PK	5.7678G	107.74	Inf	-Inf	3	Vertical	79	1.76	-
5775MHz	Pass	PK	5.9298G	60.59	68.20	-7.61	3	Vertical	79	1.76	-
5775MHz	Pass	AV	5.7774G	96.42	Inf	-Inf	3	Horizontal	33	1.69	-
5775MHz	Pass	PK	5.6466G	60.63	68.20	-7.57	3	Horizontal	33	1.69	-
5775MHz	Pass	PK	5.7678G	106.33	Inf	-Inf	3	Horizontal	33	1.69	-
5775MHz	Pass	PK	5.9286G	58.92	68.20	-9.28	3	Horizontal	33	1.69	-
5775MHz	Pass	AV	11.5416G	43.75	54.00	-10.25	3	Vertical	341	2.46	-
5775MHz	Pass	PK	11.534G	56.57	74.00	-17.43	3	Vertical	341	2.46	-
5775MHz	Pass	PK	17.32116G	64.10	68.20	-4.10	3	Vertical	222	2.57	-
5775MHz	Pass	AV	11.53152G	43.81	54.00	-10.19	3	Horizontal	21	1.33	-
5775MHz	Pass	PK	11.552G	56.76	74.00	-17.24	3	Horizontal	21	1.33	-
5775MHz	Pass	PK	17.34372G	63.87	68.20	-4.33	3	Horizontal	143	1.08	-
802.11ac VHT160_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.62	54.00	-4.38	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2284G	89.78	Inf	-Inf	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	52.44	54.00	-1.56	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	62.26	74.00	-11.74	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2464G	100.12	Inf	-Inf	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.364G	65.60	74.00	-8.40	3	Vertical	81	1.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	47.22	54.00	-6.78	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2668G	85.46	Inf	-Inf	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	49.46	54.00	-4.54	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1132G	58.85	74.00	-15.15	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2716G	95.55	Inf	-Inf	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3664G	61.43	74.00	-12.57	3	Horizontal	360	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.67608G	46.87	54.00	-7.13	3	Vertical	196	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52496G	61.04	68.20	-7.16	3	Vertical	8	1.08	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67416G	59.45	74.00	-14.55	3	Vertical	196	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6764G	46.90	54.00	-7.10	3	Horizontal	215	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52496G	63.19	68.20	-5.01	3	Horizontal	159	1.27	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.68696G	59.97	74.00	-14.03	3	Horizontal	215	1.50	-
5570MHz	Pass	AV	5.4536G	52.26	54.00	-1.74	3	Vertical	85	1.77	-
5570MHz	Pass	AV	5.5448G	92.41	Inf	-Inf	3	Vertical	85	1.77	-
5570MHz	Pass	PK	5.4656G	64.14	68.20	-4.06	3	Vertical	85	1.77	-
5570MHz	Pass	PK	5.5664G	103.58	Inf	-Inf	3	Vertical	85	1.77	-
5570MHz	Pass	PK	5.726G	63.03	68.20	-5.17	3	Vertical	85	1.77	-
5570MHz	Pass	AV	5.4392G	50.03	54.00	-3.97	3	Horizontal	25	1.68	-
5570MHz	Pass	AV	5.5448G	89.37	Inf	-Inf	3	Horizontal	25	1.68	-
5570MHz	Pass	PK	5.462G	63.90	68.20	-4.30	3	Horizontal	25	1.68	-
5570MHz	Pass	PK	5.5904G	100.11	Inf	-Inf	3	Horizontal	25	1.68	-
5570MHz	Pass	PK	5.7284G	62.09	68.20	-6.11	3	Horizontal	25	1.68	-
5570MHz	Pass	AV	11.06128G	43.38	54.00	-10.62	3	Vertical	359	1.50	-
5570MHz	Pass	PK	11.15888G	56.80	74.00	-17.20	3	Vertical	359	1.50	-
5570MHz	Pass	PK	16.65944G	63.22	68.20	-4.98	3	Vertical	87	1.50	-
5570MHz	Pass	AV	11.0616G	43.33	54.00	-10.67	3	Horizontal	336	1.50	-
5570MHz	Pass	PK	11.06G	56.11	74.00	-17.89	3	Horizontal	336	1.50	-
5570MHz	Pass	PK	16.72376G	62.50	68.20	-5.70	3	Horizontal	133	1.50	-
802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	49.05	54.00	-4.95	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2128G	84.93	Inf	-Inf	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	47.74	54.00	-6.26	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	60.59	74.00	-13.41	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2056G	95.09	Inf	-Inf	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3652G	60.01	74.00	-13.99	3	Vertical	83	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	49.16	54.00	-4.84	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.208G	86.66	Inf	-Inf	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	47.88	54.00	-6.12	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1192G	63.25	74.00	-10.75	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2056G	96.76	Inf	-Inf	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.358G	60.13	74.00	-13.87	3	Horizontal	36	2.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.68056G	45.18	54.00	-8.82	3	Vertical	287	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49264G	54.87	68.20	-13.33	3	Vertical	102	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.70264G	58.35	74.00	-15.65	3	Vertical	287	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.67608G	45.14	54.00	-8.86	3	Horizontal	360	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49456G	54.20	68.20	-14.00	3	Horizontal	286	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.69816G	57.97	74.00	-16.03	3	Horizontal	360	2.70	-
5570MHz	Pass	AV	5.4572G	50.16	54.00	-3.84	3	Vertical	91	1.70	-
5570MHz	Pass	AV	5.558G	88.01	Inf	-Inf	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.4668G	65.54	68.20	-2.66	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.5664G	99.04	Inf	-Inf	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.7284G	65.63	68.20	-2.57	3	Vertical	91	1.70	-
5570MHz	Pass	AV	5.4548G	50.48	54.00	-3.52	3	Horizontal	16	2.88	-
5570MHz	Pass	AV	5.5748G	89.22	Inf	-Inf	3	Horizontal	16	2.88	-
5570MHz	Pass	PK	5.4692G	63.95	68.20	-4.25	3	Horizontal	16	2.88	-
5570MHz	Pass	PK	5.5664G	99.13	Inf	-Inf	3	Horizontal	16	2.88	-
5570MHz	Pass	PK	5.7308G	63.59	68.20	-4.61	3	Horizontal	16	2.88	-
5570MHz	Pass	AV	11.07792G	43.30	54.00	-10.70	3	Vertical	37	2.14	-
5570MHz	Pass	PK	11.06224G	55.74	74.00	-18.26	3	Vertical	37	2.14	-
5570MHz	Pass	PK	16.65496G	62.37	68.20	-5.83	3	Vertical	1	2.79	-
5570MHz	Pass	AV	11.07504G	43.29	54.00	-10.71	3	Horizontal	236	1.05	-
5570MHz	Pass	PK	11.07344G	56.05	74.00	-17.95	3	Horizontal	236	1.05	-
5570MHz	Pass	PK	16.64632G	62.38	68.20	-5.82	3	Horizontal	253	1.60	-
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.86	54.00	-5.14	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2056G	92.70	Inf	-Inf	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	50.91	54.00	-3.09	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	60.98	74.00	-13.02	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2332G	102.08	Inf	-Inf	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	62.90	74.00	-11.10	3	Vertical	83	1.81	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	47.72	54.00	-6.28	3	Horizontal	30	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2152G	88.88	Inf	-Inf	3	Horizontal	30	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	48.40	54.00	-5.60	3	Horizontal	30	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	58.78	74.00	-15.22	3	Horizontal	30	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2224G	98.47	Inf	-Inf	3	Horizontal	30	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	59.35	74.00	-14.65	3	Horizontal	30	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.69624G	46.81	54.00	-7.19	3	Vertical	338	1.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52496G	61.15	68.20	-7.05	3	Vertical	19	1.24	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.72856G	59.77	74.00	-14.23	3	Vertical	338	1.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.67672G	46.86	54.00	-7.14	3	Horizontal	347	2.44	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52496G	63.75	68.20	-4.45	3	Horizontal	149	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.67352G	60.13	74.00	-13.87	3	Horizontal	347	2.44	-
5570MHz	Pass	AV	5.4536G	52.33	54.00	-1.67	3	Vertical	91	1.70	-
5570MHz	Pass	AV	5.5544G	95.53	Inf	-Inf	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.4644G	64.27	68.20	-3.93	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.5556G	104.77	Inf	-Inf	3	Vertical	91	1.70	-
5570MHz	Pass	PK	5.726G	64.69	68.20	-3.51	3	Vertical	91	1.70	-
5570MHz	Pass	AV	5.45G	49.72	54.00	-4.28	3	Horizontal	23	2.54	-
5570MHz	Pass	AV	5.5856G	93.44	Inf	-Inf	3	Horizontal	23	2.54	-
5570MHz	Pass	PK	5.468G	60.05	68.20	-8.15	3	Horizontal	23	2.54	-
5570MHz	Pass	PK	5.5868G	102.89	Inf	-Inf	3	Horizontal	23	2.54	-
5570MHz	Pass	PK	5.732G	62.79	68.20	-5.41	3	Horizontal	23	2.54	-
5570MHz	Pass	AV	11.0696G	43.35	54.00	-10.65	3	Vertical	102	2.71	-
5570MHz	Pass	PK	11.13264G	55.47	74.00	-18.53	3	Vertical	102	2.71	-
5570MHz	Pass	PK	16.75928G	62.77	68.20	-5.43	3	Vertical	336	1.50	-
5570MHz	Pass	AV	11.0616G	43.24	54.00	-10.76	3	Horizontal	336	1.50	-
5570MHz	Pass	PK	11.19568G	56.04	74.00	-17.96	3	Horizontal	336	1.50	-
5570MHz	Pass	PK	16.76472G	63.49	68.20	-4.71	3	Horizontal	17	1.72	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149G	45.60	54.00	-8.40	3	Vertical	72	1.84	-
5180MHz	Pass	AV	5.1818G	95.41	Inf	-Inf	3	Vertical	72	1.84	-
5180MHz	Pass	PK	5.1452G	58.17	74.00	-15.83	3	Vertical	72	1.84	-
5180MHz	Pass	PK	5.181G	108.61	Inf	-Inf	3	Vertical	72	1.84	-
5180MHz	Pass	AV	5.149G	45.58	54.00	-8.42	3	Horizontal	26	1.50	-
5180MHz	Pass	AV	5.1822G	89.31	Inf	-Inf	3	Horizontal	26	1.50	-
5180MHz	Pass	PK	5.1468G	58.25	74.00	-15.75	3	Horizontal	26	1.50	-
5180MHz	Pass	PK	5.1766G	102.84	Inf	-Inf	3	Horizontal	26	1.50	-
5180MHz	Pass	AV	15.53076G	47.70	54.00	-6.30	3	Vertical	266	2.37	-
5180MHz	Pass	PK	10.362G	56.73	68.20	-11.47	3	Vertical	279	1.40	-
5180MHz	Pass	PK	15.53612G	61.32	74.00	-12.68	3	Vertical	266	2.37	-
5180MHz	Pass	AV	15.53044G	47.78	54.00	-6.22	3	Horizontal	23	1.90	-
5180MHz	Pass	PK	10.35736G	54.80	68.20	-13.40	3	Horizontal	360	1.50	-
5180MHz	Pass	PK	15.53476G	61.13	74.00	-12.87	3	Horizontal	23	1.90	-
5200MHz	Pass	AV	5.1492G	45.68	54.00	-8.32	3	Vertical	71	1.80	-
5200MHz	Pass	AV	5.1976G	94.69	Inf	-Inf	3	Vertical	71	1.80	-
5200MHz	Pass	PK	5.1352G	58.76	74.00	-15.24	3	Vertical	71	1.80	-
5200MHz	Pass	PK	5.2032G	108.34	Inf	-Inf	3	Vertical	71	1.80	-
5200MHz	Pass	AV	5.1436G	45.48	54.00	-8.52	3	Horizontal	6	1.50	-
5200MHz	Pass	AV	5.1976G	89.32	Inf	-Inf	3	Horizontal	6	1.50	-
5200MHz	Pass	PK	5.1076G	58.05	74.00	-15.95	3	Horizontal	6	1.50	-
5200MHz	Pass	PK	5.2016G	102.40	Inf	-Inf	3	Horizontal	6	1.50	-
5200MHz	Pass	AV	15.59092G	46.23	54.00	-7.77	3	Vertical	149	1.59	-
5200MHz	Pass	PK	10.39588G	54.85	68.20	-13.35	3	Vertical	61	1.97	-
5200MHz	Pass	PK	15.59936G	59.99	74.00	-14.01	3	Vertical	149	1.59	-
5200MHz	Pass	AV	15.59008G	46.26	54.00	-7.74	3	Horizontal	125	2.18	-
5200MHz	Pass	PK	10.3982G	55.05	68.20	-13.15	3	Horizontal	306	1.70	-
5200MHz	Pass	PK	15.60728G	60.32	74.00	-13.68	3	Horizontal	125	2.18	-
5240MHz	Pass	AV	5.147G	45.62	54.00	-8.38	3	Vertical	95	1.91	-
5240MHz	Pass	AV	5.2382G	94.16	Inf	-Inf	3	Vertical	95	1.91	-
5240MHz	Pass	AV	5.3834G	45.20	54.00	-8.80	3	Vertical	95	1.91	-
5240MHz	Pass	PK	5.0972G	57.96	74.00	-16.04	3	Vertical	95	1.91	-
5240MHz	Pass	PK	5.243G	106.19	Inf	-Inf	3	Vertical	95	1.91	-
5240MHz	Pass	PK	5.3828G	57.62	74.00	-16.38	3	Vertical	95	1.91	-
5240MHz	Pass	AV	5.1488G	45.47	54.00	-8.53	3	Horizontal	27	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	AV	5.2364G	87.97	Inf	-Inf	3	Horizontal	27	1.50	-
5240MHz	Pass	AV	5.3858G	45.11	54.00	-8.89	3	Horizontal	27	1.50	-
5240MHz	Pass	PK	5.0966G	58.02	74.00	-15.98	3	Horizontal	27	1.50	-
5240MHz	Pass	PK	5.2406G	100.28	Inf	-Inf	3	Horizontal	27	1.50	-
5240MHz	Pass	PK	5.3546G	57.51	74.00	-16.49	3	Horizontal	27	1.50	-
5240MHz	Pass	AV	15.71196G	45.65	54.00	-8.35	3	Vertical	192	2.16	-
5240MHz	Pass	PK	10.482G	54.34	68.20	-13.86	3	Vertical	221	2.29	-
5240MHz	Pass	PK	15.7134G	59.72	74.00	-14.28	3	Vertical	192	2.16	-
5240MHz	Pass	AV	15.71372G	45.61	54.00	-8.39	3	Horizontal	78	1.25	-
5240MHz	Pass	PK	10.47532G	55.26	68.20	-12.94	3	Horizontal	256	2.14	-
5240MHz	Pass	PK	15.7236G	59.01	74.00	-14.99	3	Horizontal	78	1.25	-
5260MHz	Pass	AV	5.1442G	45.77	54.00	-8.23	3	Vertical	70	1.97	-
5260MHz	Pass	AV	5.2564G	97.90	Inf	-Inf	3	Vertical	70	1.97	-
5260MHz	Pass	AV	5.3896G	45.32	54.00	-8.68	3	Vertical	70	1.97	-
5260MHz	Pass	PK	5.1496G	58.24	74.00	-15.76	3	Vertical	70	1.97	-
5260MHz	Pass	PK	5.2606G	110.43	Inf	-Inf	3	Vertical	70	1.97	-
5260MHz	Pass	PK	5.3944G	57.86	74.00	-16.14	3	Vertical	70	1.97	-
5260MHz	Pass	AV	5.1346G	45.48	54.00	-8.52	3	Horizontal	360	1.50	-
5260MHz	Pass	AV	5.2546G	91.48	Inf	-Inf	3	Horizontal	360	1.50	-
5260MHz	Pass	AV	5.3854G	45.20	54.00	-8.80	3	Horizontal	360	1.50	-
5260MHz	Pass	PK	5.1256G	58.10	74.00	-15.90	3	Horizontal	360	1.50	-
5260MHz	Pass	PK	5.2546G	105.04	Inf	-Inf	3	Horizontal	360	1.50	-
5260MHz	Pass	PK	5.3836G	58.07	74.00	-15.93	3	Horizontal	360	1.50	-
5260MHz	Pass	AV	15.78222G	45.38	54.00	-8.62	3	Vertical	117	1.82	-
5260MHz	Pass	PK	10.52498G	57.29	68.20	-10.91	3	Vertical	350	2.30	-
5260MHz	Pass	PK	15.78828G	59.30	74.00	-14.70	3	Vertical	117	1.82	-
5260MHz	Pass	AV	15.76794G	45.38	54.00	-8.62	3	Horizontal	139	1.51	-
5260MHz	Pass	PK	10.52486G	58.20	68.20	-10.00	3	Horizontal	77	2.42	-
5260MHz	Pass	PK	15.78132G	59.33	74.00	-14.67	3	Horizontal	139	1.51	-
5300MHz	Pass	AV	5.3024G	101.25	Inf	-Inf	3	Vertical	70	1.90	-
5300MHz	Pass	AV	5.35G	47.47	54.00	-6.53	3	Vertical	70	1.90	-
5300MHz	Pass	PK	5.3012G	113.80	Inf	-Inf	3	Vertical	70	1.90	-
5300MHz	Pass	PK	5.3512G	60.96	74.00	-13.04	3	Vertical	70	1.90	-
5300MHz	Pass	AV	5.2968G	96.20	Inf	-Inf	3	Horizontal	360	1.50	-
5300MHz	Pass	AV	5.35G	45.95	54.00	-8.05	3	Horizontal	360	1.50	-
5300MHz	Pass	PK	5.2932G	109.60	Inf	-Inf	3	Horizontal	360	1.50	-
5300MHz	Pass	PK	5.3508G	58.73	74.00	-15.27	3	Horizontal	360	1.50	-
5300MHz	Pass	AV	10.60366G	41.75	54.00	-12.25	3	Vertical	213	2.20	-
5300MHz	Pass	AV	15.9096G	45.96	54.00	-8.04	3	Vertical	353	1.37	-
5300MHz	Pass	PK	10.597G	55.72	68.20	-12.48	3	Vertical	213	2.20	-
5300MHz	Pass	PK	15.90834G	59.93	74.00	-14.07	3	Vertical	353	1.37	-
5300MHz	Pass	AV	10.60762G	41.76	54.00	-12.24	3	Horizontal	167	1.64	-
5300MHz	Pass	AV	15.90924G	45.97	54.00	-8.03	3	Horizontal	84	1.88	-
5300MHz	Pass	PK	10.60468G	55.24	74.00	-18.76	3	Horizontal	167	1.64	-
5300MHz	Pass	PK	15.90234G	59.45	74.00	-14.55	3	Horizontal	84	1.88	-
5320MHz	Pass	AV	5.318G	99.12	Inf	-Inf	3	Vertical	84	1.81	-
5320MHz	Pass	AV	5.3502G	50.37	54.00	-3.63	3	Vertical	84	1.81	-
5320MHz	Pass	PK	5.3182G	112.60	Inf	-Inf	3	Vertical	84	1.81	-
5320MHz	Pass	PK	5.352G	71.13	74.00	-2.87	3	Vertical	84	1.81	-
5320MHz	Pass	AV	5.3226G	93.08	Inf	-Inf	3	Horizontal	0	1.72	-
5320MHz	Pass	AV	5.35G	47.67	54.00	-6.33	3	Horizontal	0	1.72	-
5320MHz	Pass	PK	5.3236G	106.20	Inf	-Inf	3	Horizontal	0	1.72	-
5320MHz	Pass	PK	5.3524G	66.08	74.00	-7.92	3	Horizontal	0	1.72	-
5320MHz	Pass	AV	10.65386G	41.93	54.00	-12.07	3	Vertical	256	1.91	-
5320MHz	Pass	AV	15.97314G	46.51	54.00	-7.49	3	Vertical	171	2.28	-
5320MHz	Pass	PK	10.6541G	55.69	74.00	-18.31	3	Vertical	256	1.91	-
5320MHz	Pass	PK	15.9486G	60.48	74.00	-13.52	3	Vertical	171	2.28	-
5320MHz	Pass	AV	10.65326G	41.92	54.00	-12.08	3	Horizontal	335	1.04	-
5320MHz	Pass	AV	15.95496G	46.51	54.00	-7.49	3	Horizontal	327	2.50	-
5320MHz	Pass	PK	10.65086G	55.52	74.00	-18.48	3	Horizontal	335	1.04	-
5320MHz	Pass	PK	15.97278G	60.27	74.00	-13.73	3	Horizontal	327	2.50	-
5500MHz	Pass	AV	5.4594G	46.09	54.00	-7.91	3	Vertical	73	1.89	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.5032G	100.34	Inf	-Inf	3	Vertical	73	1.89	-
5500MHz	Pass	PK	5.4688G	64.89	68.20	-3.31	3	Vertical	73	1.89	-
5500MHz	Pass	PK	5.5038G	113.50	Inf	-Inf	3	Vertical	73	1.89	-
5500MHz	Pass	AV	5.4596G	45.39	54.00	-8.61	3	Horizontal	20	1.50	-
5500MHz	Pass	AV	5.4978G	95.65	Inf	-Inf	3	Horizontal	20	1.50	-
5500MHz	Pass	PK	5.4688G	61.73	68.20	-6.47	3	Horizontal	20	1.50	-
5500MHz	Pass	PK	5.5036G	109.14	Inf	-Inf	3	Horizontal	20	1.50	-
5500MHz	Pass	AV	11.00138G	42.68	54.00	-11.32	3	Vertical	222	1.86	-
5500MHz	Pass	PK	10.98998G	56.51	74.00	-17.49	3	Vertical	222	1.86	-
5500MHz	Pass	PK	16.5042G	62.71	68.20	-5.49	3	Vertical	87	1.30	-
5500MHz	Pass	AV	11.01176G	42.69	54.00	-11.31	3	Horizontal	115	2.28	-
5500MHz	Pass	PK	10.99844G	56.55	74.00	-17.45	3	Horizontal	115	2.28	-
5500MHz	Pass	PK	16.49112G	62.84	68.20	-5.36	3	Horizontal	64	1.48	-
5580MHz	Pass	AV	5.433G	45.72	54.00	-8.28	3	Vertical	76	1.85	-
5580MHz	Pass	AV	5.5824G	102.94	Inf	-Inf	3	Vertical	76	1.85	-
5580MHz	Pass	PK	5.469G	57.65	68.20	-10.55	3	Vertical	76	1.85	-
5580MHz	Pass	PK	5.5782G	115.58	Inf	-Inf	3	Vertical	76	1.85	-
5580MHz	Pass	PK	5.7276G	57.36	68.20	-10.84	3	Vertical	76	1.85	-
5580MHz	Pass	AV	5.4324G	45.23	54.00	-8.77	3	Horizontal	357	1.87	-
5580MHz	Pass	AV	5.5776G	99.82	Inf	-Inf	3	Horizontal	357	1.87	-
5580MHz	Pass	PK	5.4612G	56.73	68.20	-11.47	3	Horizontal	357	1.87	-
5580MHz	Pass	PK	5.577G	112.83	Inf	-Inf	3	Horizontal	357	1.87	-
5580MHz	Pass	PK	5.7282G	58.00	68.20	-10.20	3	Horizontal	357	1.87	-
5580MHz	Pass	AV	11.14764G	42.11	54.00	-11.89	3	Vertical	309	2.09	-
5580MHz	Pass	PK	11.17014G	55.26	74.00	-18.74	3	Vertical	309	2.09	-
5580MHz	Pass	PK	16.74684G	63.40	68.20	-4.80	3	Vertical	118	2.22	-
5580MHz	Pass	AV	11.17098G	42.08	54.00	-11.92	3	Horizontal	242	1.75	-
5580MHz	Pass	PK	11.16222G	55.56	74.00	-18.44	3	Horizontal	242	1.75	-
5580MHz	Pass	PK	16.746G	63.10	68.20	-5.10	3	Horizontal	34	1.82	-
5700MHz	Pass	AV	5.6968G	99.61	Inf	-Inf	3	Vertical	75	1.88	-
5700MHz	Pass	PK	5.6952G	112.49	Inf	-Inf	3	Vertical	75	1.88	-
5700MHz	Pass	PK	5.7296G	66.04	68.20	-2.16	3	Vertical	75	1.88	-
5700MHz	Pass	AV	5.702G	96.91	Inf	-Inf	3	Horizontal	36	1.81	-
5700MHz	Pass	PK	5.7048G	109.66	Inf	-Inf	3	Horizontal	36	1.81	-
5700MHz	Pass	PK	5.728G	65.81	68.20	-2.39	3	Horizontal	36	1.81	-
5700MHz	Pass	AV	11.3934G	42.23	54.00	-11.77	3	Vertical	49	1.79	-
5700MHz	Pass	PK	11.41494G	56.06	74.00	-17.94	3	Vertical	49	1.79	-
5700MHz	Pass	PK	17.10852G	65.17	68.20	-3.03	3	Vertical	29	1.90	-
5700MHz	Pass	AV	11.38824G	42.26	54.00	-11.74	3	Horizontal	61	1.17	-
5700MHz	Pass	PK	11.39076G	56.15	74.00	-17.85	3	Horizontal	61	1.17	-
5700MHz	Pass	PK	17.08824G	63.84	68.20	-4.36	3	Horizontal	269	2.22	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	45.13	54.00	-8.87	3	Vertical	68	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	100.06	Inf	-Inf	3	Vertical	68	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.94	68.20	-11.26	3	Vertical	68	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	112.12	Inf	-Inf	3	Vertical	68	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9132G	59.72	68.20	-8.48	3	Vertical	68	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	45.10	54.00	-8.90	3	Horizontal	10	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	98.45	Inf	-Inf	3	Horizontal	10	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.59	68.20	-11.61	3	Horizontal	10	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	110.89	Inf	-Inf	3	Horizontal	10	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9468G	58.68	68.20	-9.52	3	Horizontal	10	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44156G	42.43	54.00	-11.57	3	Vertical	252	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45044G	56.52	74.00	-17.48	3	Vertical	252	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1648G	64.09	68.20	-4.11	3	Vertical	248	2.13	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45146G	42.46	54.00	-11.54	3	Horizontal	141	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42746G	55.85	74.00	-18.15	3	Horizontal	141	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15754G	63.62	68.20	-4.58	3	Horizontal	315	2.05	-
5745MHz	Pass	AV	5.7402G	99.71	Inf	-Inf	3	Vertical	64	1.82	-
5745MHz	Pass	PK	5.5626G	58.52	68.20	-9.68	3	Vertical	64	1.82	-
5745MHz	Pass	PK	5.739G	111.07	Inf	-Inf	3	Vertical	64	1.82	-
5745MHz	Pass	PK	6.0354G	58.22	68.20	-9.98	3	Vertical	64	1.82	-
5745MHz	Pass	AV	5.7414G	98.20	Inf	-Inf	3	Horizontal	37	1.82	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.589G	58.43	68.20	-9.77	3	Horizontal	37	1.82	-
5745MHz	Pass	PK	5.7462G	109.79	Inf	-Inf	3	Horizontal	37	1.82	-
5745MHz	Pass	PK	6.0234G	58.49	68.20	-9.71	3	Horizontal	37	1.82	-
5745MHz	Pass	AV	11.50476G	42.58	54.00	-11.42	3	Vertical	181	1.66	-
5745MHz	Pass	PK	11.49678G	56.55	74.00	-17.45	3	Vertical	181	1.66	-
5745MHz	Pass	PK	17.25G	63.37	68.20	-4.83	3	Vertical	179	1.33	-
5745MHz	Pass	AV	11.50428G	42.66	54.00	-11.34	3	Horizontal	352	1.51	-
5745MHz	Pass	PK	11.49894G	56.35	74.00	-17.65	3	Horizontal	352	1.51	-
5745MHz	Pass	PK	17.2233G	63.66	68.20	-4.54	3	Horizontal	307	1.97	-
5785MHz	Pass	AV	5.7802G	100.78	Inf	-Inf	3	Vertical	76	1.83	-
5785MHz	Pass	PK	5.5846G	58.66	68.20	-9.54	3	Vertical	76	1.83	-
5785MHz	Pass	PK	5.7802G	112.37	Inf	-Inf	3	Vertical	76	1.83	-
5785MHz	Pass	PK	6.0082G	59.03	68.20	-9.17	3	Vertical	76	1.83	-
5785MHz	Pass	AV	5.7826G	99.13	Inf	-Inf	3	Horizontal	40	2.43	-
5785MHz	Pass	PK	5.5918G	58.12	68.20	-10.08	3	Horizontal	40	2.43	-
5785MHz	Pass	PK	5.7838G	111.90	Inf	-Inf	3	Horizontal	40	2.43	-
5785MHz	Pass	PK	6.019G	59.23	68.20	-8.97	3	Horizontal	40	2.43	-
5785MHz	Pass	AV	11.555G	42.53	54.00	-11.47	3	Vertical	302	1.74	-
5785MHz	Pass	PK	11.58062G	56.07	74.00	-17.93	3	Vertical	302	1.74	-
5785MHz	Pass	PK	17.35308G	64.41	68.20	-3.79	3	Vertical	137	2.16	-
5785MHz	Pass	AV	11.555G	42.52	54.00	-11.48	3	Horizontal	71	2.08	-
5785MHz	Pass	PK	11.58494G	56.19	74.00	-17.81	3	Horizontal	71	2.08	-
5785MHz	Pass	PK	17.34024G	63.99	68.20	-4.21	3	Horizontal	6	1.62	-
5825MHz	Pass	AV	5.8274G	101.23	Inf	-Inf	3	Vertical	78	1.80	-
5825MHz	Pass	PK	5.6366G	57.99	68.20	-10.21	3	Vertical	78	1.80	-
5825MHz	Pass	PK	5.8286G	113.53	Inf	-Inf	3	Vertical	78	1.80	-
5825MHz	Pass	PK	5.9762G	60.32	68.20	-7.88	3	Vertical	78	1.80	-
5825MHz	Pass	AV	5.8274G	100.76	Inf	-Inf	3	Horizontal	34	2.57	-
5825MHz	Pass	PK	5.5394G	57.66	68.20	-10.54	3	Horizontal	34	2.57	-
5825MHz	Pass	PK	5.8286G	113.60	Inf	-Inf	3	Horizontal	34	2.57	-
5825MHz	Pass	PK	6.0758G	59.02	68.20	-9.18	3	Horizontal	34	2.57	-
5825MHz	Pass	AV	11.63656G	41.95	54.00	-12.05	3	Vertical	136	1.24	-
5825MHz	Pass	PK	11.66008G	55.40	74.00	-18.60	3	Vertical	136	1.24	-
5825MHz	Pass	PK	17.48808G	64.46	68.20	-3.74	3	Vertical	106	1.35	-
5825MHz	Pass	AV	11.65198G	41.95	54.00	-12.05	3	Horizontal	336	2.33	-
5825MHz	Pass	PK	11.6506G	55.39	74.00	-18.61	3	Horizontal	336	2.33	-
5825MHz	Pass	PK	17.4885G	64.30	68.20	-3.90	3	Horizontal	288	1.74	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	45.38	54.00	-8.62	3	Vertical	84	1.77	-
5180MHz	Pass	AV	5.1842G	88.19	Inf	-Inf	3	Vertical	84	1.77	-
5180MHz	Pass	PK	5.1314G	58.49	74.00	-15.51	3	Vertical	84	1.77	-
5180MHz	Pass	PK	5.178G	101.28	Inf	-Inf	3	Vertical	84	1.77	-
5180MHz	Pass	AV	5.144G	45.58	54.00	-8.42	3	Horizontal	22	1.91	-
5180MHz	Pass	AV	5.1848G	90.28	Inf	-Inf	3	Horizontal	22	1.91	-
5180MHz	Pass	PK	5.1496G	58.72	74.00	-15.28	3	Horizontal	22	1.91	-
5180MHz	Pass	PK	5.1822G	104.49	Inf	-Inf	3	Horizontal	22	1.91	-
5180MHz	Pass	AV	15.52512G	48.05	54.00	-5.95	3	Vertical	123	1.80	-
5180MHz	Pass	PK	10.3504G	55.44	68.20	-12.76	3	Vertical	164	1.35	-
5180MHz	Pass	PK	15.5487G	61.59	74.00	-12.41	3	Vertical	123	1.80	-
5180MHz	Pass	AV	15.52554G	48.04	54.00	-5.96	3	Horizontal	335	1.29	-
5180MHz	Pass	PK	10.3678G	55.40	68.20	-12.80	3	Horizontal	172	2.29	-
5180MHz	Pass	PK	15.52998G	61.31	74.00	-12.69	3	Horizontal	335	1.29	-
5200MHz	Pass	AV	5.1432G	45.51	54.00	-8.49	3	Vertical	74	1.50	-
5200MHz	Pass	AV	5.1952G	86.09	Inf	-Inf	3	Vertical	74	1.50	-
5200MHz	Pass	PK	5.1312G	58.32	74.00	-15.68	3	Vertical	74	1.50	-
5200MHz	Pass	PK	5.194G	99.50	Inf	-Inf	3	Vertical	74	1.50	-
5200MHz	Pass	AV	5.1476G	45.55	54.00	-8.45	3	Horizontal	18	2.96	-
5200MHz	Pass	AV	5.1976G	90.73	Inf	-Inf	3	Horizontal	18	2.96	-
5200MHz	Pass	PK	5.132G	58.27	74.00	-15.73	3	Horizontal	18	2.96	-
5200MHz	Pass	PK	5.2036G	103.25	Inf	-Inf	3	Horizontal	18	2.96	-
5200MHz	Pass	AV	15.58542G	46.52	54.00	-7.48	3	Vertical	358	2.03	-
5200MHz	Pass	PK	10.40498G	55.45	68.20	-12.75	3	Vertical	56	2.12	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	PK	15.60822G	59.74	74.00	-14.26	3	Vertical	358	2.03	-
5200MHz	Pass	AV	15.58578G	46.52	54.00	-7.48	3	Horizontal	79	1.88	-
5200MHz	Pass	PK	10.40018G	55.02	68.20	-13.18	3	Horizontal	304	2.45	-
5200MHz	Pass	PK	15.58848G	61.01	74.00	-12.99	3	Horizontal	79	1.88	-
5240MHz	Pass	AV	5.1446G	45.53	54.00	-8.47	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.237G	86.67	Inf	-Inf	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.3684G	45.10	54.00	-8.90	3	Vertical	73	1.72	-
5240MHz	Pass	PK	5.1002G	57.72	74.00	-16.28	3	Vertical	73	1.72	-
5240MHz	Pass	PK	5.2418G	99.18	Inf	-Inf	3	Vertical	73	1.72	-
5240MHz	Pass	PK	5.36G	57.78	74.00	-16.22	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.1446G	45.45	54.00	-8.55	3	Horizontal	23	2.94	-
5240MHz	Pass	AV	5.2424G	88.20	Inf	-Inf	3	Horizontal	23	2.94	-
5240MHz	Pass	AV	5.372G	45.06	54.00	-8.94	3	Horizontal	23	2.94	-
5240MHz	Pass	PK	5.15G	57.47	74.00	-16.53	3	Horizontal	23	2.94	-
5240MHz	Pass	PK	5.237G	100.59	Inf	-Inf	3	Horizontal	23	2.94	-
5240MHz	Pass	PK	5.3696G	57.95	74.00	-16.05	3	Horizontal	23	2.94	-
5240MHz	Pass	AV	15.705G	45.90	54.00	-8.10	3	Vertical	194	1.23	-
5240MHz	Pass	PK	10.48378G	55.83	68.20	-12.37	3	Vertical	177	1.09	-
5240MHz	Pass	PK	15.70518G	59.33	74.00	-14.67	3	Vertical	194	1.23	-
5240MHz	Pass	AV	15.70578G	45.89	54.00	-8.11	3	Horizontal	103	1.25	-
5240MHz	Pass	PK	10.47976G	55.46	68.20	-12.74	3	Horizontal	0	1.85	-
5240MHz	Pass	PK	15.71184G	59.68	74.00	-14.32	3	Horizontal	103	1.25	-
5260MHz	Pass	AV	5.1388G	45.47	54.00	-8.53	3	Vertical	73	1.50	-
5260MHz	Pass	AV	5.2624G	89.16	Inf	-Inf	3	Vertical	73	1.50	-
5260MHz	Pass	AV	5.3842G	45.11	54.00	-8.89	3	Vertical	73	1.50	-
5260MHz	Pass	PK	5.149G	57.98	74.00	-16.02	3	Vertical	73	1.50	-
5260MHz	Pass	PK	5.263G	101.11	Inf	-Inf	3	Vertical	73	1.50	-
5260MHz	Pass	PK	5.3974G	57.73	74.00	-16.27	3	Vertical	73	1.50	-
5260MHz	Pass	AV	5.1484G	45.57	54.00	-8.43	3	Horizontal	22	2.91	-
5260MHz	Pass	AV	5.2618G	91.63	Inf	-Inf	3	Horizontal	22	2.91	-
5260MHz	Pass	AV	5.3884G	45.16	54.00	-8.84	3	Horizontal	22	2.91	-
5260MHz	Pass	PK	5.134G	57.74	74.00	-16.26	3	Horizontal	22	2.91	-
5260MHz	Pass	PK	5.2534G	104.48	Inf	-Inf	3	Horizontal	22	2.91	-
5260MHz	Pass	PK	5.38G	58.13	74.00	-15.87	3	Horizontal	22	2.91	-
5260MHz	Pass	AV	15.78366G	45.45	54.00	-8.55	3	Vertical	141	1.11	-
5260MHz	Pass	PK	10.5233G	56.37	68.20	-11.83	3	Vertical	321	1.33	-
5260MHz	Pass	PK	15.77868G	58.99	74.00	-15.01	3	Vertical	141	1.11	-
5260MHz	Pass	AV	15.78654G	45.40	54.00	-8.60	3	Horizontal	4	2.25	-
5260MHz	Pass	PK	10.52474G	56.01	68.20	-12.19	3	Horizontal	19	1.13	-
5260MHz	Pass	PK	15.78324G	59.43	74.00	-14.57	3	Horizontal	4	2.25	-
5300MHz	Pass	AV	5.298G	92.60	Inf	-Inf	3	Vertical	63	1.50	-
5300MHz	Pass	AV	5.3508G	45.17	54.00	-8.83	3	Vertical	63	1.50	-
5300MHz	Pass	PK	5.298G	105.37	Inf	-Inf	3	Vertical	63	1.50	-
5300MHz	Pass	PK	5.3516G	57.91	74.00	-16.09	3	Vertical	63	1.50	-
5300MHz	Pass	AV	5.3028G	95.35	Inf	-Inf	3	Horizontal	22	3.00	-
5300MHz	Pass	AV	5.352G	45.44	54.00	-8.56	3	Horizontal	22	3.00	-
5300MHz	Pass	PK	5.3016G	107.77	Inf	-Inf	3	Horizontal	22	3.00	-
5300MHz	Pass	PK	5.3504G	58.65	74.00	-15.35	3	Horizontal	22	3.00	-
5300MHz	Pass	AV	10.60618G	41.83	54.00	-12.17	3	Vertical	339	1.48	-
5300MHz	Pass	AV	15.9102G	45.98	54.00	-8.02	3	Vertical	210	2.07	-
5300MHz	Pass	PK	10.59454G	55.30	68.20	-12.90	3	Vertical	339	1.48	-
5300MHz	Pass	PK	15.91458G	59.81	74.00	-14.19	3	Vertical	210	2.07	-
5300MHz	Pass	AV	10.60738G	41.79	54.00	-12.21	3	Horizontal	138	1.53	-
5300MHz	Pass	AV	15.91404G	46.06	54.00	-7.94	3	Horizontal	318	1.04	-
5300MHz	Pass	PK	10.59268G	56.00	68.20	-12.20	3	Horizontal	138	1.53	-
5300MHz	Pass	PK	15.90954G	59.78	74.00	-14.22	3	Horizontal	318	1.04	-
5320MHz	Pass	AV	5.3234G	92.80	Inf	-Inf	3	Vertical	172	1.64	-
5320MHz	Pass	AV	5.35G	48.66	54.00	-5.34	3	Vertical	172	1.64	-
5320MHz	Pass	PK	5.3212G	106.09	Inf	-Inf	3	Vertical	172	1.64	-
5320MHz	Pass	PK	5.3506G	62.11	74.00	-11.89	3	Vertical	172	1.64	-
5320MHz	Pass	AV	5.3226G	95.24	Inf	-Inf	3	Horizontal	22	2.86	-
5320MHz	Pass	AV	5.35G	49.60	54.00	-4.40	3	Horizontal	22	2.86	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3226G	108.78	Inf	-Inf	3	Horizontal	22	2.86	-
5320MHz	Pass	PK	5.351G	62.96	74.00	-11.04	3	Horizontal	22	2.86	-
5320MHz	Pass	AV	10.65332G	41.95	54.00	-12.05	3	Vertical	308	1.33	-
5320MHz	Pass	AV	15.9576G	46.47	54.00	-7.53	3	Vertical	129	2.42	-
5320MHz	Pass	PK	10.64126G	56.26	74.00	-17.74	3	Vertical	308	1.33	-
5320MHz	Pass	PK	15.96666G	60.32	74.00	-13.68	3	Vertical	129	2.42	-
5320MHz	Pass	AV	10.655G	42.00	54.00	-12.00	3	Horizontal	238	1.07	-
5320MHz	Pass	AV	15.95754G	46.49	54.00	-7.51	3	Horizontal	96	2.09	-
5320MHz	Pass	PK	10.65176G	55.40	74.00	-18.60	3	Horizontal	238	1.07	-
5320MHz	Pass	PK	15.95832G	60.27	74.00	-13.73	3	Horizontal	96	2.09	-
5500MHz	Pass	AV	5.4538G	45.20	54.00	-8.80	3	Vertical	174	1.46	-
5500MHz	Pass	AV	5.4978G	94.17	Inf	-Inf	3	Vertical	174	1.46	-
5500MHz	Pass	PK	5.47G	63.25	68.20	-4.95	3	Vertical	174	1.46	-
5500MHz	Pass	PK	5.4966G	107.14	Inf	-Inf	3	Vertical	174	1.46	-
5500MHz	Pass	AV	5.46G	45.25	54.00	-8.75	3	Horizontal	16	2.83	-
5500MHz	Pass	AV	5.5014G	94.89	Inf	-Inf	3	Horizontal	16	2.83	-
5500MHz	Pass	PK	5.4698G	63.37	68.20	-4.83	3	Horizontal	16	2.83	-
5500MHz	Pass	PK	5.5032G	107.78	Inf	-Inf	3	Horizontal	16	2.83	-
5500MHz	Pass	AV	11.0132G	42.73	54.00	-11.27	3	Vertical	207	1.55	-
5500MHz	Pass	PK	11.01392G	56.15	74.00	-17.85	3	Vertical	207	1.55	-
5500MHz	Pass	PK	16.48716G	63.38	68.20	-4.82	3	Vertical	110	1.30	-
5500MHz	Pass	AV	10.99772G	42.67	54.00	-11.33	3	Horizontal	139	2.12	-
5500MHz	Pass	PK	10.99388G	56.50	74.00	-17.50	3	Horizontal	139	2.12	-
5500MHz	Pass	PK	16.50438G	62.69	68.20	-5.51	3	Horizontal	75	1.07	-
5580MHz	Pass	AV	5.4354G	45.05	54.00	-8.95	3	Vertical	175	1.50	-
5580MHz	Pass	AV	5.5764G	97.34	Inf	-Inf	3	Vertical	175	1.50	-
5580MHz	Pass	PK	5.463G	56.91	68.20	-11.29	3	Vertical	175	1.50	-
5580MHz	Pass	PK	5.5818G	111.25	Inf	-Inf	3	Vertical	175	1.50	-
5580MHz	Pass	PK	5.7288G	57.33	68.20	-10.87	3	Vertical	175	1.50	-
5580MHz	Pass	AV	5.4336G	45.14	54.00	-8.86	3	Horizontal	14	3.00	-
5580MHz	Pass	AV	5.5842G	96.95	Inf	-Inf	3	Horizontal	14	3.00	-
5580MHz	Pass	PK	5.4648G	57.12	68.20	-11.08	3	Horizontal	14	3.00	-
5580MHz	Pass	PK	5.5842G	109.77	Inf	-Inf	3	Horizontal	14	3.00	-
5580MHz	Pass	PK	5.7276G	57.55	68.20	-10.65	3	Horizontal	14	3.00	-
5580MHz	Pass	AV	11.16222G	42.12	54.00	-11.88	3	Vertical	277	1.67	-
5580MHz	Pass	PK	11.16132G	55.81	74.00	-18.19	3	Vertical	277	1.67	-
5580MHz	Pass	PK	16.74966G	62.79	68.20	-5.41	3	Vertical	123	1.97	-
5580MHz	Pass	AV	11.16744G	42.07	54.00	-11.93	3	Horizontal	2	1.47	-
5580MHz	Pass	PK	11.16462G	55.39	74.00	-18.61	3	Horizontal	2	1.47	-
5580MHz	Pass	PK	16.73784G	62.50	68.20	-5.70	3	Horizontal	136	1.06	-
5700MHz	Pass	AV	5.7044G	96.33	Inf	-Inf	3	Vertical	173	1.50	-
5700MHz	Pass	PK	5.6988G	109.20	Inf	-Inf	3	Vertical	173	1.50	-
5700MHz	Pass	PK	5.7272G	64.44	68.20	-3.76	3	Vertical	173	1.50	-
5700MHz	Pass	PK	5.6988G	108.24	Inf	-Inf	3	Horizontal	11	2.67	-
5700MHz	Pass	AV	5.6976G	96.02	Inf	-Inf	3	Horizontal	11	2.67	-
5700MHz	Pass	PK	5.7256G	63.50	68.20	-4.70	3	Horizontal	11	2.67	-
5700MHz	Pass	AV	11.3868G	42.26	54.00	-11.74	3	Vertical	50	1.09	-
5700MHz	Pass	PK	11.40804G	55.97	74.00	-18.03	3	Vertical	50	1.09	-
5700MHz	Pass	PK	17.09502G	64.43	68.20	-3.77	3	Vertical	261	1.95	-
5700MHz	Pass	AV	11.39616G	42.28	54.00	-11.72	3	Horizontal	171	1.28	-
5700MHz	Pass	PK	11.40414G	55.94	74.00	-18.06	3	Horizontal	171	1.28	-
5700MHz	Pass	PK	17.103G	64.80	68.20	-3.40	3	Horizontal	68	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.06	54.00	-8.94	3	Vertical	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	95.96	Inf	-Inf	3	Vertical	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.48	68.20	-11.72	3	Vertical	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	108.90	Inf	-Inf	3	Vertical	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9288G	58.34	68.20	-9.86	3	Vertical	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	45.04	54.00	-8.96	3	Horizontal	174	2.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	96.61	Inf	-Inf	3	Horizontal	174	2.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.19	68.20	-12.01	3	Horizontal	174	2.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	107.62	Inf	-Inf	3	Horizontal	174	2.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9192G	58.52	68.20	-9.68	3	Horizontal	174	2.88	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45128G	42.53	54.00	-11.47	3	Vertical	150	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43508G	55.77	74.00	-18.23	3	Vertical	150	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14644G	63.61	68.20	-4.59	3	Vertical	54	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4412G	42.43	54.00	-11.57	3	Horizontal	314	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44444G	55.81	74.00	-18.19	3	Horizontal	314	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14662G	63.62	68.20	-4.58	3	Horizontal	353	1.84	-
5745MHz	Pass	AV	5.7474G	96.26	Inf	-Inf	3	Vertical	161	1.50	-
5745MHz	Pass	PK	5.559G	57.92	68.20	-10.28	3	Vertical	161	1.50	-
5745MHz	Pass	PK	5.7486G	110.34	Inf	-Inf	3	Vertical	161	1.50	-
5745MHz	Pass	PK	6.0054G	58.96	68.20	-9.24	3	Vertical	161	1.50	-
5745MHz	Pass	AV	5.7426G	95.97	Inf	-Inf	3	Horizontal	12	2.73	-
5745MHz	Pass	PK	5.5902G	57.61	68.20	-10.59	3	Horizontal	12	2.73	-
5745MHz	Pass	PK	5.7426G	109.06	Inf	-Inf	3	Horizontal	12	2.73	-
5745MHz	Pass	PK	5.9418G	59.08	68.20	-9.12	3	Horizontal	12	2.73	-
5745MHz	Pass	AV	11.50416G	42.48	54.00	-11.52	3	Vertical	309	1.82	-
5745MHz	Pass	PK	11.48388G	56.48	74.00	-17.52	3	Vertical	309	1.82	-
5745MHz	Pass	PK	17.2425G	63.44	68.20	-4.76	3	Vertical	359	1.49	-
5745MHz	Pass	AV	11.50452G	42.52	54.00	-11.48	3	Horizontal	192	2.28	-
5745MHz	Pass	PK	11.4822G	55.93	74.00	-18.07	3	Horizontal	192	2.28	-
5745MHz	Pass	PK	17.24112G	63.37	68.20	-4.83	3	Horizontal	164	1.64	-
5785MHz	Pass	AV	5.7802G	97.99	Inf	-Inf	3	Vertical	173	1.49	-
5785MHz	Pass	PK	5.6002G	57.98	68.20	-10.22	3	Vertical	173	1.49	-
5785MHz	Pass	PK	5.7766G	109.52	Inf	-Inf	3	Vertical	173	1.49	-
5785MHz	Pass	PK	6.0202G	58.86	68.20	-9.34	3	Vertical	173	1.49	-
5785MHz	Pass	AV	5.7802G	96.80	Inf	-Inf	3	Horizontal	175	2.80	-
5785MHz	Pass	PK	5.623G	58.20	68.20	-10.00	3	Horizontal	175	2.80	-
5785MHz	Pass	PK	5.779G	109.72	Inf	-Inf	3	Horizontal	175	2.80	-
5785MHz	Pass	PK	5.9842G	59.28	68.20	-8.92	3	Horizontal	175	2.80	-
5785MHz	Pass	AV	11.5601G	42.55	54.00	-11.45	3	Vertical	59	1.87	-
5785MHz	Pass	PK	11.564G	55.79	74.00	-18.21	3	Vertical	59	1.87	-
5785MHz	Pass	PK	17.35314G	64.66	68.20	-3.54	3	Vertical	204	1.05	-
5785MHz	Pass	AV	11.55536G	42.45	54.00	-11.55	3	Horizontal	7	2.30	-
5785MHz	Pass	PK	11.57372G	56.26	74.00	-17.74	3	Horizontal	7	2.30	-
5785MHz	Pass	PK	17.36154G	64.20	68.20	-4.00	3	Horizontal	106	2.40	-
5825MHz	Pass	AV	5.8274G	98.13	Inf	-Inf	3	Vertical	173	1.43	-
5825MHz	Pass	PK	5.5502G	57.48	68.20	-10.72	3	Vertical	173	1.43	-
5825MHz	Pass	PK	5.8286G	109.91	Inf	-Inf	3	Vertical	173	1.43	-
5825MHz	Pass	PK	5.9306G	59.10	68.20	-9.10	3	Vertical	173	1.43	-
5825MHz	Pass	AV	5.8274G	96.54	Inf	-Inf	3	Horizontal	165	3.00	-
5825MHz	Pass	PK	5.5562G	57.97	68.20	-10.23	3	Horizontal	165	3.00	-
5825MHz	Pass	PK	5.8274G	108.86	Inf	-Inf	3	Horizontal	165	3.00	-
5825MHz	Pass	PK	6.005G	59.10	68.20	-9.10	3	Horizontal	165	3.00	-
5825MHz	Pass	AV	11.6365G	41.91	54.00	-12.09	3	Vertical	73	2.02	-
5825MHz	Pass	PK	11.63602G	55.21	74.00	-18.79	3	Vertical	73	2.02	-
5825MHz	Pass	PK	17.48748G	64.51	68.20	-3.69	3	Vertical	221	2.49	-
5825MHz	Pass	AV	11.64952G	41.90	54.00	-12.10	3	Horizontal	12	1.28	-
5825MHz	Pass	PK	11.64928G	56.02	74.00	-17.98	3	Horizontal	12	1.28	-
5825MHz	Pass	PK	17.47542G	64.21	68.20	-3.99	3	Horizontal	288	1.90	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.27	54.00	-1.73	3	Vertical	90	1.84	-
5180MHz	Pass	AV	5.1816G	103.16	Inf	-Inf	3	Vertical	90	1.84	-
5180MHz	Pass	PK	5.1492G	68.92	74.00	-5.08	3	Vertical	90	1.84	-
5180MHz	Pass	PK	5.1808G	116.61	Inf	-Inf	3	Vertical	90	1.84	-
5180MHz	Pass	AV	5.15G	48.90	54.00	-5.10	3	Horizontal	30	1.50	-
5180MHz	Pass	AV	5.1816G	99.61	Inf	-Inf	3	Horizontal	30	1.50	-
5180MHz	Pass	PK	5.1492G	63.85	74.00	-10.15	3	Horizontal	30	1.50	-
5180MHz	Pass	PK	5.1824G	113.24	Inf	-Inf	3	Horizontal	30	1.50	-
5180MHz	Pass	AV	15.5306G	47.48	54.00	-6.52	3	Vertical	360	1.50	-
5180MHz	Pass	PK	10.36228G	54.77	68.20	-13.43	3	Vertical	246	1.74	-
5180MHz	Pass	PK	15.54268G	61.26	74.00	-12.74	3	Vertical	360	1.50	-
5180MHz	Pass	AV	15.53012G	47.52	54.00	-6.48	3	Horizontal	27	1.50	-
5180MHz	Pass	PK	10.35288G	54.98	68.20	-13.22	3	Horizontal	99	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	15.54708G	60.91	74.00	-13.09	3	Horizontal	27	1.50	-
5200MHz	Pass	AV	5.15G	50.97	54.00	-3.03	3	Vertical	96	1.86	-
5200MHz	Pass	AV	5.202G	106.15	Inf	-Inf	3	Vertical	96	1.86	-
5200MHz	Pass	PK	5.1496G	65.65	74.00	-8.35	3	Vertical	96	1.86	-
5200MHz	Pass	PK	5.2024G	119.32	Inf	-Inf	3	Vertical	96	1.86	-
5200MHz	Pass	AV	5.15G	48.64	54.00	-5.36	3	Horizontal	29	1.67	-
5200MHz	Pass	AV	5.2012G	102.14	Inf	-Inf	3	Horizontal	29	1.67	-
5200MHz	Pass	PK	5.1492G	64.13	74.00	-9.87	3	Horizontal	29	1.67	-
5200MHz	Pass	PK	5.2016G	114.99	Inf	-Inf	3	Horizontal	29	1.67	-
5200MHz	Pass	AV	15.59184G	46.17	54.00	-7.83	3	Vertical	0	2.29	-
5200MHz	Pass	PK	10.40012G	54.07	68.20	-14.13	3	Vertical	154	2.35	-
5200MHz	Pass	PK	15.5944G	60.21	74.00	-13.79	3	Vertical	0	2.29	-
5200MHz	Pass	AV	15.59104G	46.16	54.00	-7.84	3	Horizontal	271	1.48	-
5200MHz	Pass	PK	10.39672G	55.18	68.20	-13.02	3	Horizontal	150	2.29	-
5200MHz	Pass	PK	15.59392G	60.28	74.00	-13.72	3	Horizontal	271	1.48	-
5240MHz	Pass	AV	5.15G	46.70	54.00	-7.30	3	Vertical	94	1.93	-
5240MHz	Pass	AV	5.2418G	105.84	Inf	-Inf	3	Vertical	94	1.93	-
5240MHz	Pass	AV	5.39G	45.80	54.00	-8.20	3	Vertical	94	1.93	-
5240MHz	Pass	PK	5.1002G	59.28	74.00	-14.72	3	Vertical	94	1.93	-
5240MHz	Pass	PK	5.2424G	117.75	Inf	-Inf	3	Vertical	94	1.93	-
5240MHz	Pass	PK	5.3714G	58.20	74.00	-15.80	3	Vertical	94	1.93	-
5240MHz	Pass	AV	5.1494G	45.98	54.00	-8.02	3	Horizontal	27	1.61	-
5240MHz	Pass	AV	5.2418G	102.18	Inf	-Inf	3	Horizontal	27	1.61	-
5240MHz	Pass	AV	5.3876G	45.49	54.00	-8.51	3	Horizontal	27	1.61	-
5240MHz	Pass	PK	5.1158G	58.28	74.00	-15.72	3	Horizontal	27	1.61	-
5240MHz	Pass	PK	5.2424G	115.74	Inf	-Inf	3	Horizontal	27	1.61	-
5240MHz	Pass	PK	5.3822G	58.78	74.00	-15.22	3	Horizontal	27	1.61	-
5240MHz	Pass	AV	15.7112G	45.54	54.00	-8.46	3	Vertical	342	2.11	-
5240MHz	Pass	PK	10.47904G	55.28	68.20	-12.92	3	Vertical	316	1.50	-
5240MHz	Pass	PK	15.71788G	59.17	74.00	-14.83	3	Vertical	342	2.11	-
5240MHz	Pass	AV	15.7122G	45.57	54.00	-8.43	3	Horizontal	101	2.08	-
5240MHz	Pass	PK	10.48792G	55.48	68.20	-12.72	3	Horizontal	11	1.72	-
5240MHz	Pass	PK	15.71296G	60.24	74.00	-13.76	3	Horizontal	101	2.08	-
5260MHz	Pass	AV	5.1184G	46.05	54.00	-7.95	3	Vertical	91	1.49	-
5260MHz	Pass	AV	5.263G	104.88	Inf	-Inf	3	Vertical	91	1.49	-
5260MHz	Pass	AV	5.3818G	45.68	54.00	-8.32	3	Vertical	91	1.49	-
5260MHz	Pass	PK	5.1394G	58.39	74.00	-15.61	3	Vertical	91	1.49	-
5260MHz	Pass	PK	5.2624G	117.32	Inf	-Inf	3	Vertical	91	1.49	-
5260MHz	Pass	PK	5.3566G	58.26	74.00	-15.74	3	Vertical	91	1.49	-
5260MHz	Pass	AV	5.15G	45.93	54.00	-8.07	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	5.2612G	101.79	Inf	-Inf	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	5.3812G	45.53	54.00	-8.47	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.1286G	58.94	74.00	-15.06	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.2612G	114.15	Inf	-Inf	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.3938G	58.67	74.00	-15.33	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	15.77812G	45.02	54.00	-8.98	3	Vertical	48	1.50	-
5260MHz	Pass	PK	10.52504G	59.15	68.20	-9.05	3	Vertical	23	1.01	-
5260MHz	Pass	PK	15.77356G	59.11	74.00	-14.89	3	Vertical	48	1.50	-
5260MHz	Pass	AV	15.77076G	45.07	54.00	-8.93	3	Horizontal	60	1.00	-
5260MHz	Pass	PK	10.52492G	65.05	68.20	-3.15	3	Horizontal	18	1.10	-
5260MHz	Pass	PK	15.77664G	58.82	74.00	-15.18	3	Horizontal	60	1.00	-
5300MHz	Pass	AV	5.3016G	105.67	Inf	-Inf	3	Vertical	95	1.73	-
5300MHz	Pass	AV	5.3512G	50.76	54.00	-3.24	3	Vertical	95	1.73	-
5300MHz	Pass	PK	5.3016G	119.56	Inf	-Inf	3	Vertical	95	1.73	-
5300MHz	Pass	PK	5.3508G	69.29	74.00	-4.71	3	Vertical	95	1.73	-
5300MHz	Pass	AV	5.3016G	102.10	Inf	-Inf	3	Horizontal	28	1.48	-
5300MHz	Pass	AV	5.3512G	48.42	54.00	-5.58	3	Horizontal	28	1.48	-
5300MHz	Pass	PK	5.3024G	114.95	Inf	-Inf	3	Horizontal	28	1.48	-
5300MHz	Pass	PK	5.3516G	66.15	74.00	-7.85	3	Horizontal	28	1.48	-
5300MHz	Pass	AV	10.60056G	41.34	54.00	-12.66	3	Vertical	121	1.32	-
5300MHz	Pass	AV	15.90972G	45.51	54.00	-8.49	3	Vertical	245	1.30	-
5300MHz	Pass	PK	10.60524G	54.73	74.00	-19.27	3	Vertical	121	1.32	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	15.89028G	59.92	74.00	-14.08	3	Vertical	245	1.30	-
5300MHz	Pass	AV	15.90592G	45.47	54.00	-8.53	3	Horizontal	136	2.01	-
5300MHz	Pass	PK	10.608G	55.50	74.00	-18.50	3	Horizontal	50	1.50	-
5300MHz	Pass	PK	15.90464G	58.89	74.00	-15.11	3	Horizontal	136	2.01	-
5320MHz	Pass	AV	5.3214G	102.67	Inf	-Inf	3	Vertical	94	1.85	-
5320MHz	Pass	AV	5.3506G	51.61	54.00	-2.39	3	Vertical	94	1.85	-
5320MHz	Pass	PK	5.322G	115.65	Inf	-Inf	3	Vertical	94	1.85	-
5320MHz	Pass	PK	5.3508G	66.97	74.00	-7.03	3	Vertical	94	1.85	-
5320MHz	Pass	AV	5.3218G	99.30	Inf	-Inf	3	Horizontal	27	1.44	-
5320MHz	Pass	AV	5.3506G	49.22	54.00	-4.78	3	Horizontal	27	1.44	-
5320MHz	Pass	PK	5.3218G	112.86	Inf	-Inf	3	Horizontal	27	1.44	-
5320MHz	Pass	PK	5.3512G	66.13	74.00	-7.87	3	Horizontal	27	1.44	-
5320MHz	Pass	AV	10.64848G	41.56	54.00	-12.44	3	Vertical	255	1.07	-
5320MHz	Pass	AV	15.9512G	45.88	54.00	-8.12	3	Vertical	17	1.67	-
5320MHz	Pass	PK	10.63668G	55.25	74.00	-18.75	3	Vertical	255	1.07	-
5320MHz	Pass	PK	15.96348G	59.47	74.00	-14.53	3	Vertical	17	1.67	-
5320MHz	Pass	AV	10.64984G	41.59	54.00	-12.41	3	Horizontal	82	2.48	-
5320MHz	Pass	AV	15.95796G	45.92	54.00	-8.08	3	Horizontal	101	2.36	-
5320MHz	Pass	PK	10.63576G	55.43	74.00	-18.57	3	Horizontal	82	2.48	-
5320MHz	Pass	PK	15.96344G	60.03	74.00	-13.97	3	Horizontal	101	2.36	-
5500MHz	Pass	AV	5.46G	46.15	54.00	-7.85	3	Vertical	78	1.69	-
5500MHz	Pass	AV	5.5016G	102.80	Inf	-Inf	3	Vertical	78	1.69	-
5500MHz	Pass	PK	5.4696G	65.28	68.20	-2.92	3	Vertical	78	1.69	-
5500MHz	Pass	PK	5.5008G	115.98	Inf	-Inf	3	Vertical	78	1.69	-
5500MHz	Pass	AV	5.4592G	45.62	54.00	-8.38	3	Horizontal	25	2.71	-
5500MHz	Pass	AV	5.497G	100.97	Inf	-Inf	3	Horizontal	25	2.71	-
5500MHz	Pass	PK	5.469G	65.10	68.20	-3.10	3	Horizontal	25	2.71	-
5500MHz	Pass	PK	5.4976G	114.21	Inf	-Inf	3	Horizontal	25	2.71	-
5500MHz	Pass	AV	11.00212G	42.28	54.00	-11.72	3	Vertical	204	1.50	-
5500MHz	Pass	PK	11.00356G	56.26	74.00	-17.74	3	Vertical	204	1.50	-
5500MHz	Pass	PK	16.50828G	62.52	68.20	-5.68	3	Vertical	99	1.86	-
5500MHz	Pass	AV	10.99752G	42.23	54.00	-11.77	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	10.9924G	56.43	74.00	-17.57	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	16.49588G	62.20	68.20	-6.00	3	Horizontal	263	1.18	-
5580MHz	Pass	AV	5.4306G	45.94	54.00	-8.06	3	Vertical	94	1.50	-
5580MHz	Pass	AV	5.583G	106.99	Inf	-Inf	3	Vertical	94	1.50	-
5580MHz	Pass	PK	5.4654G	57.39	68.20	-10.81	3	Vertical	94	1.50	-
5580MHz	Pass	PK	5.5842G	118.31	Inf	-Inf	3	Vertical	94	1.50	-
5580MHz	Pass	PK	5.7252G	58.08	68.20	-10.12	3	Vertical	94	1.50	-
5580MHz	Pass	AV	5.4354G	45.55	54.00	-8.45	3	Horizontal	23	2.44	-
5580MHz	Pass	AV	5.5776G	105.73	Inf	-Inf	3	Horizontal	23	2.44	-
5580MHz	Pass	PK	5.4678G	57.30	68.20	-10.90	3	Horizontal	23	2.44	-
5580MHz	Pass	PK	5.5878G	117.90	Inf	-Inf	3	Horizontal	23	2.44	-
5580MHz	Pass	PK	5.7294G	58.53	68.20	-9.67	3	Horizontal	23	2.44	-
5580MHz	Pass	AV	11.16416G	41.64	54.00	-12.36	3	Vertical	269	1.50	-
5580MHz	Pass	PK	11.162G	55.29	74.00	-18.71	3	Vertical	269	1.50	-
5580MHz	Pass	PK	16.74172G	64.09	68.20	-4.11	3	Vertical	220	1.50	-
5580MHz	Pass	AV	11.16148G	41.70	54.00	-12.30	3	Horizontal	272	3.00	-
5580MHz	Pass	PK	11.16836G	55.25	74.00	-18.75	3	Horizontal	272	3.00	-
5580MHz	Pass	PK	16.75G	63.24	68.20	-4.96	3	Horizontal	304	1.50	-
5700MHz	Pass	AV	5.6932G	101.48	Inf	-Inf	3	Vertical	95	1.65	-
5700MHz	Pass	PK	5.692G	114.87	Inf	-Inf	3	Vertical	95	1.65	-
5700MHz	Pass	PK	5.7252G	63.19	68.20	-5.01	3	Vertical	95	1.65	-
5700MHz	Pass	AV	5.6972G	101.56	Inf	-Inf	3	Horizontal	23	2.67	-
5700MHz	Pass	PK	5.6972G	114.23	Inf	-Inf	3	Horizontal	23	2.67	-
5700MHz	Pass	PK	5.7252G	64.69	68.20	-3.51	3	Horizontal	23	2.67	-
5700MHz	Pass	AV	11.39184G	41.71	54.00	-12.29	3	Vertical	1	1.91	-
5700MHz	Pass	PK	11.39488G	55.01	74.00	-18.99	3	Vertical	1	1.91	-
5700MHz	Pass	PK	17.09348G	64.40	68.20	-3.80	3	Vertical	85	1.50	-
5700MHz	Pass	AV	11.39008G	41.81	54.00	-12.19	3	Horizontal	78	1.71	-
5700MHz	Pass	PK	11.40732G	55.69	74.00	-18.31	3	Horizontal	78	1.71	-
5700MHz	Pass	PK	17.09668G	64.69	68.20	-3.51	3	Horizontal	288	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	45.33	54.00	-8.67	3	Vertical	97	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	106.12	Inf	-Inf	3	Vertical	97	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.45	68.20	-10.75	3	Vertical	97	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	118.87	Inf	-Inf	3	Vertical	97	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	59.28	68.20	-8.92	3	Vertical	97	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	45.29	54.00	-8.71	3	Horizontal	24	2.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.28	Inf	-Inf	3	Horizontal	24	2.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.91	68.20	-11.29	3	Horizontal	24	2.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.54	Inf	-Inf	3	Horizontal	24	2.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8784G	59.47	68.20	-8.73	3	Horizontal	24	2.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4424G	42.01	54.00	-11.99	3	Vertical	210	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43084G	55.59	74.00	-18.41	3	Vertical	210	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.163G	64.52	68.20	-3.68	3	Vertical	194	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44168G	41.88	54.00	-12.12	3	Horizontal	318	2.44	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44568G	55.99	74.00	-18.01	3	Horizontal	318	2.44	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.167G	64.18	68.20	-4.02	3	Horizontal	96	1.50	-
5745MHz	Pass	AV	5.7486G	104.99	Inf	-Inf	3	Vertical	92	1.50	-
5745MHz	Pass	PK	5.5722G	59.22	68.20	-8.98	3	Vertical	92	1.50	-
5745MHz	Pass	PK	5.7474G	118.46	Inf	-Inf	3	Vertical	92	1.50	-
5745MHz	Pass	PK	5.9862G	58.69	68.20	-9.51	3	Vertical	92	1.50	-
5745MHz	Pass	AV	5.7426G	106.08	Inf	-Inf	3	Horizontal	25	2.74	-
5745MHz	Pass	PK	5.5362G	58.34	68.20	-9.86	3	Horizontal	25	2.74	-
5745MHz	Pass	PK	5.7426G	117.03	Inf	-Inf	3	Horizontal	25	2.74	-
5745MHz	Pass	PK	5.9586G	59.36	68.20	-8.84	3	Horizontal	25	2.74	-
5745MHz	Pass	AV	11.4948G	42.09	54.00	-11.91	3	Vertical	357	1.50	-
5745MHz	Pass	PK	11.48236G	56.14	74.00	-17.86	3	Vertical	357	1.50	-
5745MHz	Pass	PK	17.235G	64.50	68.20	-3.70	3	Vertical	263	1.50	-
5745MHz	Pass	AV	11.4956G	42.11	54.00	-11.89	3	Horizontal	264	1.50	-
5745MHz	Pass	PK	11.483G	55.54	74.00	-18.46	3	Horizontal	264	1.50	-
5745MHz	Pass	PK	17.2336G	64.32	68.20	-3.88	3	Horizontal	44	1.87	-
5785MHz	Pass	AV	5.7862G	105.20	Inf	-Inf	3	Vertical	96	1.79	-
5785MHz	Pass	PK	5.635G	58.28	68.20	-9.92	3	Vertical	96	1.79	-
5785MHz	Pass	PK	5.7886G	116.73	Inf	-Inf	3	Vertical	96	1.79	-
5785MHz	Pass	PK	6.0454G	59.41	68.20	-8.79	3	Vertical	96	1.79	-
5785MHz	Pass	AV	5.7886G	104.81	Inf	-Inf	3	Horizontal	42	1.69	-
5785MHz	Pass	PK	5.5246G	57.99	68.20	-10.21	3	Horizontal	42	1.69	-
5785MHz	Pass	PK	5.7862G	117.31	Inf	-Inf	3	Horizontal	42	1.69	-
5785MHz	Pass	PK	5.965G	58.75	68.20	-9.45	3	Horizontal	42	1.69	-
5785MHz	Pass	AV	11.5658G	41.90	54.00	-12.10	3	Vertical	20	2.60	-
5785MHz	Pass	PK	11.57948G	55.58	74.00	-18.42	3	Vertical	20	2.60	-
5785MHz	Pass	PK	17.36324G	64.74	68.20	-3.46	3	Vertical	196	1.67	-
5785MHz	Pass	AV	11.5557G	42.18	54.00	-11.82	3	Horizontal	54	2.03	-
5785MHz	Pass	PK	11.5492G	56.41	74.00	-17.59	3	Horizontal	54	2.03	-
5785MHz	Pass	PK	17.3525G	63.60	68.20	-4.60	3	Horizontal	305	1.50	-
5825MHz	Pass	AV	5.8286G	105.67	Inf	-Inf	3	Vertical	90	1.50	-
5825MHz	Pass	PK	5.609G	58.95	68.20	-9.25	3	Vertical	90	1.50	-
5825MHz	Pass	PK	5.8274G	117.10	Inf	-Inf	3	Vertical	90	1.50	-
5825MHz	Pass	PK	6.0626G	59.42	68.20	-8.78	3	Vertical	90	1.50	-
5825MHz	Pass	AV	5.8286G	105.11	Inf	-Inf	3	Horizontal	42	1.58	-
5825MHz	Pass	PK	5.5862G	58.90	68.20	-9.30	3	Horizontal	42	1.58	-
5825MHz	Pass	PK	5.8274G	117.63	Inf	-Inf	3	Horizontal	42	1.58	-
5825MHz	Pass	PK	5.9594G	59.10	68.20	-9.10	3	Horizontal	42	1.58	-
5825MHz	Pass	AV	11.6474G	41.66	54.00	-12.34	3	Vertical	38	1.50	-
5825MHz	Pass	PK	11.64412G	55.15	74.00	-18.85	3	Vertical	38	1.50	-
5825MHz	Pass	PK	17.48308G	64.15	68.20	-4.05	3	Vertical	18	1.50	-
5825MHz	Pass	AV	11.64736G	41.36	54.00	-12.64	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	11.65088G	55.20	74.00	-18.80	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	17.47256G	63.82	68.20	-4.38	3	Horizontal	126	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	46.07	54.00	-7.93	3	Vertical	64	1.95	-
5190MHz	Pass	AV	5.192G	93.99	Inf	-Inf	3	Vertical	64	1.95	-
5190MHz	Pass	PK	5.1452G	58.09	74.00	-15.91	3	Vertical	64	1.95	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1796G	107.25	Inf	-Inf	3	Vertical	64	1.95	-
5190MHz	Pass	AV	5.1484G	45.63	54.00	-8.37	3	Horizontal	354	1.50	-
5190MHz	Pass	AV	5.1948G	88.36	Inf	-Inf	3	Horizontal	354	1.50	-
5190MHz	Pass	PK	5.1036G	57.59	74.00	-16.41	3	Horizontal	354	1.50	-
5190MHz	Pass	PK	5.1928G	101.37	Inf	-Inf	3	Horizontal	354	1.50	-
5190MHz	Pass	AV	15.55554G	47.10	54.00	-6.90	3	Vertical	136	1.22	-
5190MHz	Pass	PK	10.39482G	54.81	68.20	-13.39	3	Vertical	30	1.51	-
5190MHz	Pass	PK	15.56448G	60.47	74.00	-13.53	3	Vertical	136	1.22	-
5190MHz	Pass	AV	15.5559G	47.13	54.00	-6.87	3	Horizontal	128	2.36	-
5190MHz	Pass	PK	10.3875G	55.10	68.20	-13.10	3	Horizontal	236	2.40	-
5190MHz	Pass	PK	15.58278G	60.56	74.00	-13.44	3	Horizontal	128	2.36	-
5230MHz	Pass	AV	5.1484G	45.73	54.00	-8.27	3	Vertical	50	1.50	-
5230MHz	Pass	AV	5.2284G	92.44	Inf	-Inf	3	Vertical	50	1.50	-
5230MHz	Pass	PK	5.1396G	58.11	74.00	-15.89	3	Vertical	50	1.50	-
5230MHz	Pass	PK	5.2336G	105.80	Inf	-Inf	3	Vertical	50	1.50	-
5230MHz	Pass	AV	5.1484G	45.57	54.00	-8.43	3	Horizontal	13	1.60	-
5230MHz	Pass	AV	5.2336G	87.18	Inf	-Inf	3	Horizontal	13	1.60	-
5230MHz	Pass	PK	5.1448G	57.68	74.00	-16.32	3	Horizontal	13	1.60	-
5230MHz	Pass	PK	5.2328G	100.56	Inf	-Inf	3	Horizontal	13	1.60	-
5230MHz	Pass	AV	15.67752G	46.04	54.00	-7.96	3	Vertical	46	1.18	-
5230MHz	Pass	PK	10.45832G	55.59	68.20	-12.61	3	Vertical	257	2.17	-
5230MHz	Pass	PK	15.6864G	60.13	74.00	-13.87	3	Vertical	46	1.18	-
5230MHz	Pass	AV	15.67572G	46.06	54.00	-7.94	3	Horizontal	108	2.17	-
5230MHz	Pass	PK	10.46378G	54.73	68.20	-13.47	3	Horizontal	156	1.93	-
5230MHz	Pass	PK	15.68058G	60.01	74.00	-13.99	3	Horizontal	108	2.17	-
5270MHz	Pass	AV	5.2664G	94.43	Inf	-Inf	3	Vertical	53	1.50	-
5270MHz	Pass	AV	5.3604G	45.54	54.00	-8.46	3	Vertical	53	1.50	-
5270MHz	Pass	PK	5.2748G	107.39	Inf	-Inf	3	Vertical	53	1.50	-
5270MHz	Pass	PK	5.3544G	58.11	74.00	-15.89	3	Vertical	53	1.50	-
5270MHz	Pass	AV	5.2724G	89.65	Inf	-Inf	3	Horizontal	352	1.78	-
5270MHz	Pass	AV	5.3608G	45.30	54.00	-8.70	3	Horizontal	352	1.78	-
5270MHz	Pass	PK	5.2692G	102.63	Inf	-Inf	3	Horizontal	352	1.78	-
5270MHz	Pass	PK	5.3576G	57.60	74.00	-16.40	3	Horizontal	352	1.78	-
5270MHz	Pass	AV	15.79878G	45.28	54.00	-8.72	3	Vertical	38	2.17	-
5270MHz	Pass	PK	10.52512G	55.94	68.20	-12.26	3	Vertical	226	1.92	-
5270MHz	Pass	PK	15.79938G	59.34	74.00	-14.66	3	Vertical	38	2.17	-
5270MHz	Pass	AV	15.79686G	45.27	54.00	-8.73	3	Horizontal	279	1.09	-
5270MHz	Pass	PK	10.52524G	55.93	68.20	-12.27	3	Horizontal	345	2.30	-
5270MHz	Pass	PK	15.8214G	59.24	74.00	-14.76	3	Horizontal	279	1.09	-
5310MHz	Pass	AV	5.318G	94.07	Inf	-Inf	3	Vertical	52	1.50	-
5310MHz	Pass	AV	5.3504G	47.42	54.00	-6.58	3	Vertical	52	1.50	-
5310MHz	Pass	PK	5.3216G	107.06	Inf	-Inf	3	Vertical	52	1.50	-
5310MHz	Pass	PK	5.3592G	64.21	74.00	-9.79	3	Vertical	52	1.50	-
5310MHz	Pass	AV	5.2984G	89.50	Inf	-Inf	3	Horizontal	350	1.50	-
5310MHz	Pass	AV	5.352G	46.15	54.00	-7.85	3	Horizontal	350	1.50	-
5310MHz	Pass	PK	5.2964G	103.10	Inf	-Inf	3	Horizontal	350	1.50	-
5310MHz	Pass	PK	5.3504G	61.57	74.00	-12.43	3	Horizontal	350	1.50	-
5310MHz	Pass	AV	10.60866G	41.73	54.00	-12.27	3	Vertical	25	2.43	-
5310MHz	Pass	AV	15.93996G	46.34	54.00	-7.66	3	Vertical	305	1.27	-
5310MHz	Pass	PK	10.63302G	55.59	74.00	-18.41	3	Vertical	25	2.43	-
5310MHz	Pass	PK	15.9384G	59.89	74.00	-14.11	3	Vertical	305	1.27	-
5310MHz	Pass	AV	10.63332G	41.70	54.00	-12.30	3	Horizontal	355	2.27	-
5310MHz	Pass	AV	15.94272G	46.38	54.00	-7.62	3	Horizontal	197	1.67	-
5310MHz	Pass	PK	10.62978G	55.10	74.00	-18.90	3	Horizontal	355	2.27	-
5310MHz	Pass	PK	15.93726G	59.83	74.00	-14.17	3	Horizontal	197	1.67	-
5510MHz	Pass	AV	5.46G	46.53	54.00	-7.47	3	Vertical	54	1.50	-
5510MHz	Pass	AV	5.516G	95.87	Inf	-Inf	3	Vertical	54	1.50	-
5510MHz	Pass	PK	5.4688G	60.07	68.20	-8.13	3	Vertical	54	1.50	-
5510MHz	Pass	PK	5.5172G	109.22	Inf	-Inf	3	Vertical	54	1.50	-
5510MHz	Pass	AV	5.4592G	45.70	54.00	-8.30	3	Horizontal	10	1.86	-
5510MHz	Pass	AV	5.5132G	92.94	Inf	-Inf	3	Horizontal	10	1.86	-
5510MHz	Pass	PK	5.4664G	58.47	68.20	-9.73	3	Horizontal	10	1.86	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.4996G	106.16	Inf	-Inf	3	Horizontal	10	1.86	-
5510MHz	Pass	AV	11.00668G	42.60	54.00	-11.40	3	Vertical	328	2.23	-
5510MHz	Pass	PK	11.02036G	56.23	74.00	-17.77	3	Vertical	328	2.23	-
5510MHz	Pass	PK	16.54116G	62.65	68.20	-5.55	3	Vertical	300	1.12	-
5510MHz	Pass	AV	11.0191G	42.71	54.00	-11.29	3	Horizontal	336	1.32	-
5510MHz	Pass	PK	11.00764G	55.99	74.00	-18.01	3	Horizontal	336	1.32	-
5510MHz	Pass	PK	16.52628G	62.70	68.20	-5.50	3	Horizontal	231	1.02	-
5550MHz	Pass	AV	5.452G	45.50	54.00	-8.50	3	Vertical	58	1.79	-
5550MHz	Pass	AV	5.5444G	96.54	Inf	-Inf	3	Vertical	58	1.79	-
5550MHz	Pass	PK	5.4616G	57.89	68.20	-10.31	3	Vertical	58	1.79	-
5550MHz	Pass	PK	5.5392G	110.15	Inf	-Inf	3	Vertical	58	1.79	-
5550MHz	Pass	AV	5.4512G	45.27	54.00	-8.73	3	Horizontal	9	1.76	-
5550MHz	Pass	AV	5.554G	93.86	Inf	-Inf	3	Horizontal	9	1.76	-
5550MHz	Pass	PK	5.4604G	58.49	68.20	-9.71	3	Horizontal	9	1.76	-
5550MHz	Pass	PK	5.5444G	106.99	Inf	-Inf	3	Horizontal	9	1.76	-
5550MHz	Pass	AV	11.10804G	42.08	54.00	-11.92	3	Vertical	205	2.12	-
5550MHz	Pass	PK	11.1069G	55.68	74.00	-18.32	3	Vertical	205	2.12	-
5550MHz	Pass	PK	16.63944G	62.19	68.20	-6.01	3	Vertical	225	1.95	-
5550MHz	Pass	AV	11.10324G	42.00	54.00	-12.00	3	Horizontal	12	1.97	-
5550MHz	Pass	PK	11.0886G	56.14	74.00	-17.86	3	Horizontal	12	1.97	-
5550MHz	Pass	PK	16.64316G	62.09	68.20	-6.11	3	Horizontal	335	1.18	-
5670MHz	Pass	AV	5.6664G	94.94	Inf	-Inf	3	Vertical	63	1.50	-
5670MHz	Pass	PK	5.6688G	108.35	Inf	-Inf	3	Vertical	63	1.50	-
5670MHz	Pass	PK	5.778G	59.11	68.20	-9.09	3	Vertical	63	1.50	-
5670MHz	Pass	AV	5.6742G	93.18	Inf	-Inf	3	Horizontal	11	2.71	-
5670MHz	Pass	PK	5.6856G	105.18	Inf	-Inf	3	Horizontal	11	2.71	-
5670MHz	Pass	PK	5.7798G	58.71	68.20	-9.49	3	Horizontal	11	2.71	-
5670MHz	Pass	AV	11.35098G	42.37	54.00	-11.63	3	Vertical	229	1.27	-
5670MHz	Pass	PK	11.35482G	56.17	74.00	-17.83	3	Vertical	229	1.27	-
5670MHz	Pass	PK	17.01726G	64.74	68.20	-3.46	3	Vertical	147	1.41	-
5670MHz	Pass	AV	11.3517G	42.39	54.00	-11.61	3	Horizontal	76	1.34	-
5670MHz	Pass	PK	11.3412G	56.32	74.00	-17.68	3	Horizontal	76	1.34	-
5670MHz	Pass	PK	17.02176G	64.08	68.20	-4.12	3	Horizontal	296	1.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	45.28	54.00	-8.72	3	Vertical	64	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	95.28	Inf	-Inf	3	Vertical	64	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	57.83	68.20	-10.37	3	Vertical	64	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	107.95	Inf	-Inf	3	Vertical	64	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9104G	59.44	68.20	-8.76	3	Vertical	64	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	45.16	54.00	-8.84	3	Horizontal	30	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	93.38	Inf	-Inf	3	Horizontal	30	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.92	68.20	-11.28	3	Horizontal	30	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	106.27	Inf	-Inf	3	Horizontal	30	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.944G	58.91	68.20	-9.29	3	Horizontal	30	1.89	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43434G	42.30	54.00	-11.70	3	Vertical	76	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42906G	56.63	74.00	-17.37	3	Vertical	76	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.118G	63.68	68.20	-4.52	3	Vertical	284	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4284G	42.33	54.00	-11.67	3	Horizontal	237	1.41	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41382G	55.85	74.00	-18.15	3	Horizontal	237	1.41	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1162G	64.18	68.20	-4.02	3	Horizontal	223	2.10	-
5755MHz	Pass	AV	5.7442G	93.62	Inf	-Inf	3	Vertical	77	1.81	-
5755MHz	Pass	PK	5.6458G	58.56	68.20	-9.64	3	Vertical	77	1.81	-
5755MHz	Pass	PK	5.7466G	105.39	Inf	-Inf	3	Vertical	77	1.81	-
5755MHz	Pass	PK	5.9722G	58.89	68.20	-9.31	3	Vertical	77	1.81	-
5755MHz	Pass	AV	5.761G	91.97	Inf	-Inf	3	Horizontal	4	2.77	-
5755MHz	Pass	PK	5.5582G	58.50	68.20	-9.70	3	Horizontal	4	2.77	-
5755MHz	Pass	PK	5.7562G	104.36	Inf	-Inf	3	Horizontal	4	2.77	-
5755MHz	Pass	PK	5.9998G	58.95	68.20	-9.25	3	Horizontal	4	2.77	-
5755MHz	Pass	AV	11.52446G	42.71	54.00	-11.29	3	Vertical	237	1.50	-
5755MHz	Pass	PK	11.50622G	56.87	74.00	-17.13	3	Vertical	237	1.50	-
5755MHz	Pass	PK	17.27382G	63.67	68.20	-4.53	3	Vertical	244	1.17	-
5755MHz	Pass	AV	11.52464G	42.75	54.00	-11.25	3	Horizontal	3	2.40	-
5755MHz	Pass	PK	11.50268G	56.50	74.00	-17.50	3	Horizontal	3	2.40	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	17.25666G	63.66	68.20	-4.54	3	Horizontal	78	1.79	-
5795MHz	Pass	AV	5.7974G	93.39	Inf	-Inf	3	Vertical	65	1.73	-
5795MHz	Pass	PK	5.5226G	58.25	68.20	-9.95	3	Vertical	65	1.73	-
5795MHz	Pass	PK	5.7914G	105.16	Inf	-Inf	3	Vertical	65	1.73	-
5795MHz	Pass	PK	6.0434G	58.83	68.20	-9.37	3	Vertical	65	1.73	-
5795MHz	Pass	AV	5.7974G	92.13	Inf	-Inf	3	Horizontal	27	2.53	-
5795MHz	Pass	PK	5.6426G	57.75	68.20	-10.45	3	Horizontal	27	2.53	-
5795MHz	Pass	PK	5.789G	104.92	Inf	-Inf	3	Horizontal	27	2.53	-
5795MHz	Pass	PK	6.0554G	59.02	68.20	-9.18	3	Horizontal	27	2.53	-
5795MHz	Pass	AV	11.575G	42.31	54.00	-11.69	3	Vertical	164	1.42	-
5795MHz	Pass	PK	11.60254G	55.79	74.00	-18.21	3	Vertical	164	1.42	-
5795MHz	Pass	PK	17.37738G	64.19	68.20	-4.01	3	Vertical	98	1.08	-
5795MHz	Pass	AV	11.575G	42.41	54.00	-11.59	3	Horizontal	359	1.21	-
5795MHz	Pass	PK	11.58646G	55.81	74.00	-18.19	3	Horizontal	359	1.21	-
5795MHz	Pass	PK	17.3748G	64.00	68.20	-4.20	3	Horizontal	10	2.46	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)											
5190MHz	Pass	AV	5.1484G	45.55	54.00	-8.45	3	Vertical	52	2.50	-
5190MHz	Pass	AV	5.1872G	86.75	Inf	-Inf	3	Vertical	52	2.50	-
5190MHz	Pass	PK	5.1152G	57.96	74.00	-16.04	3	Vertical	52	2.50	-
5190MHz	Pass	PK	5.1772G	100.12	Inf	-Inf	3	Vertical	52	2.50	-
5190MHz	Pass	AV	5.1496G	45.80	54.00	-8.20	3	Horizontal	16	2.50	-
5190MHz	Pass	AV	5.1868G	89.46	Inf	-Inf	3	Horizontal	16	2.50	-
5190MHz	Pass	PK	5.1304G	57.70	74.00	-16.30	3	Horizontal	16	2.50	-
5190MHz	Pass	PK	5.186G	102.09	Inf	-Inf	3	Horizontal	16	2.50	-
5190MHz	Pass	AV	15.55596G	47.25	54.00	-6.75	3	Vertical	339	1.03	-
5190MHz	Pass	PK	10.3773G	55.17	68.20	-13.03	3	Vertical	349	2.42	-
5190MHz	Pass	PK	15.56814G	61.28	74.00	-12.72	3	Vertical	339	1.03	-
5190MHz	Pass	AV	15.55608G	47.11	54.00	-6.89	3	Horizontal	315	2.21	-
5190MHz	Pass	PK	10.39422G	54.80	68.20	-13.40	3	Horizontal	346	1.63	-
5190MHz	Pass	PK	15.55584G	60.59	74.00	-13.41	3	Horizontal	315	2.21	-
5230MHz	Pass	AV	5.1496G	45.52	54.00	-8.48	3	Vertical	56	1.50	-
5230MHz	Pass	AV	5.2248G	85.08	Inf	-Inf	3	Vertical	56	1.50	-
5230MHz	Pass	PK	5.15G	57.64	74.00	-16.36	3	Vertical	56	1.50	-
5230MHz	Pass	PK	5.2272G	98.25	Inf	-Inf	3	Vertical	56	1.50	-
5230MHz	Pass	AV	5.15G	45.63	54.00	-8.37	3	Horizontal	16	2.24	-
5230MHz	Pass	AV	5.2168G	87.77	Inf	-Inf	3	Horizontal	16	2.24	-
5230MHz	Pass	PK	5.1488G	58.16	74.00	-15.84	3	Horizontal	16	2.24	-
5230MHz	Pass	PK	5.222G	101.14	Inf	-Inf	3	Horizontal	16	2.24	-
5230MHz	Pass	AV	15.69036G	46.09	54.00	-7.91	3	Vertical	224	2.27	-
5230MHz	Pass	PK	10.46588G	55.09	68.20	-13.11	3	Vertical	153	1.83	-
5230MHz	Pass	PK	15.68292G	61.34	74.00	-12.66	3	Vertical	224	2.27	-
5230MHz	Pass	AV	15.69G	46.08	54.00	-7.92	3	Horizontal	325	1.36	-
5230MHz	Pass	PK	10.4681G	54.54	68.20	-13.66	3	Horizontal	64	2.19	-
5230MHz	Pass	PK	15.69804G	59.88	74.00	-14.12	3	Horizontal	325	1.36	-
5270MHz	Pass	AV	5.2676G	86.48	Inf	-Inf	3	Vertical	58	2.90	-
5270MHz	Pass	AV	5.36G	45.18	54.00	-8.82	3	Vertical	58	2.90	-
5270MHz	Pass	PK	5.2604G	100.30	Inf	-Inf	3	Vertical	58	2.90	-
5270MHz	Pass	PK	5.356G	58.56	74.00	-15.44	3	Vertical	58	2.90	-
5270MHz	Pass	AV	5.2728G	88.68	Inf	-Inf	3	Horizontal	7	2.90	-
5270MHz	Pass	AV	5.3652G	45.20	54.00	-8.80	3	Horizontal	7	2.90	-
5270MHz	Pass	PK	5.2752G	101.13	Inf	-Inf	3	Horizontal	7	2.90	-
5270MHz	Pass	PK	5.3664G	57.65	74.00	-16.35	3	Horizontal	7	2.90	-
5270MHz	Pass	AV	15.80064G	45.24	54.00	-8.76	3	Vertical	168	1.30	-
5270MHz	Pass	PK	10.5277G	55.40	68.20	-12.80	3	Vertical	177	1.28	-
5270MHz	Pass	PK	15.82482G	59.02	74.00	-14.98	3	Vertical	168	1.30	-
5270MHz	Pass	AV	15.82464G	45.25	54.00	-8.75	3	Horizontal	347	2.01	-
5270MHz	Pass	PK	10.525G	56.41	68.20	-11.79	3	Horizontal	180	1.30	-
5270MHz	Pass	PK	15.82428G	59.32	74.00	-14.68	3	Horizontal	347	2.01	-
5310MHz	Pass	AV	5.3056G	86.71	Inf	-Inf	3	Vertical	167	1.67	-
5310MHz	Pass	AV	5.3512G	45.48	54.00	-8.52	3	Vertical	167	1.67	-
5310MHz	Pass	PK	5.3088G	99.98	Inf	-Inf	3	Vertical	167	1.67	-
5310MHz	Pass	PK	5.358G	58.67	74.00	-15.33	3	Vertical	167	1.67	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.3048G	87.80	Inf	-Inf	3	Horizontal	10	3.00	-
5310MHz	Pass	AV	5.3516G	45.47	54.00	-8.53	3	Horizontal	10	3.00	-
5310MHz	Pass	PK	5.3164G	100.80	Inf	-Inf	3	Horizontal	10	3.00	-
5310MHz	Pass	PK	5.4024G	58.40	74.00	-15.60	3	Horizontal	10	3.00	-
5310MHz	Pass	AV	10.63308G	41.68	54.00	-12.32	3	Vertical	148	1.93	-
5310MHz	Pass	AV	15.9426G	46.37	54.00	-7.63	3	Vertical	242	2.34	-
5310MHz	Pass	PK	10.60686G	55.70	74.00	-18.30	3	Vertical	148	1.93	-
5310MHz	Pass	PK	15.93096G	60.25	74.00	-13.75	3	Vertical	242	2.34	-
5310MHz	Pass	AV	10.63476G	41.66	54.00	-12.34	3	Horizontal	262	2.20	-
5310MHz	Pass	AV	15.93252G	46.32	54.00	-7.68	3	Horizontal	72	1.81	-
5310MHz	Pass	PK	10.6083G	55.20	74.00	-18.80	3	Horizontal	262	2.20	-
5310MHz	Pass	PK	15.9414G	60.29	74.00	-13.71	3	Horizontal	72	1.81	-
5510MHz	Pass	AV	5.458G	45.25	54.00	-8.75	3	Vertical	163	1.50	-
5510MHz	Pass	AV	5.5212G	89.38	Inf	-Inf	3	Vertical	163	1.50	-
5510MHz	Pass	PK	5.4652G	57.32	68.20	-10.88	3	Vertical	163	1.50	-
5510MHz	Pass	PK	5.5092G	101.98	Inf	-Inf	3	Vertical	163	1.50	-
5510MHz	Pass	AV	5.46G	45.34	54.00	-8.66	3	Horizontal	9	2.79	-
5510MHz	Pass	AV	5.516G	89.75	Inf	-Inf	3	Horizontal	9	2.79	-
5510MHz	Pass	PK	5.4692G	57.99	68.20	-10.21	3	Horizontal	9	2.79	-
5510MHz	Pass	PK	5.512G	103.26	Inf	-Inf	3	Horizontal	9	2.79	-
5510MHz	Pass	AV	11.01466G	42.60	54.00	-11.40	3	Vertical	121	1.55	-
5510MHz	Pass	PK	11.0134G	56.38	74.00	-17.62	3	Vertical	121	1.55	-
5510MHz	Pass	PK	16.51608G	62.52	68.20	-5.68	3	Vertical	270	2.28	-
5510MHz	Pass	AV	11.00914G	42.62	54.00	-11.38	3	Horizontal	302	2.19	-
5510MHz	Pass	PK	11.01982G	55.94	74.00	-18.06	3	Horizontal	302	2.19	-
5510MHz	Pass	PK	16.52916G	63.23	68.20	-4.97	3	Horizontal	345	1.24	-
5550MHz	Pass	AV	5.4516G	45.11	54.00	-8.89	3	Vertical	163	1.50	-
5550MHz	Pass	AV	5.5592G	90.54	Inf	-Inf	3	Vertical	163	1.50	-
5550MHz	Pass	PK	5.4656G	57.47	68.20	-10.73	3	Vertical	163	1.50	-
5550MHz	Pass	PK	5.5616G	103.45	Inf	-Inf	3	Vertical	163	1.50	-
5550MHz	Pass	AV	5.452G	45.19	54.00	-8.81	3	Horizontal	8	2.90	-
5550MHz	Pass	AV	5.5576G	90.06	Inf	-Inf	3	Horizontal	8	2.90	-
5550MHz	Pass	PK	5.4608G	57.22	68.20	-10.98	3	Horizontal	8	2.90	-
5550MHz	Pass	PK	5.548G	102.83	Inf	-Inf	3	Horizontal	8	2.90	-
5550MHz	Pass	AV	11.10024G	41.98	54.00	-12.02	3	Vertical	106	1.48	-
5550MHz	Pass	PK	11.11386G	55.98	74.00	-18.02	3	Vertical	106	1.48	-
5550MHz	Pass	PK	16.64082G	61.77	68.20	-6.43	3	Vertical	100	1.08	-
5550MHz	Pass	AV	11.103G	42.01	54.00	-11.99	3	Horizontal	344	1.51	-
5550MHz	Pass	PK	11.1084G	55.64	74.00	-18.36	3	Horizontal	344	1.51	-
5550MHz	Pass	PK	16.66242G	63.31	68.20	-4.89	3	Horizontal	310	1.84	-
5670MHz	Pass	AV	5.6718G	91.94	Inf	-Inf	3	Vertical	164	1.46	-
5670MHz	Pass	PK	5.6784G	104.24	Inf	-Inf	3	Vertical	164	1.46	-
5670MHz	Pass	PK	5.742G	59.12	68.20	-9.08	3	Vertical	164	1.46	-
5670MHz	Pass	AV	5.6742G	91.43	Inf	-Inf	3	Horizontal	3	2.91	-
5670MHz	Pass	PK	5.6772G	103.55	Inf	-Inf	3	Horizontal	3	2.91	-
5670MHz	Pass	PK	5.8026G	59.13	68.20	-9.07	3	Horizontal	3	2.91	-
5670MHz	Pass	AV	11.35128G	42.41	54.00	-11.59	3	Vertical	221	1.32	-
5670MHz	Pass	PK	11.34858G	55.86	74.00	-18.14	3	Vertical	221	1.32	-
5670MHz	Pass	PK	17.02458G	65.12	68.20	-3.08	3	Vertical	264	2.30	-
5670MHz	Pass	AV	11.35236G	42.41	54.00	-11.59	3	Horizontal	283	1.97	-
5670MHz	Pass	PK	11.34636G	56.19	74.00	-17.81	3	Horizontal	283	1.97	-
5670MHz	Pass	PK	17.0205G	65.02	68.20	-3.18	3	Horizontal	188	2.16	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	45.13	54.00	-8.87	3	Vertical	171	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	92.01	Inf	-Inf	3	Vertical	171	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	56.06	68.20	-12.14	3	Vertical	171	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	104.66	Inf	-Inf	3	Vertical	171	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8888G	58.95	68.20	-9.25	3	Vertical	171	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	45.12	54.00	-8.88	3	Horizontal	156	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	90.70	Inf	-Inf	3	Horizontal	156	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.28	68.20	-11.92	3	Horizontal	156	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	103.25	Inf	-Inf	3	Horizontal	156	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9008G	58.69	68.20	-9.51	3	Horizontal	156	2.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4212G	42.30	54.00	-11.70	3	Vertical	274	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4308G	56.96	74.00	-17.04	3	Vertical	274	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12382G	64.47	68.20	-3.73	3	Vertical	61	2.05	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43392G	42.31	54.00	-11.69	3	Horizontal	33	1.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42882G	55.80	74.00	-18.20	3	Horizontal	33	1.31	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1198G	64.02	68.20	-4.18	3	Horizontal	187	1.92	-
5755MHz	Pass	AV	5.7526G	89.84	Inf	-Inf	3	Vertical	162	1.50	-
5755MHz	Pass	PK	5.5126G	57.70	68.20	-10.50	3	Vertical	162	1.50	-
5755MHz	Pass	PK	5.7466G	102.33	Inf	-Inf	3	Vertical	162	1.50	-
5755MHz	Pass	PK	5.9518G	58.41	68.20	-9.79	3	Vertical	162	1.50	-
5755MHz	Pass	AV	5.7454G	88.98	Inf	-Inf	3	Horizontal	0	2.84	-
5755MHz	Pass	PK	5.5618G	57.99	68.20	-10.21	3	Horizontal	0	2.84	-
5755MHz	Pass	PK	5.7502G	101.12	Inf	-Inf	3	Horizontal	0	2.84	-
5755MHz	Pass	PK	5.9542G	59.61	68.20	-8.59	3	Horizontal	0	2.84	-
5755MHz	Pass	AV	11.5223G	42.69	54.00	-11.31	3	Vertical	295	2.45	-
5755MHz	Pass	PK	11.4959G	56.15	74.00	-17.85	3	Vertical	295	2.45	-
5755MHz	Pass	PK	17.25966G	64.16	68.20	-4.04	3	Vertical	10	1.19	-
5755MHz	Pass	AV	11.51966G	42.71	54.00	-11.29	3	Horizontal	231	1.42	-
5755MHz	Pass	PK	11.50004G	56.24	74.00	-17.76	3	Horizontal	231	1.42	-
5755MHz	Pass	PK	17.26254G	63.28	68.20	-4.92	3	Horizontal	32	1.21	-
5795MHz	Pass	AV	5.7986G	89.93	Inf	-Inf	3	Vertical	162	1.50	-
5795MHz	Pass	PK	5.6102G	57.86	68.20	-10.34	3	Vertical	162	1.50	-
5795MHz	Pass	PK	5.8094G	101.84	Inf	-Inf	3	Vertical	162	1.50	-
5795MHz	Pass	PK	5.9342G	58.79	68.20	-9.41	3	Vertical	162	1.50	-
5795MHz	Pass	AV	5.8022G	88.57	Inf	-Inf	3	Horizontal	152	2.93	-
5795MHz	Pass	PK	5.621G	58.32	68.20	-9.88	3	Horizontal	152	2.93	-
5795MHz	Pass	PK	5.8082G	100.21	Inf	-Inf	3	Horizontal	152	2.93	-
5795MHz	Pass	PK	6.0134G	58.73	68.20	-9.47	3	Horizontal	152	2.93	-
5795MHz	Pass	AV	11.57542G	42.27	54.00	-11.73	3	Vertical	38	1.82	-
5795MHz	Pass	PK	11.5999G	55.77	74.00	-18.23	3	Vertical	38	1.82	-
5795MHz	Pass	PK	17.38842G	64.45	68.20	-3.75	3	Vertical	305	1.61	-
5795MHz	Pass	AV	11.575G	42.29	54.00	-11.71	3	Horizontal	145	1.89	-
5795MHz	Pass	PK	11.59318G	55.78	74.00	-18.22	3	Horizontal	145	1.89	-
5795MHz	Pass	PK	17.37132G	64.30	68.20	-3.90	3	Horizontal	177	2.48	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.22	54.00	-2.78	3	Vertical	95	1.85	-
5190MHz	Pass	AV	5.1916G	100.04	Inf	-Inf	3	Vertical	95	1.85	-
5190MHz	Pass	PK	5.1496G	66.40	74.00	-7.60	3	Vertical	95	1.85	-
5190MHz	Pass	PK	5.1916G	112.10	Inf	-Inf	3	Vertical	95	1.85	-
5190MHz	Pass	AV	5.15G	48.54	54.00	-5.46	3	Horizontal	26	1.50	-
5190MHz	Pass	AV	5.1916G	96.07	Inf	-Inf	3	Horizontal	26	1.50	-
5190MHz	Pass	PK	5.15G	62.25	74.00	-11.75	3	Horizontal	26	1.50	-
5190MHz	Pass	PK	5.1912G	108.17	Inf	-Inf	3	Horizontal	26	1.50	-
5190MHz	Pass	AV	15.55G	47.11	54.00	-6.89	3	Vertical	142	1.50	-
5190MHz	Pass	PK	10.37496G	55.57	68.20	-12.63	3	Vertical	95	1.50	-
5190MHz	Pass	PK	15.58784G	60.27	74.00	-13.73	3	Vertical	142	1.50	-
5190MHz	Pass	AV	15.55G	47.11	54.00	-6.89	3	Horizontal	246	1.77	-
5190MHz	Pass	PK	10.3712G	56.01	68.20	-12.19	3	Horizontal	151	1.50	-
5190MHz	Pass	PK	15.5604G	60.83	74.00	-13.17	3	Horizontal	246	1.77	-
5230MHz	Pass	AV	5.15G	52.09	54.00	-1.91	3	Vertical	93	1.50	-
5230MHz	Pass	AV	5.2232G	102.27	Inf	-Inf	3	Vertical	93	1.50	-
5230MHz	Pass	PK	5.15G	65.09	74.00	-8.91	3	Vertical	93	1.50	-
5230MHz	Pass	PK	5.2224G	115.62	Inf	-Inf	3	Vertical	93	1.50	-
5230MHz	Pass	AV	5.15G	50.89	54.00	-3.11	3	Horizontal	28	1.43	-
5230MHz	Pass	AV	5.232G	99.85	Inf	-Inf	3	Horizontal	28	1.43	-
5230MHz	Pass	PK	5.15G	64.67	74.00	-9.33	3	Horizontal	28	1.43	-
5230MHz	Pass	PK	5.2308G	112.93	Inf	-Inf	3	Horizontal	28	1.43	-
5230MHz	Pass	AV	15.6976G	45.95	54.00	-8.05	3	Vertical	359	2.14	-
5230MHz	Pass	PK	10.4492G	55.29	68.20	-12.91	3	Vertical	319	2.07	-
5230MHz	Pass	PK	15.674G	59.83	74.00	-14.17	3	Vertical	359	2.14	-
5230MHz	Pass	AV	15.676G	45.94	54.00	-8.06	3	Horizontal	62	1.49	-
5230MHz	Pass	PK	10.45432G	54.64	68.20	-13.56	3	Horizontal	199	2.98	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	15.68376G	59.37	74.00	-14.63	3	Horizontal	62	1.49	-
5270MHz	Pass	AV	5.2716G	102.86	Inf	-Inf	3	Vertical	77	1.82	-
5270MHz	Pass	AV	5.3512G	51.28	54.00	-2.72	3	Vertical	77	1.82	-
5270MHz	Pass	PK	5.262G	114.86	Inf	-Inf	3	Vertical	77	1.82	-
5270MHz	Pass	PK	5.3512G	65.75	74.00	-8.25	3	Vertical	77	1.82	-
5270MHz	Pass	AV	5.2716G	98.87	Inf	-Inf	3	Horizontal	27	1.50	-
5270MHz	Pass	AV	5.3516G	48.90	54.00	-5.10	3	Horizontal	27	1.50	-
5270MHz	Pass	PK	5.2716G	111.42	Inf	-Inf	3	Horizontal	27	1.50	-
5270MHz	Pass	PK	5.3516G	64.07	74.00	-9.93	3	Horizontal	27	1.50	-
5270MHz	Pass	AV	15.82528G	45.06	54.00	-8.94	3	Vertical	0	1.44	-
5270MHz	Pass	PK	10.52464G	59.80	68.20	-8.40	3	Vertical	18	1.37	-
5270MHz	Pass	PK	15.81584G	58.57	74.00	-15.43	3	Vertical	0	1.44	-
5270MHz	Pass	AV	15.82304G	45.20	54.00	-8.80	3	Horizontal	103	2.09	-
5270MHz	Pass	PK	10.5248G	63.89	68.20	-4.31	3	Horizontal	198	1.82	-
5270MHz	Pass	PK	15.82008G	58.63	74.00	-15.37	3	Horizontal	103	2.09	-
5310MHz	Pass	AV	5.302G	98.15	Inf	-Inf	3	Vertical	95	1.74	-
5310MHz	Pass	AV	5.3512G	52.22	54.00	-1.78	3	Vertical	95	1.74	-
5310MHz	Pass	PK	5.3116G	110.32	Inf	-Inf	3	Vertical	95	1.74	-
5310MHz	Pass	PK	5.35G	69.93	74.00	-4.07	3	Vertical	95	1.74	-
5310MHz	Pass	AV	5.3012G	94.63	Inf	-Inf	3	Horizontal	26	1.48	-
5310MHz	Pass	AV	5.3512G	49.24	54.00	-4.76	3	Horizontal	26	1.48	-
5310MHz	Pass	PK	5.3016G	107.42	Inf	-Inf	3	Horizontal	26	1.48	-
5310MHz	Pass	PK	5.35G	64.80	74.00	-9.20	3	Horizontal	26	1.48	-
5310MHz	Pass	AV	10.63328G	41.54	54.00	-12.46	3	Vertical	257	1.50	-
5310MHz	Pass	AV	15.9476G	46.25	54.00	-7.75	3	Vertical	0	1.50	-
5310MHz	Pass	PK	10.60056G	54.85	74.00	-19.15	3	Vertical	257	1.50	-
5310MHz	Pass	PK	15.9364G	59.64	74.00	-14.36	3	Vertical	0	1.50	-
5310MHz	Pass	AV	10.60688G	41.59	54.00	-12.41	3	Horizontal	35	1.64	-
5310MHz	Pass	AV	15.94104G	46.31	54.00	-7.69	3	Horizontal	273	2.69	-
5310MHz	Pass	PK	10.636G	55.94	74.00	-18.06	3	Horizontal	35	1.64	-
5310MHz	Pass	PK	15.92808G	59.79	74.00	-14.21	3	Horizontal	273	2.69	-
5510MHz	Pass	AV	5.46G	47.76	54.00	-6.24	3	Vertical	91	1.78	-
5510MHz	Pass	AV	5.512G	99.25	Inf	-Inf	3	Vertical	91	1.78	-
5510MHz	Pass	PK	5.4652G	65.33	68.20	-2.87	3	Vertical	91	1.78	-
5510MHz	Pass	PK	5.5116G	111.51	Inf	-Inf	3	Vertical	91	1.78	-
5510MHz	Pass	AV	5.4572G	47.03	54.00	-6.97	3	Horizontal	22	2.68	-
5510MHz	Pass	AV	5.5164G	97.74	Inf	-Inf	3	Horizontal	22	2.68	-
5510MHz	Pass	PK	5.4624G	63.11	68.20	-5.09	3	Horizontal	22	2.68	-
5510MHz	Pass	PK	5.5164G	109.51	Inf	-Inf	3	Horizontal	22	2.68	-
5510MHz	Pass	AV	11.01784G	42.34	54.00	-11.66	3	Vertical	143	1.00	-
5510MHz	Pass	PK	11.03216G	56.19	74.00	-17.81	3	Vertical	143	1.00	-
5510MHz	Pass	PK	16.51632G	63.01	68.20	-5.19	3	Vertical	78	1.19	-
5510MHz	Pass	AV	11.01944G	42.38	54.00	-11.62	3	Horizontal	138	1.59	-
5510MHz	Pass	PK	11.00416G	55.94	74.00	-18.06	3	Horizontal	138	1.59	-
5510MHz	Pass	PK	16.5204G	62.44	68.20	-5.76	3	Horizontal	189	1.50	-
5550MHz	Pass	AV	5.46G	49.36	54.00	-4.64	3	Vertical	78	1.85	-
5550MHz	Pass	AV	5.5408G	103.96	Inf	-Inf	3	Vertical	78	1.85	-
5550MHz	Pass	PK	5.47G	65.83	68.20	-2.37	3	Vertical	78	1.85	-
5550MHz	Pass	PK	5.5416G	117.13	Inf	-Inf	3	Vertical	78	1.85	-
5550MHz	Pass	AV	5.4588G	48.09	54.00	-5.91	3	Horizontal	24	2.05	-
5550MHz	Pass	AV	5.5488G	102.11	Inf	-Inf	3	Horizontal	24	2.05	-
5550MHz	Pass	PK	5.4696G	64.21	68.20	-3.99	3	Horizontal	24	2.05	-
5550MHz	Pass	PK	5.548G	115.19	Inf	-Inf	3	Horizontal	24	2.05	-
5550MHz	Pass	AV	11.1056G	41.82	54.00	-12.18	3	Vertical	19	2.72	-
5550MHz	Pass	PK	11.09432G	55.49	74.00	-18.51	3	Vertical	19	2.72	-
5550MHz	Pass	PK	16.65112G	62.12	68.20	-6.08	3	Vertical	104	1.50	-
5550MHz	Pass	AV	11.08288G	41.80	54.00	-12.20	3	Horizontal	341	2.27	-
5550MHz	Pass	PK	11.10808G	55.12	74.00	-18.88	3	Horizontal	341	2.27	-
5550MHz	Pass	PK	16.63904G	61.95	68.20	-6.25	3	Horizontal	273	1.98	-
5670MHz	Pass	AV	5.6724G	100.87	Inf	-Inf	3	Vertical	81	1.50	-
5670MHz	Pass	PK	5.673G	113.61	Inf	-Inf	3	Vertical	81	1.50	-
5670MHz	Pass	PK	5.7264G	64.55	68.20	-3.65	3	Vertical	81	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	AV	5.676G	101.00	Inf	-Inf	3	Horizontal	22	2.71	-
5670MHz	Pass	PK	5.676G	113.12	Inf	-Inf	3	Horizontal	22	2.71	-
5670MHz	Pass	PK	5.7258G	65.70	68.20	-2.50	3	Horizontal	22	2.71	-
5670MHz	Pass	AV	11.35128G	42.21	54.00	-11.79	3	Vertical	353	1.69	-
5670MHz	Pass	PK	11.33368G	55.89	74.00	-18.11	3	Vertical	353	1.69	-
5670MHz	Pass	PK	17.00392G	64.12	68.20	-4.08	3	Vertical	340	1.21	-
5670MHz	Pass	AV	11.35352G	42.16	54.00	-11.84	3	Horizontal	247	2.06	-
5670MHz	Pass	PK	11.3392G	55.80	74.00	-18.20	3	Horizontal	247	2.06	-
5670MHz	Pass	PK	17.00784G	64.57	68.20	-3.63	3	Horizontal	324	1.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	45.45	54.00	-8.55	3	Vertical	80	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	104.05	Inf	-Inf	3	Vertical	80	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.58	68.20	-10.62	3	Vertical	80	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	115.57	Inf	-Inf	3	Vertical	80	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8912G	59.78	68.20	-8.42	3	Vertical	80	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4304G	45.44	54.00	-8.56	3	Horizontal	24	2.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	103.38	Inf	-Inf	3	Horizontal	24	2.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	56.62	68.20	-11.58	3	Horizontal	24	2.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	114.90	Inf	-Inf	3	Horizontal	24	2.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	59.22	68.20	-8.98	3	Horizontal	24	2.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4372G	42.08	54.00	-11.92	3	Vertical	188	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4156G	55.69	74.00	-18.31	3	Vertical	188	1.71	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11224G	63.78	68.20	-4.42	3	Vertical	117	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43944G	42.08	54.00	-11.92	3	Horizontal	286	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43504G	55.58	74.00	-18.42	3	Horizontal	286	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12664G	63.31	68.20	-4.89	3	Horizontal	234	2.43	-
5755MHz	Pass	AV	5.761G	103.17	Inf	-Inf	3	Vertical	66	2.80	-
5755MHz	Pass	PK	5.6494G	61.93	68.20	-6.27	3	Vertical	66	2.80	-
5755MHz	Pass	PK	5.7634G	114.80	Inf	-Inf	3	Vertical	66	2.80	-
5755MHz	Pass	PK	5.9434G	59.35	68.20	-8.85	3	Vertical	66	2.80	-
5755MHz	Pass	AV	5.7418G	102.95	Inf	-Inf	3	Horizontal	23	2.64	-
5755MHz	Pass	PK	5.6446G	61.05	68.20	-7.15	3	Horizontal	23	2.64	-
5755MHz	Pass	PK	5.7622G	114.70	Inf	-Inf	3	Horizontal	23	2.64	-
5755MHz	Pass	PK	5.9758G	59.56	68.20	-8.64	3	Horizontal	23	2.64	-
5755MHz	Pass	AV	11.52216G	42.43	54.00	-11.57	3	Vertical	10	2.46	-
5755MHz	Pass	PK	11.50464G	56.27	74.00	-17.73	3	Vertical	10	2.46	-
5755MHz	Pass	PK	17.2458G	63.79	68.20	-4.41	3	Vertical	140	1.96	-
5755MHz	Pass	AV	11.52768G	42.47	54.00	-11.53	3	Horizontal	105	2.42	-
5755MHz	Pass	PK	11.49824G	55.56	74.00	-18.44	3	Horizontal	105	2.42	-
5755MHz	Pass	PK	17.273G	64.54	68.20	-3.66	3	Horizontal	25	2.10	-
5795MHz	Pass	AV	5.801G	103.28	Inf	-Inf	3	Vertical	80	3.00	-
5795MHz	Pass	PK	5.6402G	58.75	68.20	-9.45	3	Vertical	80	3.00	-
5795MHz	Pass	PK	5.801G	114.52	Inf	-Inf	3	Vertical	80	3.00	-
5795MHz	Pass	PK	5.9738G	59.59	68.20	-8.61	3	Vertical	80	3.00	-
5795MHz	Pass	AV	5.7974G	102.19	Inf	-Inf	3	Horizontal	44	1.75	-
5795MHz	Pass	PK	5.6438G	58.37	68.20	-9.83	3	Horizontal	44	1.75	-
5795MHz	Pass	PK	5.7974G	114.29	Inf	-Inf	3	Horizontal	44	1.75	-
5795MHz	Pass	PK	6.0674G	59.47	68.20	-8.73	3	Horizontal	44	1.75	-
5795MHz	Pass	AV	11.57G	42.05	54.00	-11.95	3	Vertical	257	1.43	-
5795MHz	Pass	PK	11.59144G	55.66	74.00	-18.34	3	Vertical	257	1.43	-
5795MHz	Pass	PK	17.39164G	65.05	68.20	-3.15	3	Vertical	278	1.69	-
5795MHz	Pass	AV	11.57G	42.00	54.00	-12.00	3	Horizontal	296	1.48	-
5795MHz	Pass	PK	11.60304G	55.65	74.00	-18.35	3	Horizontal	296	1.48	-
5795MHz	Pass	PK	17.39388G	64.39	68.20	-3.81	3	Horizontal	262	2.29	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	46.34	54.00	-7.66	3	Vertical	55	1.66	-
5210MHz	Pass	AV	5.215G	90.35	Inf	-Inf	3	Vertical	55	1.66	-
5210MHz	Pass	AV	5.382G	45.55	54.00	-8.45	3	Vertical	55	1.66	-
5210MHz	Pass	PK	5.124G	60.31	74.00	-13.69	3	Vertical	55	1.66	-
5210MHz	Pass	PK	5.206G	103.41	Inf	-Inf	3	Vertical	55	1.66	-
5210MHz	Pass	PK	5.451G	57.64	74.00	-16.36	3	Vertical	55	1.66	-
5210MHz	Pass	AV	5.14G	45.73	54.00	-8.27	3	Horizontal	339	1.50	-
5210MHz	Pass	AV	5.215G	84.93	Inf	-Inf	3	Horizontal	339	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.39G	45.34	54.00	-8.66	3	Horizontal	339	1.50	-
5210MHz	Pass	PK	5.099G	57.81	74.00	-16.19	3	Horizontal	339	1.50	-
5210MHz	Pass	PK	5.215G	96.93	Inf	-Inf	3	Horizontal	339	1.50	-
5210MHz	Pass	PK	5.362G	57.80	74.00	-16.20	3	Horizontal	339	1.50	-
5210MHz	Pass	AV	15.61956G	46.19	54.00	-7.81	3	Vertical	242	1.84	-
5210MHz	Pass	PK	10.43482G	56.00	68.20	-12.20	3	Vertical	212	1.23	-
5210MHz	Pass	PK	15.62814G	60.86	74.00	-13.14	3	Vertical	242	1.84	-
5210MHz	Pass	AV	15.62094G	46.19	54.00	-7.81	3	Horizontal	156	2.32	-
5210MHz	Pass	PK	10.4173G	54.93	68.20	-13.27	3	Horizontal	67	2.26	-
5210MHz	Pass	PK	15.61968G	59.80	74.00	-14.20	3	Horizontal	156	2.32	-
5290MHz	Pass	AV	5.148G	45.90	54.00	-8.10	3	Vertical	55	1.50	-
5290MHz	Pass	AV	5.296G	90.10	Inf	-Inf	3	Vertical	55	1.50	-
5290MHz	Pass	AV	5.353G	47.04	54.00	-6.96	3	Vertical	55	1.50	-
5290MHz	Pass	PK	5.134G	57.83	74.00	-16.17	3	Vertical	55	1.50	-
5290MHz	Pass	PK	5.264G	103.40	Inf	-Inf	3	Vertical	55	1.50	-
5290MHz	Pass	PK	5.35G	59.39	74.00	-14.61	3	Vertical	55	1.50	-
5290MHz	Pass	AV	5.147G	45.59	54.00	-8.41	3	Horizontal	340	1.50	-
5290MHz	Pass	AV	5.295G	85.52	Inf	-Inf	3	Horizontal	340	1.50	-
5290MHz	Pass	AV	5.351G	45.78	54.00	-8.22	3	Horizontal	340	1.50	-
5290MHz	Pass	PK	5.137G	58.44	74.00	-15.56	3	Horizontal	340	1.50	-
5290MHz	Pass	PK	5.298G	98.90	Inf	-Inf	3	Horizontal	340	1.50	-
5290MHz	Pass	PK	5.364G	57.84	74.00	-16.16	3	Horizontal	340	1.50	-
5290MHz	Pass	AV	15.87492G	45.80	54.00	-8.20	3	Vertical	143	1.44	-
5290MHz	Pass	PK	10.57316G	55.10	68.20	-13.10	3	Vertical	184	2.17	-
5290MHz	Pass	PK	15.86892G	59.37	74.00	-14.63	3	Vertical	143	1.44	-
5290MHz	Pass	AV	15.87162G	45.88	54.00	-8.12	3	Horizontal	334	2.12	-
5290MHz	Pass	PK	10.58672G	55.64	68.20	-12.56	3	Horizontal	224	2.10	-
5290MHz	Pass	PK	15.87552G	60.34	74.00	-13.66	3	Horizontal	334	2.12	-
5530MHz	Pass	AV	5.46G	47.11	54.00	-6.89	3	Vertical	49	1.50	-
5530MHz	Pass	AV	5.535G	91.54	Inf	-Inf	3	Vertical	49	1.50	-
5530MHz	Pass	PK	5.465G	59.18	68.20	-9.02	3	Vertical	49	1.50	-
5530MHz	Pass	PK	5.525G	104.43	Inf	-Inf	3	Vertical	49	1.50	-
5530MHz	Pass	PK	5.757G	57.93	68.20	-10.27	3	Vertical	49	1.50	-
5530MHz	Pass	AV	5.458G	45.89	54.00	-8.11	3	Horizontal	355	1.68	-
5530MHz	Pass	AV	5.539G	88.75	Inf	-Inf	3	Horizontal	355	1.68	-
5530MHz	Pass	PK	5.465G	58.43	68.20	-9.77	3	Horizontal	355	1.68	-
5530MHz	Pass	PK	5.543G	101.19	Inf	-Inf	3	Horizontal	355	1.68	-
5530MHz	Pass	PK	5.741G	58.96	68.20	-9.24	3	Horizontal	355	1.68	-
5530MHz	Pass	AV	11.05028G	42.35	54.00	-11.65	3	Vertical	12	2.02	-
5530MHz	Pass	PK	11.04896G	55.79	74.00	-18.21	3	Vertical	12	2.02	-
5530MHz	Pass	PK	16.5846G	62.03	68.20	-6.17	3	Vertical	134	1.83	-
5530MHz	Pass	AV	11.04512G	42.34	54.00	-11.66	3	Horizontal	179	2.06	-
5530MHz	Pass	PK	11.0513G	55.89	74.00	-18.11	3	Horizontal	179	2.06	-
5530MHz	Pass	PK	16.58352G	62.04	68.20	-6.16	3	Horizontal	303	1.05	-
5610MHz	Pass	AV	5.396G	45.58	54.00	-8.42	3	Vertical	49	1.50	-
5610MHz	Pass	AV	5.592G	91.47	Inf	-Inf	3	Vertical	49	1.50	-
5610MHz	Pass	PK	5.462G	56.97	68.20	-11.23	3	Vertical	49	1.50	-
5610MHz	Pass	PK	5.585G	105.10	Inf	-Inf	3	Vertical	49	1.50	-
5610MHz	Pass	PK	5.769G	58.84	68.20	-9.36	3	Vertical	49	1.50	-
5610MHz	Pass	AV	5.404G	45.32	54.00	-8.68	3	Horizontal	360	2.65	-
5610MHz	Pass	AV	5.597G	88.98	Inf	-Inf	3	Horizontal	360	2.65	-
5610MHz	Pass	PK	5.463G	57.34	68.20	-10.86	3	Horizontal	360	2.65	-
5610MHz	Pass	PK	5.608G	101.36	Inf	-Inf	3	Horizontal	360	2.65	-
5610MHz	Pass	PK	5.82G	58.81	68.20	-9.39	3	Horizontal	360	2.65	-
5610MHz	Pass	AV	11.205G	42.08	54.00	-11.92	3	Vertical	58	1.11	-
5610MHz	Pass	PK	11.22342G	55.83	74.00	-18.17	3	Vertical	58	1.11	-
5610MHz	Pass	PK	16.83042G	63.01	68.20	-5.19	3	Vertical	260	1.19	-
5610MHz	Pass	AV	11.21154G	42.08	54.00	-11.92	3	Horizontal	270	2.41	-
5610MHz	Pass	PK	11.2305G	56.01	74.00	-17.99	3	Horizontal	270	2.41	-
5610MHz	Pass	PK	16.83324G	63.69	68.20	-4.51	3	Horizontal	37	2.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.37	54.00	-8.63	3	Vertical	52	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	91.12	Inf	-Inf	3	Vertical	52	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.49	68.20	-11.71	3	Vertical	52	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6612G	104.00	Inf	-Inf	3	Vertical	52	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9816G	58.89	68.20	-9.31	3	Vertical	52	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3996G	45.24	54.00	-8.76	3	Horizontal	17	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6876G	88.69	Inf	-Inf	3	Horizontal	17	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.89	68.20	-11.31	3	Horizontal	17	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	101.63	Inf	-Inf	3	Horizontal	17	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9732G	59.12	68.20	-9.08	3	Horizontal	17	1.77	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36848G	42.43	54.00	-11.57	3	Vertical	209	1.29	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3743G	56.03	74.00	-17.97	3	Vertical	209	1.29	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0553G	64.28	68.20	-3.92	3	Vertical	156	1.66	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36596G	42.36	54.00	-11.64	3	Horizontal	66	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3674G	55.71	74.00	-18.29	3	Horizontal	66	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05818G	64.22	68.20	-3.98	3	Horizontal	1	2.37	-
5775MHz	Pass	AV	5.7726G	90.12	Inf	-Inf	3	Vertical	54	1.50	-
5775MHz	Pass	PK	5.6442G	58.97	68.20	-9.23	3	Vertical	54	1.50	-
5775MHz	Pass	PK	5.7714G	102.94	Inf	-Inf	3	Vertical	54	1.50	-
5775MHz	Pass	PK	5.997G	59.04	68.20	-9.16	3	Vertical	54	1.50	-
5775MHz	Pass	AV	5.7702G	88.63	Inf	-Inf	3	Horizontal	356	1.77	-
5775MHz	Pass	PK	5.5386G	58.81	68.20	-9.39	3	Horizontal	356	1.77	-
5775MHz	Pass	PK	5.7762G	101.08	Inf	-Inf	3	Horizontal	356	1.77	-
5775MHz	Pass	PK	5.9898G	59.26	68.20	-8.94	3	Horizontal	356	1.77	-
5775MHz	Pass	AV	11.54004G	42.62	54.00	-11.38	3	Vertical	244	1.69	-
5775MHz	Pass	PK	11.541G	56.15	74.00	-17.85	3	Vertical	244	1.69	-
5775MHz	Pass	PK	17.33502G	64.36	68.20	-3.84	3	Vertical	311	1.92	-
5775MHz	Pass	AV	11.5428G	42.65	54.00	-11.35	3	Horizontal	303	1.28	-
5775MHz	Pass	PK	11.5488G	56.55	74.00	-17.45	3	Horizontal	303	1.28	-
5775MHz	Pass	PK	17.32146G	63.94	68.20	-4.26	3	Horizontal	221	1.31	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	45.63	54.00	-8.37	3	Vertical	56	2.96	-
5210MHz	Pass	AV	5.196G	84.04	Inf	-Inf	3	Vertical	56	2.96	-
5210MHz	Pass	AV	5.389G	45.35	54.00	-8.65	3	Vertical	56	2.96	-
5210MHz	Pass	PK	5.055G	58.06	74.00	-15.94	3	Vertical	56	2.96	-
5210MHz	Pass	PK	5.213G	95.81	Inf	-Inf	3	Vertical	56	2.96	-
5210MHz	Pass	PK	5.398G	58.56	74.00	-15.44	3	Vertical	56	2.96	-
5210MHz	Pass	AV	5.15G	45.86	54.00	-8.14	3	Horizontal	8	2.96	-
5210MHz	Pass	AV	5.205G	86.11	Inf	-Inf	3	Horizontal	8	2.96	-
5210MHz	Pass	AV	5.389G	45.29	54.00	-8.71	3	Horizontal	8	2.96	-
5210MHz	Pass	PK	5.138G	57.93	74.00	-16.07	3	Horizontal	8	2.96	-
5210MHz	Pass	PK	5.198G	99.02	Inf	-Inf	3	Horizontal	8	2.96	-
5210MHz	Pass	PK	5.38G	58.16	74.00	-15.84	3	Horizontal	8	2.96	-
5210MHz	Pass	AV	15.61728G	46.18	54.00	-7.82	3	Vertical	215	1.42	-
5210MHz	Pass	PK	10.40758G	55.40	68.20	-12.80	3	Vertical	276	1.72	-
5210MHz	Pass	PK	15.63414G	60.40	74.00	-13.60	3	Vertical	215	1.42	-
5210MHz	Pass	AV	15.61512G	46.17	54.00	-7.83	3	Horizontal	350	1.99	-
5210MHz	Pass	PK	10.4308G	56.02	68.20	-12.18	3	Horizontal	321	1.59	-
5210MHz	Pass	PK	15.62856G	60.00	74.00	-14.00	3	Horizontal	350	1.99	-
5290MHz	Pass	AV	5.148G	45.57	54.00	-8.43	3	Vertical	166	1.70	-
5290MHz	Pass	AV	5.279G	82.27	Inf	-Inf	3	Vertical	166	1.70	-
5290MHz	Pass	AV	5.351G	45.41	54.00	-8.59	3	Vertical	166	1.70	-
5290MHz	Pass	PK	5.133G	58.47	74.00	-15.53	3	Vertical	166	1.70	-
5290MHz	Pass	PK	5.277G	95.23	Inf	-Inf	3	Vertical	166	1.70	-
5290MHz	Pass	PK	5.364G	58.57	74.00	-15.43	3	Vertical	166	1.70	-
5290MHz	Pass	AV	5.147G	45.60	54.00	-8.40	3	Horizontal	8	2.89	-
5290MHz	Pass	AV	5.273G	84.05	Inf	-Inf	3	Horizontal	8	2.89	-
5290MHz	Pass	AV	5.35G	45.41	54.00	-8.59	3	Horizontal	8	2.89	-
5290MHz	Pass	PK	5.149G	59.09	74.00	-14.91	3	Horizontal	8	2.89	-
5290MHz	Pass	PK	5.273G	96.67	Inf	-Inf	3	Horizontal	8	2.89	-
5290MHz	Pass	PK	5.366G	57.89	74.00	-16.11	3	Horizontal	8	2.89	-
5290MHz	Pass	AV	15.87648G	45.88	54.00	-8.12	3	Vertical	273	1.06	-
5290MHz	Pass	PK	10.5815G	55.00	68.20	-13.20	3	Vertical	129	1.41	-
5290MHz	Pass	PK	15.87546G	60.50	74.00	-13.50	3	Vertical	273	1.06	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	15.87858G	45.85	54.00	-8.15	3	Horizontal	205	2.46	-
5290MHz	Pass	PK	10.59086G	55.10	68.20	-13.10	3	Horizontal	33	2.47	-
5290MHz	Pass	PK	15.86976G	59.75	74.00	-14.25	3	Horizontal	205	2.46	-
5530MHz	Pass	AV	5.446G	45.79	54.00	-8.21	3	Vertical	163	1.50	-
5530MHz	Pass	AV	5.525G	86.16	Inf	-Inf	3	Vertical	163	1.50	-
5530MHz	Pass	PK	5.463G	58.29	68.20	-9.91	3	Vertical	163	1.50	-
5530MHz	Pass	PK	5.563G	99.79	Inf	-Inf	3	Vertical	163	1.50	-
5530MHz	Pass	PK	5.769G	58.34	68.20	-9.86	3	Vertical	163	1.50	-
5530MHz	Pass	AV	5.446G	45.81	54.00	-8.19	3	Horizontal	0	2.40	-
5530MHz	Pass	AV	5.535G	85.38	Inf	-Inf	3	Horizontal	0	2.40	-
5530MHz	Pass	PK	5.468G	58.29	68.20	-9.91	3	Horizontal	0	2.40	-
5530MHz	Pass	PK	5.534G	98.46	Inf	-Inf	3	Horizontal	0	2.40	-
5530MHz	Pass	PK	5.731G	58.94	68.20	-9.26	3	Horizontal	0	2.40	-
5530MHz	Pass	AV	11.0471G	42.48	54.00	-11.52	3	Vertical	325	1.51	-
5530MHz	Pass	PK	11.04854G	56.65	74.00	-17.35	3	Vertical	325	1.51	-
5530MHz	Pass	PK	16.58256G	61.71	68.20	-6.49	3	Vertical	174	1.59	-
5530MHz	Pass	AV	11.04722G	42.49	54.00	-11.51	3	Horizontal	127	1.12	-
5530MHz	Pass	PK	11.07272G	55.84	74.00	-18.16	3	Horizontal	127	1.12	-
5530MHz	Pass	PK	16.57608G	61.75	68.20	-6.45	3	Horizontal	83	2.00	-
5610MHz	Pass	AV	5.4G	45.37	54.00	-8.63	3	Vertical	165	1.49	-
5610MHz	Pass	AV	5.619G	86.96	Inf	-Inf	3	Vertical	165	1.49	-
5610MHz	Pass	PK	5.461G	58.29	68.20	-9.91	3	Vertical	165	1.49	-
5610MHz	Pass	PK	5.619G	99.45	Inf	-Inf	3	Vertical	165	1.49	-
5610MHz	Pass	PK	5.744G	58.74	68.20	-9.46	3	Vertical	165	1.49	-
5610MHz	Pass	AV	5.405G	45.34	54.00	-8.66	3	Horizontal	356	3.00	-
5610MHz	Pass	AV	5.612G	86.80	Inf	-Inf	3	Horizontal	356	3.00	-
5610MHz	Pass	PK	5.463G	57.60	68.20	-10.60	3	Horizontal	356	3.00	-
5610MHz	Pass	PK	5.602G	99.52	Inf	-Inf	3	Horizontal	356	3.00	-
5610MHz	Pass	PK	5.854G	58.78	68.20	-9.42	3	Horizontal	356	3.00	-
5610MHz	Pass	AV	11.22336G	42.07	54.00	-11.93	3	Vertical	329	1.06	-
5610MHz	Pass	PK	11.21676G	55.80	74.00	-18.20	3	Vertical	329	1.06	-
5610MHz	Pass	PK	16.81998G	63.35	68.20	-4.85	3	Vertical	261	1.49	-
5610MHz	Pass	AV	11.20542G	42.15	54.00	-11.85	3	Horizontal	301	1.50	-
5610MHz	Pass	PK	11.22426G	56.08	74.00	-17.92	3	Horizontal	301	1.50	-
5610MHz	Pass	PK	16.82052G	62.93	68.20	-5.27	3	Horizontal	283	1.64	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3936G	45.22	54.00	-8.78	3	Vertical	165	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	88.00	Inf	-Inf	3	Vertical	165	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.54	68.20	-11.66	3	Vertical	165	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	100.17	Inf	-Inf	3	Vertical	165	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	59.61	68.20	-8.59	3	Vertical	165	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3984G	45.23	54.00	-8.77	3	Horizontal	154	2.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	87.35	Inf	-Inf	3	Horizontal	154	2.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.60	68.20	-11.60	3	Horizontal	154	2.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	101.56	Inf	-Inf	3	Horizontal	154	2.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	59.33	68.20	-8.87	3	Horizontal	154	2.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36626G	42.39	54.00	-11.61	3	Vertical	356	2.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37136G	56.40	74.00	-17.60	3	Vertical	356	2.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07084G	65.17	68.20	-3.03	3	Vertical	328	2.42	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36512G	42.38	54.00	-11.62	3	Horizontal	137	2.32	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38648G	56.79	74.00	-17.21	3	Horizontal	137	2.32	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07432G	64.54	68.20	-3.66	3	Horizontal	348	1.42	-
5775MHz	Pass	AV	5.7726G	86.52	Inf	-Inf	3	Vertical	166	1.50	-
5775MHz	Pass	PK	5.5542G	57.85	68.20	-10.35	3	Vertical	166	1.50	-
5775MHz	Pass	PK	5.7702G	99.40	Inf	-Inf	3	Vertical	166	1.50	-
5775MHz	Pass	PK	6.0042G	58.41	68.20	-9.79	3	Vertical	166	1.50	-
5775MHz	Pass	AV	5.769G	85.93	Inf	-Inf	3	Horizontal	150	2.95	-
5775MHz	Pass	PK	5.5134G	58.04	68.20	-10.16	3	Horizontal	150	2.95	-
5775MHz	Pass	PK	5.7726G	98.70	Inf	-Inf	3	Horizontal	150	2.95	-
5775MHz	Pass	PK	5.9658G	59.61	68.20	-8.59	3	Horizontal	150	2.95	-
5775MHz	Pass	AV	11.5356G	42.63	54.00	-11.37	3	Vertical	128	1.91	-
5775MHz	Pass	PK	11.55024G	56.58	74.00	-17.42	3	Vertical	128	1.91	-
5775MHz	Pass	PK	17.33748G	63.65	68.20	-4.55	3	Vertical	256	1.77	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	AV	11.53704G	42.70	54.00	-11.30	3	Horizontal	327	1.08	-
5775MHz	Pass	PK	11.55426G	56.41	74.00	-17.59	3	Horizontal	327	1.08	-
5775MHz	Pass	PK	17.3247G	63.77	68.20	-4.43	3	Horizontal	277	1.91	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	50.15	54.00	-3.85	3	Vertical	58	1.79	-
5210MHz	Pass	AV	5.201G	94.83	Inf	-Inf	3	Vertical	58	1.79	-
5210MHz	Pass	AV	5.387G	45.65	54.00	-8.35	3	Vertical	58	1.79	-
5210MHz	Pass	PK	5.15G	64.33	74.00	-9.67	3	Vertical	58	1.79	-
5210MHz	Pass	PK	5.222G	106.99	Inf	-Inf	3	Vertical	58	1.79	-
5210MHz	Pass	PK	5.392G	57.87	74.00	-16.13	3	Vertical	58	1.79	-
5210MHz	Pass	AV	5.15G	47.57	54.00	-6.43	3	Horizontal	17	1.50	-
5210MHz	Pass	AV	5.191G	90.68	Inf	-Inf	3	Horizontal	17	1.50	-
5210MHz	Pass	AV	5.404G	45.48	54.00	-8.52	3	Horizontal	17	1.50	-
5210MHz	Pass	PK	5.15G	60.76	74.00	-13.24	3	Horizontal	17	1.50	-
5210MHz	Pass	PK	5.191G	103.15	Inf	-Inf	3	Horizontal	17	1.50	-
5210MHz	Pass	PK	5.413G	57.74	74.00	-16.26	3	Horizontal	17	1.50	-
5210MHz	Pass	AV	15.59224G	46.33	54.00	-7.67	3	Vertical	353	2.17	-
5210MHz	Pass	PK	10.39984G	55.07	68.20	-13.13	3	Vertical	16	2.48	-
5210MHz	Pass	PK	15.62312G	59.69	74.00	-14.31	3	Vertical	353	2.17	-
5210MHz	Pass	AV	15.59016G	46.40	54.00	-7.60	3	Horizontal	252	1.23	-
5210MHz	Pass	PK	10.41744G	56.66	68.20	-11.54	3	Horizontal	258	1.39	-
5210MHz	Pass	PK	15.60744G	59.75	74.00	-14.25	3	Horizontal	252	1.23	-
5290MHz	Pass	AV	5.149G	46.36	54.00	-7.64	3	Vertical	72	1.92	-
5290MHz	Pass	AV	5.282G	93.81	Inf	-Inf	3	Vertical	72	1.92	-
5290MHz	Pass	AV	5.35G	50.86	54.00	-3.14	3	Vertical	72	1.92	-
5290MHz	Pass	PK	5.115G	58.52	74.00	-15.48	3	Vertical	72	1.92	-
5290MHz	Pass	PK	5.271G	107.26	Inf	-Inf	3	Vertical	72	1.92	-
5290MHz	Pass	PK	5.351G	64.03	74.00	-9.97	3	Vertical	72	1.92	-
5290MHz	Pass	AV	5.142G	45.91	54.00	-8.09	3	Horizontal	16	1.59	-
5290MHz	Pass	AV	5.282G	90.43	Inf	-Inf	3	Horizontal	16	1.59	-
5290MHz	Pass	AV	5.351G	48.98	54.00	-5.02	3	Horizontal	16	1.59	-
5290MHz	Pass	PK	5.131G	58.94	74.00	-15.06	3	Horizontal	16	1.59	-
5290MHz	Pass	PK	5.272G	102.81	Inf	-Inf	3	Horizontal	16	1.59	-
5290MHz	Pass	PK	5.361G	61.62	74.00	-12.38	3	Horizontal	16	1.59	-
5290MHz	Pass	AV	10.60624G	41.51	54.00	-12.49	3	Vertical	93	2.13	-
5290MHz	Pass	AV	15.90888G	45.85	54.00	-8.15	3	Vertical	242	1.13	-
5290MHz	Pass	PK	10.59968G	55.36	68.20	-12.84	3	Vertical	93	2.13	-
5290MHz	Pass	PK	15.89096G	59.99	74.00	-14.01	3	Vertical	242	1.13	-
5290MHz	Pass	AV	10.60112G	41.59	54.00	-12.41	3	Horizontal	28	2.16	-
5290MHz	Pass	AV	15.9084G	45.84	54.00	-8.16	3	Horizontal	70	1.35	-
5290MHz	Pass	PK	10.57824G	54.53	68.20	-13.67	3	Horizontal	28	2.16	-
5290MHz	Pass	PK	15.8812G	59.89	74.00	-14.11	3	Horizontal	70	1.35	-
5530MHz	Pass	AV	5.453G	50.30	54.00	-3.70	3	Vertical	72	1.50	-
5530MHz	Pass	AV	5.533G	95.88	Inf	-Inf	3	Vertical	72	1.50	-
5530MHz	Pass	PK	5.462G	64.63	68.20	-3.57	3	Vertical	72	1.50	-
5530MHz	Pass	PK	5.534G	107.27	Inf	-Inf	3	Vertical	72	1.50	-
5530MHz	Pass	PK	5.76G	57.51	68.20	-10.69	3	Vertical	72	1.50	-
5530MHz	Pass	AV	5.46G	49.41	54.00	-4.59	3	Horizontal	13	1.63	-
5530MHz	Pass	AV	5.541G	94.19	Inf	-Inf	3	Horizontal	13	1.63	-
5530MHz	Pass	PK	5.47G	63.68	68.20	-4.52	3	Horizontal	13	1.63	-
5530MHz	Pass	PK	5.5G	106.29	Inf	-Inf	3	Horizontal	13	1.63	-
5530MHz	Pass	PK	5.748G	58.87	68.20	-9.33	3	Horizontal	13	1.63	-
5530MHz	Pass	AV	11.0216G	42.34	54.00	-11.66	3	Vertical	359	1.94	-
5530MHz	Pass	PK	11.04992G	55.44	74.00	-18.56	3	Vertical	359	1.94	-
5530MHz	Pass	PK	16.6172G	61.99	68.20	-6.21	3	Vertical	117	1.93	-
5530MHz	Pass	AV	11.02G	42.33	54.00	-11.67	3	Horizontal	165	2.08	-
5530MHz	Pass	PK	11.02512G	56.14	74.00	-17.86	3	Horizontal	165	2.08	-
5530MHz	Pass	PK	16.562G	61.93	68.20	-6.27	3	Horizontal	32	1.64	-
5610MHz	Pass	AV	5.46G	49.17	54.00	-4.83	3	Vertical	93	1.50	-
5610MHz	Pass	AV	5.613G	98.96	Inf	-Inf	3	Vertical	93	1.50	-
5610MHz	Pass	PK	5.464G	61.46	68.20	-6.74	3	Vertical	93	1.50	-
5610MHz	Pass	PK	5.624G	110.85	Inf	-Inf	3	Vertical	93	1.50	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	5.725G	65.81	68.20	-2.39	3	Vertical	93	1.50	-
5610MHz	Pass	AV	5.457G	47.57	54.00	-6.43	3	Horizontal	14	2.83	-
5610MHz	Pass	AV	5.617G	98.16	Inf	-Inf	3	Horizontal	14	2.83	-
5610MHz	Pass	PK	5.467G	61.25	68.20	-6.95	3	Horizontal	14	2.83	-
5610MHz	Pass	PK	5.617G	110.64	Inf	-Inf	3	Horizontal	14	2.83	-
5610MHz	Pass	PK	5.729G	65.07	68.20	-3.13	3	Horizontal	14	2.83	-
5610MHz	Pass	AV	11.1904G	41.96	54.00	-12.04	3	Vertical	339	2.07	-
5610MHz	Pass	PK	11.19664G	55.89	74.00	-18.11	3	Vertical	339	2.07	-
5610MHz	Pass	PK	16.81816G	63.11	68.20	-5.09	3	Vertical	196	1.91	-
5610MHz	Pass	AV	11.19552G	41.93	54.00	-12.07	3	Horizontal	221	2.46	-
5610MHz	Pass	PK	11.2512G	55.39	74.00	-18.61	3	Horizontal	221	2.46	-
5610MHz	Pass	PK	16.82568G	62.95	68.20	-5.25	3	Horizontal	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.30	54.00	-6.70	3	Vertical	78	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	100.73	Inf	-Inf	3	Vertical	78	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.46	68.20	-8.74	3	Vertical	78	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	113.01	Inf	-Inf	3	Vertical	78	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	65.42	68.20	-2.78	3	Vertical	78	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	45.92	54.00	-8.08	3	Horizontal	34	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	98.58	Inf	-Inf	3	Horizontal	34	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.90	68.20	-10.30	3	Horizontal	34	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	110.44	Inf	-Inf	3	Horizontal	34	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	63.19	68.20	-5.01	3	Horizontal	34	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35424G	42.21	54.00	-11.79	3	Vertical	144	2.36	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34256G	56.03	74.00	-17.97	3	Vertical	144	2.36	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0412G	64.00	68.20	-4.20	3	Vertical	212	2.25	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35264G	42.22	54.00	-11.78	3	Horizontal	66	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35792G	55.70	74.00	-18.30	3	Horizontal	66	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.034G	64.10	68.20	-4.10	3	Horizontal	204	2.98	-
5775MHz	Pass	AV	5.7714G	99.12	Inf	-Inf	3	Vertical	62	2.92	-
5775MHz	Pass	PK	5.6514G	67.63	69.24	-1.61	3	Vertical	62	2.92	-
5775MHz	Pass	PK	5.7726G	111.08	Inf	-Inf	3	Vertical	62	2.92	-
5775MHz	Pass	PK	5.9334G	64.61	68.20	-3.59	3	Vertical	62	2.92	-
5775MHz	Pass	AV	5.781G	98.64	Inf	-Inf	3	Horizontal	10	2.77	-
5775MHz	Pass	PK	5.6502G	65.97	68.35	-2.38	3	Horizontal	10	2.77	-
5775MHz	Pass	PK	5.793G	110.80	Inf	-Inf	3	Horizontal	10	2.77	-
5775MHz	Pass	PK	5.9334G	64.79	68.20	-3.41	3	Horizontal	10	2.77	-
5775MHz	Pass	AV	11.51432G	42.47	54.00	-11.53	3	Vertical	4	1.50	-
5775MHz	Pass	PK	11.51464G	55.98	74.00	-18.02	3	Vertical	4	1.50	-
5775MHz	Pass	PK	17.3426G	64.72	68.20	-3.48	3	Vertical	214	1.50	-
5775MHz	Pass	AV	11.51416G	42.44	54.00	-11.56	3	Horizontal	166	1.50	-
5775MHz	Pass	PK	11.55704G	55.84	74.00	-18.16	3	Horizontal	166	1.50	-
5775MHz	Pass	PK	17.30564G	64.04	68.20	-4.16	3	Horizontal	276	1.50	-
802.11ax HEW160_Nss1(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	49.43	54.00	-4.57	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2644G	88.65	Inf	-Inf	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3784G	48.69	54.00	-5.31	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1276G	64.45	74.00	-9.55	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.262G	102.00	Inf	-Inf	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3988G	63.62	74.00	-10.38	3	Vertical	46	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	47.34	54.00	-6.66	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2728G	83.85	Inf	-Inf	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.394G	47.04	54.00	-6.96	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.118G	59.69	74.00	-14.31	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2944G	97.49	Inf	-Inf	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3988G	60.25	74.00	-13.75	3	Horizontal	356	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75432G	45.56	54.00	-8.44	3	Vertical	301	1.72	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50882G	55.47	68.20	-12.73	3	Vertical	8	2.26	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75714G	60.02	74.00	-13.98	3	Vertical	301	1.72	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.73776G	45.54	54.00	-8.46	3	Horizontal	347	2.22	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4967G	55.47	68.20	-12.73	3	Horizontal	300	1.74	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74616G	59.79	74.00	-14.21	3	Horizontal	347	2.22	-
5570MHz	Pass	AV	5.444G	50.64	54.00	-3.36	3	Vertical	49	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	AV	5.564G	89.83	Inf	-Inf	3	Vertical	49	1.50	-
5570MHz	Pass	PK	5.4632G	63.33	68.20	-4.87	3	Vertical	49	1.50	-
5570MHz	Pass	PK	5.5412G	104.22	Inf	-Inf	3	Vertical	49	1.50	-
5570MHz	Pass	PK	5.7284G	61.86	68.20	-6.34	3	Vertical	49	1.50	-
5570MHz	Pass	AV	5.4536G	48.22	54.00	-5.78	3	Horizontal	355	1.76	-
5570MHz	Pass	AV	5.558G	87.05	Inf	-Inf	3	Horizontal	355	1.76	-
5570MHz	Pass	PK	5.4692G	60.57	68.20	-7.63	3	Horizontal	355	1.76	-
5570MHz	Pass	PK	5.5604G	100.68	Inf	-Inf	3	Horizontal	355	1.76	-
5570MHz	Pass	PK	5.726G	60.28	68.20	-7.92	3	Horizontal	355	1.76	-
5570MHz	Pass	AV	11.1418G	42.21	54.00	-11.79	3	Vertical	153	2.17	-
5570MHz	Pass	PK	11.14822G	56.15	74.00	-17.85	3	Vertical	153	2.17	-
5570MHz	Pass	PK	16.71372G	62.45	68.20	-5.75	3	Vertical	247	1.22	-
5570MHz	Pass	AV	11.12854G	42.22	54.00	-11.78	3	Horizontal	278	2.17	-
5570MHz	Pass	PK	11.15338G	55.88	74.00	-18.12	3	Horizontal	278	2.17	-
5570MHz	Pass	PK	16.72146G	62.00	68.20	-6.20	3	Horizontal	109	1.26	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1444G	46.59	54.00	-7.41	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2116G	81.96	Inf	-Inf	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3856G	45.83	54.00	-8.17	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1372G	58.96	74.00	-15.04	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.208G	94.79	Inf	-Inf	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3748G	58.52	74.00	-15.48	3	Vertical	56	2.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	47.19	54.00	-6.81	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2152G	83.75	Inf	-Inf	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	46.39	54.00	-7.61	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1036G	59.28	74.00	-14.72	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2092G	96.67	Inf	-Inf	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4372G	58.61	74.00	-15.39	3	Horizontal	2	2.96	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.7365G	45.55	54.00	-8.45	3	Vertical	195	1.88	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48644G	56.43	68.20	-11.77	3	Vertical	84	1.24	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7527G	59.68	74.00	-14.32	3	Vertical	195	1.88	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7359G	45.51	54.00	-8.49	3	Horizontal	95	2.43	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5063G	55.44	68.20	-12.76	3	Horizontal	61	1.53	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75828G	59.46	74.00	-14.54	3	Horizontal	95	2.43	-
5570MHz	Pass	AV	5.444G	46.38	54.00	-7.62	3	Vertical	165	1.50	-
5570MHz	Pass	AV	5.5748G	84.26	Inf	-Inf	3	Vertical	165	1.50	-
5570MHz	Pass	PK	5.4644G	57.46	68.20	-10.74	3	Vertical	165	1.50	-
5570MHz	Pass	PK	5.5832G	97.40	Inf	-Inf	3	Vertical	165	1.50	-
5570MHz	Pass	PK	5.8388G	59.02	68.20	-9.18	3	Vertical	165	1.50	-
5570MHz	Pass	AV	5.4452G	46.52	54.00	-7.48	3	Horizontal	353	3.00	-
5570MHz	Pass	AV	5.5616G	84.18	Inf	-Inf	3	Horizontal	353	3.00	-
5570MHz	Pass	PK	5.4644G	57.84	68.20	-10.36	3	Horizontal	353	3.00	-
5570MHz	Pass	PK	5.5592G	97.25	Inf	-Inf	3	Horizontal	353	3.00	-
5570MHz	Pass	PK	5.732G	58.74	68.20	-9.46	3	Horizontal	353	3.00	-
5570MHz	Pass	AV	11.14174G	42.16	54.00	-11.84	3	Vertical	152	1.26	-
5570MHz	Pass	PK	11.13976G	55.60	74.00	-18.40	3	Vertical	152	1.26	-
5570MHz	Pass	PK	16.72398G	62.64	68.20	-5.56	3	Vertical	156	1.06	-
5570MHz	Pass	AV	11.1415G	42.21	54.00	-11.79	3	Horizontal	235	1.61	-
5570MHz	Pass	PK	11.12848G	55.79	74.00	-18.21	3	Horizontal	235	1.61	-
5570MHz	Pass	PK	16.69518G	62.88	68.20	-5.32	3	Horizontal	19	2.19	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.78	54.00	-5.22	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2116G	91.40	Inf	-Inf	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	51.79	54.00	-2.21	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	60.23	74.00	-13.77	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2116G	103.55	Inf	-Inf	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3616G	63.72	74.00	-10.28	3	Vertical	59	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	47.80	54.00	-6.20	3	Horizontal	17	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.232G	87.93	Inf	-Inf	3	Horizontal	17	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	49.41	54.00	-4.59	3	Horizontal	17	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	59.02	74.00	-14.98	3	Horizontal	17	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1912G	99.79	Inf	-Inf	3	Horizontal	17	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	61.45	74.00	-12.55	3	Horizontal	17	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74344G	45.11	54.00	-8.89	3	Vertical	56	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49724G	55.52	68.20	-12.68	3	Vertical	94	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74044G	58.83	74.00	-15.17	3	Vertical	56	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74352G	45.14	54.00	-8.86	3	Horizontal	257	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50016G	55.13	68.20	-13.07	3	Horizontal	210	2.72	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.745G	59.57	74.00	-14.43	3	Horizontal	257	2.25	-
5570MHz	Pass	AV	5.432G	51.25	54.00	-2.75	3	Vertical	75	1.76	-
5570MHz	Pass	AV	5.5628G	93.49	Inf	-Inf	3	Vertical	75	1.76	-
5570MHz	Pass	PK	5.4644G	63.39	68.20	-4.81	3	Vertical	75	1.76	-
5570MHz	Pass	PK	5.5652G	105.35	Inf	-Inf	3	Vertical	75	1.76	-
5570MHz	Pass	PK	5.7332G	63.11	68.20	-5.09	3	Vertical	75	1.76	-
5570MHz	Pass	AV	5.4404G	48.92	54.00	-5.08	3	Horizontal	9	2.05	-
5570MHz	Pass	AV	5.5496G	91.60	Inf	-Inf	3	Horizontal	9	2.05	-
5570MHz	Pass	PK	5.4692G	59.82	68.20	-8.38	3	Horizontal	9	2.05	-
5570MHz	Pass	PK	5.5592G	104.89	Inf	-Inf	3	Horizontal	9	2.05	-
5570MHz	Pass	PK	5.7272G	60.81	68.20	-7.39	3	Horizontal	9	2.05	-
5570MHz	Pass	AV	11.13996G	41.81	54.00	-12.19	3	Vertical	310	1.50	-
5570MHz	Pass	PK	11.13704G	55.57	74.00	-18.43	3	Vertical	310	1.50	-
5570MHz	Pass	PK	16.71772G	63.11	68.20	-5.09	3	Vertical	70	2.65	-
5570MHz	Pass	AV	11.1392G	41.79	54.00	-12.21	3	Horizontal	69	1.50	-
5570MHz	Pass	PK	11.13024G	55.25	74.00	-18.75	3	Horizontal	69	1.50	-
5570MHz	Pass	PK	16.70552G	62.95	68.20	-5.25	3	Horizontal	200	1.50	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	44.93	54.00	-9.07	6.84	3	Vertical	69	1.81	-	38.09	31.90	9.07	34.13
AV	5.1762G	97.87	Inf	-Inf	6.75	3	Vertical	69	1.81	-	91.12	31.80	9.08	34.13
PK	5.1374G	57.61	74.00	-16.39	6.85	3	Vertical	69	1.81	-	50.76	31.90	9.07	34.12
PK	5.1732G	108.03	Inf	-Inf	6.76	3	Vertical	69	1.81	-	101.27	31.81	9.08	34.13

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	44.41	54.00	-9.59	6.84	3	Horizontal	352	1.50	-	37.57	31.90	9.07	34.13
AV	5.1786G	90.85	Inf	-Inf	6.74	3	Horizontal	352	1.50	-	84.11	31.79	9.08	34.13
PK	5.1486G	57.58	74.00	-16.42	6.84	3	Horizontal	352	1.50	-	50.74	31.90	9.07	34.13
PK	5.1756G	100.95	Inf	-Inf	6.75	3	Horizontal	352	1.50	-	94.20	31.80	9.08	34.13

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53236G	47.47	54.00	-6.53	19.25	3	Vertical	193	1.00	-	28.22	38.01	15.67	34.43
PK	10.36064G	53.93	68.20	-14.27	17.42	3	Vertical	45	1.65	-	36.51	39.34	12.67	34.59
PK	15.54172G	60.90	74.00	-13.10	19.20	3	Vertical	193	1.00	-	41.70	37.95	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53112G	47.43	54.00	-6.57	19.25	3	Horizontal	195	1.89	-	28.18	38.01	15.67	34.43
PK	10.36152G	54.71	68.20	-13.49	17.43	3	Horizontal	312	1.41	-	37.28	39.35	12.67	34.59
PK	15.53948G	60.17	74.00	-13.83	19.21	3	Horizontal	195	1.89	-	40.96	37.96	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	45.85	54.00	-8.15	7.60	3	Vertical	70	1.50	-	38.25	31.90	9.83	34.13
AV	5.2024G	97.73	Inf	-Inf	7.41	3	Vertical	70	1.50	-	90.32	31.69	9.86	34.14
PK	5.1124G	58.48	74.00	-15.52	7.59	3	Vertical	70	1.50	-	50.89	31.90	9.81	34.12
PK	5.196G	107.93	Inf	-Inf	7.44	3	Vertical	70	1.50	-	100.49	31.72	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.66	54.00	-8.34	7.60	3	Horizontal	25	1.79	-	38.06	31.90	9.83	34.13
AV	5.204G	91.15	Inf	-Inf	7.40	3	Horizontal	25	1.79	-	83.75	31.68	9.86	34.14
PK	5.1104G	59.13	74.00	-14.87	7.59	3	Horizontal	25	1.79	-	51.54	31.90	9.81	34.12
PK	5.2056G	101.12	Inf	-Inf	7.39	3	Horizontal	25	1.79	-	93.73	31.67	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59116G	44.62	54.00	-9.38	18.01	3	Vertical	60	1.73	-	26.61	37.65	14.82	34.46
PK	10.40216G	54.48	68.20	-13.72	17.32	3	Vertical	104	1.50	-	37.16	39.50	12.38	34.56
PK	15.599G	58.56	74.00	-15.44	17.96	3	Vertical	60	1.73	-	40.60	37.61	14.82	34.47

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59124G	44.67	54.00	-9.33	18.01	3	Horizontal	62	1.31	-	26.66	37.65	14.82	34.46
PK	10.40412G	54.03	68.20	-14.17	17.33	3	Horizontal	280	3.00	-	36.70	39.51	12.38	34.56
PK	15.60024G	58.57	74.00	-15.43	17.95	3	Horizontal	62	1.31	-	40.62	37.60	14.82	34.47

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.77	54.00	-8.23	7.60	3	Vertical	94	1.73	-	38.17	31.90	9.83	34.13
AV	5.2424G	97.11	Inf	-Inf	7.20	3	Vertical	94	1.73	-	89.91	31.45	9.89	34.14
AV	5.3534G	45.41	54.00	-8.59	7.14	3	Vertical	94	1.73	-	38.27	31.33	9.97	34.16
PK	5.0936G	57.95	74.00	-16.05	7.57	3	Vertical	94	1.73	-	50.38	31.89	9.80	34.12
PK	5.2424G	107.07	Inf	-Inf	7.20	3	Vertical	94	1.73	-	99.87	31.45	9.89	34.14
PK	5.3534G	57.80	74.00	-16.20	7.14	3	Vertical	94	1.73	-	50.66	31.33	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	45.64	54.00	-8.36	7.60	3	Horizontal	360	1.50	-	38.04	31.90	9.83	34.13
AV	5.2352G	90.53	Inf	-Inf	7.23	3	Horizontal	360	1.50	-	83.30	31.49	9.88	34.14
AV	5.3834G	45.41	54.00	-8.59	7.39	3	Horizontal	360	1.50	-	38.02	31.57	9.99	34.17
PK	5.1134G	58.53	74.00	-15.47	7.59	3	Horizontal	360	1.50	-	50.94	31.90	9.81	34.12
PK	5.2364G	100.69	Inf	-Inf	7.23	3	Horizontal	360	1.50	-	93.46	31.48	9.89	34.14
PK	5.3726G	57.85	74.00	-16.15	7.29	3	Horizontal	360	1.50	-	50.56	31.48	9.98	34.17

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71584G	45.41	54.00	-8.59	18.90	3	Vertical	220	2.02	-	26.51	37.62	15.81	34.53
PK	10.47892G	54.53	68.20	-13.67	17.87	3	Vertical	316	2.82	-	36.66	39.66	12.72	34.51
PK	15.72212G	58.43	74.00	-15.57	18.87	3	Vertical	220	2.02	-	39.56	37.59	15.81	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71152G	45.39	54.00	-8.61	18.92	3	Horizontal	346	1.71	-	26.47	37.64	15.81	34.53
PK	10.47632G	54.86	68.20	-13.34	17.86	3	Horizontal	339	2.28	-	37.00	39.65	12.72	34.51
PK	15.71392G	58.44	74.00	-15.56	18.91	3	Horizontal	346	1.71	-	39.53	37.63	15.81	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.11G	45.94	54.00	-8.06	7.59	3	Vertical	68	1.02	-	38.35	31.90	9.81	34.12
AV	5.2576G	101.83	Inf	-Inf	7.13	3	Vertical	68	1.02	-	94.70	31.38	9.90	34.15
AV	5.3824G	45.61	54.00	-8.39	7.38	3	Vertical	68	1.02	-	38.23	31.56	9.99	34.17
PK	5.11G	58.55	74.00	-15.45	7.59	3	Vertical	68	1.02	-	50.96	31.90	9.81	34.12
PK	5.2558G	111.97	Inf	-Inf	7.14	3	Vertical	68	1.02	-	104.83	31.39	9.90	34.15
PK	5.3914G	57.91	74.00	-16.09	7.45	3	Vertical	68	1.02	-	50.46	31.63	9.99	34.17

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1424G	45.69	54.00	-8.31	7.60	3	Horizontal	22	1.50	-	38.09	31.90	9.83	34.13
AV	5.2624G	94.75	Inf	-Inf	7.13	3	Horizontal	22	1.50	-	87.62	31.38	9.90	34.15
AV	5.3998G	45.42	54.00	-8.58	7.53	3	Horizontal	22	1.50	-	37.89	31.70	10.00	34.17
PK	5.125G	58.42	74.00	-15.58	7.60	3	Horizontal	22	1.50	-	50.82	31.90	9.82	34.12
PK	5.2666G	105.44	Inf	-Inf	7.13	3	Horizontal	22	1.50	-	98.31	31.37	9.91	34.15
PK	5.362G	58.09	74.00	-15.91	7.20	3	Horizontal	22	1.50	-	50.89	31.40	9.97	34.17

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77392G	44.94	54.00	-9.06	18.62	3	Vertical	159	1.48	-	26.32	37.33	15.85	34.56
PK	10.51088G	55.51	68.20	-12.69	17.95	3	Vertical	238	2.68	-	37.56	39.70	12.73	34.48
PK	15.78248G	59.13	74.00	-14.87	18.58	3	Vertical	159	1.48	-	40.55	37.29	15.86	34.57

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7702G	44.94	54.00	-9.06	18.64	3	Horizontal	290	2.68	-	26.30	37.35	15.85	34.56
PK	10.52048G	54.66	68.20	-13.54	17.96	3	Horizontal	7	2.29	-	36.70	39.70	12.73	34.47
PK	15.77304G	58.33	74.00	-15.67	18.62	3	Horizontal	290	2.68	-	39.71	37.33	15.85	34.56

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2992G	102.78	Inf	-Inf	7.08	3	Vertical	72	1.80	-	95.70	31.30	9.93	34.15
AV	5.35G	47.06	54.00	-6.94	7.11	3	Vertical	72	1.80	-	39.95	31.30	9.97	34.16
PK	5.2992G	112.87	Inf	-Inf	7.08	3	Vertical	72	1.80	-	105.79	31.30	9.93	34.15
PK	5.35G	59.81	74.00	-14.19	7.11	3	Vertical	72	1.80	-	52.70	31.30	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3028G	97.15	Inf	-Inf	7.08	3	Horizontal	-0	1.49	-	90.07	31.30	9.93	34.15
AV	5.3548G	45.74	54.00	-8.26	7.15	3	Horizontal	-0	1.49	-	38.59	31.34	9.97	34.16
PK	5.3032G	107.22	Inf	-Inf	7.08	3	Horizontal	-0	1.49	-	100.14	31.30	9.93	34.15
PK	5.3544G	58.22	74.00	-15.78	7.15	3	Horizontal	-0	1.49	-	51.07	31.34	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60732G	41.26	54.00	-12.74	18.08	3	Vertical	268	1.14	-	23.18	39.70	12.77	34.39
AV	15.90612G	45.43	54.00	-8.57	18.22	3	Vertical	77	1.09	-	27.21	36.91	15.95	34.64
PK	10.59948G	54.22	68.20	-13.98	18.06	3	Vertical	268	1.14	-	36.16	39.70	12.76	34.40
PK	15.89356G	58.35	74.00	-15.65	18.23	3	Vertical	77	1.09	-	40.12	36.92	15.94	34.63

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60448G	41.24	54.00	-12.76	18.07	3	Horizontal	209	1.25	-	23.17	39.70	12.77	34.40
AV	15.9058G	45.47	54.00	-8.53	18.22	3	Horizontal	19	2.79	-	27.25	36.91	15.95	34.64
PK	10.6028G	54.46	74.00	-19.54	18.07	3	Horizontal	209	1.25	-	36.39	39.70	12.77	34.40
PK	15.90584G	59.02	74.00	-14.98	18.22	3	Horizontal	19	2.79	-	40.80	36.91	15.95	34.64

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.318G	100.37	Inf	-Inf	6.35	3	Vertical	70	1.80	-	94.02	31.30	9.21	34.16
AV	5.35G	49.19	54.00	-4.81	6.39	3	Vertical	70	1.80	-	42.80	31.30	9.25	34.16
PK	5.3162G	111.72	Inf	-Inf	6.35	3	Vertical	70	1.80	-	105.37	31.30	9.21	34.16
PK	5.3504G	67.22	74.00	-6.78	6.39	3	Vertical	70	1.80	-	60.83	31.30	9.25	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3184G	93.88	Inf	-Inf	6.35	3	Horizontal	12	1.50	-	87.53	31.30	9.21	34.16
AV	5.35G	45.87	54.00	-8.13	6.39	3	Horizontal	12	1.50	-	39.48	31.30	9.25	34.16
PK	5.315G	104.95	Inf	-Inf	6.35	3	Horizontal	12	1.50	-	98.60	31.30	9.21	34.16
PK	5.3512G	61.31	74.00	-12.69	6.40	3	Horizontal	12	1.50	-	54.91	31.31	9.25	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64988G	41.28	54.00	-12.72	18.12	3	Vertical	17	1.92	-	23.16	39.70	12.78	34.36
AV	15.95G	45.89	54.00	-8.11	18.32	3	Vertical	244	2.89	-	27.57	37.00	15.98	34.66
PK	10.64836G	55.18	74.00	-18.82	18.12	3	Vertical	17	1.92	-	37.06	39.70	12.78	34.36
PK	15.95536G	59.63	74.00	-14.37	18.33	3	Vertical	244	2.89	-	41.30	37.01	15.99	34.67

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6494G	41.42	54.00	-12.58	18.12	3	Horizontal	155	2.57	-	23.30	39.70	12.78	34.36
AV	15.95324G	45.85	54.00	-8.15	18.34	3	Horizontal	339	2.46	-	27.51	37.01	15.99	34.66
PK	10.63016G	54.29	74.00	-19.71	18.11	3	Horizontal	155	2.57	-	36.18	39.70	12.78	34.37
PK	15.95228G	59.21	74.00	-14.79	18.32	3	Horizontal	339	2.46	-	40.89	37.00	15.98	34.66

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.25	54.00	-7.75	6.89	3	Vertical	79	1.78	-	39.36	31.72	9.35	34.18
AV	5.5026G	101.41	Inf	-Inf	6.99	3	Vertical	79	1.78	-	94.42	31.80	9.38	34.19
PK	5.47G	66.10	68.20	-2.10	6.92	3	Vertical	79	1.78	-	59.18	31.74	9.36	34.18
PK	5.4966G	112.37	Inf	-Inf	6.98	3	Vertical	79	1.78	-	105.39	31.79	9.38	34.19

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.92	54.00	-9.08	6.89	3	Horizontal	360	1.50	-	38.03	31.72	9.35	34.18
AV	5.5024G	96.13	Inf	-Inf	6.99	3	Horizontal	360	1.50	-	89.14	31.80	9.38	34.19
PK	5.4698G	61.30	68.20	-6.90	6.92	3	Horizontal	360	1.50	-	54.38	31.74	9.36	34.18
PK	5.5022G	106.23	Inf	-Inf	6.99	3	Horizontal	360	1.50	-	99.24	31.80	9.38	34.19

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00544G	42.03	54.00	-11.97	19.16	3	Vertical	303	2.47	-	22.87	40.28	12.92	34.04
PK	10.99084G	55.56	74.00	-18.44	19.15	3	Vertical	303	2.47	-	36.41	40.28	12.92	34.05
PK	16.4942G	61.85	68.20	-6.35	20.31	3	Vertical	335	2.15	-	41.54	38.57	16.10	34.36

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00312G	42.00	54.00	-12.00	19.17	3	Horizontal	184	1.22	-	22.83	40.29	12.92	34.04
PK	10.99364G	55.40	74.00	-18.60	19.16	3	Horizontal	184	1.22	-	36.24	40.29	12.92	34.05
PK	16.49112G	62.33	68.20	-5.87	20.29	3	Horizontal	171	2.08	-	42.04	38.56	16.10	34.37

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	45.87	54.00	-8.13	7.53	3	Vertical	92	1.76	-	38.34	31.70	10.01	34.18
AV	5.5824G	103.54	Inf	-Inf	7.61	3	Vertical	92	1.76	-	95.93	31.74	10.06	34.19
PK	5.469G	57.52	68.20	-10.68	7.58	3	Vertical	92	1.76	-	49.94	31.74	10.02	34.18
PK	5.5758G	113.71	Inf	-Inf	7.62	3	Vertical	92	1.76	-	106.09	31.75	10.06	34.19
PK	5.7294G	57.73	68.20	-10.47	7.90	3	Vertical	92	1.76	-	49.83	31.96	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4306G	45.39	54.00	-8.61	7.53	3	Horizontal	357	1.75	-	37.86	31.70	10.01	34.18
AV	5.5824G	100.39	Inf	-Inf	7.61	3	Horizontal	357	1.75	-	92.78	31.74	10.06	34.19
PK	5.4648G	57.04	68.20	-11.16	7.57	3	Horizontal	357	1.75	-	49.47	31.73	10.02	34.18
PK	5.5824G	110.64	Inf	-Inf	7.61	3	Horizontal	357	1.75	-	103.03	31.74	10.06	34.19
PK	5.7258G	57.38	68.20	-10.82	7.89	3	Horizontal	357	1.75	-	49.49	31.95	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16448G	40.86	54.00	-13.14	18.29	3	Vertical	70	2.84	-	22.57	39.64	12.70	34.05
PK	11.16932G	54.51	74.00	-19.49	18.27	3	Vertical	70	2.84	-	36.24	39.62	12.70	34.05
PK	16.7402G	61.61	68.20	-6.59	20.87	3	Vertical	311	1.50	-	40.74	39.36	15.38	33.87

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1846G	41.13	54.00	-12.87	18.22	3	Horizontal	322	1.50	-	22.91	39.56	12.71	34.05
PK	11.162G	55.13	74.00	-18.87	18.30	3	Horizontal	322	1.50	-	36.83	39.65	12.70	34.05
PK	16.74044G	61.48	68.20	-6.72	20.88	3	Horizontal	315	1.50	-	40.60	39.36	15.38	33.86

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.696G	99.97	Inf	-Inf	7.17	3	Vertical	75	1.83	-	92.80	31.88	9.49	34.20
PK	5.696G	110.24	Inf	-Inf	7.17	3	Vertical	75	1.83	-	103.07	31.88	9.49	34.20
PK	5.7252G	64.36	68.20	-3.84	7.25	3	Vertical	75	1.83	-	57.11	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	97.54	Inf	-Inf	7.18	3	Horizontal	33	1.84	-	90.36	31.89	9.49	34.20
PK	5.7G	107.80	Inf	-Inf	7.19	3	Horizontal	33	1.84	-	100.61	31.90	9.49	34.20
PK	5.7256G	63.25	68.20	-4.95	7.25	3	Horizontal	33	1.84	-	56.00	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39316G	41.55	54.00	-12.45	18.89	3	Vertical	182	2.62	-	22.66	39.88	13.07	34.06
PK	11.3938G	54.38	74.00	-19.62	18.89	3	Vertical	182	2.62	-	35.49	39.88	13.07	34.06
PK	17.10248G	64.10	68.20	-4.10	22.60	3	Vertical	21	1.47	-	41.50	39.70	16.20	33.30

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39508G	41.60	54.00	-12.40	18.90	3	Horizontal	60	1.72	-	22.70	39.89	13.07	34.06
PK	11.39372G	54.76	74.00	-19.24	18.89	3	Horizontal	60	1.72	-	35.87	39.88	13.07	34.06
PK	17.09564G	63.57	68.20	-4.63	22.59	3	Horizontal	100	2.61	-	40.98	39.70	16.20	33.31

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	45.31	54.00	-8.69	7.53	3	Vertical	92	1.45	-	37.78	31.70	10.01	34.18
AV	5.7188G	103.05	Inf	-Inf	7.88	3	Vertical	92	1.45	-	95.17	31.94	10.14	34.20
PK	5.462G	57.07	68.20	-11.13	7.56	3	Vertical	92	1.45	-	49.51	31.72	10.02	34.18
PK	5.7224G	112.89	Inf	-Inf	7.88	3	Vertical	92	1.45	-	105.01	31.94	10.14	34.20
PK	5.9084G	58.86	68.20	-9.34	8.55	3	Vertical	92	1.45	-	50.31	32.50	10.26	34.21

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4308G	45.22	54.00	-8.78	7.53	3	Horizontal	19	2.46	-	37.69	31.70	10.01	34.18
AV	5.7188G	100.25	Inf	-Inf	7.88	3	Horizontal	19	2.46	-	92.37	31.94	10.14	34.20
PK	5.462G	57.30	68.20	-10.90	7.56	3	Horizontal	19	2.46	-	49.74	31.72	10.02	34.18
PK	5.7164G	110.33	Inf	-Inf	7.86	3	Horizontal	19	2.46	-	102.47	31.93	10.13	34.20
PK	5.8916G	59.93	68.20	-8.27	8.51	3	Horizontal	19	2.46	-	51.42	32.47	10.25	34.21


802.11a_Nss1,(6Mbps)_1TX(Port1)

5720MHz Straddle 5.47-5.725GHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port1)

5720MHz Straddle 5.47-5.725GHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	100.02	Inf	-Inf	7.28	3	Vertical	79	1.75	-	92.74	31.98	9.50	34.20
PK	5.6322G	57.51	68.20	-10.69	6.91	3	Vertical	79	1.75	-	50.60	31.64	9.47	34.20
PK	5.7414G	109.94	Inf	-Inf	7.28	3	Vertical	79	1.75	-	102.66	31.98	9.50	34.20
PK	5.9682G	58.39	68.20	-9.81	7.93	3	Vertical	79	1.75	-	50.46	32.50	9.65	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	99.95	Inf	-Inf	7.28	3	Horizontal	79	1.75	-	92.67	31.98	9.50	34.20
PK	5.6118G	57.37	68.20	-10.83	6.94	3	Horizontal	79	1.75	-	50.43	31.68	9.46	34.20
PK	5.739G	110.00	Inf	-Inf	7.28	3	Horizontal	79	1.75	-	102.72	31.98	9.50	34.20
PK	5.9766G	57.31	68.20	-10.89	7.94	3	Horizontal	79	1.75	-	49.37	32.50	9.66	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48532G	41.90	54.00	-12.10	19.12	3	Vertical	188	1.31	-	22.78	40.07	13.11	34.06
PK	11.49328G	55.35	74.00	-18.65	19.14	3	Vertical	188	1.31	-	36.21	40.09	13.11	34.06
PK	17.23664G	63.21	68.20	-4.99	22.49	3	Vertical	2	2.59	-	40.72	39.54	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48292G	41.88	54.00	-12.12	19.12	3	Horizontal	156	1.22	-	22.76	40.07	13.11	34.06
PK	11.4888G	55.31	74.00	-18.69	19.13	3	Horizontal	156	1.22	-	36.18	40.08	13.11	34.06
PK	17.23892G	63.48	68.20	-4.72	22.49	3	Horizontal	151	1.57	-	40.99	39.54	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	101.92	Inf	-Inf	8.03	3	Vertical	94	1.70	-	93.89	32.07	10.17	34.21
PK	5.587G	58.16	68.20	-10.04	7.60	3	Vertical	94	1.70	-	50.56	31.73	10.07	34.20
PK	5.7802G	112.23	Inf	-Inf	8.02	3	Vertical	94	1.70	-	104.21	32.06	10.17	34.21
PK	6.0538G	58.92	68.20	-9.28	8.65	3	Vertical	94	1.70	-	50.27	32.49	10.38	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	100.59	Inf	-Inf	8.03	3	Horizontal	38	1.87	-	92.56	32.07	10.17	34.21
PK	5.629G	58.32	68.20	-9.88	7.53	3	Horizontal	38	1.87	-	50.79	31.64	10.09	34.20
PK	5.7802G	110.68	Inf	-Inf	8.02	3	Horizontal	38	1.87	-	102.66	32.06	10.17	34.21
PK	5.971G	59.18	68.20	-9.02	8.59	3	Horizontal	38	1.87	-	50.59	32.50	10.31	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56448G	41.10	54.00	-12.90	18.69	3	Vertical	149	1.50	-	22.41	39.91	12.87	34.09
PK	11.5754G	55.19	74.00	-18.81	18.64	3	Vertical	149	1.50	-	36.55	39.87	12.87	34.10
PK	17.34928G	62.28	68.20	-5.92	22.59	3	Vertical	215	1.50	-	39.69	40.09	15.74	33.24

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56196G	41.11	54.00	-12.89	18.69	3	Horizontal	256	2.96	-	22.42	39.91	12.87	34.09
PK	11.57664G	54.65	74.00	-19.35	18.64	3	Horizontal	256	2.96	-	36.01	39.87	12.87	34.10
PK	17.3568G	62.31	68.20	-5.89	22.67	3	Horizontal	89	1.50	-	39.64	40.17	15.74	33.24

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.46	Inf	-Inf	7.54	3	Vertical	81	1.78	-	92.92	32.21	9.54	34.21
PK	5.6066G	57.40	68.20	-10.80	6.95	3	Vertical	81	1.78	-	50.45	31.69	9.46	34.20
PK	5.819G	110.61	Inf	-Inf	7.51	3	Vertical	81	1.78	-	103.10	32.18	9.54	34.21
PK	5.9654G	58.17	68.20	-10.03	7.93	3	Vertical	81	1.78	-	50.24	32.50	9.65	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	99.09	Inf	-Inf	7.54	3	Horizontal	33	1.83	-	91.55	32.21	9.54	34.21
PK	5.645G	57.49	68.20	-10.71	6.88	3	Horizontal	33	1.83	-	50.61	31.61	9.47	34.20
PK	5.8214G	109.00	Inf	-Inf	7.52	3	Horizontal	33	1.83	-	101.48	32.19	9.54	34.21
PK	6.071G	57.92	68.20	-10.28	7.97	3	Horizontal	33	1.83	-	49.95	32.46	9.74	34.23

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65068G	41.36	54.00	-12.64	18.53	3	Vertical	293	2.56	-	22.83	39.50	13.17	34.14
PK	11.64064G	54.29	74.00	-19.71	18.59	3	Vertical	293	2.56	-	35.70	39.56	13.17	34.14
PK	17.48276G	63.63	68.20	-4.57	23.91	3	Vertical	125	2.55	-	39.72	40.85	16.26	33.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65072G	41.23	54.00	-12.77	18.53	3	Horizontal	19	1.68	-	22.70	39.50	13.17	34.14
PK	11.64804G	54.43	74.00	-19.57	18.54	3	Horizontal	19	1.68	-	35.89	39.51	13.17	34.14
PK	17.484G	64.55	68.20	-3.65	23.91	3	Horizontal	123	2.98	-	40.64	40.85	16.26	33.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1438G	45.31	54.00	-8.69	7.60	3	Vertical	73	1.71	-	37.71	31.90	9.83	34.13
AV	5.1822G	91.42	Inf	-Inf	7.49	3	Vertical	73	1.71	-	83.93	31.77	9.85	34.13
PK	5.134G	57.91	74.00	-16.09	7.60	3	Vertical	73	1.71	-	50.31	31.90	9.82	34.12
PK	5.1818G	102.61	Inf	-Inf	7.49	3	Vertical	73	1.71	-	95.12	31.77	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	45.55	54.00	-8.45	7.60	3	Horizontal	19	3.00	-	37.95	31.90	9.83	34.13
AV	5.1768G	92.58	Inf	-Inf	7.51	3	Horizontal	19	3.00	-	85.07	31.79	9.85	34.13
PK	5.133G	58.15	74.00	-15.85	7.60	3	Horizontal	19	3.00	-	50.55	31.90	9.82	34.12
PK	5.176G	102.87	Inf	-Inf	7.52	3	Horizontal	19	3.00	-	95.35	31.80	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5306G	47.34	54.00	-6.66	19.26	3	Vertical	357	1.25	-	28.08	38.02	15.67	34.43
PK	10.36484G	54.06	68.20	-14.14	17.44	3	Vertical	355	2.44	-	36.62	39.36	12.67	34.59
PK	15.53236G	60.33	74.00	-13.67	19.25	3	Vertical	357	1.25	-	41.08	38.01	15.67	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53024G	47.32	54.00	-6.68	19.26	3	Horizontal	327	1.62	-	28.06	38.02	15.67	34.43
PK	10.36088G	53.68	68.20	-14.52	17.42	3	Horizontal	338	1.41	-	36.26	39.34	12.67	34.59
PK	15.53156G	60.97	74.00	-13.03	19.25	3	Horizontal	327	1.62	-	41.72	38.01	15.67	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	45.44	54.00	-8.56	7.61	3	Vertical	76	1.85	-	37.83	31.90	9.83	34.12
AV	5.1972G	90.87	Inf	-Inf	7.43	3	Vertical	76	1.85	-	83.44	31.71	9.86	34.14
PK	5.104G	58.00	74.00	-16.00	7.59	3	Vertical	76	1.85	-	50.41	31.90	9.81	34.12
PK	5.1952G	101.62	Inf	-Inf	7.44	3	Vertical	76	1.85	-	94.18	31.72	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.50	54.00	-8.50	7.60	3	Horizontal	22	2.97	-	37.90	31.90	9.83	34.13
AV	5.2024G	92.58	Inf	-Inf	7.41	3	Horizontal	22	2.97	-	85.17	31.69	9.86	34.14
PK	5.144G	57.79	74.00	-16.21	7.60	3	Horizontal	22	2.97	-	50.19	31.90	9.83	34.13
PK	5.2024G	102.59	Inf	-Inf	7.41	3	Horizontal	22	2.97	-	95.18	31.69	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59G	46.05	54.00	-7.95	18.92	3	Vertical	212	1.64	-	27.13	37.66	15.72	34.46
PK	10.40664G	54.35	68.20	-13.85	17.64	3	Vertical	176	2.36	-	36.71	39.51	12.69	34.56
PK	15.59144G	59.76	74.00	-14.24	18.91	3	Vertical	212	1.64	-	40.85	37.65	15.72	34.46

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59052G	46.07	54.00	-7.93	18.92	3	Horizontal	100	2.12	-	27.15	37.66	15.72	34.46
PK	10.4046G	53.87	68.20	-14.33	17.64	3	Horizontal	51	1.42	-	36.23	39.51	12.69	34.56
PK	15.602G	59.63	74.00	-14.37	18.86	3	Horizontal	100	2.12	-	40.77	37.60	15.73	34.47

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1368G	45.42	54.00	-8.58	7.61	3	Vertical	75	1.66	-	37.81	31.90	9.83	34.12
AV	5.237G	89.66	Inf	-Inf	7.23	3	Vertical	75	1.66	-	82.43	31.48	9.89	34.14
AV	5.3822G	44.99	54.00	-9.01	7.38	3	Vertical	75	1.66	-	37.61	31.56	9.99	34.17
PK	5.1092G	57.62	74.00	-16.38	7.59	3	Vertical	75	1.66	-	50.03	31.90	9.81	34.12
PK	5.2358G	100.07	Inf	-Inf	7.24	3	Vertical	75	1.66	-	92.83	31.49	9.89	34.14
PK	5.3678G	57.40	74.00	-16.60	7.25	3	Vertical	75	1.66	-	50.15	31.44	9.98	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	45.41	54.00	-8.59	7.60	3	Horizontal	17	2.73	-	37.81	31.90	9.83	34.13
AV	5.2376G	90.28	Inf	-Inf	7.22	3	Horizontal	17	2.73	-	83.06	31.47	9.89	34.14
AV	5.3882G	44.99	54.00	-9.01	7.43	3	Horizontal	17	2.73	-	37.56	31.61	9.99	34.17
PK	5.1398G	57.78	74.00	-16.22	7.60	3	Horizontal	17	2.73	-	50.18	31.90	9.83	34.13
PK	5.2358G	100.32	Inf	-Inf	7.24	3	Horizontal	17	2.73	-	93.08	31.49	9.89	34.14
PK	5.3774G	57.64	74.00	-16.36	7.33	3	Horizontal	17	2.73	-	50.31	31.52	9.98	34.17


802.11a_Nss1,(6Mbps)_1TX(Port2)

5240MHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)

5240MHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	45.45	54.00	-8.55	7.60	3	Vertical	77	1.74	-	37.85	31.90	9.83	34.13
AV	5.2624G	93.47	Inf	-Inf	7.13	3	Vertical	77	1.74	-	86.34	31.38	9.90	34.15
AV	5.4052G	45.06	54.00	-8.94	7.53	3	Vertical	77	1.74	-	37.53	31.70	10.00	34.17
PK	5.14G	57.73	74.00	-16.27	7.60	3	Vertical	77	1.74	-	50.13	31.90	9.83	34.13
PK	5.2558G	103.34	Inf	-Inf	7.14	3	Vertical	77	1.74	-	96.20	31.39	9.90	34.15
PK	5.3662G	57.95	74.00	-16.05	7.24	3	Vertical	77	1.74	-	50.71	31.43	9.98	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1436G	45.54	54.00	-8.46	7.60	3	Horizontal	22	2.91	-	37.94	31.90	9.83	34.13
AV	5.2624G	93.65	Inf	-Inf	7.13	3	Horizontal	22	2.91	-	86.52	31.38	9.90	34.15
AV	5.3824G	45.08	54.00	-8.92	7.38	3	Horizontal	22	2.91	-	37.70	31.56	9.99	34.17
PK	5.1316G	57.84	74.00	-16.16	7.60	3	Horizontal	22	2.91	-	50.24	31.90	9.82	34.12
PK	5.2534G	103.72	Inf	-Inf	7.14	3	Horizontal	22	2.91	-	96.58	31.39	9.90	34.15
PK	5.401G	57.24	74.00	-16.76	7.53	3	Horizontal	22	2.91	-	49.71	31.70	10.00	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77128G	44.91	54.00	-9.09	18.63	3	Vertical	333	2.82	-	26.28	37.34	15.85	34.56
PK	10.52564G	55.63	68.20	-12.57	17.96	3	Vertical	91	2.62	-	37.67	39.70	12.73	34.47
PK	15.7866G	58.21	74.00	-15.79	18.56	3	Vertical	333	2.82	-	39.65	37.27	15.86	34.57

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77016G	44.92	54.00	-9.08	18.64	3	Horizontal	224	2.22	-	26.28	37.35	15.85	34.56
PK	10.51572G	54.50	68.20	-13.70	17.95	3	Horizontal	209	1.54	-	36.55	39.70	12.73	34.48
PK	15.77104G	59.10	74.00	-14.90	18.63	3	Horizontal	224	2.22	-	40.47	37.34	15.85	34.56

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	95.36	Inf	-Inf	7.08	3	Vertical	76	1.72	-	88.28	31.30	9.93	34.15
AV	5.394G	45.06	54.00	-8.94	7.48	3	Vertical	76	1.72	-	37.58	31.65	10.00	34.17
PK	5.3024G	105.52	Inf	-Inf	7.08	3	Vertical	76	1.72	-	98.44	31.30	9.93	34.15
PK	5.3888G	57.77	74.00	-16.23	7.43	3	Vertical	76	1.72	-	50.34	31.61	9.99	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	94.89	Inf	-Inf	7.08	3	Horizontal	22	3.00	-	87.81	31.30	9.93	34.15
AV	5.352G	45.07	54.00	-8.93	7.13	3	Horizontal	22	3.00	-	37.94	31.32	9.97	34.16
PK	5.304G	104.84	Inf	-Inf	7.08	3	Horizontal	22	3.00	-	97.76	31.30	9.93	34.15
PK	5.3768G	57.77	74.00	-16.23	7.32	3	Horizontal	22	3.00	-	50.45	31.51	9.98	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6052G	41.18	54.00	-12.82	18.07	3	Vertical	307	2.80	-	23.11	39.70	12.77	34.40
AV	15.90924G	45.48	54.00	-8.52	18.23	3	Vertical	224	1.63	-	27.25	36.92	15.95	34.64
PK	10.60756G	54.47	74.00	-19.53	18.08	3	Vertical	307	2.80	-	36.39	39.70	12.77	34.39
PK	15.89376G	58.77	74.00	-15.23	18.23	3	Vertical	224	1.63	-	40.54	36.92	15.94	34.63

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60224G	41.24	54.00	-12.76	18.06	3	Horizontal	10	1.84	-	23.18	39.70	12.76	34.40
AV	15.90444G	45.50	54.00	-8.50	18.22	3	Horizontal	133	2.27	-	27.28	36.91	15.95	34.64
PK	10.60932G	54.26	74.00	-19.74	18.08	3	Horizontal	10	1.84	-	36.18	39.70	12.77	34.39
PK	15.90768G	58.54	74.00	-15.46	18.23	3	Horizontal	133	2.27	-	40.31	36.92	15.95	34.64


802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)

5320MHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64904G	41.43	54.00	-12.57	18.12	3	Vertical	31	2.22	-	23.31	39.70	12.78	34.36
AV	15.96444G	45.96	54.00	-8.04	18.35	3	Vertical	254	2.56	-	27.61	37.03	15.99	34.67
PK	10.63876G	54.81	74.00	-19.19	18.11	3	Vertical	31	2.22	-	36.70	39.70	12.78	34.37
PK	15.95972G	59.11	74.00	-14.89	18.34	3	Vertical	254	2.56	-	40.77	37.02	15.99	34.67

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6498G	41.43	54.00	-12.57	18.12	3	Horizontal	45	1.65	-	23.31	39.70	12.78	34.36
AV	15.95664G	45.91	54.00	-8.09	18.33	3	Horizontal	329	2.40	-	27.58	37.01	15.99	34.67
PK	10.63112G	54.37	74.00	-19.63	18.11	3	Horizontal	45	1.65	-	36.26	39.70	12.78	34.37
PK	15.95816G	59.33	74.00	-14.67	18.34	3	Horizontal	329	2.40	-	40.99	37.02	15.99	34.67

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.10	54.00	-8.90	7.56	3	Vertical	97	1.64	-	37.54	31.72	10.02	34.18
AV	5.4966G	94.18	Inf	-Inf	7.63	3	Vertical	97	1.64	-	86.55	31.79	10.03	34.19
PK	5.4698G	58.32	68.20	-9.88	7.58	3	Vertical	97	1.64	-	50.74	31.74	10.02	34.18
PK	5.4956G	104.56	Inf	-Inf	7.63	3	Vertical	97	1.64	-	96.93	31.79	10.03	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	45.10	54.00	-8.90	7.55	3	Horizontal	27	2.95	-	37.55	31.71	10.02	34.18
AV	5.504G	94.40	Inf	-Inf	7.65	3	Horizontal	27	2.95	-	86.75	31.80	10.04	34.19
PK	5.463G	57.92	68.20	-10.28	7.57	3	Horizontal	27	2.95	-	50.35	31.73	10.02	34.18
PK	5.5042G	104.81	Inf	-Inf	7.65	3	Horizontal	27	2.95	-	97.16	31.80	10.04	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9978G	42.11	54.00	-11.89	19.18	3	Vertical	339	2.99	-	22.93	40.30	12.92	34.04
PK	10.99684G	55.09	74.00	-18.91	19.17	3	Vertical	339	2.99	-	35.92	40.29	12.92	34.04
PK	16.5088G	62.32	68.20	-5.88	20.32	3	Vertical	219	2.46	-	42.00	38.56	16.10	34.34

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0062G	42.09	54.00	-11.91	19.16	3	Horizontal	348	1.31	-	22.93	40.28	12.92	34.04
PK	11.0068G	55.36	74.00	-18.64	19.18	3	Horizontal	348	1.31	-	36.18	40.30	12.92	34.04
PK	16.49636G	61.90	68.20	-6.30	20.32	3	Horizontal	354	1.60	-	41.58	38.58	16.10	34.36

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	45.01	54.00	-8.99	7.53	3	Vertical	182	1.62	-	37.48	31.70	10.01	34.18
AV	5.583G	97.89	Inf	-Inf	7.60	3	Vertical	182	1.62	-	90.29	31.73	10.06	34.19
PK	5.4642G	56.57	68.20	-11.63	7.57	3	Vertical	182	1.62	-	49.00	31.73	10.02	34.18
PK	5.583G	107.56	Inf	-Inf	7.60	3	Vertical	182	1.62	-	99.96	31.73	10.06	34.19
PK	5.7294G	58.25	68.20	-9.95	7.90	3	Vertical	182	1.62	-	50.35	31.96	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4324G	44.97	54.00	-9.03	7.53	3	Horizontal	17	3.00	-	37.44	31.70	10.01	34.18
AV	5.5824G	97.53	Inf	-Inf	7.61	3	Horizontal	17	3.00	-	89.92	31.74	10.06	34.19
PK	5.4636G	57.10	68.20	-11.10	7.57	3	Horizontal	17	3.00	-	49.53	31.73	10.02	34.18
PK	5.5824G	107.65	Inf	-Inf	7.61	3	Horizontal	17	3.00	-	100.04	31.74	10.06	34.19
PK	5.7264G	57.35	68.20	-10.85	7.89	3	Horizontal	17	3.00	-	49.46	31.95	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15956G	41.51	54.00	-12.49	18.59	3	Vertical	127	1.71	-	22.92	39.66	12.98	34.05
PK	11.1664G	55.35	74.00	-18.65	18.56	3	Vertical	127	1.71	-	36.79	39.63	12.98	34.05
PK	16.73888G	62.32	68.20	-5.88	21.63	3	Vertical	168	2.09	-	40.69	39.36	16.14	33.87

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15048G	41.52	54.00	-12.48	18.63	3	Horizontal	307	2.51	-	22.89	39.70	12.98	34.05
PK	11.16096G	54.92	74.00	-19.08	18.59	3	Horizontal	307	2.51	-	36.33	39.66	12.98	34.05
PK	16.73756G	62.38	68.20	-5.82	21.62	3	Horizontal	309	1.18	-	40.76	39.35	16.14	33.87

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	99.06	Inf	-Inf	7.83	3	Vertical	157	2.28	-	91.23	31.90	10.13	34.20
PK	5.702G	108.91	Inf	-Inf	7.83	3	Vertical	157	2.28	-	101.08	31.90	10.13	34.20
PK	5.7256G	65.81	68.20	-2.39	7.89	3	Vertical	157	2.28	-	57.92	31.95	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	99.43	Inf	-Inf	7.80	3	Horizontal	358	3.00	-	91.63	31.88	10.12	34.20
PK	5.6956G	109.01	Inf	-Inf	7.79	3	Horizontal	358	3.00	-	101.22	31.87	10.12	34.20
PK	5.7256G	64.11	68.20	-4.09	7.89	3	Horizontal	358	3.00	-	56.22	31.95	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39204G	41.60	54.00	-12.40	18.89	3	Vertical	120	2.42	-	22.71	39.88	13.07	34.06
PK	11.40488G	54.80	74.00	-19.20	18.93	3	Vertical	120	2.42	-	35.87	39.91	13.08	34.06
PK	17.1068G	64.30	68.20	-3.90	22.59	3	Vertical	218	1.64	-	41.71	39.69	16.20	33.30

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39248G	41.71	54.00	-12.29	18.89	3	Horizontal	70	1.63	-	22.82	39.88	13.07	34.06
PK	11.40856G	55.38	74.00	-18.62	18.94	3	Horizontal	70	1.63	-	36.44	39.92	13.08	34.06
PK	17.09688G	64.56	68.20	-3.64	22.60	3	Horizontal	157	2.75	-	41.96	39.70	16.20	33.30

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	44.95	54.00	-9.05	7.56	3	Vertical	188	2.47	-	37.39	31.72	10.02	34.18
AV	5.7188G	99.71	Inf	-Inf	7.88	3	Vertical	188	2.47	-	91.83	31.94	10.14	34.20
PK	5.4656G	57.03	68.20	-11.17	7.57	3	Vertical	188	2.47	-	49.46	31.73	10.02	34.18
PK	5.7224G	109.55	Inf	-Inf	7.88	3	Vertical	188	2.47	-	101.67	31.94	10.14	34.20
PK	5.882G	58.23	68.20	-9.97	8.46	3	Vertical	188	2.47	-	49.77	32.43	10.24	34.21

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4296G	44.91	54.00	-9.09	7.53	3	Horizontal	14	2.64	-	37.38	31.70	10.01	34.18
AV	5.7164G	98.32	Inf	-Inf	7.86	3	Horizontal	14	2.64	-	90.46	31.93	10.13	34.20
PK	5.462G	56.89	68.20	-11.31	7.56	3	Horizontal	14	2.64	-	49.33	31.72	10.02	34.18
PK	5.7164G	108.26	Inf	-Inf	7.86	3	Horizontal	14	2.64	-	100.40	31.93	10.13	34.20
PK	5.9624G	59.25	68.20	-8.95	8.58	3	Horizontal	14	2.64	-	50.67	32.50	10.30	34.22


802.11a_Nss1,(6Mbps)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	96.77	Inf	-Inf	7.94	3	Vertical	183	1.46	-	88.83	31.99	10.15	34.20
PK	5.5878G	58.02	68.20	-10.18	7.59	3	Vertical	183	1.46	-	50.43	31.72	10.07	34.20
PK	5.7474G	106.77	Inf	-Inf	7.94	3	Vertical	183	1.46	-	98.83	31.99	10.15	34.20
PK	5.9394G	59.15	68.20	-9.05	8.56	3	Vertical	183	1.46	-	50.59	32.50	10.28	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	96.15	Inf	-Inf	7.94	3	Horizontal	17	2.76	-	88.21	31.99	10.15	34.20
PK	5.6478G	58.32	68.20	-9.88	7.50	3	Horizontal	17	2.76	-	50.82	31.60	10.10	34.20
PK	5.7486G	105.74	Inf	-Inf	7.95	3	Horizontal	17	2.76	-	97.79	32.00	10.15	34.20
PK	6.0246G	58.71	68.20	-9.49	8.63	3	Horizontal	17	2.76	-	50.08	32.50	10.35	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49644G	42.06	54.00	-11.94	19.14	3	Vertical	150	2.35	-	22.92	40.09	13.11	34.06
PK	11.48876G	55.52	74.00	-18.48	19.13	3	Vertical	150	2.35	-	36.39	40.08	13.11	34.06
PK	17.22984G	63.05	68.20	-5.15	22.48	3	Vertical	143	1.26	-	40.57	39.53	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49768G	42.08	54.00	-11.92	19.15	3	Horizontal	252	2.99	-	22.93	40.10	13.11	34.06
PK	11.48384G	55.48	74.00	-18.52	19.12	3	Horizontal	252	2.99	-	36.36	40.07	13.11	34.06
PK	17.2318G	64.10	68.20	-4.10	22.48	3	Horizontal	19	1.91	-	41.62	39.53	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	97.58	Inf	-Inf	8.03	3	Vertical	182	2.42	-	89.55	32.07	10.17	34.21
PK	5.5498G	57.93	68.20	-10.27	7.66	3	Vertical	182	2.42	-	50.27	31.80	10.05	34.19
PK	5.7874G	107.82	Inf	-Inf	8.03	3	Vertical	182	2.42	-	99.79	32.07	10.17	34.21
PK	6.0202G	58.79	68.20	-9.41	8.63	3	Vertical	182	2.42	-	50.16	32.50	10.35	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	97.23	Inf	-Inf	8.02	3	Horizontal	17	2.94	-	89.21	32.06	10.17	34.21
PK	5.5546G	57.77	68.20	-10.43	7.65	3	Horizontal	17	2.94	-	50.12	31.79	10.05	34.19
PK	5.779G	107.08	Inf	-Inf	8.02	3	Horizontal	17	2.94	-	99.06	32.06	10.17	34.21
PK	6.0286G	59.56	68.20	-8.64	8.64	3	Horizontal	17	2.94	-	50.92	32.50	10.36	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56656G	41.86	54.00	-12.14	18.94	3	Vertical	163	1.29	-	22.92	39.90	13.14	34.10
PK	11.573G	54.72	74.00	-19.28	18.92	3	Vertical	163	1.29	-	35.80	39.88	13.14	34.10
PK	17.36424G	64.43	68.20	-3.77	23.24	3	Vertical	238	1.35	-	41.19	40.24	16.24	33.24

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56676G	41.80	54.00	-12.20	18.94	3	Horizontal	305	2.67	-	22.86	39.90	13.14	34.10
PK	11.57968G	54.75	74.00	-19.25	18.91	3	Horizontal	305	2.67	-	35.84	39.86	13.15	34.10
PK	17.34564G	63.69	68.20	-4.51	23.06	3	Horizontal	196	1.38	-	40.63	40.06	16.24	33.24

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	97.80	Inf	-Inf	8.20	3	Vertical	187	2.50	-	89.60	32.21	10.20	34.21
PK	5.573G	57.34	68.20	-10.86	7.62	3	Vertical	187	2.50	-	49.72	31.75	10.06	34.19
PK	5.8214G	107.55	Inf	-Inf	8.18	3	Vertical	187	2.50	-	99.37	32.19	10.20	34.21
PK	6.0554G	59.26	68.20	-8.94	8.66	3	Vertical	187	2.50	-	50.60	32.49	10.39	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	96.84	Inf	-Inf	8.18	3	Horizontal	36	2.90	-	88.66	32.19	10.20	34.21
PK	5.537G	57.66	68.20	-10.54	7.66	3	Horizontal	36	2.90	-	50.00	31.80	10.05	34.19
PK	5.8274G	106.65	Inf	-Inf	8.20	3	Horizontal	36	2.90	-	98.45	32.21	10.20	34.21
PK	6.0374G	59.77	68.20	-8.43	8.65	3	Horizontal	36	2.90	-	51.12	32.50	10.37	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65056G	41.50	54.00	-12.50	18.53	3	Vertical	0	2.15	-	22.97	39.50	13.17	34.14
PK	11.65352G	54.92	74.00	-19.08	18.51	3	Vertical	0	2.15	-	36.41	39.48	13.17	34.14
PK	17.4846G	64.61	68.20	-3.59	23.91	3	Vertical	105	2.06	-	40.70	40.85	16.26	33.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64288G	41.49	54.00	-12.51	18.57	3	Horizontal	42	1.50	-	22.92	39.54	13.17	34.14
PK	11.64832G	55.40	74.00	-18.60	18.54	3	Horizontal	42	1.50	-	36.86	39.51	13.17	34.14
PK	17.47556G	64.02	68.20	-4.18	23.88	3	Horizontal	1	1.50	-	40.14	40.83	16.26	33.21

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	44.62	54.00	-9.38	6.84	3	Vertical	70	1.80	-	37.78	31.90	9.07	34.13
AV	5.1758G	98.29	Inf	-Inf	6.75	3	Vertical	70	1.80	-	91.54	31.80	9.08	34.13
PK	5.1422G	56.72	74.00	-17.28	6.84	3	Vertical	70	1.80	-	49.88	31.90	9.07	34.13
PK	5.1758G	108.61	Inf	-Inf	6.75	3	Vertical	70	1.80	-	101.86	31.80	9.08	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	44.41	54.00	-9.59	6.84	3	Horizontal	10	1.50	-	37.57	31.90	9.07	34.13
AV	5.1758G	93.46	Inf	-Inf	6.75	3	Horizontal	10	1.50	-	86.71	31.80	9.08	34.13
PK	5.145G	57.52	74.00	-16.48	6.84	3	Horizontal	10	1.50	-	50.68	31.90	9.07	34.13
PK	5.1754G	103.75	Inf	-Inf	6.75	3	Horizontal	10	1.50	-	97.00	31.80	9.08	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53056G	47.24	54.00	-6.76	19.26	3	Vertical	328	2.78	-	27.98	38.02	15.67	34.43
PK	10.36452G	54.18	68.20	-14.02	17.44	3	Vertical	77	2.42	-	36.74	39.36	12.67	34.59
PK	15.53884G	61.11	74.00	-12.89	19.22	3	Vertical	328	2.78	-	41.89	37.97	15.68	34.43

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53264G	47.34	54.00	-6.66	19.24	3	Horizontal	81	2.34	-	28.10	38.00	15.67	34.43
PK	10.36492G	54.23	68.20	-13.97	17.44	3	Horizontal	225	2.37	-	36.79	39.36	12.67	34.59
PK	15.53732G	60.84	74.00	-13.16	19.23	3	Horizontal	81	2.34	-	41.61	37.98	15.68	34.43

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	45.91	54.00	-8.09	7.60	3	Vertical	73	1.97	-	38.31	31.90	9.83	34.13
AV	5.1952G	99.11	Inf	-Inf	7.44	3	Vertical	73	1.97	-	91.67	31.72	9.86	34.14
PK	5.1476G	58.60	74.00	-15.40	7.60	3	Vertical	73	1.97	-	51.00	31.90	9.83	34.13
PK	5.196G	108.34	Inf	-Inf	7.44	3	Vertical	73	1.97	-	100.90	31.72	9.86	34.14

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	45.73	54.00	-8.27	7.61	3	Horizontal	28	1.50	-	38.12	31.90	9.83	34.12
AV	5.2056G	94.53	Inf	-Inf	7.39	3	Horizontal	28	1.50	-	87.14	31.67	9.86	34.14
PK	5.1284G	58.64	74.00	-15.36	7.60	3	Horizontal	28	1.50	-	51.04	31.90	9.82	34.12
PK	5.2064G	104.58	Inf	-Inf	7.38	3	Horizontal	28	1.50	-	97.20	31.66	9.86	34.14

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59124G	44.47	54.00	-9.53	18.01	3	Vertical	64	1.50	-	26.46	37.65	14.82	34.46
PK	10.39144G	54.29	68.20	-13.91	17.27	3	Vertical	180	1.50	-	37.02	39.47	12.37	34.57
PK	15.59384G	58.19	74.00	-15.81	18.00	3	Vertical	64	1.50	-	40.19	37.64	14.82	34.46

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5912G	44.49	54.00	-9.51	18.01	3	Horizontal	46	1.23	-	26.48	37.65	14.82	34.46
PK	10.39296G	53.90	68.20	-14.30	17.28	3	Horizontal	360	1.50	-	36.62	39.47	12.38	34.57
PK	15.60744G	58.57	74.00	-15.43	17.97	3	Horizontal	46	1.23	-	40.60	37.61	14.83	34.47

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	45.76	54.00	-8.24	7.60	3	Vertical	92	1.50	-	38.16	31.90	9.83	34.13
AV	5.2364G	97.73	Inf	-Inf	7.23	3	Vertical	92	1.50	-	90.50	31.48	9.89	34.14
AV	5.3792G	45.45	54.00	-8.55	7.35	3	Vertical	92	1.50	-	38.10	31.53	9.99	34.17
PK	5.1326G	58.57	74.00	-15.43	7.60	3	Vertical	92	1.50	-	50.97	31.90	9.82	34.12
PK	5.237G	107.18	Inf	-Inf	7.23	3	Vertical	92	1.50	-	99.95	31.48	9.89	34.14
PK	5.381G	58.31	74.00	-15.69	7.37	3	Vertical	92	1.50	-	50.94	31.55	9.99	34.17

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1458G	45.68	54.00	-8.32	7.60	3	Horizontal	26	2.81	-	38.08	31.90	9.83	34.13
AV	5.2388G	94.01	Inf	-Inf	7.22	3	Horizontal	26	2.81	-	86.79	31.47	9.89	34.14
AV	5.3786G	45.37	54.00	-8.63	7.35	3	Horizontal	26	2.81	-	38.02	31.53	9.99	34.17
PK	5.0954G	58.33	74.00	-15.67	7.57	3	Horizontal	26	2.81	-	50.76	31.89	9.80	34.12
PK	5.2394G	103.56	Inf	-Inf	7.21	3	Horizontal	26	2.81	-	96.35	31.46	9.89	34.14
PK	5.3672G	57.93	74.00	-16.07	7.25	3	Horizontal	26	2.81	-	50.68	31.44	9.98	34.17

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	45.39	54.00	-8.61	18.93	3	Vertical	257	1.24	-	26.46	37.65	15.81	34.53
PK	10.48684G	54.10	68.20	-14.10	17.89	3	Vertical	85	1.49	-	36.21	39.67	12.72	34.50
PK	15.7234G	59.17	74.00	-14.83	18.86	3	Vertical	257	1.24	-	40.31	37.58	15.82	34.54

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71068G	45.51	54.00	-8.49	18.93	3	Horizontal	210	3.00	-	26.58	37.65	15.81	34.53
PK	10.48784G	54.45	68.20	-13.75	17.90	3	Horizontal	314	2.17	-	36.55	39.68	12.72	34.50
PK	15.72876G	58.69	74.00	-15.31	18.84	3	Horizontal	210	3.00	-	39.85	37.56	15.82	34.54

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	45.99	54.00	-8.01	7.60	3	Vertical	74	1.81	-	38.39	31.90	9.83	34.13
AV	5.260G	101.29	Inf	-Inf	7.13	3	Vertical	74	1.81	-	94.16	31.38	9.90	34.15
AV	5.3938G	45.66	54.00	-8.34	7.48	3	Vertical	74	1.81	-	38.18	31.65	10.00	34.17
PK	5.134G	58.70	74.00	-15.30	7.60	3	Vertical	74	1.81	-	51.10	31.90	9.82	34.12
PK	5.2558G	111.17	Inf	-Inf	7.14	3	Vertical	74	1.81	-	104.03	31.39	9.90	34.15
PK	5.404G	58.15	74.00	-15.85	7.53	3	Vertical	74	1.81	-	50.62	31.70	10.00	34.17

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1334G	45.76	54.00	-8.24	7.60	3	Horizontal	24	2.66	-	38.16	31.90	9.82	34.12
AV	5.2642G	97.36	Inf	-Inf	7.12	3	Horizontal	24	2.66	-	90.24	31.37	9.90	34.15
AV	5.3998G	45.47	54.00	-8.53	7.53	3	Horizontal	24	2.66	-	37.94	31.70	10.00	34.17
PK	5.1316G	58.04	74.00	-15.96	7.60	3	Horizontal	24	2.66	-	50.44	31.90	9.82	34.12
PK	5.2594G	107.18	Inf	-Inf	7.13	3	Horizontal	24	2.66	-	100.05	31.38	9.90	34.15
PK	5.3848G	57.80	74.00	-16.20	7.40	3	Horizontal	24	2.66	-	50.40	31.58	9.99	34.17


802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3012G	102.87	Inf	-Inf	7.08	3	Vertical	95	1.72	-	95.79	31.30	9.93	34.15
AV	5.3504G	46.23	54.00	-7.77	7.11	3	Vertical	95	1.72	-	39.12	31.30	9.97	34.16
PK	5.3008G	112.77	Inf	-Inf	7.08	3	Vertical	95	1.72	-	105.69	31.30	9.93	34.15
PK	5.3648G	58.66	74.00	-15.34	7.23	3	Vertical	95	1.72	-	51.43	31.42	9.98	34.17

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3008G	99.13	Inf	-Inf	7.08	3	Horizontal	24	1.50	-	92.05	31.30	9.93	34.15
AV	5.3884G	45.62	54.00	-8.38	7.43	3	Horizontal	24	1.50	-	38.19	31.61	9.99	34.17
PK	5.3008G	108.82	Inf	-Inf	7.08	3	Horizontal	24	1.50	-	101.74	31.30	9.93	34.15
PK	5.3856G	57.78	74.00	-16.22	7.40	3	Horizontal	24	1.50	-	50.38	31.58	9.99	34.17

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60148G	41.23	54.00	-12.77	18.06	3	Vertical	121	1.79	-	23.17	39.70	12.76	34.40
AV	15.90704G	45.52	54.00	-8.48	18.22	3	Vertical	69	2.67	-	27.30	36.91	15.95	34.64
PK	10.60432G	54.41	74.00	-19.59	18.07	3	Vertical	121	1.79	-	36.34	39.70	12.77	34.40
PK	15.89844G	58.65	74.00	-15.35	18.21	3	Vertical	69	2.67	-	40.44	36.90	15.94	34.63

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60808G	41.22	54.00	-12.78	18.08	3	Horizontal	119	1.82	-	23.14	39.70	12.77	34.39
AV	15.90604G	45.45	54.00	-8.55	18.22	3	Horizontal	64	1.56	-	27.23	36.91	15.95	34.64
PK	10.60492G	54.50	74.00	-19.50	18.07	3	Horizontal	119	1.82	-	36.43	39.70	12.77	34.40
PK	15.9028G	58.98	74.00	-15.02	18.22	3	Horizontal	64	1.56	-	40.76	36.91	15.95	34.64

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	102.40	Inf	-Inf	6.35	3	Vertical	70	1.75	-	96.05	31.30	9.21	34.16
AV	5.3506G	49.84	54.00	-4.16	6.39	3	Vertical	70	1.75	-	43.45	31.30	9.25	34.16
PK	5.3166G	112.92	Inf	-Inf	6.35	3	Vertical	70	1.75	-	106.57	31.30	9.21	34.16
PK	5.3504G	68.97	74.00	-5.03	6.39	3	Vertical	70	1.75	-	62.58	31.30	9.25	34.16

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	98.09	Inf	-Inf	6.35	3	Horizontal	13	1.54	-	91.74	31.30	9.21	34.16
AV	5.3508G	47.10	54.00	-6.90	6.40	3	Horizontal	13	1.54	-	40.70	31.31	9.25	34.16
PK	5.3156G	108.09	Inf	-Inf	6.35	3	Horizontal	13	1.54	-	101.74	31.30	9.21	34.16
PK	5.3502G	64.74	74.00	-9.26	6.39	3	Horizontal	13	1.54	-	58.35	31.30	9.25	34.16

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64876G	41.46	54.00	-12.54	18.12	3	Vertical	181	3.00	-	23.34	39.70	12.78	34.36
AV	15.95452G	45.88	54.00	-8.12	18.34	3	Vertical	167	2.41	-	27.54	37.01	15.99	34.66
PK	10.63992G	54.48	74.00	-19.52	18.12	3	Vertical	181	3.00	-	36.36	39.70	12.78	34.36
PK	15.95996G	59.81	74.00	-14.19	18.34	3	Vertical	167	2.41	-	41.47	37.02	15.99	34.67

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64996G	41.48	54.00	-12.52	18.12	3	Horizontal	246	1.54	-	23.36	39.70	12.78	34.36
AV	15.96028G	45.90	54.00	-8.10	18.34	3	Horizontal	193	1.10	-	27.56	37.02	15.99	34.67
PK	10.6496G	54.58	74.00	-19.42	18.12	3	Horizontal	246	1.54	-	36.46	39.70	12.78	34.36
PK	15.963G	59.56	74.00	-14.44	18.35	3	Horizontal	193	1.10	-	41.21	37.03	15.99	34.67

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4526G	44.71	54.00	-9.29	6.87	3	Vertical	80	1.78	-	37.84	31.71	9.34	34.18
AV	5.5012G	101.50	Inf	-Inf	6.99	3	Vertical	80	1.78	-	94.51	31.80	9.38	34.19
PK	5.4696G	60.36	68.20	-7.84	6.92	3	Vertical	80	1.78	-	53.44	31.74	9.36	34.18
PK	5.5008G	111.30	Inf	-Inf	6.99	3	Vertical	80	1.78	-	104.31	31.80	9.38	34.19

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	44.37	54.00	-9.63	6.89	3	Horizontal	14	1.92	-	37.48	31.72	9.35	34.18
AV	5.5042G	99.22	Inf	-Inf	6.99	3	Horizontal	14	1.92	-	92.23	31.80	9.38	34.19
PK	5.4698G	59.75	68.20	-8.45	6.92	3	Horizontal	14	1.92	-	52.83	31.74	9.36	34.18
PK	5.4944G	108.73	Inf	-Inf	6.98	3	Horizontal	14	1.92	-	101.75	31.79	9.38	34.19


802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	45.94	54.00	-8.06	7.53	3	Vertical	93	1.76	-	38.41	31.70	10.01	34.18
AV	5.5812G	104.81	Inf	-Inf	7.61	3	Vertical	93	1.76	-	97.20	31.74	10.06	34.19
PK	5.4636G	57.95	68.20	-10.25	7.57	3	Vertical	93	1.76	-	50.38	31.73	10.02	34.18
PK	5.5812G	114.48	Inf	-Inf	7.61	3	Vertical	93	1.76	-	106.87	31.74	10.06	34.19
PK	5.7276G	57.94	68.20	-10.26	7.90	3	Vertical	93	1.76	-	50.04	31.96	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.43G	45.48	54.00	-8.52	7.53	3	Horizontal	20	2.86	-	37.95	31.70	10.01	34.18
AV	5.583G	102.84	Inf	-Inf	7.60	3	Horizontal	20	2.86	-	95.24	31.73	10.06	34.19
PK	5.4612G	57.02	68.20	-11.18	7.56	3	Horizontal	20	2.86	-	49.46	31.72	10.02	34.18
PK	5.583G	112.76	Inf	-Inf	7.60	3	Horizontal	20	2.86	-	105.16	31.73	10.06	34.19
PK	5.7294G	58.18	68.20	-10.02	7.90	3	Horizontal	20	2.86	-	50.28	31.96	10.14	34.20


802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6964G	101.83	Inf	-Inf	7.17	3	Vertical	78	1.68	-	94.66	31.88	9.49	34.20
PK	5.696G	111.45	Inf	-Inf	7.17	3	Vertical	78	1.68	-	104.28	31.88	9.49	34.20
PK	5.726G	65.64	68.20	-2.56	7.25	3	Vertical	78	1.68	-	58.39	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6984G	100.90	Inf	-Inf	7.18	3	Horizontal	12	2.56	-	93.72	31.89	9.49	34.20
PK	5.7032G	110.39	Inf	-Inf	7.20	3	Horizontal	12	2.56	-	103.19	31.91	9.49	34.20
PK	5.728G	62.91	68.20	-5.29	7.26	3	Horizontal	12	2.56	-	55.65	31.96	9.50	34.20


802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	45.04	54.00	-8.96	7.53	3	Vertical	76	1.50	-	37.51	31.70	10.01	34.18
AV	5.7212G	103.30	Inf	-Inf	7.88	3	Vertical	76	1.50	-	95.42	31.94	10.14	34.20
PK	5.4656G	56.76	68.20	-11.44	7.57	3	Vertical	76	1.50	-	49.19	31.73	10.02	34.18
PK	5.7176G	112.96	Inf	-Inf	7.87	3	Vertical	76	1.50	-	105.09	31.94	10.13	34.20
PK	5.9432G	59.55	68.20	-8.65	8.57	3	Vertical	76	1.50	-	50.98	32.50	10.29	34.22

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4248G	44.93	54.00	-9.07	7.53	3	Horizontal	36	1.68	-	37.40	31.70	10.01	34.18
AV	5.7164G	102.71	Inf	-Inf	7.86	3	Horizontal	36	1.68	-	94.85	31.93	10.13	34.20
PK	5.4644G	56.80	68.20	-11.40	7.57	3	Horizontal	36	1.68	-	49.23	31.73	10.02	34.18
PK	5.7164G	111.91	Inf	-Inf	7.86	3	Horizontal	36	1.68	-	104.05	31.93	10.13	34.20
PK	5.8796G	58.64	68.20	-9.56	8.45	3	Horizontal	36	1.68	-	50.19	32.42	10.24	34.21


802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	100.57	Inf	-Inf	7.28	3	Vertical	80	1.50	-	93.29	31.98	9.50	34.20
PK	5.577G	58.24	68.20	-9.96	7.00	3	Vertical	80	1.50	-	51.24	31.75	9.44	34.19
PK	5.7414G	110.00	Inf	-Inf	7.28	3	Vertical	80	1.50	-	102.72	31.98	9.50	34.20
PK	5.973G	58.26	68.20	-9.94	7.94	3	Vertical	80	1.50	-	50.32	32.50	9.66	34.22

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	100.06	Inf	-Inf	7.30	3	Horizontal	9	2.53	-	92.76	32.00	9.50	34.20
PK	5.577G	57.67	68.20	-10.53	7.00	3	Horizontal	9	2.53	-	50.67	31.75	9.44	34.19
PK	5.7486G	109.95	Inf	-Inf	7.30	3	Horizontal	9	2.53	-	102.65	32.00	9.50	34.20
PK	5.955G	58.09	68.20	-10.11	7.92	3	Horizontal	9	2.53	-	50.17	32.50	9.64	34.22

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48372G	41.95	54.00	-12.05	19.12	3	Vertical	276	2.41	-	22.83	40.07	13.11	34.06
PK	11.4858G	55.16	74.00	-18.84	19.12	3	Vertical	276	2.41	-	36.04	40.07	13.11	34.06
PK	17.23948G	63.87	68.20	-4.33	22.49	3	Vertical	257	2.62	-	41.38	39.54	16.22	33.27

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48872G	41.95	54.00	-12.05	19.13	3	Horizontal	246	1.14	-	22.82	40.08	13.11	34.06
PK	11.4942G	55.61	74.00	-18.39	19.14	3	Horizontal	246	1.14	-	36.47	40.09	13.11	34.06
PK	17.22656G	63.20	68.20	-5.00	22.48	3	Horizontal	52	1.82	-	40.72	39.53	16.22	33.27

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	102.98	Inf	-Inf	8.02	3	Vertical	79	1.71	-	94.96	32.06	10.17	34.21
PK	5.5474G	58.72	68.20	-9.48	7.66	3	Vertical	79	1.71	-	51.06	31.80	10.05	34.19
PK	5.7814G	113.20	Inf	-Inf	8.02	3	Vertical	79	1.71	-	105.18	32.06	10.17	34.21
PK	5.977G	59.03	68.20	-9.17	8.59	3	Vertical	79	1.71	-	50.44	32.50	10.31	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	101.58	Inf	-Inf	8.02	3	Horizontal	36	1.73	-	93.56	32.06	10.17	34.21
PK	5.5066G	57.77	68.20	-10.43	7.65	3	Horizontal	36	1.73	-	50.12	31.80	10.04	34.19
PK	5.7826G	111.25	Inf	-Inf	8.03	3	Horizontal	36	1.73	-	103.22	32.07	10.17	34.21
PK	6.0058G	58.87	68.20	-9.33	8.62	3	Horizontal	36	1.73	-	50.25	32.50	10.34	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5618G	41.11	54.00	-12.89	18.69	3	Vertical	267	3.00	-	22.42	39.91	12.87	34.09
PK	11.57652G	55.32	74.00	-18.68	18.64	3	Vertical	267	3.00	-	36.68	39.87	12.87	34.10
PK	17.3568G	62.11	68.20	-6.09	22.67	3	Vertical	322	1.50	-	39.44	40.17	15.74	33.24

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56188G	41.11	54.00	-12.89	18.69	3	Horizontal	129	1.50	-	22.42	39.91	12.87	34.09
PK	11.57516G	54.82	74.00	-19.18	18.64	3	Horizontal	129	1.50	-	36.18	39.87	12.87	34.10
PK	17.36372G	62.80	68.20	-5.40	22.75	3	Horizontal	32	1.50	-	40.05	40.24	15.75	33.24

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	102.21	Inf	-Inf	7.54	3	Vertical	83	2.96	-	94.67	32.21	9.54	34.21
PK	5.5874G	57.20	68.20	-11.00	6.98	3	Vertical	83	2.96	-	50.22	31.73	9.45	34.20
PK	5.8286G	111.89	Inf	-Inf	7.54	3	Vertical	83	2.96	-	104.35	32.21	9.54	34.21
PK	5.9366G	59.73	68.20	-8.47	7.91	3	Vertical	83	2.96	-	51.82	32.50	9.63	34.22

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.67	Inf	-Inf	7.54	3	Horizontal	34	1.48	-	93.13	32.21	9.54	34.21
PK	5.5454G	57.92	68.20	-10.28	7.03	3	Horizontal	34	1.48	-	50.89	31.80	9.42	34.19
PK	5.831G	110.08	Inf	-Inf	7.55	3	Horizontal	34	1.48	-	102.53	32.22	9.54	34.21
PK	5.9402G	57.88	68.20	-10.32	7.91	3	Horizontal	34	1.48	-	49.97	32.50	9.63	34.22

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64792G	41.27	54.00	-12.73	18.54	3	Vertical	166	1.74	-	22.73	39.51	13.17	34.14
PK	11.64704G	54.49	74.00	-19.51	18.55	3	Vertical	166	1.74	-	35.94	39.52	13.17	34.14
PK	17.48252G	63.82	68.20	-4.38	23.91	3	Vertical	141	2.73	-	39.91	40.85	16.26	33.20

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65044G	41.28	54.00	-12.72	18.53	3	Horizontal	307	1.47	-	22.75	39.50	13.17	34.14
PK	11.64652G	54.19	74.00	-19.81	18.55	3	Horizontal	307	1.47	-	35.64	39.52	13.17	34.14
PK	17.46628G	64.48	68.20	-3.72	23.84	3	Horizontal	98	2.78	-	40.64	40.80	16.25	33.21

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	44.95	54.00	-9.05	6.84	3	Vertical	76	1.76	-	38.11	31.90	9.07	34.13
AV	5.183G	97.55	Inf	-Inf	6.72	3	Vertical	76	1.76	-	90.83	31.77	9.08	34.13
PK	5.1432G	57.61	74.00	-16.39	6.84	3	Vertical	76	1.76	-	50.77	31.90	9.07	34.13
PK	5.1774G	109.29	Inf	-Inf	6.74	3	Vertical	76	1.76	-	102.55	31.79	9.08	34.13

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	44.65	54.00	-9.35	6.84	3	Horizontal	360	1.50	-	37.81	31.90	9.07	34.13
AV	5.1768G	90.59	Inf	-Inf	6.74	3	Horizontal	360	1.50	-	83.85	31.79	9.08	34.13
PK	5.1454G	57.60	74.00	-16.40	6.84	3	Horizontal	360	1.50	-	50.76	31.90	9.07	34.13
PK	5.177G	101.96	Inf	-Inf	6.74	3	Horizontal	360	1.50	-	95.22	31.79	9.08	34.13

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53G	47.29	54.00	-6.71	19.26	3	Vertical	35	1.49	-	28.03	38.02	15.67	34.43
PK	10.36152G	54.53	68.20	-13.67	17.43	3	Vertical	295	1.50	-	37.10	39.35	12.67	34.59
PK	15.54616G	61.22	74.00	-12.78	19.16	3	Vertical	35	1.49	-	42.06	37.92	15.68	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5308G	47.36	54.00	-6.64	19.26	3	Horizontal	358	2.93	-	28.10	38.02	15.67	34.43
PK	10.35136G	53.63	68.20	-14.57	17.38	3	Horizontal	37	2.88	-	36.25	39.31	12.67	34.60
PK	15.53416G	60.93	74.00	-13.07	19.25	3	Horizontal	358	2.93	-	41.68	38.00	15.68	34.43

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	45.68	54.00	-8.32	7.60	3	Vertical	77	1.96	-	38.08	31.90	9.83	34.13
AV	5.2012G	98.02	Inf	-Inf	7.41	3	Vertical	77	1.96	-	90.61	31.69	9.86	34.14
PK	5.1468G	59.38	74.00	-14.62	7.60	3	Vertical	77	1.96	-	51.78	31.90	9.83	34.13
PK	5.1972G	109.95	Inf	-Inf	7.43	3	Vertical	77	1.96	-	102.52	31.71	9.86	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	45.45	54.00	-8.55	7.60	3	Horizontal	17	1.26	-	37.85	31.90	9.83	34.13
AV	5.2032G	91.22	Inf	-Inf	7.40	3	Horizontal	17	1.26	-	83.82	31.68	9.86	34.14
PK	5.1428G	58.13	74.00	-15.87	7.60	3	Horizontal	17	1.26	-	50.53	31.90	9.83	34.13
PK	5.2044G	102.81	Inf	-Inf	7.39	3	Horizontal	17	1.26	-	95.42	31.67	9.86	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5912G	44.67	54.00	-9.33	18.01	3	Vertical	217	2.79	-	26.66	37.65	14.82	34.46
PK	10.39972G	54.42	68.20	-13.78	17.32	3	Vertical	360	1.50	-	37.10	39.50	12.38	34.56
PK	15.5904G	59.46	74.00	-14.54	18.02	3	Vertical	217	2.79	-	41.44	37.66	14.82	34.46

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59112G	44.62	54.00	-9.38	18.01	3	Horizontal	5	2.45	-	26.61	37.65	14.82	34.46
PK	10.39316G	55.23	68.20	-12.97	17.28	3	Horizontal	351	1.50	-	37.95	39.47	12.38	34.57
PK	15.59692G	58.11	74.00	-15.89	17.98	3	Horizontal	5	2.45	-	40.13	37.62	14.82	34.46

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	45.49	54.00	-8.51	7.60	3	Vertical	72	1.99	-	37.89	31.90	9.83	34.13
AV	5.2376G	97.25	Inf	-Inf	7.22	3	Vertical	72	1.99	-	90.03	31.47	9.89	34.14
AV	5.3798G	45.21	54.00	-8.79	7.36	3	Vertical	72	1.99	-	37.85	31.54	9.99	34.17
PK	5.1338G	58.14	74.00	-15.86	7.60	3	Vertical	72	1.99	-	50.54	31.90	9.82	34.12
PK	5.2418G	108.48	Inf	-Inf	7.20	3	Vertical	72	1.99	-	101.28	31.45	9.89	34.14
PK	5.3864G	57.85	74.00	-16.15	7.41	3	Vertical	72	1.99	-	50.44	31.59	9.99	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.32	54.00	-8.68	7.60	3	Horizontal	-0	1.41	-	37.72	31.90	9.83	34.13
AV	5.2364G	90.72	Inf	-Inf	7.23	3	Horizontal	-0	1.41	-	83.49	31.48	9.89	34.14
AV	5.387G	45.03	54.00	-8.97	7.42	3	Horizontal	-0	1.41	-	37.61	31.60	9.99	34.17
PK	5.099G	58.28	74.00	-15.72	7.58	3	Horizontal	-0	1.41	-	50.70	31.90	9.80	34.12
PK	5.237G	101.84	Inf	-Inf	7.23	3	Horizontal	-0	1.41	-	94.61	31.48	9.89	34.14
PK	5.366G	58.09	74.00	-15.91	7.24	3	Horizontal	-0	1.41	-	50.85	31.43	9.98	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71144G	45.34	54.00	-8.66	18.92	3	Vertical	38	2.59	-	26.42	37.64	15.81	34.53
PK	10.48288G	54.15	68.20	-14.05	17.89	3	Vertical	226	1.50	-	36.26	39.67	12.72	34.50
PK	15.725G	59.45	74.00	-14.55	18.86	3	Vertical	38	2.59	-	40.59	37.58	15.82	34.54

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	45.38	54.00	-8.62	18.93	3	Horizontal	189	1.14	-	26.45	37.65	15.81	34.53
PK	10.47924G	54.09	68.20	-14.11	17.88	3	Horizontal	234	1.55	-	36.21	39.66	12.72	34.50
PK	15.71188G	58.80	74.00	-15.20	18.92	3	Horizontal	189	1.14	-	39.88	37.64	15.81	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	45.68	54.00	-8.32	7.60	3	Vertical	72	1.86	-	38.08	31.90	9.83	34.13
AV	5.2612G	100.95	Inf	-Inf	7.13	3	Vertical	72	1.86	-	93.82	31.38	9.90	34.15
AV	5.383G	45.27	54.00	-8.73	7.38	3	Vertical	72	1.86	-	37.89	31.56	9.99	34.17
PK	5.149G	58.22	74.00	-15.78	7.60	3	Vertical	72	1.86	-	50.62	31.90	9.83	34.13
PK	5.2588G	113.80	Inf	-Inf	7.13	3	Vertical	72	1.86	-	106.67	31.38	9.90	34.15
PK	5.3554G	57.84	74.00	-16.16	7.15	3	Vertical	72	1.86	-	50.69	31.34	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	45.34	54.00	-8.66	7.60	3	Horizontal	3	1.63	-	37.74	31.90	9.83	34.13
AV	5.2576G	94.27	Inf	-Inf	7.13	3	Horizontal	3	1.63	-	87.14	31.38	9.90	34.15
AV	5.4004G	45.06	54.00	-8.94	7.53	3	Horizontal	3	1.63	-	37.53	31.70	10.00	34.17
PK	5.137G	57.79	74.00	-16.21	7.61	3	Horizontal	3	1.63	-	50.18	31.90	9.83	34.12
PK	5.2612G	105.61	Inf	-Inf	7.13	3	Horizontal	3	1.63	-	98.48	31.38	9.90	34.15
PK	5.3764G	57.59	74.00	-16.41	7.32	3	Horizontal	3	1.63	-	50.27	31.51	9.98	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77404G	44.98	54.00	-9.02	18.62	3	Vertical	242	2.30	-	26.36	37.33	15.85	34.56
PK	10.51644G	54.85	68.20	-13.35	17.95	3	Vertical	110	1.42	-	36.90	39.70	12.73	34.48
PK	15.78068G	57.86	74.00	-16.14	18.59	3	Vertical	242	2.30	-	39.27	37.30	15.86	34.57

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7752G	44.93	54.00	-9.07	18.61	3	Horizontal	21	1.35	-	26.32	37.32	15.85	34.56
PK	10.52496G	55.97	68.20	-12.23	17.96	3	Horizontal	218	2.85	-	38.01	39.70	12.73	34.47
PK	15.77144G	57.71	74.00	-16.29	18.63	3	Horizontal	21	1.35	-	39.08	37.34	15.85	34.56

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.298G	101.93	Inf	-Inf	7.08	3	Vertical	74	1.82	-	94.85	31.30	9.93	34.15
AV	5.35G	46.85	54.00	-7.15	7.11	3	Vertical	74	1.82	-	39.74	31.30	9.97	34.16
PK	5.2984G	113.75	Inf	-Inf	7.08	3	Vertical	74	1.82	-	106.67	31.30	9.93	34.15
PK	5.3504G	59.06	74.00	-14.94	7.11	3	Vertical	74	1.82	-	51.95	31.30	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2984G	96.79	Inf	-Inf	7.08	3	Horizontal	20	1.90	-	89.71	31.30	9.93	34.15
AV	5.35G	45.43	54.00	-8.57	7.11	3	Horizontal	20	1.90	-	38.32	31.30	9.97	34.16
PK	5.3008G	107.98	Inf	-Inf	7.08	3	Horizontal	20	1.90	-	100.90	31.30	9.93	34.15
PK	5.3884G	58.10	74.00	-15.90	7.43	3	Horizontal	20	1.90	-	50.67	31.61	9.99	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60044G	41.29	54.00	-12.71	18.06	3	Vertical	2	2.76	-	23.23	39.70	12.76	34.40
AV	15.90452G	45.52	54.00	-8.48	18.22	3	Vertical	358	2.93	-	27.30	36.91	15.95	34.64
PK	10.59656G	54.94	68.20	-13.26	18.06	3	Vertical	2	2.76	-	36.88	39.70	12.76	34.40
PK	15.89424G	59.08	74.00	-14.92	18.23	3	Vertical	358	2.93	-	40.85	36.92	15.94	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60556G	41.17	54.00	-12.83	18.08	3	Horizontal	269	1.88	-	23.09	39.70	12.77	34.39
AV	15.90664G	45.45	54.00	-8.55	18.22	3	Horizontal	290	2.84	-	27.23	36.91	15.95	34.64
PK	10.5976G	54.47	68.20	-13.73	18.06	3	Horizontal	269	1.88	-	36.41	39.70	12.76	34.40
PK	15.90568G	59.56	74.00	-14.44	18.22	3	Horizontal	290	2.84	-	41.34	36.91	15.95	34.64

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3174G	99.93	Inf	-Inf	6.35	3	Vertical	78	1.74	-	93.58	31.30	9.21	34.16
AV	5.35G	49.68	54.00	-4.32	6.39	3	Vertical	78	1.74	-	43.29	31.30	9.25	34.16
PK	5.3156G	110.71	Inf	-Inf	6.35	3	Vertical	78	1.74	-	104.36	31.30	9.21	34.16
PK	5.3504G	64.80	74.00	-9.20	6.39	3	Vertical	78	1.74	-	58.41	31.30	9.25	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3228G	94.04	Inf	-Inf	6.36	3	Horizontal	358	1.75	-	87.68	31.30	9.22	34.16
AV	5.3502G	46.62	54.00	-7.38	6.39	3	Horizontal	358	1.75	-	40.23	31.30	9.25	34.16
PK	5.324G	104.49	Inf	-Inf	6.36	3	Horizontal	358	1.75	-	98.13	31.30	9.22	34.16
PK	5.3504G	61.14	74.00	-12.86	6.39	3	Horizontal	358	1.75	-	54.75	31.30	9.25	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63552G	41.33	54.00	-12.67	18.11	3	Vertical	70	2.95	-	23.22	39.70	12.78	34.37
AV	15.96156G	45.91	54.00	-8.09	18.34	3	Vertical	327	2.30	-	27.57	37.02	15.99	34.67
PK	10.6358G	54.55	74.00	-19.45	18.11	3	Vertical	70	2.95	-	36.44	39.70	12.78	34.37
PK	15.95192G	59.03	74.00	-14.97	18.32	3	Vertical	327	2.30	-	40.71	37.00	15.98	34.66

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64936G	41.30	54.00	-12.70	18.12	3	Horizontal	321	1.48	-	23.18	39.70	12.78	34.36
AV	15.95896G	45.94	54.00	-8.06	18.34	3	Horizontal	62	1.65	-	27.60	37.02	15.99	34.67
PK	10.63064G	55.26	74.00	-18.74	18.11	3	Horizontal	321	1.48	-	37.15	39.70	12.78	34.37
PK	15.95436G	59.43	74.00	-14.57	18.34	3	Horizontal	62	1.65	-	41.09	37.01	15.99	34.66

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	44.97	54.00	-9.03	6.89	3	Vertical	80	1.80	-	38.08	31.72	9.35	34.18
AV	5.4972G	100.85	Inf	-Inf	6.98	3	Vertical	80	1.80	-	93.87	31.79	9.38	34.19
PK	5.4694G	65.89	68.20	-2.31	6.92	3	Vertical	80	1.80	-	58.97	31.74	9.36	34.18
PK	5.4956G	111.98	Inf	-Inf	6.98	3	Vertical	80	1.80	-	105.00	31.79	9.38	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	44.47	54.00	-9.53	6.89	3	Horizontal	356	1.50	-	37.58	31.72	9.35	34.18
AV	5.5026G	96.56	Inf	-Inf	6.99	3	Horizontal	356	1.50	-	89.57	31.80	9.38	34.19
PK	5.4692G	63.54	68.20	-4.66	6.92	3	Horizontal	356	1.50	-	56.62	31.74	9.36	34.18
PK	5.5024G	107.70	Inf	-Inf	6.99	3	Horizontal	356	1.50	-	100.71	31.80	9.38	34.19


802.11n HT20_Nss1,(MCS0)_1TX(Port1)

5500MHz_TX




802.11n HT20_Nss1,(MCS0)_1TX(Port1)

5500MHz_TX



802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.433G	44.88	54.00	-9.12	6.85	3	Vertical	79	1.82	-	38.03	31.70	9.33	34.18
AV	5.5824G	103.46	Inf	-Inf	7.00	3	Vertical	79	1.82	-	96.46	31.74	9.45	34.19
PK	5.4612G	56.39	68.20	-11.81	6.89	3	Vertical	79	1.82	-	49.50	31.72	9.35	34.18
PK	5.5818G	115.45	Inf	-Inf	7.00	3	Vertical	79	1.82	-	108.45	31.74	9.45	34.19
PK	5.7294G	57.53	68.20	-10.67	7.26	3	Vertical	79	1.82	-	50.27	31.96	9.50	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	44.44	54.00	-9.56	6.85	3	Horizontal	15	1.75	-	37.59	31.70	9.33	34.18
AV	5.583G	99.18	Inf	-Inf	6.99	3	Horizontal	15	1.75	-	92.19	31.73	9.45	34.19
PK	5.4684G	56.56	68.20	-11.64	6.91	3	Horizontal	15	1.75	-	49.65	31.74	9.35	34.18
PK	5.5842G	110.57	Inf	-Inf	6.98	3	Horizontal	15	1.75	-	103.59	31.73	9.45	34.20
PK	5.727G	56.93	68.20	-11.27	7.25	3	Horizontal	15	1.75	-	49.68	31.95	9.50	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16728G	40.99	54.00	-13.01	18.28	3	Vertical	1	3.00	-	22.71	39.63	12.70	34.05
PK	11.15124G	54.82	74.00	-19.18	18.34	3	Vertical	1	3.00	-	36.48	39.70	12.69	34.05
PK	16.74928G	61.44	68.20	-6.76	20.94	3	Vertical	163	1.50	-	40.50	39.40	15.39	33.85

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16432G	41.00	54.00	-13.00	18.29	3	Horizontal	10	1.50	-	22.71	39.64	12.70	34.05
PK	11.1596G	54.73	74.00	-19.27	18.31	3	Horizontal	10	1.50	-	36.42	39.66	12.70	34.05
PK	16.7492G	61.38	68.20	-6.82	20.94	3	Horizontal	16	1.50	-	40.44	39.40	15.39	33.85

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	99.14	Inf	-Inf	7.16	3	Vertical	72	1.81	-	91.98	31.87	9.49	34.20
PK	5.694G	109.72	Inf	-Inf	7.15	3	Vertical	72	1.81	-	102.57	31.86	9.49	34.20
PK	5.7252G	64.07	68.20	-4.13	7.25	3	Vertical	72	1.81	-	56.82	31.95	9.50	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	96.62	Inf	-Inf	7.17	3	Horizontal	34	1.84	-	89.45	31.88	9.49	34.20
PK	5.6968G	107.70	Inf	-Inf	7.17	3	Horizontal	34	1.84	-	100.53	31.88	9.49	34.20
PK	5.726G	61.97	68.20	-6.23	7.25	3	Horizontal	34	1.84	-	54.72	31.95	9.50	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39288G	41.44	54.00	-12.56	18.62	3	Vertical	214	1.01	-	22.82	39.88	12.80	34.06
PK	11.39472G	54.64	74.00	-19.36	18.62	3	Vertical	214	1.01	-	36.02	39.88	12.80	34.06
PK	17.09288G	63.09	68.20	-5.11	21.97	3	Vertical	9	1.80	-	41.12	39.69	15.59	33.31

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39296G	41.37	54.00	-12.63	18.62	3	Horizontal	191	1.32	-	22.75	39.88	12.80	34.06
PK	11.39192G	54.54	74.00	-19.46	18.61	3	Horizontal	191	1.32	-	35.93	39.88	12.79	34.06
PK	17.10168G	63.14	68.20	-5.06	21.99	3	Horizontal	115	1.40	-	41.15	39.70	15.59	33.30

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4356G	45.13	54.00	-8.87	7.53	3	Vertical	80	1.89	-	37.60	31.70	10.01	34.18
AV	5.7188G	102.59	Inf	-Inf	7.88	3	Vertical	80	1.89	-	94.71	31.94	10.14	34.20
PK	5.4644G	56.89	68.20	-11.31	7.57	3	Vertical	80	1.89	-	49.32	31.73	10.02	34.18
PK	5.7176G	113.83	Inf	-Inf	7.87	3	Vertical	80	1.89	-	105.96	31.94	10.13	34.20
PK	5.9816G	58.82	68.20	-9.38	8.60	3	Vertical	80	1.89	-	50.22	32.50	10.32	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.438G	44.96	54.00	-9.04	7.53	3	Horizontal	354	1.74	-	37.43	31.70	10.01	34.18
AV	5.7164G	100.19	Inf	-Inf	7.86	3	Horizontal	354	1.74	-	92.33	31.93	10.13	34.20
PK	5.462G	56.23	68.20	-11.97	7.56	3	Horizontal	354	1.74	-	48.67	31.72	10.02	34.18
PK	5.7164G	111.25	Inf	-Inf	7.86	3	Horizontal	354	1.74	-	103.39	31.93	10.13	34.20
PK	5.9168G	58.50	68.20	-9.70	8.55	3	Horizontal	354	1.74	-	49.95	32.50	10.27	34.22


802.11n HT20_Nss1,(MCS0)_1TX(Port1)

5720MHz Straddle 5.47-5.725GHz_TX




802.11n HT20_Nss1,(MCS0)_1TX(Port1)

5720MHz Straddle 5.47-5.725GHz_TX



802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	100.00	Inf	-Inf	7.29	3	Vertical	77	1.75	-	92.71	31.99	9.50	34.20
PK	5.5386G	57.26	68.20	-10.94	7.02	3	Vertical	77	1.75	-	50.24	31.80	9.41	34.19
PK	5.7414G	109.65	Inf	-Inf	7.28	3	Vertical	77	1.75	-	102.37	31.98	9.50	34.20
PK	6.0102G	58.39	68.20	-9.81	7.97	3	Vertical	77	1.75	-	50.42	32.50	9.69	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	98.05	Inf	-Inf	7.28	3	Horizontal	33	1.80	-	90.77	31.98	9.50	34.20
PK	5.4834G	57.29	68.20	-10.91	6.95	3	Horizontal	33	1.80	-	50.34	31.77	9.37	34.19
PK	5.7414G	108.66	Inf	-Inf	7.28	3	Horizontal	33	1.80	-	101.38	31.98	9.50	34.20
PK	6.0294G	57.97	68.20	-10.23	7.98	3	Horizontal	33	1.80	-	49.99	32.50	9.70	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.494G	41.74	54.00	-12.26	18.87	3	Vertical	74	2.88	-	22.87	40.09	12.84	34.06
PK	11.48252G	54.64	74.00	-19.36	18.84	3	Vertical	74	2.88	-	35.80	40.07	12.83	34.06
PK	17.2348G	63.19	68.20	-5.01	21.93	3	Vertical	357	1.76	-	41.26	39.53	15.67	33.27

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49572G	41.78	54.00	-12.22	18.87	3	Horizontal	345	1.07	-	22.91	40.09	12.84	34.06
PK	11.49504G	54.78	74.00	-19.22	18.87	3	Horizontal	345	1.07	-	35.91	40.09	12.84	34.06
PK	17.23112G	63.20	68.20	-5.00	21.93	3	Horizontal	263	1.94	-	41.27	39.53	15.67	33.27

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	101.35	Inf	-Inf	8.03	3	Vertical	78	1.87	-	93.32	32.07	10.17	34.21
PK	5.503G	58.08	68.20	-10.12	7.65	3	Vertical	78	1.87	-	50.43	31.80	10.04	34.19
PK	5.7874G	112.38	Inf	-Inf	8.03	3	Vertical	78	1.87	-	104.35	32.07	10.17	34.21
PK	6.0526G	59.49	68.20	-8.71	8.65	3	Vertical	78	1.87	-	50.84	32.49	10.38	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	98.89	Inf	-Inf	8.03	3	Horizontal	11	1.81	-	90.86	32.07	10.17	34.21
PK	5.5738G	58.17	68.20	-10.03	7.62	3	Horizontal	11	1.81	-	50.55	31.75	10.06	34.19
PK	5.791G	110.17	Inf	-Inf	8.05	3	Horizontal	11	1.81	-	102.12	32.08	10.18	34.21
PK	6.0718G	58.54	68.20	-9.66	8.63	3	Horizontal	11	1.81	-	49.91	32.46	10.40	34.23

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5492G	41.40	54.00	-12.60	18.72	3	Vertical	67	1.66	-	22.68	39.95	12.86	34.09
PK	11.5496G	55.85	74.00	-18.15	18.72	3	Vertical	67	1.66	-	37.13	39.95	12.86	34.09
PK	17.3781G	62.84	68.20	-5.36	22.91	3	Vertical	244	1.50	-	39.93	40.38	15.76	33.23

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5473G	41.39	54.00	-12.61	18.73	3	Horizontal	109	1.50	-	22.66	39.96	12.86	34.09
PK	11.5459G	54.21	74.00	-19.79	18.74	3	Horizontal	109	1.50	-	35.47	39.96	12.86	34.08
PK	17.3596G	62.28	68.20	-5.92	22.71	3	Horizontal	4	1.50	-	39.57	40.20	15.75	33.24

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	100.93	Inf	-Inf	7.52	3	Vertical	79	1.85	-	93.41	32.19	9.54	34.21
PK	5.5526G	56.76	68.20	-11.44	7.02	3	Vertical	79	1.85	-	49.74	31.79	9.42	34.19
PK	5.8202G	112.19	Inf	-Inf	7.51	3	Vertical	79	1.85	-	104.68	32.18	9.54	34.21
PK	6.0314G	58.29	68.20	-9.91	7.99	3	Vertical	79	1.85	-	50.30	32.50	9.71	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	98.96	Inf	-Inf	7.54	3	Horizontal	34	1.69	-	91.42	32.21	9.54	34.21
PK	5.6162G	57.27	68.20	-10.93	6.93	3	Horizontal	34	1.69	-	50.34	31.67	9.46	34.20
PK	5.8214G	108.80	Inf	-Inf	7.52	3	Horizontal	34	1.69	-	101.28	32.19	9.54	34.21
PK	6.0338G	58.31	68.20	-9.89	7.99	3	Horizontal	34	1.69	-	50.32	32.50	9.71	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64908G	41.06	54.00	-12.94	18.27	3	Vertical	181	2.59	-	22.79	39.51	12.90	34.14
PK	11.65596G	54.06	74.00	-19.94	18.23	3	Vertical	181	2.59	-	35.83	39.46	12.91	34.14
PK	17.47968G	64.07	68.20	-4.13	23.89	3	Vertical	202	2.06	-	40.18	40.84	16.26	33.21

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64148G	41.24	54.00	-12.76	18.58	3	Horizontal	56	1.32	-	22.66	39.55	13.17	34.14
PK	11.65108G	54.92	74.00	-19.08	18.52	3	Horizontal	56	1.32	-	36.40	39.49	13.17	34.14
PK	17.48236G	63.62	68.20	-4.58	23.91	3	Horizontal	295	1.47	-	39.71	40.85	16.26	33.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	45.38	54.00	-8.62	7.60	3	Vertical	76	1.70	-	37.78	31.90	9.83	34.13
AV	5.1788G	91.08	Inf	-Inf	7.50	3	Vertical	76	1.70	-	83.58	31.78	9.85	34.13
PK	5.131G	58.28	74.00	-15.72	7.60	3	Vertical	76	1.70	-	50.68	31.90	9.82	34.12
PK	5.1788G	103.09	Inf	-Inf	7.50	3	Vertical	76	1.70	-	95.59	31.78	9.85	34.13

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.38	54.00	-8.62	7.60	3	Horizontal	22	2.83	-	37.78	31.90	9.83	34.13
AV	5.177G	93.30	Inf	-Inf	7.51	3	Horizontal	22	2.83	-	85.79	31.79	9.85	34.13
PK	5.1398G	57.98	74.00	-16.02	7.60	3	Horizontal	22	2.83	-	50.38	31.90	9.83	34.13
PK	5.177G	105.28	Inf	-Inf	7.51	3	Horizontal	22	2.83	-	97.77	31.79	9.85	34.13

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5180MHz_TX



802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5180MHz_TX

