


802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.37	54.00	-8.63	7.60	3	Vertical	77	1.79	-	37.77	31.90	9.83	34.13
AV	5.2024G	91.06	Inf	-Inf	7.41	3	Vertical	77	1.79	-	83.65	31.69	9.86	34.14
PK	5.134G	58.16	74.00	-15.84	7.60	3	Vertical	77	1.79	-	50.56	31.90	9.82	34.12
PK	5.2032G	102.56	Inf	-Inf	7.40	3	Vertical	77	1.79	-	95.16	31.68	9.86	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.43	54.00	-8.57	7.60	3	Horizontal	24	2.97	-	37.83	31.90	9.83	34.13
AV	5.2036G	92.36	Inf	-Inf	7.40	3	Horizontal	24	2.97	-	84.96	31.68	9.86	34.14
PK	5.106G	57.89	74.00	-16.11	7.59	3	Horizontal	24	2.97	-	50.30	31.90	9.81	34.12
PK	5.2024G	103.75	Inf	-Inf	7.41	3	Horizontal	24	2.97	-	96.34	31.69	9.86	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58048G	46.96	54.00	-7.04	18.97	3	Vertical	345	2.45	-	27.99	37.72	15.71	34.46
PK	10.39056G	54.97	68.20	-13.23	17.57	3	Vertical	255	1.19	-	37.40	39.46	12.68	34.57
PK	15.58352G	60.52	74.00	-13.48	18.95	3	Vertical	345	2.45	-	41.57	37.70	15.71	34.46

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58064G	46.99	54.00	-7.01	18.97	3	Horizontal	33	2.70	-	28.02	37.72	15.71	34.46
PK	10.38512G	54.94	68.20	-13.26	17.55	3	Horizontal	20	2.29	-	37.39	39.44	12.68	34.57
PK	15.60544G	59.68	74.00	-14.32	18.87	3	Horizontal	33	2.70	-	40.81	37.61	15.73	34.47

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1404G	45.36	54.00	-8.64	7.60	3	Vertical	79	1.76	-	37.76	31.90	9.83	34.13
AV	5.2424G	89.50	Inf	-Inf	7.20	3	Vertical	79	1.76	-	82.30	31.45	9.89	34.14
AV	5.3792G	45.02	54.00	-8.98	7.35	3	Vertical	79	1.76	-	37.67	31.53	9.99	34.17
PK	5.1068G	58.29	74.00	-15.71	7.59	3	Vertical	79	1.76	-	50.70	31.90	9.81	34.12
PK	5.2388G	100.87	Inf	-Inf	7.22	3	Vertical	79	1.76	-	93.65	31.47	9.89	34.14
PK	5.3708G	56.99	74.00	-17.01	7.28	3	Vertical	79	1.76	-	49.71	31.47	9.98	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1416G	45.49	54.00	-8.51	7.60	3	Horizontal	22	2.80	-	37.89	31.90	9.83	34.13
AV	5.2382G	90.66	Inf	-Inf	7.22	3	Horizontal	22	2.80	-	83.44	31.47	9.89	34.14
AV	5.3714G	45.02	54.00	-8.98	7.28	3	Horizontal	22	2.80	-	37.74	31.47	9.98	34.17
PK	5.1284G	58.11	74.00	-15.89	7.60	3	Horizontal	22	2.80	-	50.51	31.90	9.82	34.12
PK	5.243G	102.07	Inf	-Inf	7.19	3	Horizontal	22	2.80	-	94.88	31.44	9.89	34.14
PK	5.3516G	57.18	74.00	-16.82	7.12	3	Horizontal	22	2.80	-	50.06	31.31	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70168G	46.33	54.00	-7.67	18.97	3	Vertical	224	1.35	-	27.36	37.69	15.80	34.52
PK	10.46432G	55.79	68.20	-12.41	17.82	3	Vertical	204	2.54	-	37.97	39.63	12.71	34.52
PK	15.7336G	59.59	74.00	-14.41	18.81	3	Vertical	224	1.35	-	40.78	37.53	15.82	34.54

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70032G	46.37	54.00	-7.63	18.98	3	Horizontal	26	1.37	-	27.39	37.70	15.80	34.52
PK	10.4716G	55.03	68.20	-13.17	17.84	3	Horizontal	224	1.83	-	37.19	39.64	12.71	34.51
PK	15.71728G	59.98	74.00	-14.02	18.89	3	Horizontal	26	1.37	-	41.09	37.61	15.81	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	45.46	54.00	-8.54	7.60	3	Vertical	79	1.79	-	37.86	31.90	9.83	34.13
AV	5.2576G	92.96	Inf	-Inf	7.13	3	Vertical	79	1.79	-	85.83	31.38	9.90	34.15
AV	5.3956G	45.08	54.00	-8.92	7.49	3	Vertical	79	1.79	-	37.59	31.66	10.00	34.17
PK	5.1286G	58.18	74.00	-15.82	7.60	3	Vertical	79	1.79	-	50.58	31.90	9.82	34.12
PK	5.2588G	105.05	Inf	-Inf	7.13	3	Vertical	79	1.79	-	97.92	31.38	9.90	34.15
PK	5.3542G	57.32	74.00	-16.68	7.14	3	Vertical	79	1.79	-	50.18	31.33	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.58	54.00	-8.42	7.60	3	Horizontal	23	3.00	-	37.98	31.90	9.83	34.13
AV	5.2636G	94.21	Inf	-Inf	7.12	3	Horizontal	23	3.00	-	87.09	31.37	9.90	34.15
AV	5.38G	45.11	54.00	-8.89	7.36	3	Horizontal	23	3.00	-	37.75	31.54	9.99	34.17
PK	5.1412G	57.92	74.00	-16.08	7.60	3	Horizontal	23	3.00	-	50.32	31.90	9.83	34.13
PK	5.2564G	105.69	Inf	-Inf	7.14	3	Horizontal	23	3.00	-	98.55	31.39	9.90	34.15
PK	5.3782G	57.66	74.00	-16.34	7.34	3	Horizontal	23	3.00	-	50.32	31.53	9.98	34.17

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77464G	45.87	54.00	-8.13	18.62	3	Vertical	184	1.42	-	27.25	37.33	15.85	34.56
PK	10.5172G	55.09	68.20	-13.11	17.96	3	Vertical	89	2.46	-	37.13	39.70	12.73	34.47
PK	15.76904G	58.58	74.00	-15.42	18.64	3	Vertical	184	1.42	-	39.94	37.35	15.85	34.56

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76752G	45.91	54.00	-8.09	18.65	3	Horizontal	47	1.77	-	27.26	37.36	15.85	34.56
PK	10.52296G	55.65	68.20	-12.55	17.96	3	Horizontal	342	1.95	-	37.69	39.70	12.73	34.47
PK	15.78864G	58.72	74.00	-15.28	18.55	3	Horizontal	47	1.77	-	40.17	37.26	15.86	34.57

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	93.95	Inf	-Inf	7.08	3	Vertical	71	1.65	-	86.87	31.30	9.93	34.15
AV	5.3796G	45.11	54.00	-8.89	7.36	3	Vertical	71	1.65	-	37.75	31.54	9.99	34.17
PK	5.2964G	105.44	Inf	-Inf	7.09	3	Vertical	71	1.65	-	98.35	31.31	9.93	34.15
PK	5.358G	58.12	74.00	-15.88	7.17	3	Vertical	71	1.65	-	50.95	31.36	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	95.34	Inf	-Inf	7.09	3	Horizontal	23	2.83	-	88.25	31.31	9.93	34.15
AV	5.35G	45.22	54.00	-8.78	7.11	3	Horizontal	23	2.83	-	38.11	31.30	9.97	34.16
PK	5.2968G	107.42	Inf	-Inf	7.09	3	Horizontal	23	2.83	-	100.33	31.31	9.93	34.15
PK	5.3852G	57.43	74.00	-16.57	7.40	3	Horizontal	23	2.83	-	50.03	31.58	9.99	34.17


802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5300MHz_TX




802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5300MHz_TX



802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	91.79	Inf	-Inf	7.08	3	Vertical	77	1.77	-	84.71	31.30	9.94	34.16
AV	5.35G	44.98	54.00	-9.02	7.11	3	Vertical	77	1.77	-	37.87	31.30	9.97	34.16
PK	5.318G	103.47	Inf	-Inf	7.08	3	Vertical	77	1.77	-	96.39	31.30	9.94	34.16
PK	5.3502G	57.40	74.00	-16.60	7.11	3	Vertical	77	1.77	-	50.29	31.30	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.317G	93.56	Inf	-Inf	7.08	3	Horizontal	26	2.96	-	86.48	31.30	9.94	34.16
AV	5.3502G	45.05	54.00	-8.95	7.11	3	Horizontal	26	2.96	-	37.94	31.30	9.97	34.16
PK	5.321G	105.65	Inf	-Inf	7.08	3	Horizontal	26	2.96	-	98.57	31.30	9.94	34.16
PK	5.3508G	58.17	74.00	-15.83	7.12	3	Horizontal	26	2.96	-	51.05	31.31	9.97	34.16

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65536G	42.51	54.00	-11.49	18.14	3	Vertical	336	2.16	-	24.37	39.70	12.79	34.35
AV	15.9776G	46.89	54.00	-7.11	18.38	3	Vertical	291	1.15	-	28.51	37.06	16.00	34.68
PK	10.66G	55.67	74.00	-18.33	18.14	3	Vertical	336	2.16	-	37.53	39.70	12.79	34.35
PK	15.94344G	59.68	74.00	-14.32	18.31	3	Vertical	291	1.15	-	41.37	36.99	15.98	34.66

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.66G	42.57	54.00	-11.43	18.14	3	Horizontal	343	1.78	-	24.43	39.70	12.79	34.35
AV	15.95992G	46.87	54.00	-7.13	18.34	3	Horizontal	122	2.22	-	28.53	37.02	15.99	34.67
PK	10.63024G	55.32	74.00	-18.68	18.11	3	Horizontal	343	1.78	-	37.21	39.70	12.78	34.37
PK	15.97128G	60.03	74.00	-13.97	18.37	3	Horizontal	122	2.22	-	41.66	37.04	16.00	34.67

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.88	54.00	-9.12	7.56	3	Vertical	78	1.60	-	37.32	31.72	10.02	34.18
AV	5.4978G	93.72	Inf	-Inf	7.64	3	Vertical	78	1.60	-	86.08	31.80	10.03	34.19
PK	5.464G	58.41	68.20	-9.79	7.57	3	Vertical	78	1.60	-	50.84	31.73	10.02	34.18
PK	5.4978G	105.70	Inf	-Inf	7.64	3	Vertical	78	1.60	-	98.06	31.80	10.03	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	45.04	54.00	-8.96	7.56	3	Horizontal	16	2.59	-	37.48	31.72	10.02	34.18
AV	5.4962G	94.06	Inf	-Inf	7.63	3	Horizontal	16	2.59	-	86.43	31.79	10.03	34.19
PK	5.469G	59.22	68.20	-8.98	7.58	3	Horizontal	16	2.59	-	51.64	31.74	10.02	34.18
PK	5.4968G	105.91	Inf	-Inf	7.63	3	Horizontal	16	2.59	-	98.28	31.79	10.03	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99656G	43.16	54.00	-10.84	19.17	3	Vertical	196	1.87	-	23.99	40.29	12.92	34.04
PK	10.98792G	55.91	74.00	-18.09	19.15	3	Vertical	196	1.87	-	36.76	40.28	12.92	34.05
PK	16.48424G	62.26	68.20	-5.94	20.25	3	Vertical	24	2.29	-	42.01	38.52	16.10	34.37

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00472G	43.23	54.00	-10.77	19.16	3	Horizontal	35	1.32	-	24.07	40.28	12.92	34.04
PK	10.98056G	56.11	74.00	-17.89	19.11	3	Horizontal	35	1.32	-	37.00	40.26	12.91	34.06
PK	16.49032G	62.47	68.20	-5.73	20.28	3	Horizontal	79	1.86	-	42.19	38.55	16.10	34.37

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4366G	45.03	54.00	-8.97	7.53	3	Vertical	76	1.59	-	37.50	31.70	10.01	34.18
AV	5.5824G	97.35	Inf	-Inf	7.61	3	Vertical	76	1.59	-	89.74	31.74	10.06	34.19
PK	5.4624G	57.02	68.20	-11.18	7.56	3	Vertical	76	1.59	-	49.46	31.72	10.02	34.18
PK	5.5818G	108.37	Inf	-Inf	7.61	3	Vertical	76	1.59	-	100.76	31.74	10.06	34.19
PK	5.7258G	56.81	68.20	-11.39	7.89	3	Vertical	76	1.59	-	48.92	31.95	10.14	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4312G	45.03	54.00	-8.97	7.53	3	Horizontal	19	2.74	-	37.50	31.70	10.01	34.18
AV	5.5824G	98.32	Inf	-Inf	7.61	3	Horizontal	19	2.74	-	90.71	31.74	10.06	34.19
PK	5.4654G	57.87	68.20	-10.33	7.57	3	Horizontal	19	2.74	-	50.30	31.73	10.02	34.18
PK	5.5848G	109.73	Inf	-Inf	7.59	3	Horizontal	19	2.74	-	102.14	31.73	10.06	34.20
PK	5.7282G	57.23	68.20	-10.97	7.90	3	Horizontal	19	2.74	-	49.33	31.96	10.14	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16752G	42.64	54.00	-11.36	18.57	3	Vertical	124	2.65	-	24.07	39.63	12.99	34.05
PK	11.1484G	56.19	74.00	-17.81	18.64	3	Vertical	124	2.65	-	37.55	39.71	12.98	34.05
PK	16.74696G	62.29	68.20	-5.91	21.68	3	Vertical	357	1.81	-	40.61	39.39	16.14	33.85

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15896G	42.57	54.00	-11.43	18.59	3	Horizontal	76	1.81	-	23.98	39.66	12.98	34.05
PK	11.15192G	55.80	74.00	-18.20	18.62	3	Horizontal	76	1.81	-	37.18	39.69	12.98	34.05
PK	16.72512G	62.16	68.20	-6.04	21.54	3	Horizontal	53	1.24	-	40.62	39.30	16.14	33.90

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	97.91	Inf	-Inf	7.84	3	Vertical	189	1.66	-	90.07	31.91	10.13	34.20
PK	5.6984G	109.61	Inf	-Inf	7.81	3	Vertical	189	1.66	-	101.80	31.89	10.12	34.20
PK	5.726G	64.99	68.20	-3.21	7.89	3	Vertical	189	1.66	-	57.10	31.95	10.14	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	97.08	Inf	-Inf	7.80	3	Horizontal	16	2.80	-	89.28	31.88	10.12	34.20
PK	5.7016G	108.44	Inf	-Inf	7.83	3	Horizontal	16	2.80	-	100.61	31.90	10.13	34.20
PK	5.7268G	62.31	68.20	-5.89	7.89	3	Horizontal	16	2.80	-	54.42	31.95	10.14	34.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39336G	42.78	54.00	-11.22	18.89	3	Vertical	136	1.62	-	23.89	39.88	13.07	34.06
PK	11.39504G	55.80	74.00	-18.20	18.90	3	Vertical	136	1.62	-	36.90	39.89	13.07	34.06
PK	17.08104G	63.75	68.20	-4.45	22.56	3	Vertical	80	1.46	-	41.19	39.68	16.19	33.31

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38872G	42.87	54.00	-11.13	18.88	3	Horizontal	100	1.33	-	23.99	39.87	13.07	34.06
PK	11.41008G	55.90	74.00	-18.10	18.94	3	Horizontal	100	1.33	-	36.96	39.92	13.08	34.06
PK	17.11296G	64.72	68.20	-3.48	22.57	3	Horizontal	77	2.10	-	42.15	39.67	16.20	33.30

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	45.04	54.00	-8.96	7.53	3	Vertical	184	2.48	-	37.51	31.70	10.01	34.18
AV	5.7188G	99.59	Inf	-Inf	7.88	3	Vertical	184	2.48	-	91.71	31.94	10.14	34.20
PK	5.462G	56.25	68.20	-11.95	7.56	3	Vertical	184	2.48	-	48.69	31.72	10.02	34.18
PK	5.7224G	111.76	Inf	-Inf	7.88	3	Vertical	184	2.48	-	103.88	31.94	10.14	34.20
PK	5.9288G	59.16	68.20	-9.04	8.56	3	Vertical	184	2.48	-	50.60	32.50	10.28	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4308G	45.03	54.00	-8.97	7.53	3	Horizontal	16	2.64	-	37.50	31.70	10.01	34.18
AV	5.7164G	98.54	Inf	-Inf	7.86	3	Horizontal	16	2.64	-	90.68	31.93	10.13	34.20
PK	5.4692G	56.40	68.20	-11.80	7.58	3	Horizontal	16	2.64	-	48.82	31.74	10.02	34.18
PK	5.7164G	109.24	Inf	-Inf	7.86	3	Horizontal	16	2.64	-	101.38	31.93	10.13	34.20
PK	5.9576G	58.41	68.20	-9.79	8.58	3	Horizontal	16	2.64	-	49.83	32.50	10.30	34.22


802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX




802.11n HT20_Nss1,(MCS0)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX



802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7486G	97.18	Inf	-Inf	7.95	3	Vertical	184	2.58	-	89.23	32.00	10.15	34.20
PK	5.637G	58.71	68.20	-9.49	7.52	3	Vertical	184	2.58	-	51.19	31.63	10.09	34.20
PK	5.7474G	108.23	Inf	-Inf	7.94	3	Vertical	184	2.58	-	100.29	31.99	10.15	34.20
PK	6.0126G	59.43	68.20	-8.77	8.62	3	Vertical	184	2.58	-	50.81	32.50	10.34	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	95.73	Inf	-Inf	7.94	3	Horizontal	19	2.85	-	87.79	31.99	10.15	34.20
PK	5.5374G	59.27	68.20	-8.93	7.66	3	Horizontal	19	2.85	-	51.61	31.80	10.05	34.19
PK	5.7438G	106.62	Inf	-Inf	7.94	3	Horizontal	19	2.85	-	98.68	31.99	10.15	34.20
PK	6.045G	58.66	68.20	-9.54	8.65	3	Horizontal	19	2.85	-	50.01	32.50	10.37	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50056G	43.21	54.00	-10.79	19.16	3	Vertical	239	2.76	-	24.05	40.10	13.12	34.06
PK	11.47936G	56.72	74.00	-17.28	19.11	3	Vertical	239	2.76	-	37.61	40.06	13.11	34.06
PK	17.24484G	63.30	68.20	-4.90	22.49	3	Vertical	317	2.41	-	40.81	39.54	16.22	33.27

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5044G	43.20	54.00	-10.80	19.15	3	Horizontal	124	1.73	-	24.05	40.09	13.12	34.06
PK	11.47144G	56.66	74.00	-17.34	19.08	3	Horizontal	124	1.73	-	37.58	40.04	13.10	34.06
PK	17.24276G	63.11	68.20	-5.09	22.49	3	Horizontal	200	1.59	-	40.62	39.54	16.22	33.27

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	97.88	Inf	-Inf	8.03	3	Vertical	168	1.50	-	89.85	32.07	10.17	34.21
PK	5.5582G	58.33	68.20	-9.87	7.65	3	Vertical	168	1.50	-	50.68	31.78	10.06	34.19
PK	5.7802G	109.00	Inf	-Inf	8.02	3	Vertical	168	1.50	-	100.98	32.06	10.17	34.21
PK	6.0082G	59.13	68.20	-9.07	8.62	3	Vertical	168	1.50	-	50.51	32.50	10.34	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	96.88	Inf	-Inf	8.03	3	Horizontal	14	2.61	-	88.85	32.07	10.17	34.21
PK	5.5606G	57.81	68.20	-10.39	7.65	3	Horizontal	14	2.61	-	50.16	31.78	10.06	34.19
PK	5.7886G	108.70	Inf	-Inf	8.04	3	Horizontal	14	2.61	-	100.66	32.08	10.17	34.21
PK	6.0154G	59.14	68.20	-9.06	8.63	3	Horizontal	14	2.61	-	50.51	32.50	10.35	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55176G	43.00	54.00	-11.00	18.99	3	Vertical	191	2.96	-	24.01	39.94	13.14	34.09
PK	11.58632G	55.93	74.00	-18.07	18.88	3	Vertical	191	2.96	-	37.05	39.84	13.15	34.11
PK	17.3522G	64.88	68.20	-3.32	23.12	3	Vertical	167	2.01	-	41.76	40.12	16.24	33.24

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.552G	43.11	54.00	-10.89	18.99	3	Horizontal	224	1.09	-	24.12	39.94	13.14	34.09
PK	11.55208G	57.41	74.00	-16.59	18.99	3	Horizontal	224	1.09	-	38.42	39.94	13.14	34.09
PK	17.37028G	63.83	68.20	-4.37	23.31	3	Horizontal	191	1.44	-	40.52	40.30	16.24	33.23

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	97.99	Inf	-Inf	8.21	3	Vertical	184	2.49	-	89.78	32.22	10.20	34.21
PK	5.838G	57.24	68.20	-10.96	7.59	3	Vertical	184	2.49	-	49.65	31.73	10.06	34.20
PK	5.8274G	109.51	Inf	-Inf	8.20	3	Vertical	184	2.49	-	101.31	32.21	10.20	34.21
PK	6.0398G	59.66	68.20	-8.54	8.65	3	Vertical	184	2.49	-	51.01	32.50	10.37	34.22

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	95.72	Inf	-Inf	8.20	3	Horizontal	20	3.00	-	87.52	32.21	10.20	34.21
PK	5.5286G	57.70	68.20	-10.50	7.66	3	Horizontal	20	3.00	-	50.04	31.80	10.05	34.19
PK	5.8274G	106.87	Inf	-Inf	8.20	3	Horizontal	20	3.00	-	98.67	32.21	10.20	34.21
PK	6.0674G	59.67	68.20	-8.53	8.64	3	Horizontal	20	3.00	-	51.03	32.47	10.40	34.23

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6308G	42.52	54.00	-11.48	18.66	3	Vertical	235	2.54	-	23.86	39.62	13.17	34.13
PK	11.6428G	55.47	74.00	-18.53	18.57	3	Vertical	235	2.54	-	36.90	39.54	13.17	34.14
PK	17.48756G	65.02	68.20	-3.18	23.92	3	Vertical	224	1.53	-	41.10	40.86	16.26	33.20

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63104G	42.47	54.00	-11.53	18.65	3	Horizontal	259	2.78	-	23.82	39.61	13.17	34.13
PK	11.63856G	55.32	74.00	-18.68	18.61	3	Horizontal	259	2.78	-	36.71	39.57	13.17	34.13
PK	17.4734G	64.17	68.20	-4.03	23.87	3	Horizontal	272	2.87	-	40.30	40.82	16.26	33.21

802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	44.81	54.00	-9.19	6.84	3	Vertical	77	1.69	-	37.97	31.90	9.07	34.13
AV	5.182G	98.20	Inf	-Inf	6.72	3	Vertical	77	1.69	-	91.48	31.77	9.08	34.13
PK	5.1416G	57.77	74.00	-16.23	6.84	3	Vertical	77	1.69	-	50.93	31.90	9.07	34.13
PK	5.1818G	109.56	Inf	-Inf	6.72	3	Vertical	77	1.69	-	102.84	31.77	9.08	34.13

802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	44.68	54.00	-9.32	6.84	3	Horizontal	20	1.56	-	37.84	31.90	9.07	34.13
AV	5.1816G	94.25	Inf	-Inf	6.72	3	Horizontal	20	1.56	-	87.53	31.77	9.08	34.13
PK	5.148G	58.33	74.00	-15.67	6.84	3	Horizontal	20	1.56	-	51.49	31.90	9.07	34.13
PK	5.1812G	104.13	Inf	-Inf	6.73	3	Horizontal	20	1.56	-	97.40	31.78	9.08	34.13

802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52136G	48.45	54.00	-5.55	19.32	3	Vertical	7	2.74	-	29.13	38.07	15.67	34.42
PK	10.35392G	54.72	68.20	-13.48	17.39	3	Vertical	54	1.83	-	37.33	39.32	12.67	34.60
PK	15.53984G	61.56	74.00	-12.44	19.21	3	Vertical	7	2.74	-	42.35	37.96	15.68	34.43

802.11n HT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52152G	48.47	54.00	-5.53	19.32	3	Horizontal	93	1.48	-	29.15	38.07	15.67	34.42
PK	10.34656G	55.43	68.20	-12.77	17.36	3	Horizontal	236	2.33	-	38.07	39.29	12.67	34.60
PK	15.52824G	61.99	74.00	-12.01	19.27	3	Horizontal	93	1.48	-	42.72	38.03	15.67	34.43

802.11n HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.78	54.00	-8.22	7.60	3	Vertical	76	2.04	-	38.18	31.90	9.83	34.13
AV	5.2016G	96.98	Inf	-Inf	7.41	3	Vertical	76	2.04	-	89.57	31.69	9.86	34.14
PK	5.1372G	58.09	74.00	-15.91	7.61	3	Vertical	76	2.04	-	50.48	31.90	9.83	34.12
PK	5.196G	108.61	Inf	-Inf	7.44	3	Vertical	76	2.04	-	101.17	31.72	9.86	34.14

802.11n HT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.79	54.00	-8.21	7.60	3	Horizontal	26	1.77	-	38.19	31.90	9.83	34.13
AV	5.2036G	92.55	Inf	-Inf	7.40	3	Horizontal	26	1.77	-	85.15	31.68	9.86	34.14
PK	5.102G	58.28	74.00	-15.72	7.59	3	Horizontal	26	1.77	-	50.69	31.90	9.81	34.12
PK	5.2032G	104.22	Inf	-Inf	7.40	3	Horizontal	26	1.77	-	96.82	31.68	9.86	34.14


802.11n HT20_Nss1,(MCS0)_2TX

5200MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5200MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.61	54.00	-8.39	7.60	3	Vertical	72	1.93	-	38.01	31.90	9.83	34.13
AV	5.2412G	96.13	Inf	-Inf	7.20	3	Vertical	72	1.93	-	88.93	31.45	9.89	34.14
AV	5.3846G	45.21	54.00	-8.79	7.40	3	Vertical	72	1.93	-	37.81	31.58	9.99	34.17
PK	5.0972G	57.97	74.00	-16.03	7.57	3	Vertical	72	1.93	-	50.40	31.89	9.80	34.12
PK	5.2358G	107.95	Inf	-Inf	7.24	3	Vertical	72	1.93	-	100.71	31.49	9.89	34.14
PK	5.3648G	58.29	74.00	-15.71	7.23	3	Vertical	72	1.93	-	51.06	31.42	9.98	34.17

802.11n HT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1452G	45.64	54.00	-8.36	7.60	3	Horizontal	25	1.66	-	38.04	31.90	9.83	34.13
AV	5.237G	91.28	Inf	-Inf	7.23	3	Horizontal	25	1.66	-	84.05	31.48	9.89	34.14
AV	5.378G	45.20	54.00	-8.80	7.33	3	Horizontal	25	1.66	-	37.87	31.52	9.98	34.17
PK	5.1404G	58.85	74.00	-15.15	7.60	3	Horizontal	25	1.66	-	51.25	31.90	9.83	34.13
PK	5.2352G	102.43	Inf	-Inf	7.23	3	Horizontal	25	1.66	-	95.20	31.49	9.88	34.14
PK	5.387G	57.61	74.00	-16.39	7.42	3	Horizontal	25	1.66	-	50.19	31.60	9.99	34.17


802.11n HT20_Nss1,(MCS0)_2TX

5240MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5240MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1112G	45.99	54.00	-8.01	7.59	3	Vertical	72	1.87	-	38.40	31.90	9.81	34.12
AV	5.2582G	99.72	Inf	-Inf	7.13	3	Vertical	72	1.87	-	92.59	31.38	9.90	34.15
AV	5.389G	45.52	54.00	-8.48	7.43	3	Vertical	72	1.87	-	38.09	31.61	9.99	34.17
PK	5.1268G	59.31	74.00	-14.69	7.60	3	Vertical	72	1.87	-	51.71	31.90	9.82	34.12
PK	5.2558G	111.09	Inf	-Inf	7.14	3	Vertical	72	1.87	-	103.95	31.39	9.90	34.15
PK	5.3674G	57.74	74.00	-16.26	7.25	3	Vertical	72	1.87	-	50.49	31.44	9.98	34.17

802.11n HT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1418G	45.68	54.00	-8.32	7.60	3	Horizontal	19	1.58	-	38.08	31.90	9.83	34.13
AV	5.2636G	94.94	Inf	-Inf	7.12	3	Horizontal	19	1.58	-	87.82	31.37	9.90	34.15
AV	5.3842G	45.41	54.00	-8.59	7.39	3	Horizontal	19	1.58	-	38.02	31.57	9.99	34.17
PK	5.1376G	58.31	74.00	-15.69	7.61	3	Horizontal	19	1.58	-	50.70	31.90	9.83	34.12
PK	5.257G	107.29	Inf	-Inf	7.14	3	Horizontal	19	1.58	-	100.15	31.39	9.90	34.15
PK	5.3506G	57.56	74.00	-16.44	7.11	3	Horizontal	19	1.58	-	50.45	31.30	9.97	34.16


802.11n HT20_Nss1,(MCS0)_2TX

5260MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5260MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	100.97	Inf	-Inf	7.08	3	Vertical	80	1.73	-	93.89	31.30	9.93	34.15
AV	5.3516G	45.96	54.00	-8.04	7.12	3	Vertical	80	1.73	-	38.84	31.31	9.97	34.16
PK	5.2944G	112.53	Inf	-Inf	7.09	3	Vertical	80	1.73	-	105.44	31.31	9.93	34.15
PK	5.3964G	58.46	74.00	-15.54	7.50	3	Vertical	80	1.73	-	50.96	31.67	10.00	34.17

802.11n HT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	97.08	Inf	-Inf	7.09	3	Horizontal	18	1.50	-	89.99	31.31	9.93	34.15
AV	5.35G	45.47	54.00	-8.53	7.11	3	Horizontal	18	1.50	-	38.36	31.30	9.97	34.16
PK	5.2968G	108.96	Inf	-Inf	7.09	3	Horizontal	18	1.50	-	101.87	31.31	9.93	34.15
PK	5.3828G	58.36	74.00	-15.64	7.38	3	Horizontal	18	1.50	-	50.98	31.56	9.99	34.17


802.11n HT20_Nss1,(MCS0)_2TX

5300MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5300MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3228G	100.38	Inf	-Inf	6.36	3	Vertical	78	1.73	-	94.02	31.30	9.22	34.16
AV	5.35G	45.38	54.00	-8.62	6.39	3	Vertical	78	1.73	-	38.99	31.30	9.25	34.16
PK	5.3206G	110.50	Inf	-Inf	6.35	3	Vertical	78	1.73	-	104.15	31.30	9.21	34.16
PK	5.3506G	58.35	74.00	-15.65	6.39	3	Vertical	78	1.73	-	51.96	31.30	9.25	34.16

802.11n HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3214G	95.94	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	89.59	31.30	9.21	34.16
AV	5.3526G	44.51	54.00	-9.49	6.41	3	Horizontal	20	1.50	-	38.10	31.32	9.25	34.16
PK	5.3224G	106.24	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	99.89	31.30	9.21	34.16
PK	5.355G	57.39	74.00	-16.61	6.43	3	Horizontal	20	1.50	-	50.96	31.34	9.25	34.16

802.11n HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65696G	42.52	54.00	-11.48	18.14	3	Vertical	250	2.52	-	24.38	39.70	12.79	34.35
AV	15.97752G	46.92	54.00	-7.08	18.38	3	Vertical	281	1.63	-	28.54	37.06	16.00	34.68
PK	10.64344G	55.46	74.00	-18.54	18.12	3	Vertical	250	2.52	-	37.34	39.70	12.78	34.36
PK	15.95448G	60.18	74.00	-13.82	18.34	3	Vertical	281	1.63	-	41.84	37.01	15.99	34.66

802.11n HT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65544G	42.50	54.00	-11.50	18.14	3	Horizontal	315	1.45	-	24.36	39.70	12.79	34.35
AV	15.96832G	46.84	54.00	-7.16	18.37	3	Horizontal	75	1.67	-	28.47	37.04	16.00	34.67
PK	10.65176G	55.41	74.00	-18.59	18.13	3	Horizontal	315	1.45	-	37.28	39.70	12.78	34.35
PK	15.94952G	60.25	74.00	-13.75	18.32	3	Horizontal	75	1.67	-	41.93	37.00	15.98	34.66

802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	44.71	54.00	-9.29	6.87	3	Vertical	80	1.77	-	37.84	31.71	9.34	34.18
AV	5.5022G	101.90	Inf	-Inf	6.99	3	Vertical	80	1.77	-	94.91	31.80	9.38	34.19
PK	5.4698G	60.02	68.20	-8.18	6.92	3	Vertical	80	1.77	-	53.10	31.74	9.36	34.18
PK	5.502G	112.32	Inf	-Inf	6.99	3	Vertical	80	1.77	-	105.33	31.80	9.38	34.19

802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	44.42	54.00	-9.58	6.87	3	Horizontal	13	1.93	-	37.55	31.71	9.34	34.18
AV	5.4984G	99.17	Inf	-Inf	6.99	3	Horizontal	13	1.93	-	92.18	31.80	9.38	34.19
PK	5.47G	58.92	68.20	-9.28	6.92	3	Horizontal	13	1.93	-	52.00	31.74	9.36	34.18
PK	5.499G	109.90	Inf	-Inf	6.99	3	Horizontal	13	1.93	-	102.91	31.80	9.38	34.19

802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99632G	43.13	54.00	-10.87	19.17	3	Vertical	233	2.61	-	23.96	40.29	12.92	34.04
PK	11.01136G	57.05	74.00	-16.95	19.13	3	Vertical	233	2.61	-	37.92	40.25	12.92	34.04
PK	16.49216G	62.91	68.20	-5.29	20.29	3	Vertical	60	1.53	-	42.62	38.56	16.10	34.37

802.11n HT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0072G	43.13	54.00	-10.87	19.15	3	Horizontal	96	2.11	-	23.98	40.27	12.92	34.04
PK	11.00984G	56.51	74.00	-17.49	19.14	3	Horizontal	96	2.11	-	37.37	40.26	12.92	34.04
PK	16.48696G	62.67	68.20	-5.53	20.26	3	Horizontal	65	1.09	-	42.41	38.53	16.10	34.37

802.11n HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	45.91	54.00	-8.09	7.53	3	Vertical	79	1.83	-	38.38	31.70	10.01	34.18
AV	5.5818G	103.71	Inf	-Inf	7.61	3	Vertical	79	1.83	-	96.10	31.74	10.06	34.19
PK	5.4612G	57.95	68.20	-10.25	7.56	3	Vertical	79	1.83	-	50.39	31.72	10.02	34.18
PK	5.583G	114.67	Inf	-Inf	7.60	3	Vertical	79	1.83	-	107.07	31.73	10.06	34.19
PK	5.7282G	57.97	68.20	-10.23	7.90	3	Vertical	79	1.83	-	50.07	31.96	10.14	34.20

802.11n HT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4312G	45.33	54.00	-8.67	7.53	3	Horizontal	15	1.75	-	37.80	31.70	10.01	34.18
AV	5.583G	100.54	Inf	-Inf	7.60	3	Horizontal	15	1.75	-	92.94	31.73	10.06	34.19
PK	5.4612G	57.26	68.20	-10.94	7.56	3	Horizontal	15	1.75	-	49.70	31.72	10.02	34.18
PK	5.5824G	111.23	Inf	-Inf	7.61	3	Horizontal	15	1.75	-	103.62	31.74	10.06	34.19
PK	5.7252G	59.13	68.20	-9.07	7.89	3	Horizontal	15	1.75	-	51.24	31.95	10.14	34.20


802.11n HT20_Nss1,(MCS0)_2TX

5580MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5580MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	101.75	Inf	-Inf	7.19	3	Vertical	80	1.74	-	94.56	31.90	9.49	34.20
PK	5.7012G	111.08	Inf	-Inf	7.19	3	Vertical	80	1.74	-	103.89	31.90	9.49	34.20
PK	5.7252G	63.08	68.20	-5.12	7.25	3	Vertical	80	1.74	-	55.83	31.95	9.50	34.20

802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	101.14	Inf	-Inf	7.17	3	Horizontal	10	2.61	-	93.97	31.88	9.49	34.20
PK	5.6952G	111.05	Inf	-Inf	7.16	3	Horizontal	10	2.61	-	103.89	31.87	9.49	34.20
PK	5.7264G	65.08	68.20	-3.12	7.25	3	Horizontal	10	2.61	-	57.83	31.95	9.50	34.20

802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3856G	42.71	54.00	-11.29	18.87	3	Vertical	353	1.65	-	23.84	39.86	13.07	34.06
PK	11.3856G	55.93	74.00	-18.07	18.87	3	Vertical	353	1.65	-	37.06	39.86	13.07	34.06
PK	17.08288G	64.05	68.20	-4.15	22.56	3	Vertical	323	1.44	-	41.49	39.68	16.19	33.31

802.11n HT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38992G	42.68	54.00	-11.32	18.88	3	Horizontal	166	2.62	-	23.80	39.87	13.07	34.06
PK	11.41488G	55.77	74.00	-18.23	18.95	3	Horizontal	166	2.62	-	36.82	39.93	13.08	34.06
PK	17.08848G	64.15	68.20	-4.05	22.57	3	Horizontal	124	2.43	-	41.58	39.69	16.19	33.31

802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4548G	45.28	54.00	-8.72	7.55	3	Vertical	82	1.86	-	37.73	31.71	10.02	34.18
AV	5.7176G	102.29	Inf	-Inf	7.87	3	Vertical	82	1.86	-	94.42	31.94	10.13	34.20
PK	5.4608G	56.79	68.20	-11.41	7.56	3	Vertical	82	1.86	-	49.23	31.72	10.02	34.18
PK	5.7164G	112.83	Inf	-Inf	7.86	3	Vertical	82	1.86	-	104.97	31.93	10.13	34.20
PK	5.924G	59.35	68.20	-8.85	8.55	3	Vertical	82	1.86	-	50.80	32.50	10.27	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4344G	45.11	54.00	-8.89	7.53	3	Horizontal	15	2.65	-	37.58	31.70	10.01	34.18
AV	5.7188G	101.43	Inf	-Inf	7.88	3	Horizontal	15	2.65	-	93.55	31.94	10.14	34.20
PK	5.4656G	56.51	68.20	-11.69	7.57	3	Horizontal	15	2.65	-	48.94	31.73	10.02	34.18
PK	5.7152G	112.13	Inf	-Inf	7.86	3	Horizontal	15	2.65	-	104.27	31.93	10.13	34.20
PK	5.8628G	58.91	68.20	-9.29	8.37	3	Horizontal	15	2.65	-	50.54	32.35	10.23	34.21


802.11n HT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	100.91	Inf	-Inf	7.28	3	Vertical	81	2.91	-	93.63	31.98	9.50	34.20
PK	5.5446G	57.00	68.20	-11.20	7.03	3	Vertical	81	2.91	-	49.97	31.80	9.42	34.19
PK	5.7414G	111.62	Inf	-Inf	7.28	3	Vertical	81	2.91	-	104.34	31.98	9.50	34.20
PK	5.9982G	58.37	68.20	-9.83	7.96	3	Vertical	81	2.91	-	50.41	32.50	9.68	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	99.46	Inf	-Inf	7.29	3	Horizontal	32	1.70	-	92.17	31.99	9.50	34.20
PK	5.5854G	57.41	68.20	-10.79	6.98	3	Horizontal	32	1.70	-	50.43	31.73	9.45	34.20
PK	5.7474G	109.21	Inf	-Inf	7.29	3	Horizontal	32	1.70	-	101.92	31.99	9.50	34.20
PK	5.931G	58.29	68.20	-9.91	7.90	3	Horizontal	32	1.70	-	50.39	32.50	9.62	34.22


802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX




802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX



802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	100.34	Inf	-Inf	8.02	3	Vertical	110	1.03	-	92.32	32.06	10.17	34.21
PK	5.5918G	57.86	68.20	-10.34	7.59	3	Vertical	110	1.03	-	50.27	31.72	10.07	34.20
PK	5.7826G	111.37	Inf	-Inf	8.03	3	Vertical	110	1.03	-	103.34	32.07	10.17	34.21
PK	5.953G	58.32	68.20	-9.88	8.57	3	Vertical	110	1.03	-	49.75	32.50	10.29	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	98.29	Inf	-Inf	8.02	3	Horizontal	37	1.07	-	90.27	32.06	10.17	34.21
PK	5.5918G	57.53	68.20	-10.67	7.59	3	Horizontal	37	1.07	-	49.94	31.72	10.07	34.20
PK	5.7922G	108.43	Inf	-Inf	8.05	3	Horizontal	37	1.07	-	100.38	32.08	10.18	34.21
PK	5.995G	57.98	68.20	-10.22	8.61	3	Horizontal	37	1.07	-	49.37	32.50	10.33	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5568G	41.36	54.00	-12.64	18.70	3	Vertical	330	1.87	-	22.66	39.93	12.86	34.09
PK	11.56064G	56.28	74.00	-17.72	18.70	3	Vertical	330	1.87	-	37.58	39.92	12.87	34.09
PK	17.3595G	62.96	68.20	-5.24	22.71	3	Vertical	359	1.50	-	40.25	40.20	15.75	33.24

802.11n HT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.555G	41.37	54.00	-12.63	18.70	3	Horizontal	28	1.50	-	22.67	39.93	12.86	34.09
PK	11.56844G	54.98	74.00	-19.02	18.66	3	Horizontal	28	1.50	-	36.32	39.89	12.87	34.10
PK	17.34534G	62.68	68.20	-5.52	22.55	3	Horizontal	1	1.50	-	40.13	40.05	15.74	33.24

802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.99	Inf	-Inf	7.52	3	Vertical	79	3.00	-	94.47	32.19	9.54	34.21
PK	5.6042G	56.85	68.20	-11.35	6.95	3	Vertical	79	3.00	-	49.90	31.69	9.46	34.20
PK	5.8214G	111.11	Inf	-Inf	7.52	3	Vertical	79	3.00	-	103.59	32.19	9.54	34.21
PK	6.0434G	58.39	68.20	-9.81	7.99	3	Vertical	79	3.00	-	50.40	32.50	9.71	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	101.01	Inf	-Inf	7.54	3	Horizontal	33	1.49	-	93.47	32.21	9.54	34.21
PK	5.579G	57.66	68.20	-10.54	6.99	3	Horizontal	33	1.49	-	50.67	31.74	9.44	34.19
PK	5.8274G	110.49	Inf	-Inf	7.54	3	Horizontal	33	1.49	-	102.95	32.21	9.54	34.21
PK	6.0326G	58.46	68.20	-9.74	7.99	3	Horizontal	33	1.49	-	50.47	32.50	9.71	34.22

802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63352G	42.45	54.00	-11.55	18.64	3	Vertical	122	1.61	-	23.81	39.60	13.17	34.13
PK	11.63688G	56.17	74.00	-17.83	18.62	3	Vertical	122	1.61	-	37.55	39.58	13.17	34.13
PK	17.47908G	63.90	68.20	-4.30	23.89	3	Vertical	198	2.94	-	40.01	40.84	16.26	33.21

802.11n HT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63096G	42.52	54.00	-11.48	18.65	3	Horizontal	206	2.93	-	23.87	39.61	13.17	34.13
PK	11.64544G	55.65	74.00	-18.35	18.56	3	Horizontal	206	2.93	-	37.09	39.53	13.17	34.14
PK	17.46644G	63.89	68.20	-4.31	23.84	3	Horizontal	211	2.64	-	40.05	40.80	16.25	33.21

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.40	54.00	-4.60	6.84	3	Vertical	77	1.77	-	42.56	31.90	9.07	34.13
AV	5.1944G	96.81	Inf	-Inf	6.67	3	Vertical	77	1.77	-	90.14	31.72	9.08	34.13
PK	5.1496G	64.32	74.00	-9.68	6.84	3	Vertical	77	1.77	-	57.48	31.90	9.07	34.13
PK	5.2004G	107.23	Inf	-Inf	6.64	3	Vertical	77	1.77	-	100.59	31.70	9.08	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.94	54.00	-8.06	6.84	3	Horizontal	360	1.50	-	39.10	31.90	9.07	34.13
AV	5.1792G	89.24	Inf	-Inf	6.73	3	Horizontal	360	1.50	-	82.51	31.78	9.08	34.13
PK	5.1476G	58.69	74.00	-15.31	6.84	3	Horizontal	360	1.50	-	51.85	31.90	9.07	34.13
PK	5.1796G	100.17	Inf	-Inf	6.73	3	Horizontal	360	1.50	-	93.44	31.78	9.08	34.13

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55104G	47.63	54.00	-6.37	19.14	3	Vertical	86	2.73	-	28.49	37.89	15.69	34.44
PK	10.37088G	55.91	68.20	-12.29	17.47	3	Vertical	120	2.72	-	38.44	39.38	12.67	34.58
PK	15.55312G	60.58	74.00	-13.42	19.13	3	Vertical	86	2.73	-	41.45	37.88	15.69	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55072G	47.69	54.00	-6.31	19.15	3	Horizontal	135	1.26	-	28.54	37.90	15.69	34.44
PK	10.36864G	55.31	68.20	-12.89	17.46	3	Horizontal	308	1.09	-	37.85	39.37	12.67	34.58
PK	15.56512G	61.05	74.00	-12.95	19.06	3	Horizontal	135	1.26	-	41.99	37.81	15.70	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	46.87	54.00	-7.13	7.60	3	Vertical	80	1.87	-	39.27	31.90	9.83	34.13
AV	5.226G	97.40	Inf	-Inf	7.28	3	Vertical	80	1.87	-	90.12	31.54	9.88	34.14
PK	5.1464G	59.19	74.00	-14.81	7.60	3	Vertical	80	1.87	-	51.59	31.90	9.83	34.13
PK	5.232G	109.13	Inf	-Inf	7.25	3	Vertical	80	1.87	-	101.88	31.51	9.88	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	46.20	54.00	-7.80	7.60	3	Horizontal	360	1.50	-	38.60	31.90	9.83	34.13
AV	5.2336G	90.59	Inf	-Inf	7.24	3	Horizontal	360	1.50	-	83.35	31.50	9.88	34.14
PK	5.1468G	57.62	74.00	-16.38	7.60	3	Horizontal	360	1.50	-	50.02	31.90	9.83	34.13
PK	5.2372G	102.98	Inf	-Inf	7.23	3	Horizontal	360	1.50	-	95.75	31.48	9.89	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67698G	44.16	54.00	-9.84	18.02	3	Vertical	283	1.50	-	26.14	37.68	14.85	34.51
PK	10.44854G	53.20	68.20	-15.00	17.47	3	Vertical	48	1.50	-	35.73	39.60	12.40	34.53
PK	15.6876G	57.85	74.00	-16.15	18.02	3	Vertical	283	1.50	-	39.83	37.69	14.85	34.52

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67686G	44.12	54.00	-9.88	18.02	3	Horizontal	80	1.50	-	26.10	37.68	14.85	34.51
PK	10.4675G	54.85	68.20	-13.35	17.54	3	Horizontal	263	1.31	-	37.31	39.64	12.41	34.51
PK	15.6753G	58.20	74.00	-15.80	18.02	3	Horizontal	80	1.50	-	40.18	37.68	14.85	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2684G	101.18	Inf	-Inf	7.12	3	Vertical	87	1.90	-	94.06	31.36	9.91	34.15
AV	5.35G	51.07	54.00	-2.93	7.11	3	Vertical	87	1.90	-	43.96	31.30	9.97	34.16
PK	5.2772G	112.22	Inf	-Inf	7.11	3	Vertical	87	1.90	-	105.11	31.35	9.91	34.15
PK	5.3548G	64.76	74.00	-9.24	7.15	3	Vertical	87	1.90	-	57.61	31.34	9.97	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.266G	94.99	Inf	-Inf	7.13	3	Horizontal	360	1.50	-	87.86	31.37	9.91	34.15
AV	5.3512G	47.81	54.00	-6.19	7.12	3	Horizontal	360	1.50	-	40.69	31.31	9.97	34.16
PK	5.2608G	105.93	Inf	-Inf	7.13	3	Horizontal	360	1.50	-	98.80	31.38	9.90	34.15
PK	5.3596G	60.20	74.00	-13.80	7.19	3	Horizontal	360	1.50	-	53.01	31.38	9.97	34.16


802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX




802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX



802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	95.99	Inf	-Inf	6.35	3	Vertical	78	1.74	-	89.64	31.30	9.21	34.16
AV	5.35G	50.29	54.00	-3.71	6.39	3	Vertical	78	1.74	-	43.90	31.30	9.25	34.16
PK	5.2996G	106.94	Inf	-Inf	6.34	3	Vertical	78	1.74	-	100.60	31.30	9.19	34.15
PK	5.3508G	64.41	74.00	-9.59	6.40	3	Vertical	78	1.74	-	58.01	31.31	9.25	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	89.88	Inf	-Inf	6.35	3	Horizontal	11	1.50	-	83.53	31.30	9.21	34.16
AV	5.35G	46.40	54.00	-7.60	6.39	3	Horizontal	11	1.50	-	40.01	31.30	9.25	34.16
PK	5.318G	100.69	Inf	-Inf	6.35	3	Horizontal	11	1.50	-	94.34	31.30	9.21	34.16
PK	5.3536G	59.75	74.00	-14.25	6.42	3	Horizontal	11	1.50	-	53.33	31.33	9.25	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62944G	42.27	54.00	-11.73	18.11	3	Vertical	127	1.46	-	24.16	39.70	12.78	34.37
AV	15.94192G	46.73	54.00	-7.27	18.30	3	Vertical	117	2.13	-	28.43	36.98	15.98	34.66
PK	10.61232G	55.72	74.00	-18.28	18.08	3	Vertical	127	1.46	-	37.64	39.70	12.77	34.39
PK	15.93368G	60.09	74.00	-13.91	18.29	3	Vertical	117	2.13	-	41.80	36.97	15.97	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63144G	42.25	54.00	-11.75	18.11	3	Horizontal	283	1.29	-	24.14	39.70	12.78	34.37
AV	15.94904G	46.71	54.00	-7.29	18.32	3	Horizontal	289	2.05	-	28.39	37.00	15.98	34.66
PK	10.62368G	55.14	74.00	-18.86	18.09	3	Horizontal	283	1.29	-	37.05	39.70	12.77	34.38
PK	15.932G	60.23	74.00	-13.77	18.28	3	Horizontal	289	2.05	-	41.95	36.96	15.97	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.11	54.00	-5.89	6.89	3	Vertical	82	1.78	-	41.22	31.72	9.35	34.18
AV	5.5072G	97.91	Inf	-Inf	7.00	3	Vertical	82	1.78	-	90.91	31.80	9.39	34.19
PK	5.4688G	64.32	68.20	-3.88	6.92	3	Vertical	82	1.78	-	57.40	31.74	9.36	34.18
PK	5.5072G	108.94	Inf	-Inf	7.00	3	Vertical	82	1.78	-	101.94	31.80	9.39	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.35	54.00	-7.65	6.89	3	Horizontal	14	1.80	-	39.46	31.72	9.35	34.18
AV	5.5192G	94.22	Inf	-Inf	7.01	3	Horizontal	14	1.80	-	87.21	31.80	9.40	34.19
PK	5.4624G	62.02	68.20	-6.18	6.89	3	Horizontal	14	1.80	-	55.13	31.72	9.35	34.18
PK	5.516G	105.35	Inf	-Inf	7.00	3	Horizontal	14	1.80	-	98.35	31.80	9.39	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00888G	43.04	54.00	-10.96	19.14	3	Vertical	243	1.00	-	23.90	40.26	12.92	34.04
PK	11.02632G	56.12	74.00	-17.88	19.08	3	Vertical	243	1.00	-	37.04	40.19	12.93	34.04
PK	16.51768G	62.48	68.20	-5.72	20.31	3	Vertical	339	2.21	-	42.17	38.53	16.10	34.32

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0116G	43.06	54.00	-10.94	19.13	3	Horizontal	325	1.13	-	23.93	40.25	12.92	34.04
PK	11.0272G	55.95	74.00	-18.05	19.08	3	Horizontal	325	1.13	-	36.87	40.19	12.93	34.04
PK	16.528G	62.10	68.20	-6.10	20.29	3	Horizontal	59	1.43	-	41.81	38.49	16.10	34.30

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.06	54.00	-4.94	7.56	3	Vertical	87	1.78	-	41.50	31.72	10.02	34.18
AV	5.5464G	102.76	Inf	-Inf	7.66	3	Vertical	87	1.78	-	95.10	31.80	10.05	34.19
PK	5.47G	65.13	68.20	-3.07	7.58	3	Vertical	87	1.78	-	57.55	31.74	10.02	34.18
PK	5.5428G	114.22	Inf	-Inf	7.66	3	Vertical	87	1.78	-	106.56	31.80	10.05	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.11	54.00	-6.89	7.56	3	Horizontal	20	1.82	-	39.55	31.72	10.02	34.18
AV	5.5536G	98.44	Inf	-Inf	7.65	3	Horizontal	20	1.82	-	90.79	31.79	10.05	34.19
PK	5.4624G	62.81	68.20	-5.39	7.56	3	Horizontal	20	1.82	-	55.25	31.72	10.02	34.18
PK	5.5468G	110.23	Inf	-Inf	7.66	3	Horizontal	20	1.82	-	102.57	31.80	10.05	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10936G	40.81	54.00	-13.19	18.50	3	Vertical	102	1.50	-	22.31	39.86	12.68	34.04
PK	11.09646G	54.04	74.00	-19.96	18.54	3	Vertical	102	1.50	-	35.50	39.91	12.67	34.04
PK	16.64268G	59.61	68.20	-8.59	19.89	3	Vertical	3	1.50	-	39.72	38.63	15.33	34.07

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10762G	41.02	54.00	-12.98	18.51	3	Horizontal	280	1.82	-	22.51	39.87	12.68	34.04
PK	11.10906G	55.17	74.00	-18.83	18.50	3	Horizontal	280	1.82	-	36.67	39.86	12.68	34.04
PK	16.63602G	59.78	68.20	-8.42	19.80	3	Horizontal	246	1.28	-	39.98	38.56	15.32	34.08

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	98.73	Inf	-Inf	6.99	3	Vertical	87	1.49	-	91.74	31.71	9.48	34.20
PK	5.6664G	109.77	Inf	-Inf	6.98	3	Vertical	87	1.49	-	102.79	31.70	9.48	34.20
PK	5.7264G	66.35	68.20	-1.85	7.25	3	Vertical	87	1.49	-	59.10	31.95	9.50	34.20

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	97.26	Inf	-Inf	6.99	3	Horizontal	32	1.72	-	90.27	31.71	9.48	34.20
PK	5.6754G	108.06	Inf	-Inf	7.03	3	Horizontal	32	1.72	-	101.03	31.75	9.48	34.20
PK	5.7252G	65.33	68.20	-2.87	7.25	3	Horizontal	32	1.72	-	58.08	31.95	9.50	34.20


802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX




802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX



802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	45.96	54.00	-8.04	7.56	3	Vertical	86	1.87	-	38.40	31.72	10.02	34.18
AV	5.7112G	101.79	Inf	-Inf	7.85	3	Vertical	86	1.87	-	93.94	31.92	10.13	34.20
PK	5.4688G	57.18	68.20	-11.02	7.58	3	Vertical	86	1.87	-	49.60	31.74	10.02	34.18
PK	5.7136G	113.68	Inf	-Inf	7.86	3	Vertical	86	1.87	-	105.82	31.93	10.13	34.20
PK	5.9332G	59.79	68.20	-8.41	8.56	3	Vertical	86	1.87	-	51.23	32.50	10.28	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4292G	45.65	54.00	-8.35	7.53	3	Horizontal	38	1.78	-	38.12	31.70	10.01	34.18
AV	5.7148G	98.79	Inf	-Inf	7.86	3	Horizontal	38	1.78	-	90.93	31.93	10.13	34.20
PK	5.4628G	57.86	68.20	-10.34	7.57	3	Horizontal	38	1.78	-	50.29	31.73	10.02	34.18
PK	5.7064G	109.31	Inf	-Inf	7.84	3	Horizontal	38	1.78	-	101.47	31.91	10.13	34.20
PK	5.8864G	59.13	68.20	-9.07	8.48	3	Horizontal	38	1.78	-	50.65	32.45	10.24	34.21


802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX




802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX



802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	99.73	Inf	-Inf	7.32	3	Vertical	77	1.83	-	92.41	32.02	9.51	34.21
PK	5.6326G	58.15	68.20	-10.05	6.90	3	Vertical	77	1.83	-	51.25	31.63	9.47	34.20
PK	5.7634G	110.06	Inf	-Inf	7.33	3	Vertical	77	1.83	-	102.73	32.03	9.51	34.21
PK	5.9866G	58.83	68.20	-9.37	7.95	3	Vertical	77	1.83	-	50.88	32.50	9.67	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	97.90	Inf	-Inf	7.31	3	Horizontal	33	1.93	-	90.59	32.01	9.51	34.21
PK	5.5966G	57.86	68.20	-10.34	6.97	3	Horizontal	33	1.93	-	50.89	31.71	9.46	34.20
PK	5.761G	107.97	Inf	-Inf	7.32	3	Horizontal	33	1.93	-	100.65	32.02	9.51	34.21
PK	6.0502G	58.05	68.20	-10.15	8.00	3	Horizontal	33	1.93	-	50.05	32.50	9.72	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4984G	43.17	54.00	-10.83	19.15	3	Vertical	257	2.03	-	24.02	40.10	13.11	34.06
PK	11.5256G	56.79	74.00	-17.21	19.07	3	Vertical	257	2.03	-	37.72	40.02	13.12	34.07
PK	17.27692G	63.14	68.20	-5.06	22.54	3	Vertical	117	2.26	-	40.60	39.58	16.22	33.26

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50624G	43.21	54.00	-10.79	19.14	3	Horizontal	38	1.85	-	24.07	40.08	13.12	34.06
PK	11.50816G	56.45	74.00	-17.55	19.14	3	Horizontal	38	1.85	-	37.31	40.08	13.12	34.06
PK	17.25636G	63.27	68.20	-4.93	22.52	3	Horizontal	254	1.03	-	40.75	39.56	16.22	33.26

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	99.47	Inf	-Inf	7.41	3	Vertical	76	1.76	-	92.06	32.10	9.52	34.21
PK	5.5622G	58.34	68.20	-9.86	7.02	3	Vertical	76	1.76	-	51.32	31.78	9.43	34.19
PK	5.801G	110.53	Inf	-Inf	7.41	3	Vertical	76	1.76	-	103.12	32.10	9.52	34.21
PK	6.0494G	58.77	68.20	-9.43	8.00	3	Vertical	76	1.76	-	50.77	32.50	9.72	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	97.88	Inf	-Inf	7.41	3	Horizontal	33	1.86	-	90.47	32.10	9.52	34.21
PK	5.5862G	57.27	68.20	-10.93	6.98	3	Horizontal	33	1.86	-	50.29	31.73	9.45	34.20
PK	5.8082G	108.82	Inf	-Inf	7.45	3	Horizontal	33	1.86	-	101.37	32.13	9.53	34.21
PK	6.0122G	58.60	68.20	-9.60	7.97	3	Horizontal	33	1.86	-	50.63	32.50	9.69	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5748G	42.77	54.00	-11.23	18.92	3	Vertical	155	1.67	-	23.85	39.88	13.14	34.10
PK	11.58328G	55.63	74.00	-18.37	18.90	3	Vertical	155	1.67	-	36.73	39.85	13.15	34.10
PK	17.38972G	63.96	68.20	-4.24	23.51	3	Vertical	310	1.13	-	40.45	40.50	16.24	33.23

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57728G	42.80	54.00	-11.20	18.92	3	Horizontal	235	1.32	-	23.88	39.87	13.15	34.10
PK	11.58232G	55.85	74.00	-18.15	18.90	3	Horizontal	235	1.32	-	36.95	39.85	13.15	34.10
PK	17.39372G	63.88	68.20	-4.32	23.55	3	Horizontal	352	1.97	-	40.33	40.54	16.24	33.23

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.31	54.00	-6.69	7.60	3	Vertical	93	1.75	-	39.71	31.90	9.83	34.13
AV	5.198G	91.26	Inf	-Inf	7.43	3	Vertical	93	1.75	-	83.83	31.71	9.86	34.14
PK	5.1352G	59.55	74.00	-14.45	7.60	3	Vertical	93	1.75	-	51.95	31.90	9.82	34.12
PK	5.198G	102.37	Inf	-Inf	7.43	3	Vertical	93	1.75	-	94.94	31.71	9.86	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.69	54.00	-6.31	7.60	3	Horizontal	27	2.26	-	40.09	31.90	9.83	34.13
AV	5.1792G	92.93	Inf	-Inf	7.50	3	Horizontal	27	2.26	-	85.43	31.78	9.85	34.13
PK	5.15G	60.68	74.00	-13.32	7.60	3	Horizontal	27	2.26	-	53.08	31.90	9.83	34.13
PK	5.1816G	104.15	Inf	-Inf	7.49	3	Horizontal	27	2.26	-	96.66	31.77	9.85	34.13

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	46.71	54.00	-7.29	19.15	3	Vertical	87	1.08	-	27.56	37.90	15.69	34.44
PK	10.38192G	55.08	68.20	-13.12	17.53	3	Vertical	329	2.47	-	37.55	39.43	12.68	34.58
PK	15.56824G	59.59	74.00	-14.41	19.04	3	Vertical	87	1.08	-	40.55	37.79	15.70	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55248G	46.76	54.00	-7.24	19.14	3	Horizontal	93	1.83	-	27.62	37.89	15.69	34.44
PK	10.3868G	55.12	68.20	-13.08	17.56	3	Horizontal	137	2.80	-	37.56	39.45	12.68	34.57
PK	15.55968G	59.84	74.00	-14.16	19.09	3	Horizontal	93	1.83	-	40.75	37.84	15.69	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	46.23	54.00	-7.77	7.60	3	Vertical	85	1.65	-	38.63	31.90	9.83	34.13
AV	5.228G	89.88	Inf	-Inf	7.27	3	Vertical	85	1.65	-	82.61	31.53	9.88	34.14
PK	5.1488G	58.67	74.00	-15.33	7.60	3	Vertical	85	1.65	-	51.07	31.90	9.83	34.13
PK	5.2192G	100.77	Inf	-Inf	7.31	3	Vertical	85	1.65	-	93.46	31.58	9.87	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.37	54.00	-7.63	7.60	3	Horizontal	26	1.70	-	38.77	31.90	9.83	34.13
AV	5.228G	91.40	Inf	-Inf	7.27	3	Horizontal	26	1.70	-	84.13	31.53	9.88	34.14
PK	5.1404G	58.88	74.00	-15.12	7.60	3	Horizontal	26	1.70	-	51.28	31.90	9.83	34.13
PK	5.2244G	102.74	Inf	-Inf	7.29	3	Horizontal	26	1.70	-	95.45	31.55	9.88	34.14

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67672G	46.41	54.00	-7.59	18.95	3	Vertical	89	1.82	-	27.46	37.68	15.78	34.51
PK	10.44008G	55.11	68.20	-13.09	17.75	3	Vertical	228	2.28	-	37.36	39.58	12.70	34.53
PK	15.70976G	59.72	74.00	-14.28	18.93	3	Vertical	89	1.82	-	40.79	37.65	15.81	34.53

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69072G	46.48	54.00	-7.52	18.96	3	Horizontal	358	1.68	-	27.52	37.69	15.79	34.52
PK	10.46288G	55.15	68.20	-13.05	17.82	3	Horizontal	212	2.68	-	37.33	39.63	12.71	34.52
PK	15.6764G	59.93	74.00	-14.07	18.95	3	Horizontal	358	1.68	-	40.98	37.68	15.78	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	94.05	Inf	-Inf	7.12	3	Vertical	92	1.82	-	86.93	31.36	9.91	34.15
AV	5.3508G	46.67	54.00	-7.33	7.12	3	Vertical	92	1.82	-	39.55	31.31	9.97	34.16
PK	5.266G	106.74	Inf	-Inf	7.13	3	Vertical	92	1.82	-	99.61	31.37	9.91	34.15
PK	5.3516G	58.55	74.00	-15.45	7.12	3	Vertical	92	1.82	-	51.43	31.31	9.97	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2612G	94.75	Inf	-Inf	7.13	3	Horizontal	24	2.88	-	87.62	31.38	9.90	34.15
AV	5.35G	46.71	54.00	-7.29	7.11	3	Horizontal	24	2.88	-	39.60	31.30	9.97	34.16
PK	5.2612G	106.18	Inf	-Inf	7.13	3	Horizontal	24	2.88	-	99.05	31.38	9.90	34.15
PK	5.3516G	58.78	74.00	-15.22	7.12	3	Horizontal	24	2.88	-	51.66	31.31	9.97	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79464G	45.77	54.00	-8.23	18.53	3	Vertical	332	2.97	-	27.24	37.23	15.87	34.57
PK	10.5468G	55.53	68.20	-12.67	17.99	3	Vertical	30	1.90	-	37.54	39.70	12.74	34.45
PK	15.80064G	59.00	74.00	-15.00	18.49	3	Vertical	332	2.97	-	40.51	37.20	15.87	34.58

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.816G	45.74	54.00	-8.26	18.44	3	Horizontal	145	2.88	-	27.30	37.15	15.88	34.59
PK	10.52232G	55.27	68.20	-12.93	17.96	3	Horizontal	328	1.56	-	37.31	39.70	12.73	34.47
PK	15.8052G	58.80	74.00	-15.20	18.48	3	Horizontal	145	2.88	-	40.32	37.18	15.88	34.58

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3032G	90.92	Inf	-Inf	7.08	3	Vertical	61	1.71	-	83.84	31.30	9.93	34.15
AV	5.35G	48.64	54.00	-5.36	7.11	3	Vertical	61	1.71	-	41.53	31.30	9.97	34.16
PK	5.2968G	102.55	Inf	-Inf	7.09	3	Vertical	61	1.71	-	95.46	31.31	9.93	34.15
PK	5.3504G	60.89	74.00	-13.11	7.11	3	Vertical	61	1.71	-	53.78	31.30	9.97	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3008G	92.01	Inf	-Inf	7.08	3	Horizontal	19	2.71	-	84.93	31.30	9.93	34.15
AV	5.35G	48.94	54.00	-5.06	7.11	3	Horizontal	19	2.71	-	41.83	31.30	9.97	34.16
PK	5.2992G	102.83	Inf	-Inf	7.08	3	Horizontal	19	2.71	-	95.75	31.30	9.93	34.15
PK	5.35G	62.34	74.00	-11.66	7.11	3	Horizontal	19	2.71	-	55.23	31.30	9.97	34.16

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6326G	41.00	54.00	-13.00	17.81	3	Vertical	250	1.50	-	23.19	39.70	12.48	34.37
AV	15.93906G	43.93	54.00	-10.07	17.25	3	Vertical	0	1.50	-	26.68	36.98	14.93	34.66
PK	10.61934G	54.81	74.00	-19.19	17.79	3	Vertical	250	1.50	-	37.02	39.70	12.47	34.38
PK	15.93402G	57.33	74.00	-16.67	17.25	3	Vertical	0	1.50	-	40.08	36.97	14.93	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62906G	40.98	54.00	-13.02	17.80	3	Horizontal	167	1.00	-	23.18	39.70	12.47	34.37
AV	15.9414G	43.88	54.00	-10.12	17.25	3	Horizontal	0	1.01	-	26.63	36.98	14.93	34.66
PK	10.63242G	54.76	74.00	-19.24	17.81	3	Horizontal	167	1.00	-	36.95	39.70	12.48	34.37
PK	15.9354G	57.34	74.00	-16.66	17.25	3	Horizontal	0	1.01	-	40.09	36.97	14.93	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.88	54.00	-8.12	7.56	3	Vertical	187	1.17	-	38.32	31.72	10.02	34.18
AV	5.5056G	92.77	Inf	-Inf	7.65	3	Vertical	187	1.17	-	85.12	31.80	10.04	34.19
PK	5.4696G	61.54	68.20	-6.66	7.58	3	Vertical	187	1.17	-	53.96	31.74	10.02	34.18
PK	5.5052G	103.96	Inf	-Inf	7.65	3	Vertical	187	1.17	-	96.31	31.80	10.04	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.41	54.00	-7.59	7.56	3	Horizontal	14	2.52	-	38.85	31.72	10.02	34.18
AV	5.512G	93.50	Inf	-Inf	7.65	3	Horizontal	14	2.52	-	85.85	31.80	10.04	34.19
PK	5.4696G	60.93	68.20	-7.27	7.58	3	Horizontal	14	2.52	-	53.35	31.74	10.02	34.18
PK	5.5128G	105.19	Inf	-Inf	7.65	3	Horizontal	14	2.52	-	97.54	31.80	10.04	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00608G	43.01	54.00	-10.99	19.16	3	Vertical	126	2.04	-	23.85	40.28	12.92	34.04
PK	11.01672G	57.33	74.00	-16.67	19.12	3	Vertical	126	2.04	-	38.21	40.23	12.93	34.04
PK	16.5232G	62.67	68.20	-5.53	20.30	3	Vertical	202	1.53	-	42.37	38.51	16.10	34.31

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01408G	43.03	54.00	-10.97	19.13	3	Horizontal	75	1.05	-	23.90	40.24	12.93	34.04
PK	11.00744G	56.44	74.00	-17.56	19.15	3	Horizontal	75	1.05	-	37.29	40.27	12.92	34.04
PK	16.5172G	62.42	68.20	-5.78	20.31	3	Horizontal	226	1.07	-	42.11	38.53	16.10	34.32

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.21	54.00	-7.79	7.56	3	Vertical	178	1.66	-	38.65	31.72	10.02	34.18
AV	5.552G	95.35	Inf	-Inf	7.65	3	Vertical	178	1.66	-	87.70	31.79	10.05	34.19
PK	5.4672G	60.20	68.20	-8.00	7.57	3	Vertical	178	1.66	-	52.63	31.73	10.02	34.18
PK	5.5516G	106.86	Inf	-Inf	7.66	3	Vertical	178	1.66	-	99.20	31.80	10.05	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.46	54.00	-7.54	7.56	3	Horizontal	16	2.97	-	38.90	31.72	10.02	34.18
AV	5.554G	96.43	Inf	-Inf	7.65	3	Horizontal	16	2.97	-	88.78	31.79	10.05	34.19
PK	5.47G	58.92	68.20	-9.28	7.58	3	Horizontal	16	2.97	-	51.34	31.74	10.02	34.18
PK	5.554G	108.03	Inf	-Inf	7.65	3	Horizontal	16	2.97	-	100.38	31.79	10.05	34.19

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08232G	42.63	54.00	-11.37	18.88	3	Vertical	126	1.38	-	23.75	39.97	12.95	34.04
PK	11.1172G	55.88	74.00	-18.12	18.76	3	Vertical	126	1.38	-	37.12	39.83	12.97	34.04
PK	16.65616G	61.52	68.20	-6.68	20.84	3	Vertical	208	2.28	-	40.68	38.76	16.12	34.04

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08G	42.54	54.00	-11.46	18.89	3	Horizontal	308	2.82	-	23.65	39.98	12.95	34.04
PK	11.09784G	55.07	74.00	-18.93	18.83	3	Horizontal	308	2.82	-	36.24	39.91	12.96	34.04
PK	16.65088G	61.19	68.20	-7.01	20.78	3	Horizontal	149	1.93	-	40.41	38.71	16.12	34.05

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	97.05	Inf	-Inf	7.66	3	Vertical	177	1.50	-	89.39	31.75	10.11	34.20
PK	5.682G	107.62	Inf	-Inf	7.71	3	Vertical	177	1.50	-	99.91	31.79	10.12	34.20
PK	5.736G	64.96	68.20	-3.24	7.91	3	Vertical	177	1.50	-	57.05	31.97	10.14	34.20

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	98.04	Inf	-Inf	7.64	3	Horizontal	18	2.89	-	90.40	31.73	10.11	34.20
PK	5.6724G	109.12	Inf	-Inf	7.64	3	Horizontal	18	2.89	-	101.48	31.73	10.11	34.20
PK	5.73G	64.91	68.20	-3.29	7.90	3	Horizontal	18	2.89	-	57.01	31.96	10.14	34.20

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35392G	42.81	54.00	-11.19	18.77	3	Vertical	150	1.05	-	24.04	39.76	13.06	34.05
PK	11.33128G	56.64	74.00	-17.36	18.69	3	Vertical	150	1.05	-	37.95	39.69	13.05	34.05
PK	17.0116G	64.92	68.20	-3.28	22.46	3	Vertical	248	1.69	-	42.46	39.61	16.18	33.33

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3512G	42.82	54.00	-11.18	18.76	3	Horizontal	243	1.13	-	24.06	39.75	13.06	34.05
PK	11.35144G	56.12	74.00	-17.88	18.76	3	Horizontal	243	1.13	-	37.36	39.75	13.06	34.05
PK	17.02768G	64.03	68.20	-4.17	22.49	3	Horizontal	145	2.49	-	41.54	39.63	16.18	33.32

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4316G	45.71	54.00	-8.29	7.53	3	Vertical	178	1.62	-	38.18	31.70	10.01	34.18
AV	5.7112G	97.09	Inf	-Inf	7.85	3	Vertical	178	1.62	-	89.24	31.92	10.13	34.20
PK	5.4652G	58.02	68.20	-10.18	7.57	3	Vertical	178	1.62	-	50.45	31.73	10.02	34.18
PK	5.7064G	108.17	Inf	-Inf	7.84	3	Vertical	178	1.62	-	100.33	31.91	10.13	34.20
PK	5.9848G	58.38	68.20	-9.82	8.60	3	Vertical	178	1.62	-	49.78	32.50	10.32	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4352G	45.77	54.00	-8.23	7.53	3	Horizontal	21	2.96	-	38.24	31.70	10.01	34.18
AV	5.7148G	97.13	Inf	-Inf	7.86	3	Horizontal	21	2.96	-	89.27	31.93	10.13	34.20
PK	5.4688G	57.39	68.20	-10.81	7.58	3	Horizontal	21	2.96	-	49.81	31.74	10.02	34.18
PK	5.7184G	108.53	Inf	-Inf	7.88	3	Horizontal	21	2.96	-	100.65	31.94	10.14	34.20
PK	5.866G	59.29	68.20	-8.91	8.38	3	Horizontal	21	2.96	-	50.91	32.36	10.23	34.21


802.11n HT40_Nss1,(MCS0)_1TX(Port2)

5710MHz Straddle 5.47-5.725GHz_TX




802.11n HT40_Nss1,(MCS0)_1TX(Port2)

5710MHz Straddle 5.47-5.725GHz_TX



802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	97.24	Inf	-Inf	7.96	3	Vertical	178	1.50	-	89.28	32.01	10.16	34.21
PK	5.6446G	62.03	68.20	-6.17	7.50	3	Vertical	178	1.50	-	54.53	31.61	10.09	34.20
PK	5.7622G	108.34	Inf	-Inf	7.97	3	Vertical	178	1.50	-	100.37	32.02	10.16	34.21
PK	5.9434G	59.49	68.20	-8.71	8.57	3	Vertical	178	1.50	-	50.92	32.50	10.29	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	96.96	Inf	-Inf	7.96	3	Horizontal	11	2.82	-	89.00	32.01	10.16	34.21
PK	5.6194G	63.50	68.20	-4.70	7.54	3	Horizontal	11	2.82	-	55.96	31.66	10.08	34.20
PK	5.7586G	107.67	Inf	-Inf	7.97	3	Horizontal	11	2.82	-	99.70	32.02	10.16	34.21
PK	5.9266G	59.80	68.20	-8.40	8.55	3	Horizontal	11	2.82	-	51.25	32.50	10.27	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5061G	41.06	54.00	-12.94	18.86	3	Vertical	360	1.50	-	22.20	40.08	12.84	34.06
PK	11.5172G	55.64	74.00	-18.36	18.83	3	Vertical	360	1.50	-	36.81	40.05	12.85	34.07
PK	17.25864G	61.57	68.20	-6.63	21.99	3	Vertical	357	1.48	-	39.58	39.56	15.69	33.26

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50136G	41.73	54.00	-12.27	18.88	3	Horizontal	89	1.89	-	22.85	40.10	12.84	34.06
PK	11.51126G	55.34	74.00	-18.66	18.84	3	Horizontal	89	1.89	-	36.50	40.07	12.84	34.07
PK	17.27004G	61.60	68.20	-6.60	22.00	3	Horizontal	15	1.02	-	39.60	39.57	15.69	33.26

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	97.02	Inf	-Inf	8.07	3	Vertical	170	1.50	-	88.95	32.10	10.18	34.21
PK	5.615G	58.99	68.20	-9.21	7.55	3	Vertical	170	1.50	-	51.44	31.67	10.08	34.20
PK	5.8022G	107.48	Inf	-Inf	8.08	3	Vertical	170	1.50	-	99.40	32.11	10.18	34.21
PK	6.0062G	60.52	68.20	-7.68	8.62	3	Vertical	170	1.50	-	51.90	32.50	10.34	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	96.00	Inf	-Inf	8.06	3	Horizontal	13	1.80	-	87.94	32.09	10.18	34.21
PK	5.5646G	58.63	68.20	-9.57	7.64	3	Horizontal	13	1.80	-	50.99	31.77	10.06	34.19
PK	5.7842G	106.52	Inf	-Inf	8.03	3	Horizontal	13	1.80	-	98.49	32.07	10.17	34.21
PK	6.059G	59.60	68.20	-8.60	8.65	3	Horizontal	13	1.80	-	50.95	32.48	10.39	34.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55032G	43.22	54.00	-10.78	18.72	3	Vertical	31	1.50	-	24.50	39.95	12.86	34.09
PK	11.622G	56.40	74.00	-17.60	18.43	3	Vertical	31	1.50	-	37.97	39.67	12.89	34.13
PK	17.42484G	64.44	68.20	-3.76	23.23	3	Vertical	360	1.50	-	41.21	40.67	15.78	33.22

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55992G	43.23	54.00	-10.77	18.70	3	Horizontal	319	1.50	-	24.53	39.92	12.87	34.09
PK	11.56984G	57.39	74.00	-16.61	18.66	3	Horizontal	319	1.50	-	38.73	39.89	12.87	34.10
PK	17.41108G	64.48	68.20	-3.72	23.19	3	Horizontal	133	1.50	-	41.29	40.63	15.78	33.22

802.11n HT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	45.91	54.00	-8.09	6.84	3	Vertical	77	1.76	-	39.07	31.90	9.07	34.13
AV	5.1888G	96.06	Inf	-Inf	6.69	3	Vertical	77	1.76	-	89.37	31.74	9.08	34.13
PK	5.1464G	58.87	74.00	-15.13	6.84	3	Vertical	77	1.76	-	52.03	31.90	9.07	34.13
PK	5.1988G	108.12	Inf	-Inf	6.64	3	Vertical	77	1.76	-	101.48	31.70	9.08	34.14

802.11n HT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.25	54.00	-8.75	6.84	3	Horizontal	19	1.72	-	38.41	31.90	9.07	34.13
AV	5.1868G	90.96	Inf	-Inf	6.70	3	Horizontal	19	1.72	-	84.26	31.75	9.08	34.13
PK	5.1332G	58.04	74.00	-15.96	6.85	3	Horizontal	19	1.72	-	51.19	31.90	9.07	34.12
PK	5.1856G	103.07	Inf	-Inf	6.71	3	Horizontal	19	1.72	-	96.36	31.76	9.08	34.13


802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX



802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.70	54.00	-7.30	7.60	3	Vertical	58	1.71	-	39.10	31.90	9.83	34.13
AV	5.2316G	98.21	Inf	-Inf	7.25	3	Vertical	58	1.71	-	90.96	31.51	9.88	34.14
PK	5.1464G	58.54	74.00	-15.46	7.60	3	Vertical	58	1.71	-	50.94	31.90	9.83	34.13
PK	5.232G	107.88	Inf	-Inf	7.25	3	Vertical	58	1.71	-	100.63	31.51	9.88	34.14

802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	46.44	54.00	-7.56	7.60	3	Horizontal	10	1.71	-	38.84	31.90	9.83	34.13
AV	5.2316G	94.91	Inf	-Inf	7.25	3	Horizontal	10	1.71	-	87.66	31.51	9.88	34.14
PK	5.142G	58.97	74.00	-15.03	7.60	3	Horizontal	10	1.71	-	51.37	31.90	9.83	34.13
PK	5.2312G	104.85	Inf	-Inf	7.25	3	Horizontal	10	1.71	-	97.60	31.51	9.88	34.14

802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67686G	44.48	54.00	-9.52	18.02	3	Vertical	334	1.50	-	26.46	37.68	14.85	34.51
PK	10.46528G	54.04	68.20	-14.16	17.53	3	Vertical	50	2.90	-	36.51	39.63	12.41	34.51
PK	15.6936G	58.12	74.00	-15.88	18.02	3	Vertical	334	1.50	-	40.10	37.69	14.85	34.52

802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.675G	44.44	54.00	-9.56	18.02	3	Horizontal	118	1.50	-	26.42	37.68	14.85	34.51
PK	10.4564G	54.70	68.20	-13.50	17.49	3	Horizontal	351	1.50	-	37.21	39.61	12.40	34.52
PK	15.70476G	57.81	74.00	-16.19	18.02	3	Horizontal	118	1.50	-	39.79	37.68	14.86	34.52

802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2712G	101.72	Inf	-Inf	7.12	3	Vertical	58	1.87	-	94.60	31.36	9.91	34.15
AV	5.3508G	47.55	54.00	-6.45	7.12	3	Vertical	58	1.87	-	40.43	31.31	9.97	34.16
PK	5.2712G	111.49	Inf	-Inf	7.12	3	Vertical	58	1.87	-	104.37	31.36	9.91	34.15
PK	5.352G	60.17	74.00	-13.83	7.13	3	Vertical	58	1.87	-	53.04	31.32	9.97	34.16

802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2716G	98.83	Inf	-Inf	7.12	3	Horizontal	10	1.61	-	91.71	31.36	9.91	34.15
AV	5.3512G	46.63	54.00	-7.37	7.12	3	Horizontal	10	1.61	-	39.51	31.31	9.97	34.16
PK	5.2712G	108.34	Inf	-Inf	7.12	3	Horizontal	10	1.61	-	101.22	31.36	9.91	34.15
PK	5.3568G	59.54	74.00	-14.46	7.16	3	Horizontal	10	1.61	-	52.38	31.35	9.97	34.16

802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77192G	46.17	54.00	-7.83	18.63	3	Vertical	124	1.09	-	27.54	37.34	15.85	34.56
PK	10.52384G	55.41	68.20	-12.79	17.96	3	Vertical	244	1.13	-	37.45	39.70	12.73	34.47
PK	15.78408G	59.04	74.00	-14.96	18.57	3	Vertical	124	1.09	-	40.47	37.28	15.86	34.57

802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84648G	46.20	54.00	-7.80	18.37	3	Horizontal	13	1.85	-	27.83	37.06	15.91	34.60
PK	10.5096G	55.18	68.20	-13.02	17.95	3	Horizontal	352	1.29	-	37.23	39.70	12.73	34.48
PK	15.83768G	59.49	74.00	-14.51	18.39	3	Horizontal	13	1.85	-	41.10	37.09	15.90	34.60

802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	96.35	Inf	-Inf	6.34	3	Vertical	77	1.72	-	90.01	31.30	9.19	34.15
AV	5.35G	50.91	54.00	-3.09	6.39	3	Vertical	77	1.72	-	44.52	31.30	9.25	34.16
PK	5.2988G	107.86	Inf	-Inf	6.34	3	Vertical	77	1.72	-	101.52	31.30	9.19	34.15
PK	5.3504G	63.70	74.00	-10.30	6.39	3	Vertical	77	1.72	-	57.31	31.30	9.25	34.16

802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.32G	91.08	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	84.73	31.30	9.21	34.16
AV	5.35G	47.00	54.00	-7.00	6.39	3	Horizontal	20	1.50	-	40.61	31.30	9.25	34.16
PK	5.2972G	103.37	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	97.02	31.31	9.19	34.15
PK	5.35G	60.30	74.00	-13.70	6.39	3	Horizontal	20	1.50	-	53.91	31.30	9.25	34.16

802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.66G	42.79	54.00	-11.21	18.14	3	Vertical	106	2.80	-	24.65	39.70	12.79	34.35
AV	15.96984G	47.14	54.00	-6.86	18.37	3	Vertical	360	2.33	-	28.77	37.04	16.00	34.67
PK	10.63152G	56.48	74.00	-17.52	18.11	3	Vertical	106	2.80	-	38.37	39.70	12.78	34.37
PK	15.93512G	60.53	74.00	-13.47	18.29	3	Vertical	360	2.33	-	42.24	36.97	15.97	34.65

802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65984G	42.80	54.00	-11.20	18.14	3	Horizontal	333	1.76	-	24.66	39.70	12.79	34.35
AV	15.96472G	47.10	54.00	-6.90	18.35	3	Horizontal	265	2.62	-	28.75	37.03	15.99	34.67
PK	10.64752G	55.43	74.00	-18.57	18.12	3	Horizontal	333	1.76	-	37.31	39.70	12.78	34.36
PK	15.96216G	60.03	74.00	-13.97	18.34	3	Horizontal	265	2.62	-	41.69	37.02	15.99	34.67


802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX



802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.16	54.00	-6.84	7.56	3	Vertical	60	1.50	-	39.60	31.72	10.02	34.18
AV	5.5528G	103.18	Inf	-Inf	7.65	3	Vertical	60	1.50	-	95.53	31.79	10.05	34.19
PK	5.4684G	59.35	68.20	-8.85	7.58	3	Vertical	60	1.50	-	51.77	31.74	10.02	34.18
PK	5.5536G	112.95	Inf	-Inf	7.65	3	Vertical	60	1.50	-	105.30	31.79	10.05	34.19

802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.44	54.00	-7.56	7.56	3	Horizontal	9	2.57	-	38.88	31.72	10.02	34.18
AV	5.5476G	101.42	Inf	-Inf	7.66	3	Horizontal	9	2.57	-	93.76	31.80	10.05	34.19
PK	5.4664G	58.78	68.20	-9.42	7.57	3	Horizontal	9	2.57	-	51.21	31.73	10.02	34.18
PK	5.548G	110.90	Inf	-Inf	7.66	3	Horizontal	9	2.57	-	103.24	31.80	10.05	34.19


802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX



802.11n HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	98.74	Inf	-Inf	7.02	3	Vertical	82	1.62	-	91.72	31.74	9.48	34.20
PK	5.6598G	109.60	Inf	-Inf	6.94	3	Vertical	82	1.62	-	102.66	31.66	9.48	34.20
PK	5.727G	64.26	68.20	-3.94	7.25	3	Vertical	82	1.62	-	57.01	31.95	9.50	34.20

802.11n HT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	97.91	Inf	-Inf	7.03	3	Horizontal	12	2.71	-	90.88	31.75	9.48	34.20
PK	5.6586G	109.82	Inf	-Inf	6.93	3	Horizontal	12	2.71	-	102.89	31.65	9.48	34.20
PK	5.7258G	63.77	68.20	-4.43	7.25	3	Horizontal	12	2.71	-	56.52	31.95	9.50	34.20


802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX



802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.416G	45.95	54.00	-8.05	7.54	3	Vertical	75	1.91	-	38.41	31.70	10.01	34.17
AV	5.7112G	103.24	Inf	-Inf	7.85	3	Vertical	75	1.91	-	95.39	31.92	10.13	34.20
PK	5.4664G	57.62	68.20	-10.58	7.57	3	Vertical	75	1.91	-	50.05	31.73	10.02	34.18
PK	5.7112G	112.19	Inf	-Inf	7.85	3	Vertical	75	1.91	-	104.34	31.92	10.13	34.20
PK	5.9044G	59.63	68.20	-8.57	8.55	3	Vertical	75	1.91	-	51.08	32.50	10.26	34.21

802.11n HT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4292G	45.77	54.00	-8.23	7.53	3	Horizontal	20	2.65	-	38.24	31.70	10.01	34.18
AV	5.7076G	102.34	Inf	-Inf	7.85	3	Horizontal	20	2.65	-	94.49	31.92	10.13	34.20
PK	5.4652G	57.43	68.20	-10.77	7.57	3	Horizontal	20	2.65	-	49.86	31.73	10.02	34.18
PK	5.7088G	111.29	Inf	-Inf	7.85	3	Horizontal	20	2.65	-	103.44	31.92	10.13	34.20
PK	5.8924G	59.59	68.20	-8.61	8.51	3	Horizontal	20	2.65	-	51.08	32.47	10.25	34.21


802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	98.61	Inf	-Inf	7.32	3	Vertical	75	1.81	-	91.29	32.02	9.51	34.21
PK	5.5978G	58.23	68.20	-9.97	6.96	3	Vertical	75	1.81	-	51.27	31.70	9.46	34.20
PK	5.7586G	109.21	Inf	-Inf	7.32	3	Vertical	75	1.81	-	101.89	32.02	9.51	34.21
PK	5.938G	58.30	68.20	-9.90	7.91	3	Vertical	75	1.81	-	50.39	32.50	9.63	34.22

802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	96.96	Inf	-Inf	7.32	3	Horizontal	34	2.05	-	89.64	32.02	9.51	34.21
PK	5.5426G	57.45	68.20	-10.75	7.02	3	Horizontal	34	2.05	-	50.43	31.80	9.41	34.19
PK	5.7454G	108.13	Inf	-Inf	7.29	3	Horizontal	34	2.05	-	100.84	31.99	9.50	34.20
PK	5.935G	57.86	68.20	-10.34	7.91	3	Horizontal	34	2.05	-	49.95	32.50	9.63	34.22

802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51864G	43.59	54.00	-10.41	19.09	3	Vertical	96	1.76	-	24.50	40.04	13.12	34.07
PK	11.53464G	57.21	74.00	-16.79	19.05	3	Vertical	96	1.76	-	38.16	40.00	13.13	34.08
PK	17.23476G	63.72	68.20	-4.48	22.48	3	Vertical	148	2.22	-	41.24	39.53	16.22	33.27

802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52136G	43.62	54.00	-10.38	19.09	3	Horizontal	213	2.14	-	24.53	40.04	13.12	34.07
PK	11.50392G	56.79	74.00	-17.21	19.15	3	Horizontal	213	2.14	-	37.64	40.09	13.12	34.06
PK	17.23332G	63.66	68.20	-4.54	22.48	3	Horizontal	58	1.90	-	41.18	39.53	16.22	33.27

802.11n HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7998G	98.24	Inf	-Inf	7.41	3	Vertical	82	2.96	-	90.83	32.10	9.52	34.21
PK	5.6258G	58.21	68.20	-9.99	6.92	3	Vertical	82	2.96	-	51.29	31.65	9.47	34.20
PK	5.8034G	109.66	Inf	-Inf	7.42	3	Vertical	82	2.96	-	102.24	32.11	9.52	34.21
PK	5.9726G	58.46	68.20	-9.74	7.94	3	Vertical	82	2.96	-	50.52	32.50	9.66	34.22

802.11n HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7986G	96.60	Inf	-Inf	7.41	3	Horizontal	33	1.50	-	89.19	32.10	9.52	34.21
PK	5.603G	56.87	68.20	-11.33	6.95	3	Horizontal	33	1.50	-	49.92	31.69	9.46	34.20
PK	5.8094G	107.81	Inf	-Inf	7.46	3	Horizontal	33	1.50	-	100.35	32.14	9.53	34.21
PK	5.9822G	58.49	68.20	-9.71	7.95	3	Horizontal	33	1.50	-	50.54	32.50	9.67	34.22


802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX




802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX



802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.94	54.00	-3.06	6.84	3	Vertical	62	1.85	-	44.10	31.90	9.07	34.13
AV	5.207G	93.52	Inf	-Inf	6.61	3	Vertical	62	1.85	-	86.91	31.66	9.09	34.14
AV	5.4G	45.19	54.00	-8.81	6.83	3	Vertical	62	1.85	-	38.36	31.70	9.30	34.17
PK	5.138G	64.33	74.00	-9.67	6.85	3	Vertical	62	1.85	-	57.48	31.90	9.07	34.12
PK	5.204G	103.68	Inf	-Inf	6.62	3	Vertical	62	1.85	-	97.06	31.68	9.08	34.14
PK	5.4G	57.95	74.00	-16.05	6.83	3	Vertical	62	1.85	-	51.12	31.70	9.30	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.29	54.00	-6.71	6.84	3	Horizontal	18	1.50	-	40.45	31.90	9.07	34.13
AV	5.214G	86.82	Inf	-Inf	6.58	3	Horizontal	18	1.50	-	80.24	31.62	9.10	34.14
AV	5.381G	44.78	54.00	-9.22	6.66	3	Horizontal	18	1.50	-	38.12	31.55	9.28	34.17
PK	5.143G	60.35	74.00	-13.65	6.84	3	Horizontal	18	1.50	-	53.51	31.90	9.07	34.13
PK	5.189G	97.95	Inf	-Inf	6.69	3	Horizontal	18	1.50	-	91.26	31.74	9.08	34.13
PK	5.393G	57.47	74.00	-16.53	6.76	3	Horizontal	18	1.50	-	50.71	31.64	9.29	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61G	46.94	54.00	-7.06	18.87	3	Vertical	352	1.19	-	28.07	37.61	15.73	34.47
PK	10.40808G	56.25	68.20	-11.95	17.65	3	Vertical	36	1.50	-	38.60	39.52	12.69	34.56
PK	15.62544G	60.24	74.00	-13.76	18.89	3	Vertical	352	1.19	-	41.35	37.63	15.74	34.48

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.614G	47.01	54.00	-6.99	18.87	3	Horizontal	110	2.06	-	28.14	37.61	15.73	34.47
PK	10.4196G	56.11	68.20	-12.09	17.68	3	Horizontal	0	1.50	-	38.43	39.54	12.69	34.55
PK	15.62776G	61.36	74.00	-12.64	18.89	3	Horizontal	110	2.06	-	42.47	37.63	15.74	34.48

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	45.84	54.00	-8.16	6.84	3	Vertical	79	1.89	-	39.00	31.90	9.07	34.13
AV	5.287G	92.99	Inf	-Inf	6.36	3	Vertical	79	1.89	-	86.63	31.33	9.18	34.15
AV	5.35G	51.02	54.00	-2.98	6.39	3	Vertical	79	1.89	-	44.63	31.30	9.25	34.16
PK	5.141G	59.30	74.00	-14.70	6.84	3	Vertical	79	1.89	-	52.46	31.90	9.07	34.13
PK	5.269G	103.26	Inf	-Inf	6.37	3	Vertical	79	1.89	-	96.89	31.36	9.16	34.15
PK	5.365G	66.27	74.00	-7.73	6.51	3	Vertical	79	1.89	-	59.76	31.42	9.26	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	45.07	54.00	-8.93	6.84	3	Horizontal	357	1.50	-	38.23	31.90	9.07	34.13
AV	5.303G	86.56	Inf	-Inf	6.34	3	Horizontal	357	1.50	-	80.22	31.30	9.19	34.15
AV	5.352G	47.53	54.00	-6.47	6.41	3	Horizontal	357	1.50	-	41.12	31.32	9.25	34.16
PK	5.055G	57.09	74.00	-16.91	6.76	3	Horizontal	357	1.50	-	50.33	31.81	9.06	34.11
PK	5.307G	96.92	Inf	-Inf	6.34	3	Horizontal	357	1.50	-	90.58	31.30	9.20	34.16
PK	5.35G	62.83	74.00	-11.17	6.39	3	Horizontal	357	1.50	-	56.44	31.30	9.25	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87488G	46.66	54.00	-7.34	18.29	3	Vertical	176	2.05	-	28.37	36.98	15.93	34.62
PK	10.5728G	55.96	68.20	-12.24	18.03	3	Vertical	36	2.57	-	37.93	39.70	12.75	34.42
PK	15.86624G	59.97	74.00	-14.03	18.30	3	Vertical	176	2.05	-	41.67	37.00	15.92	34.62

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88288G	46.61	54.00	-7.39	18.26	3	Horizontal	216	1.03	-	28.35	36.95	15.93	34.62
PK	10.57136G	55.50	68.20	-12.70	18.02	3	Horizontal	22	1.04	-	37.48	39.70	12.75	34.43
PK	15.8852G	59.87	74.00	-14.13	18.25	3	Horizontal	216	1.03	-	41.62	36.94	15.94	34.63

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	50.08	54.00	-3.92	6.89	3	Vertical	78	1.89	-	43.19	31.72	9.35	34.18
AV	5.525G	95.15	Inf	-Inf	7.01	3	Vertical	78	1.89	-	88.14	31.80	9.40	34.19
PK	5.468G	64.78	68.20	-3.42	6.91	3	Vertical	78	1.89	-	57.87	31.74	9.35	34.18
PK	5.524G	105.10	Inf	-Inf	7.01	3	Vertical	78	1.89	-	98.09	31.80	9.40	34.19
PK	5.761G	58.38	68.20	-9.82	7.32	3	Vertical	78	1.89	-	51.06	32.02	9.51	34.21

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.37	54.00	-6.63	6.89	3	Horizontal	15	1.84	-	40.48	31.72	9.35	34.18
AV	5.527G	91.23	Inf	-Inf	7.01	3	Horizontal	15	1.84	-	84.22	31.80	9.40	34.19
PK	5.468G	62.34	68.20	-5.86	6.91	3	Horizontal	15	1.84	-	55.43	31.74	9.35	34.18
PK	5.523G	101.10	Inf	-Inf	7.01	3	Horizontal	15	1.84	-	94.09	31.80	9.40	34.19
PK	5.729G	57.39	68.20	-10.81	7.26	3	Horizontal	15	1.84	-	50.13	31.96	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04232G	43.46	54.00	-10.54	19.03	3	Vertical	360	1.50	-	24.43	40.13	12.94	34.04
PK	11.04256G	57.13	74.00	-16.87	19.03	3	Vertical	360	1.50	-	38.10	40.13	12.94	34.04
PK	16.57272G	62.51	68.20	-5.69	20.21	3	Vertical	42	1.47	-	42.30	38.31	16.11	34.21

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.044G	43.42	54.00	-10.58	19.02	3	Horizontal	88	2.69	-	24.40	40.12	12.94	34.04
PK	11.04336G	56.05	74.00	-17.95	19.03	3	Horizontal	88	2.69	-	37.02	40.13	12.94	34.04
PK	16.6012G	62.66	68.20	-5.54	20.18	3	Horizontal	137	2.16	-	42.48	38.21	16.12	34.15

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	50.12	54.00	-3.88	6.89	3	Vertical	79	1.74	-	43.23	31.72	9.35	34.18
AV	5.598G	97.72	Inf	-Inf	6.96	3	Vertical	79	1.74	-	90.76	31.70	9.46	34.20
PK	5.469G	63.69	68.20	-4.51	6.92	3	Vertical	79	1.74	-	56.77	31.74	9.36	34.18
PK	5.623G	108.26	Inf	-Inf	6.92	3	Vertical	79	1.74	-	101.34	31.65	9.47	34.20
PK	5.727G	65.65	68.20	-2.55	7.25	3	Vertical	79	1.74	-	58.40	31.95	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.69	54.00	-7.31	6.89	3	Horizontal	32	1.78	-	39.80	31.72	9.35	34.18
AV	5.616G	94.32	Inf	-Inf	6.93	3	Horizontal	32	1.78	-	87.39	31.67	9.46	34.20
PK	5.468G	60.98	68.20	-7.22	6.91	3	Horizontal	32	1.78	-	54.07	31.74	9.35	34.18
PK	5.615G	104.69	Inf	-Inf	6.93	3	Horizontal	32	1.78	-	97.76	31.67	9.46	34.20
PK	5.726G	65.05	68.20	-3.15	7.25	3	Horizontal	32	1.78	-	57.80	31.95	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2092G	42.99	54.00	-11.01	18.46	3	Vertical	188	2.27	-	24.53	39.51	13.00	34.05
PK	11.22928G	56.09	74.00	-17.91	18.49	3	Vertical	188	2.27	-	37.60	39.53	13.01	34.05
PK	16.81728G	63.18	68.20	-5.02	21.99	3	Vertical	171	1.82	-	41.19	39.55	16.15	33.71

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20664G	42.98	54.00	-11.02	18.46	3	Horizontal	158	2.13	-	24.52	39.51	13.00	34.05
PK	11.22696G	56.40	74.00	-17.60	18.49	3	Horizontal	158	2.13	-	37.91	39.53	13.01	34.05
PK	16.84016G	63.67	68.20	-4.53	21.97	3	Horizontal	140	2.83	-	41.70	39.48	16.15	33.66

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	47.01	54.00	-6.99	7.56	3	Vertical	77	1.90	-	39.45	31.72	10.02	34.18
AV	5.674G	98.79	Inf	-Inf	7.65	3	Vertical	77	1.90	-	91.14	31.74	10.11	34.20
PK	5.461G	59.40	68.20	-8.80	7.56	3	Vertical	77	1.90	-	51.84	31.72	10.02	34.18
PK	5.665G	110.28	Inf	-Inf	7.60	3	Vertical	77	1.90	-	102.68	31.69	10.11	34.20
PK	5.852G	61.51	68.20	-6.69	8.32	3	Vertical	77	1.90	-	53.19	32.31	10.22	34.21

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.22	54.00	-7.78	7.56	3	Horizontal	26	1.50	-	38.66	31.72	10.02	34.18
AV	5.674G	95.68	Inf	-Inf	7.65	3	Horizontal	26	1.50	-	88.03	31.74	10.11	34.20
PK	5.465G	58.17	68.20	-10.03	7.57	3	Horizontal	26	1.50	-	50.60	31.73	10.02	34.18
PK	5.669G	106.66	Inf	-Inf	7.62	3	Horizontal	26	1.50	-	99.04	31.71	10.11	34.20
PK	5.851G	60.45	68.20	-7.75	8.31	3	Horizontal	26	1.50	-	52.14	32.30	10.22	34.21


802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7774G	96.38	Inf	-Inf	7.35	3	Vertical	78	1.80	-	89.03	32.05	9.51	34.21
PK	5.649G	66.32	68.20	-1.88	6.87	3	Vertical	78	1.80	-	59.45	31.60	9.47	34.20
PK	5.7618G	107.49	Inf	-Inf	7.32	3	Vertical	78	1.80	-	100.17	32.02	9.51	34.21
PK	5.9262G	63.05	68.20	-5.15	7.90	3	Vertical	78	1.80	-	55.15	32.50	9.62	34.22

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.781G	94.75	Inf	-Inf	7.36	3	Horizontal	33	1.77	-	87.39	32.06	9.51	34.21
PK	5.6454G	62.88	68.20	-5.32	6.88	3	Horizontal	33	1.77	-	56.00	31.61	9.47	34.20
PK	5.7798G	104.66	Inf	-Inf	7.36	3	Horizontal	33	1.77	-	97.30	32.06	9.51	34.21
PK	5.925G	61.96	68.20	-6.24	7.90	3	Horizontal	33	1.77	-	54.06	32.50	9.62	34.22

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54176G	43.81	54.00	-10.19	19.02	3	Vertical	102	1.75	-	24.79	39.97	13.13	34.08
PK	11.55624G	57.38	74.00	-16.62	18.98	3	Vertical	102	1.75	-	38.40	39.93	13.14	34.09
PK	17.31852G	63.96	68.20	-4.24	22.77	3	Vertical	72	1.50	-	41.19	39.79	16.23	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53168G	43.78	54.00	-10.22	19.05	3	Horizontal	209	1.99	-	24.73	40.00	13.13	34.08
PK	11.54128G	56.23	74.00	-17.77	19.03	3	Horizontal	209	1.99	-	37.20	39.98	13.13	34.08
PK	17.30708G	63.87	68.20	-4.33	22.65	3	Horizontal	267	1.77	-	41.22	39.67	16.23	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	47.37	54.00	-6.63	7.60	3	Vertical	62	1.76	-	39.77	31.90	9.83	34.13
AV	5.212G	89.00	Inf	-Inf	7.36	3	Vertical	62	1.76	-	81.64	31.63	9.87	34.14
AV	5.393G	46.06	54.00	-7.94	7.47	3	Vertical	62	1.76	-	38.59	31.64	10.00	34.17
PK	5.15G	59.63	74.00	-14.37	7.60	3	Vertical	62	1.76	-	52.03	31.90	9.83	34.13
PK	5.215G	100.08	Inf	-Inf	7.34	3	Vertical	62	1.76	-	92.74	31.61	9.87	34.14
PK	5.434G	58.20	74.00	-15.80	7.53	3	Vertical	62	1.76	-	50.67	31.70	10.01	34.18

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	47.59	54.00	-6.41	7.60	3	Horizontal	12	1.75	-	39.99	31.90	9.83	34.13
AV	5.202G	89.52	Inf	-Inf	7.41	3	Horizontal	12	1.75	-	82.11	31.69	9.86	34.14
AV	5.396G	45.97	54.00	-8.03	7.50	3	Horizontal	12	1.75	-	38.47	31.67	10.00	34.17
PK	5.146G	59.90	74.00	-14.10	7.60	3	Horizontal	12	1.75	-	52.30	31.90	9.83	34.13
PK	5.202G	100.64	Inf	-Inf	7.41	3	Horizontal	12	1.75	-	93.23	31.69	9.86	34.14
PK	5.37G	58.48	74.00	-15.52	7.27	3	Horizontal	12	1.75	-	51.21	31.46	9.98	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61584G	44.67	54.00	-9.33	17.98	3	Vertical	237	1.29	-	26.69	37.62	14.83	34.47
PK	10.41388G	54.32	68.20	-13.88	17.36	3	Vertical	244	1.82	-	36.96	39.53	12.38	34.55
PK	15.62658G	58.00	74.00	-16.00	17.98	3	Vertical	237	1.29	-	40.02	37.63	14.83	34.48

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62124G	44.56	54.00	-9.44	17.97	3	Horizontal	133	1.49	-	26.59	37.62	14.83	34.48
PK	10.4068G	53.71	68.20	-14.49	17.33	3	Horizontal	305	2.56	-	36.38	39.51	12.38	34.56
PK	15.633G	57.81	74.00	-16.19	17.98	3	Horizontal	133	1.49	-	39.83	37.63	14.83	34.48

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	46.82	54.00	-7.18	7.60	3	Vertical	62	1.74	-	39.22	31.90	9.83	34.13
AV	5.287G	88.41	Inf	-Inf	7.10	3	Vertical	62	1.74	-	81.31	31.33	9.92	34.15
AV	5.35G	49.99	54.00	-4.01	7.11	3	Vertical	62	1.74	-	42.88	31.30	9.97	34.16
PK	5.132G	58.53	74.00	-15.47	7.60	3	Vertical	62	1.74	-	50.93	31.90	9.82	34.12
PK	5.285G	99.68	Inf	-Inf	7.10	3	Vertical	62	1.74	-	92.58	31.33	9.92	34.15
PK	5.466G	58.13	68.20	-10.07	7.57	3	Vertical	62	1.74	-	50.56	31.73	10.02	34.18

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	46.93	54.00	-7.07	7.60	3	Horizontal	12	3.00	-	39.33	31.90	9.83	34.13
AV	5.268G	89.26	Inf	-Inf	7.12	3	Horizontal	12	3.00	-	82.14	31.36	9.91	34.15
AV	5.35G	50.30	54.00	-3.70	7.11	3	Horizontal	12	3.00	-	43.19	31.30	9.97	34.16
PK	5.145G	58.81	74.00	-15.19	7.60	3	Horizontal	12	3.00	-	51.21	31.90	9.83	34.13
PK	5.268G	101.19	Inf	-Inf	7.12	3	Horizontal	12	3.00	-	94.07	31.36	9.91	34.15
PK	5.5G	58.56	68.20	-9.64	7.65	3	Horizontal	12	3.00	-	50.91	31.80	10.04	34.19

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87444G	43.96	54.00	-10.04	17.27	3	Vertical	178	2.53	-	26.69	36.98	14.91	34.62
PK	10.59272G	54.49	68.20	-13.71	17.75	3	Vertical	20	1.49	-	36.74	39.70	12.46	34.41
PK	15.87012G	57.83	74.00	-16.17	17.28	3	Vertical	178	2.53	-	40.55	36.99	14.91	34.62

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87216G	43.86	54.00	-10.14	17.27	3	Horizontal	353	2.31	-	26.59	36.98	14.91	34.62
PK	10.5743G	54.90	68.20	-13.30	17.73	3	Horizontal	105	2.77	-	37.17	39.70	12.45	34.42
PK	15.85818G	57.03	74.00	-16.97	17.33	3	Horizontal	353	2.31	-	39.70	37.03	14.91	34.61

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.69	54.00	-6.31	7.56	3	Vertical	186	2.49	-	40.13	31.72	10.02	34.18
AV	5.534G	90.88	Inf	-Inf	7.66	3	Vertical	186	2.49	-	83.22	31.80	10.05	34.19
PK	5.461G	61.72	68.20	-6.48	7.56	3	Vertical	186	2.49	-	54.16	31.72	10.02	34.18
PK	5.532G	101.82	Inf	-Inf	7.66	3	Vertical	186	2.49	-	94.16	31.80	10.05	34.19
PK	5.744G	58.36	68.20	-9.84	7.94	3	Vertical	186	2.49	-	50.42	31.99	10.15	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.33	54.00	-5.67	7.56	3	Horizontal	19	3.00	-	40.77	31.72	10.02	34.18
AV	5.543G	91.80	Inf	-Inf	7.66	3	Horizontal	19	3.00	-	84.14	31.80	10.05	34.19
PK	5.47G	61.50	68.20	-6.70	7.58	3	Horizontal	19	3.00	-	53.92	31.74	10.02	34.18
PK	5.543G	102.85	Inf	-Inf	7.66	3	Horizontal	19	3.00	-	95.19	31.80	10.05	34.19
PK	5.727G	59.18	68.20	-9.02	7.89	3	Horizontal	19	3.00	-	51.29	31.95	10.14	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04032G	43.46	54.00	-10.54	19.04	3	Vertical	360	1.50	-	24.42	40.14	12.94	34.04
PK	11.06776G	56.57	74.00	-17.43	18.94	3	Vertical	360	1.50	-	37.63	40.03	12.95	34.04
PK	16.574G	61.75	68.20	-6.45	20.20	3	Vertical	181	1.40	-	41.55	38.30	16.11	34.21

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04064G	43.45	54.00	-10.55	19.04	3	Horizontal	52	1.70	-	24.41	40.14	12.94	34.04
PK	11.0512G	56.76	74.00	-17.24	19.00	3	Horizontal	52	1.70	-	37.76	40.10	12.94	34.04
PK	16.58424G	61.46	68.20	-6.74	20.18	3	Horizontal	228	1.07	-	41.28	38.26	16.11	34.19

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.07	54.00	-6.93	7.56	3	Vertical	190	1.66	-	39.51	31.72	10.02	34.18
AV	5.622G	93.86	Inf	-Inf	7.54	3	Vertical	190	1.66	-	86.32	31.66	10.08	34.20
PK	5.467G	60.89	68.20	-7.31	7.57	3	Vertical	190	1.66	-	53.32	31.73	10.02	34.18
PK	5.592G	105.20	Inf	-Inf	7.59	3	Vertical	190	1.66	-	97.61	31.72	10.07	34.20
PK	5.726G	61.36	68.20	-6.84	7.89	3	Vertical	190	1.66	-	53.47	31.95	10.14	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.55	54.00	-6.45	7.56	3	Horizontal	19	2.89	-	39.99	31.72	10.02	34.18
AV	5.622G	94.88	Inf	-Inf	7.54	3	Horizontal	19	2.89	-	87.34	31.66	10.08	34.20
PK	5.468G	60.81	68.20	-7.39	7.58	3	Horizontal	19	2.89	-	53.23	31.74	10.02	34.18
PK	5.625G	105.90	Inf	-Inf	7.53	3	Horizontal	19	2.89	-	98.37	31.65	10.08	34.20
PK	5.729G	62.71	68.20	-5.49	7.90	3	Horizontal	19	2.89	-	54.81	31.96	10.14	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20506G	41.25	54.00	-12.75	18.18	3	Vertical	7	2.39	-	23.07	39.51	12.72	34.05
PK	11.21004G	54.54	74.00	-19.46	18.18	3	Vertical	7	2.39	-	36.36	39.51	12.72	34.05
PK	16.83498G	61.03	68.20	-7.17	21.27	3	Vertical	175	1.22	-	39.76	39.50	15.44	33.67

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2056G	41.25	54.00	-12.75	18.18	3	Horizontal	192	2.89	-	23.07	39.51	12.72	34.05
PK	11.2095G	54.48	74.00	-19.52	18.18	3	Horizontal	192	2.89	-	36.30	39.51	12.72	34.05
PK	16.84176G	60.87	68.20	-7.33	21.25	3	Horizontal	136	1.27	-	39.62	39.47	15.44	33.66

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4332G	46.05	54.00	-7.95	7.53	3	Vertical	177	1.54	-	38.52	31.70	10.01	34.18
AV	5.6864G	94.71	Inf	-Inf	7.74	3	Vertical	177	1.54	-	86.97	31.82	10.12	34.20
PK	5.4668G	57.13	68.20	-11.07	7.57	3	Vertical	177	1.54	-	49.56	31.73	10.02	34.18
PK	5.6924G	105.24	Inf	-Inf	7.77	3	Vertical	177	1.54	-	97.47	31.85	10.12	34.20
PK	5.8604G	59.78	68.20	-8.42	8.36	3	Vertical	177	1.54	-	51.42	32.34	10.23	34.21

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4344G	46.09	54.00	-7.91	7.53	3	Horizontal	19	3.00	-	38.56	31.70	10.01	34.18
AV	5.6884G	94.98	Inf	-Inf	7.62	3	Horizontal	19	3.00	-	87.36	31.71	10.11	34.20
PK	5.4692G	56.93	68.20	-11.27	7.58	3	Horizontal	19	3.00	-	49.35	31.74	10.02	34.18
PK	5.6924G	106.72	Inf	-Inf	7.61	3	Horizontal	19	3.00	-	99.11	31.70	10.11	34.20
PK	5.9324G	59.40	68.20	-8.80	8.56	3	Horizontal	19	3.00	-	50.84	32.50	10.28	34.22


802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7618G	94.28	Inf	-Inf	7.97	3	Vertical	177	1.50	-	86.31	32.02	10.16	34.21
PK	5.649G	63.10	68.20	-5.10	7.50	3	Vertical	177	1.50	-	55.60	31.60	10.10	34.20
PK	5.7582G	105.31	Inf	-Inf	7.97	3	Vertical	177	1.50	-	97.34	32.02	10.16	34.21
PK	6.021G	60.88	68.20	-7.32	8.63	3	Vertical	177	1.50	-	52.25	32.50	10.35	34.22

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7618G	94.00	Inf	-Inf	7.97	3	Horizontal	20	2.67	-	86.03	32.02	10.16	34.21
PK	5.6274G	62.76	68.20	-5.44	7.54	3	Horizontal	20	2.67	-	55.22	31.65	10.09	34.20
PK	5.757G	104.70	Inf	-Inf	7.96	3	Horizontal	20	2.67	-	96.74	32.01	10.16	34.21
PK	5.931G	59.52	68.20	-8.68	8.56	3	Horizontal	20	2.67	-	50.96	32.50	10.28	34.22

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53638G	41.10	54.00	-12.90	18.77	3	Vertical	206	1.64	-	22.33	39.99	12.86	34.08
PK	11.53728G	54.84	74.00	-19.16	18.77	3	Vertical	206	1.64	-	36.07	39.99	12.86	34.08
PK	17.31936G	61.58	68.20	-6.62	22.26	3	Vertical	81	1.50	-	39.32	39.79	15.72	33.25

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53638G	41.76	54.00	-12.24	18.77	3	Horizontal	360	2.29	-	22.99	39.99	12.86	34.08
PK	11.53674G	55.53	74.00	-18.47	18.77	3	Horizontal	360	2.29	-	36.76	39.99	12.86	34.08
PK	17.32944G	61.98	68.20	-6.22	22.38	3	Horizontal	356	3.00	-	39.60	39.89	15.73	33.24

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.06	54.00	-6.94	6.84	3	Vertical	80	1.78	-	40.22	31.90	9.07	34.13
AV	5.212G	94.39	Inf	-Inf	6.58	3	Vertical	80	1.78	-	87.81	31.63	9.09	34.14
AV	5.404G	44.96	54.00	-9.04	6.83	3	Vertical	80	1.78	-	38.13	31.70	9.30	34.17
PK	5.15G	58.98	74.00	-15.02	6.84	3	Vertical	80	1.78	-	52.14	31.90	9.07	34.13
PK	5.202G	104.18	Inf	-Inf	6.63	3	Vertical	80	1.78	-	97.55	31.69	9.08	34.14
PK	5.443G	57.13	74.00	-16.87	6.85	3	Vertical	80	1.78	-	50.28	31.70	9.33	34.18

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.94	54.00	-8.06	6.84	3	Horizontal	20	1.48	-	39.10	31.90	9.07	34.13
AV	5.202G	90.16	Inf	-Inf	6.63	3	Horizontal	20	1.48	-	83.53	31.69	9.08	34.14
AV	5.407G	44.73	54.00	-9.27	6.84	3	Horizontal	20	1.48	-	37.89	31.70	9.31	34.17
PK	5.114G	58.00	74.00	-16.00	6.85	3	Horizontal	20	1.48	-	51.15	31.90	9.07	34.12
PK	5.192G	99.77	Inf	-Inf	6.68	3	Horizontal	20	1.48	-	93.09	31.73	9.08	34.13
PK	5.364G	57.24	74.00	-16.76	6.50	3	Horizontal	20	1.48	-	50.74	31.41	9.26	34.17


802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX



802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.141G	45.76	54.00	-8.24	6.84	3	Vertical	81	1.72	-	38.92	31.90	9.07	34.13
AV	5.292G	94.65	Inf	-Inf	6.35	3	Vertical	81	1.72	-	88.30	31.32	9.18	34.15
AV	5.352G	50.65	54.00	-3.35	6.41	3	Vertical	81	1.72	-	44.24	31.32	9.25	34.16
PK	5.116G	57.96	74.00	-16.04	6.85	3	Vertical	81	1.72	-	51.11	31.90	9.07	34.12
PK	5.273G	104.33	Inf	-Inf	6.36	3	Vertical	81	1.72	-	97.97	31.35	9.16	34.15
PK	5.353G	65.22	74.00	-8.78	6.41	3	Vertical	81	1.72	-	58.81	31.32	9.25	34.16

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	45.08	54.00	-8.92	6.84	3	Horizontal	20	1.49	-	38.24	31.90	9.07	34.13
AV	5.282G	90.51	Inf	-Inf	6.36	3	Horizontal	20	1.49	-	84.15	31.34	9.17	34.15
AV	5.352G	47.46	54.00	-6.54	6.41	3	Horizontal	20	1.49	-	41.05	31.32	9.25	34.16
PK	5.142G	57.50	74.00	-16.50	6.84	3	Horizontal	20	1.49	-	50.66	31.90	9.07	34.13
PK	5.272G	100.38	Inf	-Inf	6.37	3	Horizontal	20	1.49	-	94.01	31.36	9.16	34.15
PK	5.359G	61.06	74.00	-12.94	6.46	3	Horizontal	20	1.49	-	54.60	31.37	9.25	34.16

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87224G	46.73	54.00	-7.27	18.29	3	Vertical	50	2.07	-	28.44	36.98	15.93	34.62
PK	10.56224G	55.86	68.20	-12.34	18.02	3	Vertical	280	2.65	-	37.84	39.70	12.75	34.43
PK	15.86192G	59.81	74.00	-14.19	18.32	3	Vertical	50	2.07	-	41.49	37.01	15.92	34.61

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87664G	46.65	54.00	-7.35	18.28	3	Horizontal	90	2.59	-	28.37	36.97	15.93	34.62
PK	10.56016G	56.05	68.20	-12.15	18.01	3	Horizontal	221	1.51	-	38.04	39.70	12.75	34.44
PK	15.88176G	60.15	74.00	-13.85	18.26	3	Horizontal	90	2.59	-	41.89	36.95	15.93	34.62

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.452G	50.17	54.00	-3.83	6.86	3	Vertical	77	1.77	-	43.31	31.70	9.34	34.18
AV	5.522G	96.55	Inf	-Inf	7.01	3	Vertical	77	1.77	-	89.54	31.80	9.40	34.19
PK	5.47G	64.83	68.20	-3.37	6.92	3	Vertical	77	1.77	-	57.91	31.74	9.36	34.18
PK	5.533G	106.46	Inf	-Inf	7.02	3	Vertical	77	1.77	-	99.44	31.80	9.41	34.19
PK	5.737G	58.51	68.20	-9.69	7.27	3	Vertical	77	1.77	-	51.24	31.97	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.38	54.00	-5.62	6.89	3	Horizontal	15	1.88	-	41.49	31.72	9.35	34.18
AV	5.519G	94.30	Inf	-Inf	7.01	3	Horizontal	15	1.88	-	87.29	31.80	9.40	34.19
PK	5.469G	62.12	68.20	-6.08	6.92	3	Horizontal	15	1.88	-	55.20	31.74	9.36	34.18
PK	5.56G	103.86	Inf	-Inf	7.02	3	Horizontal	15	1.88	-	96.84	31.78	9.43	34.19
PK	5.735G	56.79	68.20	-11.41	7.27	3	Horizontal	15	1.88	-	49.52	31.97	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04264G	43.50	54.00	-10.50	19.03	3	Vertical	164	1.37	-	24.47	40.13	12.94	34.04
PK	11.05704G	56.40	74.00	-17.60	18.97	3	Vertical	164	1.37	-	37.43	40.07	12.94	34.04
PK	16.57848G	62.01	68.20	-6.19	20.20	3	Vertical	58	2.41	-	41.81	38.29	16.11	34.20

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04152G	43.47	54.00	-10.53	19.03	3	Horizontal	354	1.68	-	24.44	40.13	12.94	34.04
PK	11.07312G	56.45	74.00	-17.55	18.92	3	Horizontal	354	1.68	-	37.53	40.01	12.95	34.04
PK	16.588G	61.53	68.20	-6.67	20.18	3	Horizontal	66	2.01	-	41.35	38.25	16.11	34.18

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.84	54.00	-7.16	6.89	3	Vertical	79	1.66	-	39.95	31.72	9.35	34.18
AV	5.602G	99.05	Inf	-Inf	6.96	3	Vertical	79	1.66	-	92.09	31.70	9.46	34.20
PK	5.469G	60.23	68.20	-7.97	6.92	3	Vertical	79	1.66	-	53.31	31.74	9.36	34.18
PK	5.601G	108.65	Inf	-Inf	6.96	3	Vertical	79	1.66	-	101.69	31.70	9.46	34.20
PK	5.734G	61.71	68.20	-6.49	7.27	3	Vertical	79	1.66	-	54.44	31.97	9.50	34.20

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	45.82	54.00	-8.18	6.89	3	Horizontal	16	1.78	-	38.93	31.72	9.35	34.18
AV	5.62G	96.58	Inf	-Inf	6.93	3	Horizontal	16	1.78	-	89.65	31.66	9.47	34.20
PK	5.468G	58.51	68.20	-9.69	6.91	3	Horizontal	16	1.78	-	51.60	31.74	9.35	34.18
PK	5.62G	106.54	Inf	-Inf	6.93	3	Horizontal	16	1.78	-	99.61	31.66	9.47	34.20
PK	5.741G	60.66	68.20	-7.54	7.28	3	Horizontal	16	1.78	-	53.38	31.98	9.50	34.20


802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX



802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4548G	46.94	54.00	-7.06	7.55	3	Vertical	86	1.87	-	39.39	31.71	10.02	34.18
AV	5.672G	100.81	Inf	-Inf	7.64	3	Vertical	86	1.87	-	93.17	31.73	10.11	34.20
PK	5.4656G	58.44	68.20	-9.76	7.57	3	Vertical	86	1.87	-	50.87	31.73	10.02	34.18
PK	5.6708G	110.45	Inf	-Inf	7.63	3	Vertical	86	1.87	-	102.82	31.72	10.11	34.20
PK	5.8724G	59.75	68.20	-8.45	8.41	3	Vertical	86	1.87	-	51.34	32.39	10.23	34.21

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4056G	46.21	54.00	-7.79	7.53	3	Horizontal	19	2.78	-	38.68	31.70	10.00	34.17
AV	5.6864G	99.50	Inf	-Inf	7.74	3	Horizontal	19	2.78	-	91.76	31.82	10.12	34.20
PK	5.4668G	56.68	68.20	-11.52	7.57	3	Horizontal	19	2.78	-	49.11	31.73	10.02	34.18
PK	5.6864G	109.02	Inf	-Inf	7.74	3	Horizontal	19	2.78	-	101.28	31.82	10.12	34.20
PK	5.8964G	59.53	68.20	-8.67	8.53	3	Horizontal	19	2.78	-	51.00	32.49	10.25	34.21


802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7678G	97.89	Inf	-Inf	7.34	3	Vertical	79	1.76	-	90.55	32.04	9.51	34.21
PK	5.6466G	63.88	68.20	-4.32	6.88	3	Vertical	79	1.76	-	57.00	31.61	9.47	34.20
PK	5.7678G	107.74	Inf	-Inf	7.34	3	Vertical	79	1.76	-	100.40	32.04	9.51	34.21
PK	5.9298G	60.59	68.20	-7.61	7.90	3	Vertical	79	1.76	-	52.69	32.50	9.62	34.22

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7774G	96.42	Inf	-Inf	7.35	3	Horizontal	33	1.69	-	89.07	32.05	9.51	34.21
PK	5.6466G	60.63	68.20	-7.57	6.88	3	Horizontal	33	1.69	-	53.75	31.61	9.47	34.20
PK	5.7678G	106.33	Inf	-Inf	7.34	3	Horizontal	33	1.69	-	98.99	32.04	9.51	34.21
PK	5.9286G	58.92	68.20	-9.28	7.90	3	Horizontal	33	1.69	-	51.02	32.50	9.62	34.22


802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX




802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX



802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.62	54.00	-4.38	7.60	3	Vertical	81	1.85	-	42.02	31.90	9.83	34.13
AV	5.2284G	89.78	Inf	-Inf	7.27	3	Vertical	81	1.85	-	82.51	31.53	9.88	34.14
AV	5.352G	52.44	54.00	-1.56	7.13	3	Vertical	81	1.85	-	45.31	31.32	9.97	34.16
PK	5.15G	62.26	74.00	-11.74	7.60	3	Vertical	81	1.85	-	54.66	31.90	9.83	34.13
PK	5.2464G	100.12	Inf	-Inf	7.17	3	Vertical	81	1.85	-	92.95	31.42	9.89	34.14
PK	5.364G	65.60	74.00	-8.40	7.21	3	Vertical	81	1.85	-	58.39	31.41	9.97	34.17

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	47.22	54.00	-6.78	7.60	3	Horizontal	360	1.50	-	39.62	31.90	9.83	34.13
AV	5.2668G	85.46	Inf	-Inf	7.13	3	Horizontal	360	1.50	-	78.33	31.37	9.91	34.15
AV	5.35G	49.46	54.00	-4.54	7.11	3	Horizontal	360	1.50	-	42.35	31.30	9.97	34.16
PK	5.1132G	58.85	74.00	-15.15	7.59	3	Horizontal	360	1.50	-	51.26	31.90	9.81	34.12
PK	5.2716G	95.55	Inf	-Inf	7.12	3	Horizontal	360	1.50	-	88.43	31.36	9.91	34.15
PK	5.3664G	61.43	74.00	-12.57	7.24	3	Horizontal	360	1.50	-	54.19	31.43	9.98	34.17


802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)

5250MHz Straddle 5.25-5.35GHz_TX




802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)

5250MHz Straddle 5.25-5.35GHz_TX



802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	52.26	54.00	-1.74	7.55	3	Vertical	85	1.77	-	44.71	31.71	10.02	34.18
AV	5.5448G	92.41	Inf	-Inf	7.66	3	Vertical	85	1.77	-	84.75	31.80	10.05	34.19
PK	5.4656G	64.14	68.20	-4.06	7.57	3	Vertical	85	1.77	-	56.57	31.73	10.02	34.18
PK	5.5664G	103.58	Inf	-Inf	7.64	3	Vertical	85	1.77	-	95.94	31.77	10.06	34.19
PK	5.726G	63.03	68.20	-5.17	7.89	3	Vertical	85	1.77	-	55.14	31.95	10.14	34.20

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	50.03	54.00	-3.97	7.53	3	Horizontal	25	1.68	-	42.50	31.70	10.01	34.18
AV	5.5448G	89.37	Inf	-Inf	7.66	3	Horizontal	25	1.68	-	81.71	31.80	10.05	34.19
PK	5.462G	63.90	68.20	-4.30	7.56	3	Horizontal	25	1.68	-	56.34	31.72	10.02	34.18
PK	5.5904G	100.11	Inf	-Inf	7.59	3	Horizontal	25	1.68	-	92.52	31.72	10.07	34.20
PK	5.7284G	62.09	68.20	-6.11	7.90	3	Horizontal	25	1.68	-	54.19	31.96	10.14	34.20

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06128G	43.38	54.00	-10.62	18.95	3	Vertical	359	1.50	-	24.43	40.05	12.94	34.04
PK	11.15888G	56.80	74.00	-17.20	18.59	3	Vertical	359	1.50	-	38.21	39.66	12.98	34.05
PK	16.65944G	63.22	68.20	-4.98	20.89	3	Vertical	87	1.50	-	42.33	38.79	16.13	34.03

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0616G	43.33	54.00	-10.67	18.95	3	Horizontal	336	1.50	-	24.38	40.05	12.94	34.04
PK	11.06G	56.11	74.00	-17.89	18.96	3	Horizontal	336	1.50	-	37.15	40.06	12.94	34.04
PK	16.72376G	62.50	68.20	-5.70	21.54	3	Horizontal	133	1.50	-	40.96	39.30	16.14	33.90

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1468G	49.05	54.00	-4.95	7.60	3	Vertical	83	1.68	-	41.45	31.90	9.83	34.13
AV	5.2128G	84.93	Inf	-Inf	7.35	3	Vertical	83	1.68	-	77.58	31.62	9.87	34.14
AV	5.3544G	47.74	54.00	-6.26	7.15	3	Vertical	83	1.68	-	40.59	31.34	9.97	34.16
PK	5.1468G	60.59	74.00	-13.41	7.60	3	Vertical	83	1.68	-	52.99	31.90	9.83	34.13
PK	5.2056G	95.09	Inf	-Inf	7.39	3	Vertical	83	1.68	-	87.70	31.67	9.86	34.14
PK	5.3652G	60.01	74.00	-13.99	7.23	3	Vertical	83	1.68	-	52.78	31.42	9.98	34.17

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1456G	49.16	54.00	-4.84	7.60	3	Horizontal	36	2.81	-	41.56	31.90	9.83	34.13
AV	5.208G	86.66	Inf	-Inf	7.38	3	Horizontal	36	2.81	-	79.28	31.65	9.87	34.14
AV	5.3556G	47.88	54.00	-6.12	7.15	3	Horizontal	36	2.81	-	40.73	31.34	9.97	34.16
PK	5.1192G	63.25	74.00	-10.75	7.60	3	Horizontal	36	2.81	-	55.65	31.90	9.82	34.12
PK	5.2056G	96.76	Inf	-Inf	7.39	3	Horizontal	36	2.81	-	89.37	31.67	9.86	34.14
PK	5.358G	60.13	74.00	-13.87	7.17	3	Horizontal	36	2.81	-	52.96	31.36	9.97	34.16


802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)

5250MHz Straddle 5.25-5.35GHz_TX




802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)

5250MHz Straddle 5.25-5.35GHz_TX



802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4572G	50.16	54.00	-3.84	7.55	3	Vertical	91	1.70	-	42.61	31.71	10.02	34.18
AV	5.558G	88.01	Inf	-Inf	7.65	3	Vertical	91	1.70	-	80.36	31.78	10.06	34.19
PK	5.4668G	65.54	68.20	-2.66	7.57	3	Vertical	91	1.70	-	57.97	31.73	10.02	34.18
PK	5.5664G	99.04	Inf	-Inf	7.64	3	Vertical	91	1.70	-	91.40	31.77	10.06	34.19
PK	5.7284G	65.63	68.20	-2.57	7.90	3	Vertical	91	1.70	-	57.73	31.96	10.14	34.20

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4548G	50.48	54.00	-3.52	7.55	3	Horizontal	16	2.88	-	42.93	31.71	10.02	34.18
AV	5.5748G	89.22	Inf	-Inf	7.62	3	Horizontal	16	2.88	-	81.60	31.75	10.06	34.19
PK	5.4692G	63.95	68.20	-4.25	7.58	3	Horizontal	16	2.88	-	56.37	31.74	10.02	34.18
PK	5.5664G	99.13	Inf	-Inf	7.64	3	Horizontal	16	2.88	-	91.49	31.77	10.06	34.19
PK	5.7308G	63.59	68.20	-4.61	7.90	3	Horizontal	16	2.88	-	55.69	31.96	10.14	34.20

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07792G	43.30	54.00	-10.70	18.90	3	Vertical	37	2.14	-	24.40	39.99	12.95	34.04
PK	11.06224G	55.74	74.00	-18.26	18.95	3	Vertical	37	2.14	-	36.79	40.05	12.94	34.04
PK	16.65496G	62.37	68.20	-5.83	20.83	3	Vertical	1	2.79	-	41.54	38.75	16.12	34.04

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07504G	43.29	54.00	-10.71	18.91	3	Horizontal	236	1.05	-	24.38	40.00	12.95	34.04
PK	11.07344G	56.05	74.00	-17.95	18.92	3	Horizontal	236	1.05	-	37.13	40.01	12.95	34.04
PK	16.64632G	62.38	68.20	-5.82	20.72	3	Horizontal	253	1.60	-	41.66	38.66	16.12	34.06

802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.86	54.00	-5.14	7.60	3	Vertical	83	1.81	-	41.26	31.90	9.83	34.13
AV	5.2056G	92.70	Inf	-Inf	7.39	3	Vertical	83	1.81	-	85.31	31.67	9.86	34.14
AV	5.3508G	50.91	54.00	-3.09	7.12	3	Vertical	83	1.81	-	43.79	31.31	9.97	34.16
PK	5.142G	60.98	74.00	-13.02	7.60	3	Vertical	83	1.81	-	53.38	31.90	9.83	34.13
PK	5.2332G	102.08	Inf	-Inf	7.24	3	Vertical	83	1.81	-	94.84	31.50	9.88	34.14
PK	5.35G	62.90	74.00	-11.10	7.11	3	Vertical	83	1.81	-	55.79	31.30	9.97	34.16

802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.72	54.00	-6.28	7.60	3	Horizontal	30	1.50	-	40.12	31.90	9.83	34.13
AV	5.2152G	88.88	Inf	-Inf	7.34	3	Horizontal	30	1.50	-	81.54	31.61	9.87	34.14
AV	5.3508G	48.40	54.00	-5.60	7.12	3	Horizontal	30	1.50	-	41.28	31.31	9.97	34.16
PK	5.15G	58.78	74.00	-15.22	7.60	3	Horizontal	30	1.50	-	51.18	31.90	9.83	34.13
PK	5.2224G	98.47	Inf	-Inf	7.31	3	Horizontal	30	1.50	-	91.16	31.57	9.88	34.14
PK	5.352G	59.35	74.00	-14.65	7.13	3	Horizontal	30	1.50	-	52.22	31.32	9.97	34.16


802.11ac VHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




802.11ac VHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



802.11ac VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	52.33	54.00	-1.67	7.55	3	Vertical	91	1.70	-	44.78	31.71	10.02	34.18
AV	5.5544G	95.53	Inf	-Inf	7.65	3	Vertical	91	1.70	-	87.88	31.79	10.05	34.19
PK	5.4644G	64.27	68.20	-3.93	7.57	3	Vertical	91	1.70	-	56.70	31.73	10.02	34.18
PK	5.5556G	104.77	Inf	-Inf	7.65	3	Vertical	91	1.70	-	97.12	31.79	10.05	34.19
PK	5.726G	64.69	68.20	-3.51	7.89	3	Vertical	91	1.70	-	56.80	31.95	10.14	34.20

802.11ac VHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	49.72	54.00	-4.28	7.54	3	Horizontal	23	2.54	-	42.18	31.70	10.02	34.18
AV	5.5856G	93.44	Inf	-Inf	7.59	3	Horizontal	23	2.54	-	85.85	31.73	10.06	34.20
PK	5.468G	60.05	68.20	-8.15	7.58	3	Horizontal	23	2.54	-	52.47	31.74	10.02	34.18
PK	5.5868G	102.89	Inf	-Inf	7.60	3	Horizontal	23	2.54	-	95.29	31.73	10.07	34.20
PK	5.732G	62.79	68.20	-5.41	7.90	3	Horizontal	23	2.54	-	54.89	31.96	10.14	34.20


802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX




802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.60	54.00	-8.40	7.60	3	Vertical	72	1.84	-	38.00	31.90	9.83	34.13
AV	5.1818G	95.41	Inf	-Inf	7.49	3	Vertical	72	1.84	-	87.92	31.77	9.85	34.13
PK	5.1452G	58.17	74.00	-15.83	7.60	3	Vertical	72	1.84	-	50.57	31.90	9.83	34.13
PK	5.181G	108.61	Inf	-Inf	7.50	3	Vertical	72	1.84	-	101.11	31.78	9.85	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.58	54.00	-8.42	7.60	3	Horizontal	26	1.50	-	37.98	31.90	9.83	34.13
AV	5.1822G	89.31	Inf	-Inf	7.49	3	Horizontal	26	1.50	-	81.82	31.77	9.85	34.13
PK	5.1468G	58.25	74.00	-15.75	7.60	3	Horizontal	26	1.50	-	50.65	31.90	9.83	34.13
PK	5.1766G	102.84	Inf	-Inf	7.51	3	Horizontal	26	1.50	-	95.33	31.79	9.85	34.13