





Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7502	-59.44	RMS	13.5	1.9	-44.04	-42.94	-1.1
2	5.8708	-53.89	RMS	13.6	1.9	-38.39	-35.25	-3.14
3	6.2554	-19.11	RMS	13.8	2.3	-3.01	-2.94	-.07
4	6.6388	-51.19	RMS	13.9	2.6	-34.69	-33.84	-.85
5	6.6622	-52.39	RMS	13.9	2.6	-35.89	-35.54	-.35


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7526	-59.82	RMS	13.5	1.9	-44.42	-43.45	-.97
2	6.2602	-19.68	RMS	13.8	2.3	-3.58	-3.45	-.13
3	6.6568	-53.1	RMS	13.9	2.6	-36.6	-35.66	-.94


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7894	-66.89	RMS	13.6	1.9	-51.39	-37.55	-13.84
2	6.0918	-26.57	RMS	13.8	2.3	-10.47	-10.45	-.02
3	6.4608	-69.13	RMS	13.8	2	-53.33	-40.04	-13.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7354	-68.35	RMS	13.5	2	-52.85	-40.99	-11.86
2	6.099	-26.59	RMS	13.7	2.3	-10.59	-10.45	-.14
3	6.282	-70.9	RMS	13.8	2.3	-54.8	-30.89	-23.91

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9686	-67.23	RMS	13.8	2.3	-51.13	-37.05	-14.08
2	6.2578	-27	RMS	13.8	2.3	-10.9	-10.88	-.02
3	6.5614	-68.07	RMS	13.9	2.6	-51.57	-37.09	-14.48


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.977	-67.39	RMS	13.7	2.3	-51.39	-37.44	-13.95
2	6.2434	-27.82	RMS	13.8	2.3	-11.72	-11.68	-.04
3	6.5026	-67.64	RMS	13.8	2	-51.84	-35.06	-16.78


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6082	-59.79	RMS	13.5	2	-44.29	-42.59	-1.7
2	5.7948	-49.76	RMS	13.6	1.9	-34.26	-29.66	-4.6
3	6.099	-18.98	RMS	13.8	2.3	-2.88	-2.82	-.06
4	6.3816	-47.28	RMS	13.8	2.3	-31.18	-28.08	-3.1
5	6.6162	-62.87	RMS	13.9	2.6	-46.37	-42.82	-3.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6262	-58.33	RMS	13.5	2	-42.83	-41.14	-1.69
2	6.1152	-18.79	RMS	13.7	2.3	-2.79	-2.69	-.1
3	6.381	-50.8	RMS	13.8	2.3	-34.7	-27.92	-6.78

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7694	-59.51	RMS	13.6	1.9	-44.01	-42.71	-1.3
2	5.9986	-44.94	RMS	13.7	2.3	-28.94	-27.75	-1.19
3	6.2938	-19.32	RMS	13.9	2.3	-3.12	-3.03	-.09
4	6.7504	-61.46	RMS	14	2.6	-44.86	-41.99	-2.87


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8	-59.47	RMS	13.6	1.9	-43.97	-40.55	-3.42
2	6.2587	-19.27	RMS	13.8	2.3	-3.17	-3.11	-.06
3	6.5344	-49.34	RMS	13.8	2.5	-33.04	-28.02	-5.02


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7948	-69.28	RMS	13.6	1.9	-53.78	-38.46	-15.32
2	6.1104	-27.88	RMS	13.7	2.3	-11.88	-11.62	-.26
3	6.273	-72.24	RMS	13.8	2.3	-56.14	-31.62	-24.52

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6274	-71.83	RMS	13.5	2	-56.33	-50.17	-6.16
2	6.1392	-27.84	RMS	13.7	2.3	-11.84	-11.81	-.03
3	6.5808	-72.08	RMS	13.9	2.6	-55.58	-50.08	-5.5

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.097	-70.53	RMS	13.8	2.3	-54.43	-32.64	-21.79
2	6.2572	-28.78	RMS	13.8	2.3	-12.68	-12.64	-.04
3	6.433	-72.22	RMS	13.9	2.1	-56.22	-32.64	-23.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7838	-73.31	RMS	13.6	1.9	-57.81	-51.17	-6.64
2	6.2362	-28.75	RMS	13.8	2.3	-12.65	-12.55	-.1
3	6.4348	-72.9	RMS	13.9	2	-57	-32.64	-24.36


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.658	-55.26	RMS	13.6	2	-39.66	-38.28	-1.38
2	6.114	-18.19	RMS	13.7	2.3	-2.19	-2.15	-.04
3	6.4128	-45.65	RMS	13.9	2.3	-29.45	-28.9	-.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6754	-55.6	RMS	13.6	2	-40	-38.29	-1.71
2	6.0924	-19.49	RMS	13.7	2.3	-3.49	-3.42	-.07
3	6.4194	-51.22	RMS	13.9	2.3	-35.02	-30.49	-4.53

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8006	-56.26	RMS	13.6	1.9	-40.76	-39.48	-1.28
2	6.2758	-18.32	RMS	13.8	2.3	-2.22	-2.08	-.14
3	6.5716	-46.23	RMS	13.9	2.6	-29.73	-28.77	-.96
4	6.6814	-54.06	RMS	13.9	2.6	-37.56	-36.07	-1.49
5	6.7522	-60.14	RMS	14	2.6	-43.54	-41.17	-2.37


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7268	-59.67	RMS	13.5	2	-44.17	-43.04	-1.13
2	5.8114	-57.51	RMS	13.6	1.9	-42.01	-39.65	-2.36
3	6.2434	-19.25	RMS	13.8	2.3	-3.15	-3.04	-.11
4	6.5638	-47.05	RMS	13.9	2.6	-30.55	-29.36	-1.19
5	6.7378	-58.26	RMS	14	2.6	-41.66	-41.09	-.57


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8158	-69.21	RMS	13.6	1.9	-53.71	-38.39	-15.32
2	6.1134	-28.65	RMS	13.7	2.3	-12.65	-12.57	-.08
3	6.2736	-68.3	RMS	13.8	2.3	-52.2	-32.6	-19.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6184	-72.13	RMS	13.5	2	-56.63	-49.7	-6.93
2	6.1194	-26.79	RMS	13.7	2.3	-10.79	-10.68	-.11
3	6.2736	-67.09	RMS	13.8	2.3	-50.99	-30.71	-20.28

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.785	-72.45	RMS	13.6	1.9	-56.95	-52.28	-4.67
2	6.2782	-29.87	RMS	13.8	2.3	-13.77	-13.74	-.03
3	6.4336	-69.68	RMS	13.9	2	-53.78	-33.77	-20.01


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9734	-68.65	RMS	13.8	2.3	-52.55	-37.96	-14.59
2	6.298	-28.26	RMS	13.9	2.3	-12.06	-12.02	-.04
3	6.4336	-66.44	RMS	13.9	2	-50.54	-32.05	-18.49


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5716	-57.85	RMS	13.5	2	-42.35	-38.98	-3.37
2	5.7906	-47.75	RMS	13.6	1.9	-32.25	-26.02	-6.23
3	6.099	-15.22	RMS	13.8	2.3	.88	1.02	-.14
4	6.4218	-45.23	RMS	13.9	2.3	-29.03	-26.16	-2.87
5	6.6156	-59.65	RMS	13.9	2.6	-43.15	-38.98	-4.17

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5716	-58.17	RMS	13.5	2	-42.67	-40.23	-2.44
2	6.117	-16.43	RMS	13.7	2.3	-.43	-.23	-.2
3	6.4152	-47.38	RMS	13.9	2.3	-31.18	-27.1	-4.08
4	6.6204	-62.67	RMS	13.9	2.6	-46.17	-40.23	-5.94

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7412	-59.06	RMS	13.5	2	-43.56	-40.34	-3.22
2	5.8954	-52.05	RMS	13.6	1.9	-36.55	-30.88	-5.67
3	6.2578	-16.59	RMS	13.8	2.3	-.49	-.34	-.15
4	6.5758	-45.57	RMS	13.9	2.6	-29.07	-27.23	-1.84
5	6.658	-50.82	RMS	13.9	2.6	-34.32	-32.64	-1.68
6	6.7954	-61.78	RMS	14	2.6	-45.18	-40.34	-4.84


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7394	-58.82	RMS	13.6	2	-43.22	-40.09	-3.13
2	5.9746	-49.13	RMS	13.8	2.3	-33.03	-25.97	-7.06
3	6.25	-16.26	RMS	13.8	2.3	-.16	-.09	-.07
4	6.559	-43.28	RMS	13.9	2.6	-26.78	-26.18	-.6
5	6.5701	-43.61	RMS	13.9	2.6	-27.11	-26.71	-.4
6	6.6382	-48	RMS	13.9	2.6	-31.5	-30.95	-.55
7	6.7474	-58.46	RMS	14	2.6	-41.86	-38.83	-3.03
8	6.7966	-60.04	RMS	14	2.6	-43.44	-40.09	-3.35


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6034	-73.72	RMS	13.5	2	-58.22	-49.56	-8.66
2	6.1122	-25.58	RMS	13.7	2.3	-9.58	-9.56	-.02
3	6.6132	-72.82	RMS	13.9	2.6	-56.32	-49.56	-6.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-73.43	RMS	13.5	2	-57.93	-49.57	-8.36
2	6.1188	-25.77	RMS	13.7	2.3	-9.77	-9.57	-.2
3	6.6114	-73.44	RMS	13.9	2.6	-56.94	-49.57	-7.37

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7628	-74.35	RMS	13.6	1.9	-58.85	-49.79	-9.06
2	6.28	-26.06	RMS	13.8	2.3	-9.96	-9.79	-.17
3	6.7714	-73.31	RMS	14	2.6	-56.71	-49.79	-6.92


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.758	-74.17	RMS	13.5	1.9	-58.77	-50.48	-8.29
2	6.2572	-26.65	RMS	13.8	2.3	-10.55	-10.48	-.07
3	6.7696	-73.57	RMS	14	2.6	-56.97	-50.48	-6.49


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS)
STANDARD POWER**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5968	-56.59	RMS	13.5	2	-41.09	-40.17	-.92
2	5.7096	-51.13	RMS	13.6	2	-35.53	-32.57	-2.96
3	6.1314	-16.42	RMS	13.8	2.3	-.32	-.17	-.15
4	6.4134	-45.18	RMS	13.9	2.3	-28.98	-26.95	-2.03
5	6.4824	-47.37	RMS	13.8	2	-31.57	-31.34	-.23
6	6.6306	-59.95	RMS	13.9	2.6	-43.45	-40.17	-3.28

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-57.39	RMS	13.5	2	-41.89	-40.78	-1.11
2	5.6916	-52.97	RMS	13.6	2	-37.37	-34.48	-2.89
3	6.1002	-16.84	RMS	13.7	2.3	-.84	-.78	-.06
4	6.4788	-49.78	RMS	13.8	2	-33.98	-31.69	-2.29
5	6.6402	-61.95	RMS	13.9	2.6	-45.45	-40.78	-4.67

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7544	-57.15	RMS	13.5	1.9	-41.75	-40.12	-1.63
2	5.8594	-51.32	RMS	13.6	1.9	-35.82	-33.25	-2.57
3	6.2596	-16.44	RMS	13.8	2.3	-.34	-.12	-.22
4	6.5578	-45.48	RMS	13.9	2.6	-28.98	-26.15	-2.83
5	6.6412	-48.17	RMS	13.9	2.6	-31.67	-31.2	-.47
6	6.664	-49.86	RMS	13.9	2.6	-33.36	-32.85	-.51
7	6.7936	-58.78	RMS	14	2.6	-42.18	-40.12	-2.06


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-58.99	RMS	13.5	1.9	-43.59	-40.8	-2.79
2	6.256	-17.08	RMS	13.8	2.3	-.98	-.8	-.18
3	6.5614	-47.64	RMS	13.9	2.6	-31.14	-27.01	-4.13
4	6.6382	-51.69	RMS	13.9	2.6	-35.19	-31.66	-3.53
5	6.772	-63.41	RMS	14	2.6	-46.81	-40.8	-6.01

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.604	-73.12	RMS	13.5	2	-57.62	-49.58	-8.04
2	6.1248	-25.71	RMS	13.7	2.3	-9.71	-9.58	-.13
3	6.6114	-73.22	RMS	13.9	2.6	-56.72	-49.58	-7.14

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7622	-74.48	RMS	13.6	1.9	-58.98	-49.44	-9.54
2	6.2728	-25.66	RMS	13.8	2.3	-9.56	-9.44	-.12
3	6.7678	-73.14	RMS	14	2.6	-56.54	-49.44	-7.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-74.67	RMS	13.5	1.9	-59.27	-49.99	-9.28
2	6.2596	-26.19	RMS	13.8	2.3	-10.09	-9.99	-.1
3	6.7714	-73.76	RMS	14	2.6	-57.16	-49.99	-7.17


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2)
STANDARD POWER**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.577	-56.41	RMS	13.5	2	-40.91	-39.92	-.99
2	5.736	-50.27	RMS	13.6	2	-34.67	-30.42	-4.25
3	6.1146	-16.04	RMS	13.7	2.3	-.04	.08	-.12
4	6.4182	-44.84	RMS	13.9	2.3	-28.64	-26.93	-1.71
5	6.4782	-47.47	RMS	13.8	2	-31.67	-30.78	-.89
6	6.6612	-59.91	RMS	13.9	2.6	-43.41	-39.92	-3.49

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7298	-57.04	RMS	13.5	2	-41.54	-40.73	-.81
2	5.8234	-55.33	RMS	13.6	1.9	-39.83	-36.47	-3.36
3	6.2776	-17.04	RMS	13.8	2.3	-.94	-.73	-.21
4	6.5788	-46.18	RMS	13.9	2.6	-29.68	-27.77	-1.91
5	6.6382	-48.95	RMS	13.9	2.6	-32.45	-31.59	-.86
6	6.8134	-62.81	RMS	14	2.6	-46.21	-40.73	-5.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7382	-56.98	RMS	13.6	2	-41.38	-40.16	-1.22
2	5.8918	-51.08	RMS	13.6	1.9	-35.58	-30.96	-4.62
3	6.2806	-16.37	RMS	13.8	2.3	-.27	-.16	-.11
4	6.5692	-45.98	RMS	13.9	2.6	-29.48	-26.74	-2.74
5	6.6436	-48.49	RMS	13.9	2.6	-31.99	-31.41	-.58
6	6.8188	-62.97	RMS	14	2.6	-46.37	-40.16	-6.21


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5722	-56.66	RMS	13.5	2	-41.16	-40.36	-.8
2	5.7294	-51.29	RMS	13.5	2	-35.79	-31.33	-4.46
3	6.1182	-16.41	RMS	13.7	2.3	-.41	-.36	-.05
4	6.42	-47.12	RMS	13.9	2.3	-30.92	-27.45	-3.47
5	6.4812	-49.33	RMS	13.8	2	-33.53	-31.44	-2.09
6	6.651	-61.8	RMS	13.9	2.6	-45.3	-40.36	-4.94

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5992	-73.75	RMS	13.5	2	-58.25	-49.39	-8.86
2	6.12	-25.58	RMS	13.7	2.3	-9.58	-9.39	-.19
3	6.6066	-73.18	RMS	13.9	2.6	-56.68	-49.39	-7.29

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.761	-74.52	RMS	13.6	1.9	-59.02	-49.91	-9.11
2	6.2752	-26.29	RMS	13.8	2.3	-10.19	-9.91	-.28
3	6.7732	-73.38	RMS	14	2.6	-56.78	-49.91	-6.87


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7634	-73.37	RMS	13.5	1.9	-57.97	-50.16	-7.81
2	6.2764	-26.4	RMS	13.8	2.3	-10.3	-10.16	-.14
3	6.778	-72.85	RMS	14	2.6	-56.25	-50.16	-6.09


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)
STANDARD POWER**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6088	-56.85	RMS	13.5	2	-41.35	-39.54	-1.81
2	5.7324	-49.46	RMS	13.6	2	-33.86	-30.58	-3.28
3	6.111	-15.83	RMS	13.7	2.3	.17	.18	-.01
4	6.4704	-47.9	RMS	13.8	2	-32.1	-30.11	-1.99
5	6.6126	-63.09	RMS	13.9	2.6	-46.59	-39.82	-6.77

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6094	-56.08	RMS	13.5	2	-40.58	-40.28	-.3
2	5.6922	-52.63	RMS	13.6	2	-37.03	-34.25	-2.78
3	6.0984	-16.76	RMS	13.7	2.3	-.76	-.6	-.16
4	6.4776	-49.97	RMS	13.8	2	-34.17	-31.42	-2.75
5	6.6114	-62.8	RMS	13.9	2.6	-46.3	-40.6	-5.7

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7562	-57.28	RMS	13.5	1.9	-41.88	-40.1	-1.78
2	5.893	-49.75	RMS	13.6	1.9	-34.25	-30.82	-3.43
3	6.2734	-16.26	RMS	13.8	2.3	-.16	-.1	-.06
4	6.6292	-47.18	RMS	13.9	2.6	-30.68	-30.31	-.37
5	6.7702	-61.84	RMS	14	2.6	-45.24	-40.1	-5.14


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.758	-56.56	RMS	13.5	1.9	-41.16	-40.06	-1.1
2	5.893	-49.87	RMS	13.6	1.9	-34.37	-30.78	-3.59
3	6.25	-16.35	RMS	13.8	2.3	-.25	-.06	-.19
4	6.6394	-48.39	RMS	13.9	2.6	-31.89	-31.01	-.88
5	6.7726	-60.25	RMS	14	2.6	-43.65	-40.06	-3.59

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-73.81	RMS	13.5	2	-58.31	-49.43	-8.88
2	6.0978	-25.51	RMS	13.7	2.3	-9.51	-9.43	-.08
3	6.6108	-73.17	RMS	13.9	2.6	-56.67	-49.43	-7.24

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7616	-74.53	RMS	13.6	1.9	-59.03	-49.2	-9.83
2	6.2572	-25.5	RMS	13.8	2.3	-9.4	-9.2	-.2
3	6.772	-73.25	RMS	14	2.6	-56.65	-49.2	-7.45


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7646	-73.13	RMS	13.5	1.9	-57.73	-49.66	-8.07
2	6.2752	-25.96	RMS	13.8	2.3	-9.86	-9.66	-.2
3	6.7756	-72.98	RMS	14	2.6	-56.38	-49.66	-6.72


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)
STANDARD POWER**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.568	-56.69	RMS	13.6	2	-41.09	-39.65	-1.44
2	6.0966	-15.98	RMS	13.8	2.3	.12	.35	-.23
3	6.4062	-47.57	RMS	13.9	2.3	-31.37	-26.09	-5.28
4	6.4884	-49.84	RMS	13.8	2	-34.04	-31.25	-2.79
5	6.6324	-61.87	RMS	13.9	2.6	-45.37	-39.65	-5.72

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5686	-56.93	RMS	13.5	2	-41.43	-40.96	-4.47
2	5.7312	-52.19	RMS	13.5	2	-36.69	-31.81	-4.88
3	6.0984	-17	RMS	13.7	2.3	-1	-.96	-.04
4	6.42	-48.94	RMS	13.9	2.3	-32.74	-28.05	-4.69
5	6.4818	-51.62	RMS	13.8	2	-35.82	-32.08	-3.74
6	6.6624	-63.86	RMS	13.9	2.6	-47.36	-40.96	-6.4

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7382	-56.58	RMS	13.6	2	-40.98	-40.7	-.28
2	5.8918	-51.02	RMS	13.6	1.9	-35.52	-31.5	-4.02
3	6.2512	-16.93	RMS	13.8	2.3	-.83	-.7	-.13
4	6.5746	-46.4	RMS	13.9	2.6	-29.9	-27.54	-2.36
5	6.6514	-50.15	RMS	13.9	2.6	-33.65	-32.52	-1.13
6	6.8164	-61.36	RMS	14	2.6	-44.76	-40.7	-4.06


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7322	-58.46	RMS	13.5	2	-42.96	-41.26	-1.7
2	6.2602	-17.6	RMS	13.8	2.3	-1.5	-1.26	-.24
3	6.5782	-48.64	RMS	13.9	2.6	-32.14	-28.27	-3.87
4	6.6382	-52.13	RMS	13.9	2.6	-35.63	-32.12	-3.51
5	6.7912	-67.81	RMS	14	2.6	-51.21	-41.26	-9.95

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5968	-72.41	RMS	13.5	2	-56.91	-49.57	-7.34
2	6.0954	-25.74	RMS	13.7	2.3	-9.74	-9.57	-.17
3	6.6144	-72.73	RMS	13.9	2.6	-56.23	-49.57	-6.66

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.767	-74.25	RMS	13.6	1.9	-58.75	-50.02	-8.73
2	6.253	-26.49	RMS	13.8	2.3	-10.39	-10.17	-.22
3	6.766	-73.37	RMS	14	2.6	-56.77	-50.17	-6.6


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.767	-74.53	RMS	13.5	1.9	-59.13	-49.83	-9.3
2	6.259	-26.14	RMS	13.8	2.3	-10.04	-9.98	-.06
3	6.7726	-73.73	RMS	14	2.6	-57.13	-49.98	-7.15


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6046	-57.75	RMS	13.5	2	-42.25	-39.87	-2.38
2	6.1128	-15.93	RMS	13.7	2.3	.07	.13	-.06
3	6.4932	-49.91	RMS	13.8	2	-34.11	-31.82	-2.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6058	-59.04	RMS	13.5	2	-43.54	-40.18	-3.36
2	6.0984	-16.28	RMS	13.7	2.3	-.28	-.24	-.04
3	6.5196	-55.13	RMS	13.8	2	-39.33	-34.1	-5.23

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-57.68	RMS	13.6	1.9	-42.18	-39.92	-2.26
2	6.2584	-16.12	RMS	13.8	2.3	-.02	.08	-.1
3	6.6538	-49.81	RMS	13.9	2.6	-33.31	-31.91	-1.4


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7754	-59.6	RMS	13.6	1.9	-44.1	-39.51	-4.59
2	6.2578	-16.44	RMS	13.8	2.3	-.34	-.27	-.07
3	6.619	-49.99	RMS	13.9	2.6	-33.49	-29.73	-3.76


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7054	-66.13	RMS	13.6	2	-50.53	-39.33	-11.2
2	6.1008	-22.85	RMS	13.8	2.3	-6.75	-6.63	-.12
3	6.495	-66.77	RMS	13.8	2	-50.97	-38.71	-12.26

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7018	-66	RMS	13.6	2	-50.4	-39.8	-10.6
2	6.0996	-23.01	RMS	13.7	2.3	-7.01	-6.84	-.17
3	6.4596	-66.2	RMS	13.9	2	-50.3	-36.35	-13.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.962	-64.67	RMS	13.7	2.3	-48.67	-33.71	-14.96
2	6.2704	-23.48	RMS	13.8	2.3	-7.38	-7.22	-.16
3	6.616	-67.16	RMS	13.9	2.6	-50.66	-36.46	-14.2

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.956	-64.66	RMS	13.7	2.3	-48.66	-33.62	-15.04
2	6.2584	-23.05	RMS	13.8	2.3	-6.95	-6.84	-.11
3	6.6628	-68.54	RMS	13.9	2.6	-52.04	-39.49	-12.55


RMS - RMS detection

9.5.7. 802.11a MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.8. 802.11be EHT20 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T STANDARD POWER




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T STANDARD POWER



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1