



9.5.9. 802.11be EHT40 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.10. 802.11be EHT80 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.11. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76616	-78.87	RMS	13.6	1.9	-63.37	-51.25	-12.12
2	6.01924	-27.6	RMS	13.7	2.3	-11.6	-11.41	-.19
3	6.2896	-77.68	RMS	13.9	2.3	-61.48	-51.41	-10.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74348	-78.15	RMS	13.5	2	-62.65	-51.83	-10.82
2	6.01708	-27.99	RMS	13.7	2.3	-11.99	-11.83	-.16
3	6.29968	-77.17	RMS	13.8	2.3	-61.07	-51.83	-9.24

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91716	-78.6	RMS	13.6	1.9	-63.1	-52.63	-10.47
2	6.1796	-28.91	RMS	13.8	2.3	-12.81	-12.63	-.18
3	6.4478	-76.6	RMS	13.9	2	-60.7	-52.63	-8.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91788	-78.99	RMS	13.6	1.9	-63.49	-52.74	-10.75
2	6.18212	-28.86	RMS	13.8	2.3	-12.76	-12.74	-.02
3	6.45428	-77.75	RMS	13.9	2	-61.85	-52.74	-9.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07464	-79.34	RMS	13.7	2.3	-63.34	-52.13	-11.21
2	6.33852	-28.24	RMS	13.8	2.3	-12.14	-12.13	-.01
3	6.61284	-76.92	RMS	13.9	2.6	-60.42	-52.13	-8.29


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-79.21	RMS	13.7	2.3	-63.21	-52.28	-10.93
2	6.35436	-28.67	RMS	13.8	2.3	-12.57	-12.28	-.29
3	6.6132	-76.73	RMS	13.9	2.6	-60.23	-52.28	-7.95


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76652	-78.64	RMS	13.6	1.9	-63.14	-51.3	-11.84
2	6.0196	-27.69	RMS	13.7	2.3	-11.69	-11.51	-.18
3	6.29284	-77.33	RMS	13.9	2.3	-61.13	-51.51	-9.62

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75536	-77.94	RMS	13.5	1.9	-62.54	-51.92	-10.62
2	6.01852	-28.07	RMS	13.7	2.3	-12.07	-11.92	-.15
3	6.2914	-76.75	RMS	13.8	2.3	-60.65	-51.92	-8.73

RMS - RMS detection




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91356	-79.03	RMS	13.6	1.9	-63.53	-52.42	-11.11
2	6.17888	-28.68	RMS	13.8	2.3	-12.58	-12.42	-.16
3	6.45356	-77.43	RMS	13.9	2	-61.53	-52.42	-9.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-78.47	RMS	13.7	2.3	-62.47	-52.25	-10.22
2	6.33636	-28.48	RMS	13.8	2.3	-12.38	-12.25	-.13
3	6.61968	-76.25	RMS	13.9	2.6	-59.75	-52.25	-7.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07212	-79.05	RMS	13.7	2.3	-63.05	-52.41	-10.64
2	6.3414	-28.7	RMS	13.8	2.3	-12.6	-12.41	-.19
3	6.61536	-76.91	RMS	13.9	2.6	-60.41	-52.41	-8


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76148	-78.38	RMS	13.6	1.9	-62.88	-51.65	-11.23
2	6.03292	-27.78	RMS	13.7	2.3	-11.78	-11.65	-.13
3	6.29392	-76.49	RMS	13.9	2.3	-60.29	-51.65	-8.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75932	-77.83	RMS	13.5	1.9	-62.43	-51.86	-10.57
2	6.03184	-27.96	RMS	13.7	2.3	-11.96	-11.86	-.1
3	6.28816	-76.74	RMS	13.8	2.3	-60.64	-51.86	-8.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91284	-79.21	RMS	13.6	1.9	-63.71	-52.71	-11
2	6.19256	-28.89	RMS	13.8	2.3	-12.79	-12.71	-.08
3	6.45032	-77.21	RMS	13.9	2	-61.31	-52.71	-8.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92544	-75.62	RMS	13.6	1.9	-60.12	-52.65	-7.47
2	6.18788	-29.08	RMS	13.8	2.3	-12.98	-12.71	-.27
3	6.4514	-75.4	RMS	13.9	2	-59.5	-52.71	-6.79

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-78.81	RMS	13.7	2.3	-62.81	-51.93	-10.88
2	6.35112	-28.3	RMS	13.8	2.3	-12.2	-11.93	-.27
3	6.61284	-76.42	RMS	13.9	2.6	-59.92	-51.93	-7.99


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08112	-79.07	RMS	13.7	2.3	-63.07	-52.5	-10.57
2	6.3558	-28.76	RMS	13.8	2.3	-12.66	-12.5	-.16
3	6.62184	-77.09	RMS	13.9	2.6	-60.59	-52.5	-8.09


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76436	-78.83	RMS	13.6	1.9	-63.33	-52.5	-10.83
2	6.01204	-28.68	RMS	13.7	2.3	-12.68	-12.5	-.18
3	6.29212	-77.68	RMS	13.9	2.3	-61.48	-52.5	-8.98

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75716	-78.74	RMS	13.5	1.9	-63.34	-52.76	-10.58
2	6.02896	-28.96	RMS	13.7	2.3	-12.96	-12.76	-.2
3	6.29104	-77.62	RMS	13.8	2.3	-61.52	-52.76	-8.76

RMS - RMS detection




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92004	-79.13	RMS	13.6	1.9	-63.63	-53.61	-10.02
2	6.17852	-29.74	RMS	13.8	2.3	-13.64	-13.61	-.03
3	6.5396	-77.42	RMS	13.8	2.6	-61.02	-53.61	-7.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-79.15	RMS	13.7	2.3	-63.15	-53.3	-9.85
2	6.35256	-29.51	RMS	13.8	2.3	-13.41	-13.3	-.11
3	6.61824	-77.05	RMS	13.9	2.6	-60.55	-53.3	-7.25


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07788	-78.95	RMS	13.7	2.3	-62.95	-53.45	-9.5
2	6.35184	-29.71	RMS	13.8	2.3	-13.61	-13.45	-.16
3	6.61428	-76.82	RMS	13.9	2.6	-60.32	-53.45	-6.87


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76076	-78.57	RMS	13.6	1.9	-63.07	-52.7	-10.37
2	6.02068	-28.92	RMS	13.7	2.3	-12.92	-12.7	-.22
3	6.28888	-76.15	RMS	13.8	2.3	-60.05	-52.7	-7.35

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76004	-78.23	RMS	13.5	1.9	-62.83	-52.76	-10.07
2	6.01924	-28.99	RMS	13.7	2.3	-12.99	-12.76	-.23
3	6.29536	-77.7	RMS	13.8	2.3	-61.6	-52.76	-8.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-78.64	RMS	13.6	1.9	-63.14	-53.78	-9.36
2	6.18968	-29.92	RMS	13.8	2.3	-13.82	-13.78	-.04
3	6.45212	-77.39	RMS	13.9	2	-61.49	-53.78	-7.71

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91788	-79.23	RMS	13.6	1.9	-63.73	-53.71	-10.02
2	6.176	-29.89	RMS	13.8	2.3	-13.79	-13.71	-.08
3	6.45428	-77.66	RMS	13.9	2	-61.76	-53.71	-8.05

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07608	-78.46	RMS	13.7	2.3	-62.46	-53.09	-9.37
2	6.35508	-29.37	RMS	13.8	2.3	-13.27	-13.09	-.18
3	6.61158	-76.72	RMS	13.9	2.6	-60.22	-53.09	-7.13


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08472	-78.76	RMS	13.7	2.3	-62.76	-53.59	-9.17
2	6.34932	-29.73	RMS	13.8	2.3	-13.63	-13.59	-.04
3	6.61464	-76.63	RMS	13.9	2.6	-60.13	-53.59	-6.54


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75896	-78.9	RMS	13.5	1.9	-63.5	-52.78	-10.72
2	6.02104	-28.8	RMS	13.7	2.3	-12.8	-12.78	-.02
3	6.29032	-77.25	RMS	13.9	2.3	-61.05	-52.78	-8.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-78.49	RMS	13.5	1.9	-63.09	-53.19	-9.9
2	6.02176	-29.34	RMS	13.7	2.3	-13.34	-13.19	-.15
3	6.29212	-77.05	RMS	13.8	2.3	-60.95	-53.19	-7.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-79.01	RMS	13.6	1.9	-63.51	-53.69	-9.82
2	6.18176	-30.04	RMS	13.8	2.3	-13.94	-13.69	-.25
3	6.45284	-77.05	RMS	13.9	2	-61.15	-53.69	-7.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92436	-77.93	RMS	13.6	1.9	-62.43	-53.73	-8.7
2	6.18968	-29.92	RMS	13.8	2.3	-13.82	-13.73	-.09
3	6.4568	-76.74	RMS	13.9	2	-60.84	-53.73	-7.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-78.54	RMS	13.7	2.3	-62.54	-53.14	-9.4
2	6.34896	-29.43	RMS	13.8	2.3	-13.33	-13.14	-.19
3	6.61644	-76.93	RMS	13.9	2.6	-60.43	-53.14	-7.29


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08148	-78.64	RMS	13.7	2.3	-62.64	-53.47	-9.17
2	6.34824	-29.72	RMS	13.8	2.3	-13.62	-13.47	-.15
3	6.60996	-76.64	RMS	13.9	2.6	-60.14	-53.47	-6.67


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76328	-78.07	RMS	13.6	1.9	-62.57	-52.75	-9.82
2	6.0322	-28.96	RMS	13.7	2.3	-12.96	-12.75	-.21
3	6.29428	-77.41	RMS	13.9	2.3	-61.21	-52.75	-8.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75968	-78.71	RMS	13.5	1.9	-63.31	-52.92	-10.39
2	6.02896	-29.16	RMS	13.7	2.3	-13.16	-12.92	-.24
3	6.2914	-77.29	RMS	13.8	2.3	-61.19	-52.92	-8.27

RMS - RMS detection




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.90024	-78.16	RMS	13.6	1.9	-62.66	-53.89	-8.77
2	6.18896	-30.21	RMS	13.8	2.3	-14.11	-13.89	-.22
3	6.4568	-76.79	RMS	13.9	2	-60.89	-53.89	-7

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07932	-78.68	RMS	13.7	2.3	-62.68	-53.21	-9.47
2	6.35112	-29.41	RMS	13.8	2.3	-13.31	-13.21	-.1
3	6.6114	-76.05	RMS	13.9	2.6	-59.55	-53.21	-6.34


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07752	-79.1	RMS	13.7	2.3	-63.1	-53.68	-9.42
2	6.35328	-29.81	RMS	13.8	2.3	-13.71	-13.68	-.03
3	6.6132	-76.7	RMS	13.9	2.6	-60.2	-53.68	-6.52


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75356	-78.9	RMS	13.5	1.9	-63.5	-52.63	-10.87
2	6.01636	-28.7	RMS	13.7	2.3	-12.7	-12.63	-.07
3	6.29248	-77.34	RMS	13.9	2.3	-61.14	-52.63	-8.51

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76292	-78.75	RMS	13.5	1.9	-63.35	-53.03	-10.32
2	6.02104	-29.15	RMS	13.7	2.3	-13.15	-13.03	-.12
3	6.29644	-77.77	RMS	13.8	2.3	-61.67	-53.03	-8.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91392	-78.95	RMS	13.6	1.9	-63.45	-53.6	-9.85
2	6.17564	-29.85	RMS	13.8	2.3	-13.75	-13.6	-.15
3	6.4532	-77.57	RMS	13.9	2	-61.67	-53.6	-8.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9114	-79.38	RMS	13.6	1.9	-63.88	-53.64	-10.24
2	6.17312	-30	RMS	13.8	2.3	-13.9	-13.64	-.26
3	6.45644	-77.7	RMS	13.9	2	-61.8	-53.64	-8.16

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-79.07	RMS	13.7	2.3	-63.07	-53.33	-9.74
2	6.34068	-29.67	RMS	13.8	2.3	-13.57	-13.33	-.24
3	6.6168	-76.88	RMS	13.9	2.6	-60.38	-53.33	-7.05


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-78.74	RMS	13.7	2.3	-62.74	-53.67	-9.07
2	6.33672	-29.95	RMS	13.8	2.3	-13.85	-13.67	-.18
3	6.61212	-76.88	RMS	13.9	2.6	-60.38	-53.67	-6.71


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW
POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75428	-78.84	RMS	13.5	1.9	-63.44	-52.69	-10.75
2	6.03076	-28.91	RMS	13.7	2.3	-12.91	-12.69	-.22
3	6.29932	-77.65	RMS	13.9	2.3	-61.45	-52.69	-8.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-78.91	RMS	13.5	1.9	-63.51	-53.01	-10.5
2	6.0196	-29.19	RMS	13.7	2.3	-13.19	-13.01	-.18
3	6.29752	-78.12	RMS	13.8	2.3	-62.02	-53.01	-9.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9258	-77.79	RMS	13.6	1.9	-62.29	-53.58	-8.71
2	6.17924	-29.95	RMS	13.8	2.3	-13.85	-13.69	-.16
3	6.45032	-76.14	RMS	13.9	2	-60.24	-53.69	-6.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92112	-78.84	RMS	13.6	1.9	-63.34	-53.73	-9.61
2	6.17816	-29.85	RMS	13.8	2.3	-13.75	-13.73	-.02
3	6.45248	-75.71	RMS	13.9	2	-59.81	-53.73	-6.08

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07392	-79.05	RMS	13.7	2.3	-63.05	-53.35	-9.7
2	6.34212	-29.66	RMS	13.8	2.3	-13.56	-13.35	-.21
3	6.61644	-76.93	RMS	13.9	2.6	-60.43	-53.35	-7.08


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08004	-79.1	RMS	13.7	2.3	-63.1	-53.48	-9.62
2	6.34896	-29.75	RMS	13.8	2.3	-13.65	-13.48	-.17
3	6.63372	-76.91	RMS	13.9	2.6	-60.41	-53.48	-6.93


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-78.38	RMS	13.5	1.9	-62.98	-52.68	-10.3
2	6.01852	-28.74	RMS	13.7	2.3	-12.74	-12.68	-.06
3	6.2914	-77.38	RMS	13.9	2.3	-61.18	-52.68	-8.5

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75248	-79.21	RMS	13.5	1.9	-63.81	-53.04	-10.77
2	6.02068	-29.12	RMS	13.7	2.3	-13.12	-13.04	-.08
3	6.30184	-78.04	RMS	13.9	2.3	-61.84	-53.04	-8.8

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92256	-78.87	RMS	13.6	1.9	-63.37	-53.86	-9.51
2	6.17672	-30.18	RMS	13.8	2.3	-14.08	-13.86	-.22
3	6.45284	-76.85	RMS	13.9	2	-60.95	-53.86	-7.09

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91248	-79.75	RMS	13.6	1.9	-64.25	-53.66	-10.59
2	6.19148	-29.86	RMS	13.8	2.3	-13.76	-13.66	-.1
3	6.4568	-77.66	RMS	13.9	2	-61.76	-53.66	-8.1

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08256	-78.85	RMS	13.7	2.3	-62.85	-53.24	-9.61
2	6.35148	-29.53	RMS	13.8	2.3	-13.43	-13.24	-.19
3	6.61752	-76.45	RMS	13.9	2.6	-59.95	-53.24	-6.71

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07752	-78.57	RMS	13.7	2.3	-62.57	-53.62	-8.95
2	6.34032	-29.79	RMS	13.8	2.3	-13.69	-13.62	-.07
3	6.61212	-76.3	RMS	13.9	2.6	-59.8	-53.62	-6.18

RMS - RMS detection

Test Facility: UL Morrisville

2024 Sep 19 22:01:31

RF Emissions

Project Number: 15374786

Client: Microsoft

Test Location: COND2

Mode: 2Tx, EHT160 2x996T RU68 6025MHz, C0

Tested by: 84740

dBm Range 1

30

20

10

0

-10

-20

-30

-40

-50

-60

5.665

6.385

Frequency (GHz)

Emission Mask

1

2


3

Range (GHz)	RBW/EBW	Ref/AttN	Det/Avg Mode	Sweep	Pts	#Seps/Mode	Label
1: 5.665-6.385	3MHz/3dB/10Hz	0/10	RWR/Pwr Avg(PMS)	20sec/100	2001	100100	Range 1

Rev 9.5 18 Oct 2021


Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74924	-77.14	RMS	13.5	1.9	-61.74	-51.36	-10.38
2	6.03184	-27.48	RMS	13.7	2.3	-11.48	-11.36	-.12
3	6.29284	-76.84	RMS	13.9	2.3	-60.64	-51.36	-9.28

UL LLC
12 Laboratory Drive, Research Triangle Park, NC 27709; USA TEL:(919)549-1400
This report shall not be reproduced except in full, without the written approval of UL LLC




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75968	-77.61	RMS	13.5	1.9	-62.21	-52.38	-9.83
2	6.02104	-28.45	RMS	13.7	2.3	-12.45	-12.38	-.07
3	6.29752	-77.6	RMS	13.8	2.3	-61.5	-52.38	-9.12

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92364	-77.5	RMS	13.6	1.9	-62	-52.16	-9.84
2	6.17528	-28.48	RMS	13.8	2.3	-12.38	-12.16	-.22
3	6.46184	-76.6	RMS	13.8	2	-60.8	-52.16	-8.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-77.49	RMS	13.6	1.9	-61.99	-52.56	-9.43
2	6.18104	-28.73	RMS	13.8	2.3	-12.63	-12.56	-.07
3	6.47156	-76.92	RMS	13.8	2	-61.12	-52.56	-8.56

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-77.48	RMS	13.7	2.3	-61.48	-52.59	-8.89
2	6.34932	-28.72	RMS	13.8	2.3	-12.62	-12.59	-.03
3	6.60888	-76.02	RMS	13.9	2.6	-59.52	-52.59	-6.93

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-77.66	RMS	13.7	2.3	-61.66	-52.96	-8.7
2	6.40224	-29.25	RMS	13.8	2.3	-13.15	-12.96	-.19
3	6.61032	-76.54	RMS	13.9	2.6	-60.04	-52.96	-7.08


RMS - RMS detection

9.5.12. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.625	-70.34	RMS	13.5	2	-54.84	-47.77	-7.07
2	6.0966	-25.36	RMS	13.7	2.3	-9.36	-9.23	-.13
3	6.6198	-73.59	RMS	13.9	2.6	-57.09	-49.23	-7.86

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-74.8	RMS	13.5	1.9	-59.4	-48.06	-11.34
2	6.2584	-24.32	RMS	13.8	2.3	-8.22	-8.06	-1.16
3	6.7684	-73.45	RMS	14	2.6	-56.85	-48.06	-8.79


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7652	-74.63	RMS	13.5	1.9	-59.23	-49.01	-10.22
2	6.2776	-25.21	RMS	13.8	2.3	-9.11	-9.02	-.09
3	6.7828	-73.84	RMS	14	2.6	-57.24	-49.02	-8.22


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5956	-74.1	RMS	13.5	2	-58.6	-48.55	-10.05
2	6.1002	-24.76	RMS	13.8	2.3	-8.66	-8.55	-.11
3	6.618	-72.97	RMS	13.9	2.6	-56.47	-48.55	-7.92

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-73.78	RMS	13.5	2	-58.28	-49.15	-9.13
2	6.0804	-25.42	RMS	13.7	2.3	-9.42	-9.15	-.27
3	6.6258	-73.54	RMS	13.9	2.6	-57.04	-49.15	-7.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7472	-75.33	RMS	13.5	1.9	-59.93	-48.59	-11.34
2	6.2542	-24.88	RMS	13.8	2.3	-8.78	-8.59	-.19
3	6.7738	-73.84	RMS	14	2.6	-57.24	-48.59	-8.65


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.81	RMS	13.5	1.9	-59.41	-49	-10.41
2	6.2596	-25.35	RMS	13.8	2.3	-9.25	-9	-.25
3	6.7738	-73.93	RMS	14	2.6	-57.33	-49	-8.33


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.22	RMS	13.5	2	-58.72	-48.72	-10
2	6.0954	-24.94	RMS	13.8	2.3	-8.84	-8.72	-.12
3	6.615	-73.17	RMS	13.9	2.6	-56.67	-48.72	-7.95

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-73.56	RMS	13.5	2	-58.06	-49.37	-8.69
2	6.1206	-25.4	RMS	13.7	2.3	-9.4	-9.37	-.03
3	6.6108	-73.3	RMS	13.9	2.6	-56.8	-49.37	-7.43

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.761	-74.87	RMS	13.6	1.9	-59.37	-48.73	-10.64
2	6.2596	-24.91	RMS	13.8	2.3	-8.81	-8.73	-.08
3	6.772	-73.24	RMS	14	2.6	-56.64	-48.73	-7.91


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7616	-74.6	RMS	13.5	1.9	-59.2	-48.55	-10.65
2	6.2596	-24.8	RMS	13.8	2.3	-8.7	-8.55	-.15
3	6.775	-73.81	RMS	14	2.6	-57.21	-48.55	-8.66


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.07	RMS	13.5	2	-58.57	-48.73	-9.84
2	6.0978	-24.85	RMS	13.8	2.3	-8.75	-8.73	-.02
3	6.6192	-72.87	RMS	13.9	2.6	-56.37	-48.73	-7.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6058	-73.62	RMS	13.5	2	-58.12	-49.11	-9.01
2	6.1218	-25.3	RMS	13.7	2.3	-9.3	-9.17	-.13
3	6.6144	-73.47	RMS	13.9	2.6	-56.97	-49.17	-7.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-75.03	RMS	13.5	1.9	-59.63	-48.4	-11.23
2	6.271	-24.55	RMS	13.8	2.3	-8.45	-8.4	-.05
3	6.7822	-73.5	RMS	14	2.6	-56.9	-48.4	-8.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7634	-74.74	RMS	13.5	1.9	-59.34	-49.12	-10.22
2	6.2578	-25.39	RMS	13.8	2.3	-9.29	-9.12	-.17
3	6.7762	-73.64	RMS	14	2.6	-57.04	-49.12	-7.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6016	-74.29	RMS	13.5	2	-58.79	-48.52	-10.27
2	6.1122	-24.67	RMS	13.7	2.3	-8.67	-8.52	-.15
3	6.6228	-73.06	RMS	13.9	2.6	-56.56	-48.52	-8.04

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.628	-70.43	RMS	13.5	2	-54.93	-47.5	-7.43
2	6.1218	-25.33	RMS	13.7	2.3	-9.33	-9.18	-.15
3	6.6096	-73.48	RMS	13.9	2.6	-56.98	-49.18	-7.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7382	-74.98	RMS	13.6	2	-59.38	-48.6	-10.78
2	6.2788	-24.73	RMS	13.8	2.3	-8.63	-8.6	-.03
3	6.778	-73.46	RMS	14	2.6	-56.86	-48.6	-8.26


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7856	-72.2	RMS	13.6	1.9	-56.7	-47.52	-9.18
2	6.2758	-25.14	RMS	13.8	2.3	-9.04	-9.03	-.01
3	6.772	-73.69	RMS	14	2.6	-57.09	-49.03	-8.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.45	RMS	13.5	2	-58.95	-50.18	-8.77
2	6.1134	-26.4	RMS	13.7	2.3	-10.4	-10.18	-.22
3	6.6186	-73.07	RMS	13.9	2.6	-56.57	-50.18	-6.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6064	-73.59	RMS	13.5	2	-58.09	-51.08	-7.01
2	6.1116	-27.35	RMS	13.7	2.3	-11.35	-11.18	-.17
3	6.6204	-73.49	RMS	13.9	2.6	-56.99	-51.18	-5.81

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.86	RMS	13.5	1.9	-59.46	-50.64	-8.82
2	6.2518	-26.91	RMS	13.8	2.3	-10.81	-10.64	-.17
3	6.7798	-73.4	RMS	14	2.6	-56.8	-50.64	-6.16


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7688	-74.06	RMS	13.5	1.9	-58.66	-50.6	-8.06
2	6.2584	-27.2	RMS	13.8	2.3	-11.1	-10.88	-.22
3	6.7816	-73.72	RMS	14	2.6	-57.12	-50.88	-6.24


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-73.82	RMS	13.5	2	-58.32	-50.02	-8.3
2	6.1152	-26.21	RMS	13.7	2.3	-10.21	-10.02	-.19
3	6.615	-73.01	RMS	13.9	2.6	-56.51	-50.02	-6.49

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-73.51	RMS	13.5	2	-58.01	-50.86	-7.15
2	6.114	-26.96	RMS	13.7	2.3	-10.96	-10.86	-.1
3	6.6144	-73.43	RMS	13.9	2.6	-56.93	-50.86	-6.07

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7562	-75.17	RMS	13.5	1.9	-59.77	-50.34	-9.43
2	6.2728	-26.55	RMS	13.8	2.3	-10.45	-10.34	-.11
3	6.781	-73.7	RMS	14	2.6	-57.1	-50.34	-6.76


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7568	-74.45	RMS	13.5	1.9	-59.05	-50.77	-8.28
2	6.2782	-26.92	RMS	13.8	2.3	-10.82	-10.77	-.05
3	6.79	-74.02	RMS	14	2.6	-57.42	-50.77	-6.65


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER
INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6034	-74.04	RMS	13.5	2	-58.54	-50.37	-8.17
2	6.0918	-26.5	RMS	13.8	2.3	-10.4	-10.37	-.03
3	6.6138	-72.97	RMS	13.9	2.6	-56.47	-50.37	-6.1

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5986	-73.76	RMS	13.5	2	-58.26	-50.67	-7.59
2	6.0942	-26.92	RMS	13.7	2.3	-10.92	-10.67	-.25
3	6.621	-73.53	RMS	13.9	2.6	-57.03	-50.67	-6.36

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7478	-75.16	RMS	13.5	1.9	-59.76	-50.24	-9.52
2	6.2578	-26.57	RMS	13.8	2.3	-10.47	-10.24	-.23
3	6.7786	-73.56	RMS	14	2.6	-56.96	-50.24	-6.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7376	-74.93	RMS	13.5	2	-59.43	-50.72	-8.71
2	6.2578	-26.87	RMS	13.8	2.3	-10.77	-10.72	-.05
3	6.7708	-73.72	RMS	14	2.6	-57.12	-50.72	-6.4


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.2	RMS	13.5	2	-58.7	-51.72	-6.98
2	6.0978	-27.99	RMS	13.8	2.3	-11.89	-11.72	-.17
3	6.6192	-72.93	RMS	13.9	2.6	-56.43	-51.72	-4.71

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5974	-73.71	RMS	13.5	2	-58.21	-52.92	-5.29
2	6.111	-29.08	RMS	13.7	2.3	-13.08	-12.92	-.16
3	6.6162	-73.41	RMS	13.9	2.6	-56.91	-52.92	-3.99

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.53	RMS	13.6	2	-59.93	-51.62	-8.31
2	6.2752	-27.85	RMS	13.8	2.3	-11.75	-11.62	-.13
3	6.775	-73.82	RMS	14	2.6	-57.22	-51.62	-5.6


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.782	-73.79	RMS	13.6	1.9	-58.29	-51.12	-7.17
2	6.2776	-28.61	RMS	13.8	2.3	-12.51	-12.36	-.15
3	6.7738	-73.81	RMS	14	2.6	-57.21	-52.36	-4.85


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.43	RMS	13.5	2	-58.93	-51.76	-7.17
2	6.1134	-27.96	RMS	13.7	2.3	-11.96	-11.76	-.2
3	6.6066	-72.81	RMS	13.9	2.6	-56.31	-51.76	-4.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5968	-73.9	RMS	13.5	2	-58.4	-52.7	-5.7
2	6.1182	-28.84	RMS	13.7	2.3	-12.84	-12.7	-1.14
3	6.6252	-73.64	RMS	13.9	2.6	-57.14	-52.7	-4.44

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.737	-75.04	RMS	13.6	2	-59.44	-51.68	-7.76
2	6.2734	-27.91	RMS	13.8	2.3	-11.81	-11.68	-.13
3	6.7732	-73.48	RMS	14	2.6	-56.88	-51.68	-5.2


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7568	-75.11	RMS	13.5	1.9	-59.71	-52.06	-7.65
2	6.2596	-28.24	RMS	13.8	2.3	-12.14	-12.06	-.08
3	6.7732	-73.74	RMS	14	2.6	-57.14	-52.06	-5.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.604	-74.42	RMS	13.5	2	-58.92	-52	-6.92
2	6.0996	-28.32	RMS	13.8	2.3	-12.22	-12	-.22
3	6.618	-72.94	RMS	13.9	2.6	-56.44	-52	-4.44

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5884	-73.78	RMS	13.5	2	-58.28	-52.56	-5.72
2	6.1434	-28.7	RMS	13.7	2.3	-12.7	-12.56	-.14
3	6.63	-73.53	RMS	13.9	2.6	-57.03	-52.56	-4.47

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.4	RMS	13.6	2	-59.8	-51.52	-8.28
2	6.259	-27.68	RMS	13.8	2.3	-11.58	-11.52	-.06
3	6.7702	-73.65	RMS	14	2.6	-57.05	-51.52	-5.53


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.743	-75.18	RMS	13.5	2	-59.68	-52.13	-7.55
2	6.2584	-28.39	RMS	13.8	2.3	-12.29	-12.13	-.16
3	6.7804	-73.82	RMS	14	2.6	-57.22	-52.13	-5.09

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5974	-73.41	RMS	13.5	2	-57.91	-52.55	-5.36
2	6.0978	-28.69	RMS	13.7	2.3	-12.69	-12.55	-.14
3	6.6246	-73.53	RMS	13.9	2.6	-57.03	-52.55	-4.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-74.16	RMS	13.5	2	-58.66	-52.41	-6.25
2	6.1128	-28.46	RMS	13.7	2.3	-12.46	-12.41	-.05
3	6.6174	-73.22	RMS	13.9	2.6	-56.72	-52.41	-4.31


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.56	RMS	13.5	1.9	-59.16	-52.64	-6.52
2	6.259	-28.92	RMS	13.8	2.3	-12.82	-12.64	-.18
3	6.775	-73.62	RMS	14	2.6	-57.02	-52.64	-4.38


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.28	RMS	13.5	2	-58.78	-52.22	-6.56
2	6.1278	-28.23	RMS	13.7	2.3	-12.23	-12.22	-.01
3	6.621	-73.28	RMS	13.9	2.6	-56.78	-52.22	-4.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6052	-73.71	RMS	13.5	2	-58.21	-52.08	-6.13
2	6.1212	-28.15	RMS	13.7	2.3	-12.15	-12.09	-.06
3	6.615	-73.79	RMS	13.9	2.6	-57.29	-52.09	-5.2

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-74.93	RMS	13.5	1.9	-59.53	-52.04	-7.49
2	6.2746	-28.26	RMS	13.8	2.3	-12.16	-12.04	-.12
3	6.7774	-73.75	RMS	14	2.6	-57.15	-52.04	-5.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7676	-75.01	RMS	13.5	1.9	-59.61	-52.19	-7.42
2	6.2734	-28.63	RMS	13.8	2.3	-12.53	-12.38	-.15
3	6.778	-73.67	RMS	14	2.6	-57.07	-52.38	-4.69


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6022	-74.29	RMS	13.5	2	-58.79	-51.95	-6.84
2	6.111	-28.21	RMS	13.7	2.3	-12.21	-11.95	-.26
3	6.6168	-73.01	RMS	13.9	2.6	-56.51	-51.95	-4.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.598	-73.62	RMS	13.5	2	-58.12	-52.41	-5.71
2	6.0624	-28.62	RMS	13.7	2.3	-12.62	-12.41	-.21
3	6.6222	-73.54	RMS	13.9	2.6	-57.04	-52.41	-4.63

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2512	-27.96	RMS	13.8	2.3	-11.86	-11.65	-.21
2	6.7738	-73.47	RMS	14	2.6	-56.87	-51.65	-5.22


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.743	-74.75	RMS	13.5	2	-59.25	-52.16	-7.09
2	6.2758	-28.51	RMS	13.8	2.3	-12.41	-12.16	-.25
3	6.7918	-73.8	RMS	14	2.6	-57.2	-52.16	-5.04


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5908	-74.51	RMS	13.5	2	-59.01	-52.05	-6.96
2	6.093	-28.35	RMS	13.8	2.3	-12.25	-12.05	-.2
3	6.6156	-73.21	RMS	13.9	2.6	-56.71	-52.05	-4.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5878	-74.02	RMS	13.5	2	-58.52	-52.46	-6.06
2	6.1002	-28.56	RMS	13.7	2.3	-12.56	-12.46	-.1
3	6.6228	-73.85	RMS	13.9	2.6	-57.35	-52.46	-4.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.749	-75.21	RMS	13.5	1.9	-59.81	-51.19	-8.62
2	6.2494	-27.57	RMS	13.8	2.3	-11.47	-11.19	-.28
3	6.7732	-73.45	RMS	14	2.6	-56.85	-51.19	-5.66


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.18	RMS	13.5	2	-59.68	-52.3	-7.38
2	6.259	-28.49	RMS	13.8	2.3	-12.39	-12.3	-.09
3	6.7768	-73.95	RMS	14	2.6	-57.35	-52.3	-5.05


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5944	-74.04	RMS	13.5	2	-58.54	-49.69	-8.85
2	6.0966	-25.91	RMS	13.8	2.3	-9.81	-9.69	-.12
3	6.6192	-73.03	RMS	13.9	2.6	-56.53	-49.69	-6.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-71.95	RMS	13.5	2	-56.45	-50.27	-6.18
2	6.1008	-26.31	RMS	13.7	2.3	-10.31	-10.27	-.04
3	6.6162	-72.48	RMS	13.9	2.6	-55.98	-50.27	-5.71

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.746	-74.13	RMS	13.5	1.9	-58.73	-49.23	-9.5
2	6.2506	-25.52	RMS	13.8	2.3	-9.42	-9.23	-.19
3	6.7792	-72.74	RMS	14	2.6	-56.14	-49.23	-6.91

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7514	-73.12	RMS	13.5	1.9	-57.72	-49.69	-8.03
2	6.2758	-25.95	RMS	13.8	2.3	-9.85	-9.69	-.16
3	6.7714	-72.71	RMS	14	2.6	-56.11	-49.69	-6.42


RMS - RMS detection

9.5.13. 802.11a MODE 2TX IN THE UNII-6 BAND (LOW GAIN)


LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.14. 802.11be EHT20 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1