




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.29. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41192	-53.54	RMS	13.9	2.3	-37.34	-35.62	-1.72
2	6.6596	-13.34	RMS	13.9	2.6	3.16	3.42	-.26
3	6.92708	-57.9	RMS	14	2.6	-41.3	-36.58	-4.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40544	-55.84	RMS	13.8	2.3	-39.74	-37.12	-2.62
2	6.6596	-13.81	RMS	13.9	2.6	2.69	2.82	-.13
3	6.93212	-60.29	RMS	14	2.6	-43.69	-37.18	-6.51


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4004	-76.77	RMS	13.9	2.3	-60.57	-48.73	-11.84
2	6.65708	-25.41	RMS	13.9	2.6	-8.91	-8.73	-.18
3	6.92528	-76.2	RMS	14	2.6	-59.6	-48.73	-10.87


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40184	-75.85	RMS	13.8	2.3	-59.75	-49.15	-10.6
2	6.6578	-25.74	RMS	13.9	2.6	-9.24	-9.15	-.09
3	6.93212	-75.46	RMS	14	2.6	-58.86	-49.15	-9.71

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH) STANDARD POWER




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40472	-58.68	RMS	13.8	2.3	-42.58	-37.36	-5.22
2	6.67796	-14.02	RMS	13.9	2.6	2.48	2.64	-.16
3	6.87524	-50.12	RMS	14.1	2.6	-33.42	-30.52	-2.9
4	6.92528	-55.47	RMS	14	2.6	-38.87	-37.36	-1.51


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39824	-75.22	RMS	13.8	2.3	-59.12	-49.11	-10.01
2	6.66104	-25.76	RMS	13.9	2.6	-9.26	-9.11	-.15
3	6.92888	-75.13	RMS	14	2.6	-58.53	-49.11	-9.42


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40112	-76.13	RMS	13.8	2.3	-60.03	-49.24	-10.79
2	6.65924	-25.76	RMS	13.9	2.6	-9.26	-9.24	-.02
3	6.92672	-75.56	RMS	14	2.6	-58.96	-49.24	-9.72


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39752	-57.25	RMS	13.8	2.3	-41.15	-38.47	-2.68
2	6.65096	-15.17	RMS	13.9	2.6	1.33	1.53	-.2
3	6.85976	-52.13	RMS	14.1	2.6	-35.43	-29.49	-5.94
4	6.93716	-59.37	RMS	14.1	2.6	-42.67	-38.47	-4.2


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39464	-57.37	RMS	13.8	2.3	-41.27	-38.75	-2.52
2	6.6578	-15.26	RMS	13.9	2.6	1.24	1.25	-.01
3	6.87704	-53.4	RMS	14.1	2.6	-36.7	-32.15	-4.55
4	6.93392	-60.18	RMS	14.1	2.6	-43.48	-38.75	-4.73


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40148	-74.71	RMS	13.9	2.3	-58.51	-48.75	-9.76
2	6.66176	-25.36	RMS	13.9	2.6	-8.86	-8.75	-.11
3	6.92996	-74.81	RMS	14	2.6	-58.21	-48.75	-9.46


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39572	-76.07	RMS	13.8	2.3	-59.97	-49.29	-10.68
2	6.66212	-25.95	RMS	13.9	2.6	-9.45	-9.29	-.16
3	6.92996	-75.18	RMS	14	2.6	-58.58	-49.29	-9.29


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39968	-57.49	RMS	13.9	2.3	-41.29	-38.24	-3.05
2	6.67472	-14.8	RMS	13.9	2.6	1.7	1.76	-.06
3	6.87668	-52.01	RMS	14.1	2.6	-35.31	-31.59	-3.72
4	6.91916	-56.63	RMS	14	2.6	-40.03	-37.44	-2.59


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.38996	-58.48	RMS	13.8	2.3	-42.38	-38.76	-3.62
2	6.66968	-15.37	RMS	13.9	2.6	1.13	1.24	-.11
3	6.8792	-52.24	RMS	14.1	2.6	-35.54	-32.46	-3.08
4	6.92708	-57.72	RMS	14	2.6	-41.12	-38.76	-2.36


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40436	-75.16	RMS	13.9	2.3	-58.96	-48.32	-10.64
2	6.67328	-24.83	RMS	13.9	2.6	-8.33	-8.32	-.01
3	6.92492	-74.99	RMS	14	2.6	-58.39	-48.31	-10.08


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40184	-76.06	RMS	13.8	2.3	-59.96	-49.26	-10.7
2	6.67472	-25.82	RMS	13.9	2.6	-9.32	-9.26	-.06
3	6.93248	-75.58	RMS	14.1	2.6	-58.88	-49.26	-9.62


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40346	-60.1	RMS	13.9	2.3	-43.9	-39.02	-4.88
2	6.44288	-53.02	RMS	13.9	2	-37.12	-33.78	-3.34
3	6.65996	-15.59	RMS	13.9	2.6	.91	.98	-.07
4	6.89864	-56.8	RMS	14	2.6	-40.2	-35.4	-4.8
5	6.94076	-61.83	RMS	14.1	2.6	-45.13	-39.02	-6.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39392	-61.84	RMS	13.8	2.3	-45.74	-39.49	-6.25
2	6.512	-49.55	RMS	13.8	2	-33.75	-25.6	-8.15
3	6.65852	-16.09	RMS	13.9	2.6	.41	.51	-.1
4	6.88604	-56.39	RMS	14	2.6	-39.79	-34.13	-5.66
5	6.93356	-62.35	RMS	14.1	2.6	-45.65	-39.49	-6.16


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40364	-76.97	RMS	13.9	2.3	-60.77	-51.76	-9.01
2	6.66032	-28.37	RMS	13.9	2.6	-11.87	-11.76	-.11
3	6.94472	-76.44	RMS	14.1	2.6	-59.74	-51.76	-7.98


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39716	-77.31	RMS	13.8	2.3	-61.21	-52.19	-9.02
2	6.67256	-28.76	RMS	13.9	2.6	-12.26	-12.19	-.07
3	6.9296	-76.5	RMS	14	2.6	-59.9	-52.19	-7.71

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) STANDARD POWER




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.38096	-60.35	RMS	13.8	2.3	-44.25	-39.62	-4.63
2	6.67796	-16.16	RMS	13.9	2.6	.34	.38	-.04
3	6.92924	-60.77	RMS	14	2.6	-44.17	-39.62	-4.55


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39536	-77.08	RMS	13.8	2.3	-60.98	-51.76	-9.22
2	6.66068	-28.33	RMS	13.9	2.6	-11.83	-11.76	-.07
3	6.93212	-76.3	RMS	14	2.6	-59.7	-51.76	-7.94


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3914	-77.31	RMS	13.8	2.3	-61.21	-52	-9.21
2	6.66104	-28.58	RMS	13.9	2.6	-12.08	-12	-.08
3	6.9332	-76.47	RMS	14.1	2.6	-59.77	-52	-7.77


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41408	-57.52	RMS	13.9	2.3	-41.32	-37.9	-3.42
2	6.49616	-48.28	RMS	13.8	2	-32.48	-26.77	-5.71
3	6.66896	-15.74	RMS	13.9	2.6	.76	.84	-.08
4	6.94148	-59.76	RMS	14.1	2.6	-43.06	-39.16	-3.9


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40292	-59.08	RMS	13.8	2.3	-42.98	-39.65	-3.33
2	6.4616	-50.8	RMS	13.8	2	-35	-31.82	-3.18
3	6.67796	-16.18	RMS	13.9	2.6	.32	.35	-.03
4	6.86084	-50.3	RMS	14	2.6	-33.7	-30.82	-2.88
5	6.94256	-57.97	RMS	14.1	2.6	-41.27	-39.65	-1.62

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39968	-77.25	RMS	13.8	2.3	-61.15	-51.92	-9.23
2	6.68012	-28.55	RMS	13.9	2.6	-12.05	-11.92	-.13
3	6.93788	-76.72	RMS	14.1	2.6	-60.02	-51.92	-8.1


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39176	-59.72	RMS	13.8	2.3	-43.62	-39.01	-4.61
2	6.4328	-54.97	RMS	13.9	2.1	-38.97	-35.16	-3.81
3	6.6614	-15.66	RMS	13.9	2.6	.84	.99	-.15
4	6.88172	-58.09	RMS	14.1	2.6	-41.39	-33.06	-8.33
5	6.95444	-61.63	RMS	14.1	2.6	-44.93	-39.01	-5.92


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40004	-61.77	RMS	13.8	2.3	-45.67	-39.49	-6.18
2	6.43568	-56.29	RMS	13.9	2	-40.39	-35.24	-5.15
3	6.65924	-16.12	RMS	13.9	2.6	.38	.51	-.13
4	6.84284	-55.8	RMS	14	2.6	-39.2	-28.16	-11.04
5	6.9602	-62.43	RMS	14.1	2.6	-45.73	-39.49	-6.24


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40436	-76.82	RMS	13.9	2.3	-60.62	-51.56	-9.06
2	6.66824	-28.24	RMS	13.9	2.6	-11.74	-11.56	-.18
3	6.93356	-76.38	RMS	14.1	2.6	-59.68	-51.56	-8.12

RMS - RMS detection




RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41336	-55.81	RMS	13.9	2.3	-39.61	-37.91	-1.7
2	6.66068	-15.76	RMS	13.9	2.6	.74	.93	-.19
3	6.92168	-56.04	RMS	14	2.6	-39.44	-38.61	-.83
4	6.94364	-56.98	RMS	14.1	2.6	-40.28	-39.07	-1.21


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39932	-62.23	RMS	13.8	2.3	-46.13	-39.69	-6.44
2	6.43568	-56.62	RMS	13.9	2	-40.72	-35.44	-5.28
3	6.67508	-16.25	RMS	13.9	2.6	.25	.31	-.06
4	6.90872	-57.87	RMS	14	2.6	-41.27	-37.46	-3.81


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.395	-77.13	RMS	13.8	2.3	-61.03	-51.72	-9.31
2	6.67688	-28.37	RMS	13.9	2.6	-11.87	-11.72	-.15
3	6.92996	-76.29	RMS	14	2.6	-59.69	-51.72	-7.97

RMS - RMS detection




RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40256	-59.18	RMS	13.9	2.3	-42.98	-38.92	-4.06
2	6.67076	-15.52	RMS	13.9	2.6	.98	1.08	-.1
3	6.92564	-57.91	RMS	14	2.6	-41.31	-38.92	-2.39


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4166	-57.3	RMS	13.9	2.3	-41.1	-37.94	-3.16
2	6.65708	-16.17	RMS	13.9	2.6	.33	.45	-.12
3	6.91592	-57.43	RMS	14	2.6	-40.83	-38.3	-2.53


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40112	-77.02	RMS	13.9	2.3	-60.82	-51.37	-9.45
2	6.674	-28.08	RMS	13.9	2.6	-11.58	-11.37	-.21
3	6.94256	-76.24	RMS	14.1	2.6	-59.54	-51.37	-8.17


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40112	-77.77	RMS	13.8	2.3	-61.67	-51.96	-9.71
2	6.66068	-28.62	RMS	13.9	2.6	-12.12	-11.96	-.16
3	6.94292	-76.68	RMS	14.1	2.6	-59.98	-51.96	-8.02


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40112	-59.64	RMS	13.9	2.3	-43.44	-39.05	-4.39
2	6.65564	-15.72	RMS	13.9	2.6	.78	.95	-.17
3	6.92708	-58.69	RMS	14	2.6	-42.09	-39.05	-3.04


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.38132	-59.72	RMS	13.8	2.3	-43.62	-39.36	-4.26
2	6.65798	-16.05	RMS	13.9	2.6	.45	.64	-.19
3	6.94184	-59.59	RMS	14.1	2.6	-42.89	-39.36	-3.53


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40292	-76.92	RMS	13.9	2.3	-60.72	-51.53	-9.19
2	6.6614	-28.08	RMS	13.9	2.6	-11.58	-11.53	-.05
3	6.9314	-76.48	RMS	14	2.6	-59.88	-51.53	-8.35


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3968	-77.28	RMS	13.8	2.3	-61.18	-51.86	-9.32
2	6.65888	-28.46	RMS	13.9	2.6	-11.96	-11.86	-.1
3	6.93068	-76.42	RMS	14	2.6	-59.82	-51.86	-7.96


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39464	-57.25	RMS	13.8	2.3	-41.15	-39.18	-1.97
2	6.45656	-50.89	RMS	13.9	2	-34.99	-32.05	-2.94
3	6.65924	-15.81	RMS	13.9	2.6	.69	.82	-.13
4	6.88172	-51.6	RMS	14.1	2.6	-34.9	-33.23	-1.67
5	6.95732	-58.82	RMS	14.2	2.6	-42.02	-39.18	-2.84


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39968	-61.47	RMS	13.8	2.3	-45.37	-39.42	-5.95
2	6.66104	-16.06	RMS	13.9	2.6	.44	.58	-.14
3	6.9206	-59.74	RMS	14	2.6	-43.14	-38.82	-4.32


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39824	-76.98	RMS	13.8	2.3	-60.88	-51.49	-9.39
2	6.65888	-28.2	RMS	13.9	2.6	-11.7	-11.49	-.21
3	6.92636	-76.33	RMS	14	2.6	-59.73	-51.49	-8.24


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39428	-77.36	RMS	13.8	2.3	-61.26	-51.75	-9.51
2	6.65636	-28.51	RMS	13.9	2.6	-12.01	-11.75	-.26
3	6.95084	-76.51	RMS	14.1	2.6	-59.81	-51.75	-8.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40112	-58.3	RMS	13.9	2.3	-42.1	-39.31	-2.79
2	6.6578	-15.84	RMS	13.9	2.6	.66	.69	-.03
3	6.92672	-58.87	RMS	14	2.6	-42.27	-39.31	-2.96


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40328	-59.65	RMS	13.8	2.3	-43.55	-39.83	-3.72
2	6.65852	-16.36	RMS	13.9	2.6	.14	.17	-.03
3	6.92744	-59.91	RMS	14	2.6	-43.31	-39.83	-3.48


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.39968	-74.97	RMS	13.9	2.3	-58.77	-49.06	-9.71
2	6.67292	-25.64	RMS	13.9	2.6	-9.14	-9.06	-.08
3	6.93752	-75.24	RMS	14.1	2.6	-58.54	-49.06	-9.48

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.40184	-76.07	RMS	13.8	2.3	-59.97	-49.48	-10.49
2	6.6812	-26.22	RMS	13.9	2.6	-9.72	-9.48	-.24
3	6.93788	-75.9	RMS	14.1	2.6	-59.2	-49.48	-9.72


RMS - RMS detection

9.5.30. 802.11a MODE 2TX IN THE UNII-7 BAND (HIGH GAIN)


STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

LOW POWER INDOOR




9.5.31. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T STANDARD POWER



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T STANDARD POWER



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T STANDARD POWER



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1