



9.5.43. 802.11be EHT40 MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




9.5.44. 802.11be EHT80 MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.45. 802.11be EHT160 MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.528	-76.78	RMS	2.2	10	.6	-63.98	-52.87	-11.11
2	6.8304	-26.23	RMS	2.6	10	.6	-13.03	-12.87	-.16
3	7.09572	-75.16	RMS	2.6	10	.6	-61.96	-52.87	-9.09

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5514	-76.64	RMS	2.6	10	.6	-63.44	-52.63	-10.81
2	6.8178	-25.99	RMS	2.6	10	.6	-12.79	-12.63	-.16
3	7.113	-75.2	RMS	2.6	10	.6	-62	-52.63	-9.37

RMS - RMS detection




Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67576	-77.17	RMS	2.6	10.1	2.6	-61.87	-51.16	-10.71
2	6.97276	-26.44	RMS	2.6	10	2.6	-11.24	-11.16	-.08
3	7.27444	-76.57	RMS	2.6	10	2.6	-61.37	-51.16	-10.21



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7006	-76.21	RMS	2.6	10	.6	-63.01	-52.93	-10.08
2	6.97204	-26.3	RMS	2.6	10	.6	-13.1	-12.93	-.17
3	7.26652	-75.66	RMS	2.6	10	.7	-62.36	-52.93	-9.43


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER
INDOOR**




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5514	-76.24	RMS	2.6	10	.6	-63.04	-53	-10.04
2	6.81528	-26.23	RMS	2.6	10	.6	-13.03	-13	-.03
3	7.1076	-75.46	RMS	2.6	10	.6	-62.26	-53	-9.26

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54636	-76.93	RMS	2.6	10	.6	-63.73	-52.57	-11.16
2	6.81672	-26.04	RMS	2.6	10	.6	-12.84	-12.57	-.27
3	7.12596	-75.35	RMS	2.6	10	.7	-62.05	-52.57	-9.48

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.70024	-75.58	RMS	2.6	10	.6	-62.38	-53.24	-9.14
2	6.97888	-26.48	RMS	2.6	10	.6	-13.28	-13.24	-.04
3	7.2658	-75.25	RMS	2.6	10	.7	-61.95	-53.24	-8.71


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7204	-75.79	RMS	2.6	10	.6	-62.59	-53.06	-9.53
2	6.97708	-26.35	RMS	2.6	10	.6	-13.15	-13.06	-.09
3	7.27804	-75.82	RMS	2.6	10	.7	-62.52	-53.06	-9.46


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55752	-76.43	RMS	2.6	10	.6	-63.23	-52.9	-10.33
2	6.8304	-26.15	RMS	2.6	10	.6	-12.95	-12.9	-.05
3	7.11948	-75.33	RMS	2.6	10	.7	-62.03	-52.9	-9.13

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54456	-76.5	RMS	2.6	10	.6	-63.3	-52.89	-10.41
2	6.83436	-26.12	RMS	2.6	10	.6	-12.92	-12.89	-.03
3	7.11084	-75.35	RMS	2.6	10	.6	-62.15	-52.89	-9.26

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.68692	-75.81	RMS	2.6	10	.6	-62.61	-53.08	-9.53
2	6.99112	-26.39	RMS	2.6	10	.6	-13.19	-13.08	-.11
3	7.28704	-75.58	RMS	2.6	10	.7	-62.28	-53.08	-9.2


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.69412	-75.96	RMS	2.6	10	.6	-62.76	-53.02	-9.74
2	6.99616	-26.34	RMS	2.6	10	.6	-13.14	-13.02	-.12
3	7.27048	-75.6	RMS	2.6	10	.7	-62.3	-53.02	-9.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5478	-77.62	RMS	2.6	10	.6	-64.42	-53.77	-10.65
2	6.83148	-27.29	RMS	2.6	10	.6	-14.09	-13.77	-.32
3	7.1076	-76.21	RMS	2.6	10	.6	-63.01	-53.77	-9.24

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53196	-77.68	RMS	2.4	10.1	.6	-64.58	-53.77	-10.81
2	6.82068	-27.25	RMS	2.6	10	.6	-14.05	-13.77	-.28
3	7.12092	-75.95	RMS	2.6	10	.7	-62.65	-53.77	-8.88

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71428	-76.73	RMS	2.6	10	.6	-63.53	-54.22	-9.31
2	6.97492	-27.73	RMS	2.6	10	.6	-14.53	-14.22	-.31
3	7.27912	-76.81	RMS	2.6	10	.7	-63.51	-54.22	-9.29


RMS - RMS detection




Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.69664	-76.26	RMS	2.6	10	.6	-63.06	-53.96	-9.1
2	6.99292	-27.43	RMS	2.6	10	.6	-14.23	-13.96	-.27
3	7.30432	-76.19	RMS	2.6	10	.7	-62.89	-53.96	-8.93

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54528	-77.28	RMS	2.6	10	.6	-64.08	-54.07	-10.01
2	6.82896	-27.47	RMS	2.6	10	.5	-14.37	-14.07	-.3
3	7.10868	-76.05	RMS	2.6	10	.6	-62.85	-54.07	-8.78




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54636	-77.37	RMS	2.6	10	.6	-64.17	-53.88	-10.29
2	6.82032	-27.28	RMS	2.6	10	.6	-14.08	-13.88	-.2
3	7.10184	-75.9	RMS	2.6	10	.6	-62.7	-53.88	-8.82

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71104	-76.32	RMS	2.6	10	.6	-63.12	-54.25	-8.87
2	6.9778	-27.57	RMS	2.6	10	.6	-14.37	-14.25	-.12
3	7.2838	-76.5	RMS	2.6	10	.7	-63.2	-54.25	-8.95


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72292	-76.12	RMS	2.6	10	.6	-62.92	-53.98	-8.94
2	6.99256	-27.34	RMS	2.6	10	.6	-14.14	-13.98	-.16
3	7.27372	-75.9	RMS	2.6	10	.7	-62.6	-53.98	-8.62


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53808	-77.45	RMS	2.6	10.1	.6	-64.15	-53.92	-10.23
2	6.834	-27.35	RMS	2.6	10	.6	-14.15	-13.92	-.23
3	7.09824	-76.29	RMS	2.6	10	.6	-63.09	-53.92	-9.17

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54024	-77.78	RMS	2.6	10.1	.6	-64.48	-53.93	-10.55
2	6.83472	-27.36	RMS	2.6	10	.6	-14.16	-13.93	-.23
3	7.13136	-76.53	RMS	2.6	10	.6	-63.33	-53.93	-9.4

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71716	-76.57	RMS	2.6	10	.6	-63.37	-54.19	-9.18
2	6.99508	-27.65	RMS	2.6	10	.6	-14.45	-14.19	-.26
3	7.264	-76.55	RMS	2.6	10	.7	-63.25	-54.19	-9.06


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7132	-76.14	RMS	2.6	10	.6	-62.94	-54.14	-8.8
2	6.99112	-27.74	RMS	2.6	10	.6	-14.54	-14.14	-.4
3	7.26976	-75.65	RMS	2.6	10	.7	-62.35	-54.14	-8.21


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER
INDOOR**




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55608	-77.44	RMS	2.6	10	.6	-64.24	-54.13	-10.11
2	6.83436	-27.6	RMS	2.6	10	.6	-14.4	-14.13	-.27
3	7.12272	-76.3	RMS	2.6	10	.7	-63	-54.13	-8.87

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54924	-77.56	RMS	2.6	10	.6	-64.36	-53.68	-10.68
2	6.81708	-27.2	RMS	2.6	10	.6	-14	-13.68	-.32
3	7.10904	-76.15	RMS	2.6	10	.6	-62.95	-53.68	-9.27

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7186	-76.55	RMS	2.6	10	.6	-63.35	-54	-9.35
2	6.98824	-27.39	RMS	2.6	10	.6	-14.19	-14	-.19
3	7.27156	-76.69	RMS	2.6	10	.7	-63.39	-54	-9.39


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6934	-76.3	RMS	2.6	10	.6	-63.1	-54.1	-9
2	6.99166	-27.32	RMS	2.6	10	.6	-14.12	-14.1	-.02
3	7.28416	-75.72	RMS	2.6	10	.7	-62.42	-54.1	-8.32


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53772	-77.16	RMS	2.6	10.1	.6	-63.86	-53.88	-9.98
2	6.82968	-27.3	RMS	2.6	10	.5	-14.2	-13.88	-.32
3	7.1094	-75.93	RMS	2.6	10	.6	-62.73	-53.88	-8.85

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.555	-76.56	RMS	2.6	10	.6	-63.36	-53.69	-9.67
2	6.81888	-27.05	RMS	2.6	10	.6	-13.85	-13.69	-.16
3	7.12632	-75.67	RMS	2.6	10	.7	-62.37	-53.69	-8.68

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71104	-76.78	RMS	2.6	10	.6	-63.58	-54.34	-9.24
2	6.97852	-27.82	RMS	2.6	10	.6	-14.62	-14.34	-.28
3	7.27084	-76.75	RMS	2.6	10	.7	-63.45	-54.34	-9.11


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71644	-76.35	RMS	2.6	10	.6	-63.15	-54.06	-9.09
2	6.98068	-27.5	RMS	2.6	10	.6	-14.3	-14.06	-.24
3	7.29568	-76.04	RMS	2.6	10	.7	-62.74	-54.06	-8.68


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55644	-76.86	RMS	2.6	10	.6	-63.66	-54.06	-9.6
2	6.81816	-27.37	RMS	2.6	10	.6	-14.17	-14.06	-.11
3	7.11552	-75.91	RMS	2.6	10	.6	-62.71	-54.06	-8.65

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53556	-77.93	RMS	2.6	10.1	.6	-64.63	-54.15	-10.48
2	6.8196	-27.49	RMS	2.6	10	.6	-14.29	-14.15	-.14
3	7.11912	-76.05	RMS	2.6	10	.7	-62.75	-54.15	-8.6

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71644	-76.89	RMS	2.6	10	.6	-63.69	-54.31	-9.38
2	6.97744	-27.54	RMS	2.6	10	.6	-14.34	-14.31	-.03
3	7.29352	-76.93	RMS	2.6	10	.7	-63.63	-54.31	-9.32


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.715	-76.6	RMS	2.6	10	.6	-63.4	-54.16	-9.24
2	6.97852	-27.64	RMS	2.6	10	.6	-14.44	-14.16	-.28
3	7.29388	-76.3	RMS	2.6	10	.7	-63	-54.16	-8.84


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55284	-77.45	RMS	2.6	10	.6	-64.25	-54.01	-10.24
2	6.81708	-27.46	RMS	2.6	10	.6	-14.26	-14.01	-.25
3	7.113	-75.92	RMS	2.6	10	.6	-62.72	-54.01	-8.71

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54096	-77	RMS	2.6	10.1	.6	-63.7	-53.7	-10
2	6.81996	-27.18	RMS	2.6	10	.6	-13.98	-13.7	-.28
3	7.12956	-75.49	RMS	2.6	10	.6	-62.29	-53.7	-8.59

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71032	-76.88	RMS	2.6	10	.6	-63.68	-54.27	-9.41
2	6.99076	-27.63	RMS	2.6	10	.6	-14.43	-14.27	-.16
3	7.30648	-76.94	RMS	2.6	10	.6	-63.74	-54.27	-9.47


RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.715	-76.22	RMS	2.6	10	.6	-63.02	-54.11	-8.91
2	6.99292	-27.51	RMS	2.6	10	.6	-14.31	-14.11	-.2
3	7.2802	-75.72	RMS	2.6	10	.7	-62.42	-54.11	-8.31


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5442	-74.96	RMS	2.6	10	.6	-61.76	-51.11	-10.65
2	6.81888	-24.5	RMS	2.6	10	.6	-11.3	-11.11	-.19
3	7.11552	-74.76	RMS	2.6	10	.6	-61.56	-51.11	-10.45

RMS - RMS detection




Range 1 6465 - 7185MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.53484	-74.52	RMS	2.6	10.1	.6	-61.22	-50.62	-10.6
2	6.8322	-24	RMS	2.6	10	.6	-10.8	-10.62	-.18
3	7.13208	-73.88	RMS	2.6	10	.6	-60.68	-50.62	-10.06

RMS - RMS detection



Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67324	-73.89	RMS	2.6	10	2.6	-58.69	-48.89	-9.8
2	6.98212	-24.17	RMS	2.6	10	2.6	-8.97	-8.89	-.08
3	7.2784	-74.41	RMS	2.6	10	2.6	-59.21	-48.89	-10.32

RMS - RMS detection




Range 1 6625 - 7345MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71284	-74.14	RMS	2.6	10	.6	-60.94	-50.42	-10.52
2	6.9904	-23.97	RMS	2.6	10	.6	-10.77	-10.42	-.35
3	7.28632	-74.25	RMS	2.6	10	.7	-60.95	-50.42	-10.53

RMS - RMS detection


9.5.46. 802.11be EHT320 MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2404	-77.15	RMS	13.8	2.3	-61.05	-52.16	-8.89
2	6.7522	-28.94	RMS	14	2.6	-12.34	-12.16	-.18
3	7.2526	-76.62	RMS	14.1	2.6	-59.92	-52.16	-7.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2362	-77.18	RMS	13.8	2.3	-61.08	-51.97	-9.11
2	6.739	-28.6	RMS	14	2.6	-12	-11.97	-.03
3	7.2532	-76.3	RMS	14.2	2.6	-59.5	-51.97	-7.53

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.914	-26.16	RMS	14	1	-11.16	-11.11	-.05
2	6.737	-72.25	RMS	14	1	-57.25	-31.11	-26.14
3	7.0748	-70.97	RMS	14.1	1	-55.87	-31.2	-24.67


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8984	-27.26	RMS	14	1	-12.26	-12.14	-.12
2	6.7376	-73.54	RMS	14	1	-58.54	-20.14	-38.4
3	7.0748	-71.3	RMS	14.1	1	-56.2	-32.23	-23.97


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7378	-28.81	RMS	14	2.6	-12.21	-12.1	-.11
2	6.5776	-72.68	RMS	13.9	2.6	-56.18	-20.1	-36.08
3	6.9148	-72.81	RMS	14	2.6	-56.21	-32.19	-24.02

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7372	-28.57	RMS	14	2.6	-11.97	-11.81	-.16
2	6.5764	-73.07	RMS	13.9	2.6	-56.57	-31.84	-24.73
3	6.9148	-72.02	RMS	14	2.6	-55.42	-31.9	-23.52

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9134	-13.26	RMS	14	2.6	3.34	3.52	-.18
2	6.7382	-44.86	RMS	14	2.6	-28.26	3.52	-31.78
3	7.0736	-41.42	RMS	14.1	2.6	-24.72	-16.51	-8.21


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9344	-27.75	RMS	14.1	2.6	-11.05	-11	-.05
2	6.7382	-67.11	RMS	14	2.6	-50.51	-11	-39.51
3	7.0736	-64.98	RMS	14.1	2.6	-48.28	-31.03	-17.25


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7546	-27.25	RMS	14	2.6	-10.65	-10.5	-.15
2	6.5776	-72.37	RMS	13.9	2.6	-55.87	-18.5	-37.37
3	6.9148	-69.89	RMS	14	2.6	-53.29	-30.59	-22.7

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7564	-27.18	RMS	14	2.6	-10.58	-10.46	-.12
2	6.577	-72.2	RMS	13.9	2.6	-55.7	-30.46	-25.24
3	6.913	-67.87	RMS	14	2.6	-51.27	-30.46	-20.81

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.929	-26.79	RMS	14	1	-11.79	-11.63	-.16
2	6.737	-72.16	RMS	14	1	-57.16	-31.63	-25.53
3	7.073	-69.93	RMS	14.1	1	-54.83	-31.63	-23.2


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	CBL (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9134	-26.67	RMS	14	1	-11.67	-11.61	-.06
2	6.737	-73.38	RMS	14	1	-58.38	-31.61	-26.77
3	7.0748	-70.11	RMS	14.1	1	-55.01	-31.7	-23.31


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.721	-26.9	RMS	14	2.6	-10.3	-10.23	-.07
2	6.5764	-71.94	RMS	13.9	2.6	-55.44	-30.26	-25.18
3	6.9136	-69.54	RMS	14	2.6	-52.94	-30.26	-22.68


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7396	-26.98	RMS	14	2.6	-10.38	-10.24	-.14
2	6.5776	-72.54	RMS	13.9	2.6	-56.04	-18.24	-37.8
3	6.9136	-69.43	RMS	14	2.6	-52.83	-30.27	-22.56




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8942	-28.39	RMS	14	2.6	-11.79	-11.61	-.18
2	6.737	-71.99	RMS	14	2.6	-55.39	-31.61	-23.78
3	7.0736	-69.41	RMS	14.1	2.6	-52.71	-31.64	-21.07


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW
POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7366	-28.38	RMS	14	2.6	-11.78	-11.75	-.03
2	6.5776	-69.98	RMS	13.9	2.6	-53.48	-19.75	-33.73
3	6.9136	-68.45	RMS	14	2.6	-51.85	-31.78	-20.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7366	-28.45	RMS	14	2.6	-11.85	-11.72	-.13
2	6.5776	-68.51	RMS	13.9	2.6	-52.01	-19.72	-32.29
3	6.9148	-68.03	RMS	14	2.6	-51.43	-31.81	-19.62

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8984	-13.1	RMS	14	2.6	3.5	3.62	-1.12
2	6.737	-44.22	RMS	14	2.6	-27.62	-16.38	-11.24
3	7.073	-41.32	RMS	14.1	2.6	-24.62	-16.38	-8.24


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9356	-28.43	RMS	14.1	2.6	-11.73	-11.55	-1.18
2	6.737	-67.2	RMS	14	2.6	-50.6	-31.55	-19.05
3	7.073	-66.03	RMS	14.1	2.6	-49.33	-31.55	-17.78


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.238	-77.9	RMS	13.8	2.3	-61.8	-53.24	-8.56
2	6.7366	-30.09	RMS	14	2.6	-13.49	-13.24	-.25
3	7.2466	-76.67	RMS	14.1	2.6	-59.97	-53.24	-6.73

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2326	-77.5	RMS	13.8	2.3	-61.4	-53.08	-8.32
2	6.739	-29.84	RMS	14	2.6	-13.24	-13.08	-.16
3	7.255	-76.77	RMS	14.2	2.6	-59.97	-53.08	-6.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8966	-26.3	RMS	14	2.6	-9.7	-9.52	-.18
2	6.7388	-71.13	RMS	14	2.6	-54.53	-9.52	-45.01
3	7.0742	-68.67	RMS	14.1	2.6	-51.97	-29.58	-22.39


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9164	-27.1	RMS	14	2.6	-10.5	-10.41	-.09
2	6.7352	-72.09	RMS	14	2.6	-55.49	-30.5	-24.99
3	7.0724	-67	RMS	14.1	2.6	-50.3	-18.41	-31.89


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-77.15	RMS	13.8	2.3	-61.05	-53.7	-7.35
2	6.751	-30.37	RMS	14	2.6	-13.77	-13.7	-.07
3	7.2598	-76.5	RMS	14.1	2.6	-59.8	-53.7	-6.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.238	-77.36	RMS	13.8	2.3	-61.26	-53.16	-8.1
2	6.7522	-29.85	RMS	14	2.6	-13.25	-13.16	-.09
3	7.246	-76.45	RMS	14.2	2.6	-59.65	-53.16	-6.49
4	7.345	-76.93	RMS	14.2	2.6	-60.13	-53.16	-6.97




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9212	-26.54	RMS	14	2.6	-9.94	-9.89	-.05
2	6.737	-66.19	RMS	14	2.6	-49.59	-29.89	-19.7
3	7.073	-67.85	RMS	14.1	2.6	-51.15	-29.89	-21.26




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9212	-26.86	RMS	14	2.6	-10.26	-10.17	-.09
2	6.7376	-66.68	RMS	14	2.6	-50.08	-18.17	-31.91
3	7.0742	-69.44	RMS	14.1	2.6	-52.74	-30.23	-22.51


**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER
INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2326	-76.92	RMS	13.8	2.3	-60.82	-53.61	-7.21
2	6.7312	-30.26	RMS	14	2.6	-13.66	-13.61	-.05
3	7.2616	-76.86	RMS	14.1	2.6	-60.16	-53.61	-6.55




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2338	-77.32	RMS	13.8	2.3	-61.22	-52.97	-8.25
2	6.7336	-29.83	RMS	14	2.6	-13.23	-12.97	-.26
3	7.2508	-76.84	RMS	14.2	2.6	-60.04	-52.97	-7.07



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7346	-67.39	RMS	2.6	10	.6	-54.19	-30.68	-23.51
1	6.8966	-24.05	RMS	2.6	9.9	.6	-10.95	-10.57	-.38
3	7.0748	-67.36	RMS	2.6	10	.6	-54.16	-30.66	-23.5


RMS - RMS detection




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7358	-66.7	RMS	2.6	10	.6	-53.5	-30.45	-23.05
1	6.8972	-23.6	RMS	2.6	9.9	.6	-10.5	-10.39	-.11
3	7.0766	-66.99	RMS	2.6	10	.6	-53.79	-30.57	-23.22

RMS - RMS detection


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.235	-77.05	RMS	13.8	2.3	-60.95	-54.15	-6.8
2	6.7402	-30.87	RMS	14	2.6	-14.27	-14.15	-.12
3	7.2574	-76.41	RMS	14.1	2.6	-59.71	-54.15	-5.56



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2338	-77.47	RMS	13.8	2.3	-61.37	-54.23	-7.14
2	6.739	-30.95	RMS	14	2.6	-14.35	-14.23	-.12
3	7.2604	-76.37	RMS	14.1	2.6	-59.67	-54.23	-5.44




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7364	-68.79	RMS	2.6	10	.6	-55.59	-31.57	-24.02
1	6.9116	-25.24	RMS	2.6	10	.7	-11.94	-11.54	-.4
3	7.0754	-68.47	RMS	2.6	10	.6	-55.27	-31.66	-23.61




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7364	-69.05	RMS	2.6	10	.6	-55.85	-31.17	-24.68
1	6.9218	-24.38	RMS	2.6	10	.6	-11.18	-11.14	-.04
3	7.0796	-68.77	RMS	2.6	10	.6	-55.57	-31.46	-24.11

RMS - RMS detection


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2332	-76.76	RMS	13.8	2.3	-60.66	-54.38	-6.28
2	6.7372	-31.05	RMS	14	2.6	-14.45	-14.38	-.07
3	7.2502	-76.38	RMS	14.1	2.6	-59.68	-54.38	-5.3



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.232	-77.19	RMS	13.8	2.3	-61.09	-53.78	-7.31
2	6.7564	-30.39	RMS	14	2.6	-13.79	-13.78	-.01
3	7.2532	-76.12	RMS	14.2	2.6	-59.32	-53.78	-5.54




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7376	-64.16	RMS	2.6	10	.6	-50.96	-19.61	-31.35
1	6.896	-25	RMS	2.6	9.9	.6	-11.9	-11.61	-.29
3	7.073	-64.37	RMS	2.6	10	.6	-51.17	-31.61	-19.56




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7376	-65.19	RMS	2.6	10	.6	-51.99	-19.19	-32.8
1	6.8978	-24.38	RMS	2.6	9.9	.6	-11.28	-11.19	-.09
3	7.0784	-67.89	RMS	2.6	10	.6	-54.69	-31.45	-23.24


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2404	-76.84	RMS	13.8	2.3	-60.74	-54.2	-6.54
2	6.7408	-31.05	RMS	14	2.6	-14.45	-14.2	-.25
3	7.255	-75.83	RMS	14.1	2.6	-59.13	-54.2	-4.93



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2392	-77.32	RMS	13.8	2.3	-61.22	-53.93	-7.29
2	6.7378	-30.77	RMS	14	2.6	-14.17	-13.93	-.24
3	7.2562	-76.75	RMS	14.2	2.6	-59.95	-53.93	-6.02




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.737	-67.14	RMS	2.6	10	.6	-53.94	-31.64	-22.3
1	6.911	-25.13	RMS	2.6	10	.7	-11.83	-11.64	-.19
3	7.0754	-69.12	RMS	2.6	10	.6	-55.92	-31.76	-24.16




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7358	-68.57	RMS	2.6	10	.6	-55.37	-31.14	-24.23
1	6.8978	-24.58	RMS	2.6	9.9	.6	-11.48	-11.08	-.4
3	7.0736	-67.07	RMS	2.6	10	.6	-53.87	-31.11	-22.76


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25	-77.13	RMS	13.8	2.3	-61.03	-53.55	-7.48
2	6.7366	-30.67	RMS	14	2.6	-14.07	-13.92	-.15
3	7.2538	-76.18	RMS	14.2	2.6	-59.38	-53.92	-5.46




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.737	-67.37	RMS	2.6	10	.6	-54.17	-31.6	-22.57
1	6.8984	-24.81	RMS	2.6	9.9	.6	-11.71	-11.6	-.11
3	7.073	-65.96	RMS	2.6	10	.6	-52.76	-31.6	-21.16




Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.737	-66.65	RMS	2.6	10	.6	-53.45	-31.12	-22.33
1	6.9164	-24.33	RMS	2.6	10	.6	-11.13	-11.12	-.01
3	7.0742	-68.48	RMS	2.6	10	.6	-55.28	-31.18	-24.1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-76.7	RMS	13.8	2.3	-60.6	-53.63	-6.97
2	6.7714	-30.31	RMS	14	2.6	-13.71	-13.63	-.08
3	7.2526	-76.36	RMS	14.1	2.6	-59.66	-53.63	-6.03

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2356	-77.35	RMS	13.8	2.3	-61.25	-53.44	-7.81
2	6.7564	-30.23	RMS	14	2.6	-13.63	-13.44	-.19
3	7.255	-76.51	RMS	14.2	2.6	-59.71	-53.44	-6.27

RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7352	-67.73	RMS	2.6	10	.6	-54.53	-31.73	-22.8
1	6.9104	-25.19	RMS	2.6	10	.7	-11.89	-11.64	-.25
3	7.0736	-67.34	RMS	2.6	10	.6	-54.14	-31.67	-22.47

RMS - RMS detection




Trace Markers

Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.737	-67.81	RMS	2.6	10	.6	-54.61	-31.32	-23.29
1	6.9176	-24.64	RMS	2.6	10	.6	-11.44	-11.32	-.12
3	7.0754	-68.36	RMS	2.6	10	.6	-55.16	-31.44	-23.72


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2362	-76.78	RMS	13.8	2.3	-60.68	-54.46	-6.22
2	6.7384	-31.08	RMS	14	2.6	-14.48	-14.46	-.02
3	7.249	-76.21	RMS	14.1	2.6	-59.51	-54.46	-5.05

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2368	-76.96	RMS	13.8	2.3	-60.86	-53.9	-6.96
2	6.7552	-30.68	RMS	14	2.6	-14.08	-13.9	-.18
3	7.2484	-76.05	RMS	14.2	2.6	-59.25	-53.9	-5.35

RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7364	-67.75	RMS	2.6	10	.6	-54.55	-31.17	-23.38
1	6.9146	-24.73	RMS	2.6	10	.7	-11.43	-11.14	-.29
3	7.076	-68.1	RMS	2.6	10	.6	-54.9	-31.29	-23.61


RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7352	-68.2	RMS	2.6	10	.6	-55	-31.18	-23.82
1	6.8966	-24.37	RMS	2.6	9.9	.6	-11.27	-11.09	-.18
3	7.0766	-67.4	RMS	2.6	10	.6	-54.2	-31.27	-22.93


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2392	-76.52	RMS	13.8	2.3	-60.42	-54.17	-6.25
2	6.7399	-31	RMS	14	2.6	-14.4	-14.17	-.23
3	7.2652	-76.13	RMS	14.2	2.6	-59.33	-54.17	-5.16

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2374	-77.03	RMS	13.8	2.3	-60.93	-53.32	-7.61
2	6.736	-30.11	RMS	14	2.6	-13.51	-13.32	-.19
3	7.2592	-76.56	RMS	14.1	2.6	-59.86	-53.32	-6.54

RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7334	-68.1	RMS	2.6	10	.6	-54.9	-31.84	-23.06
1	6.8936	-24.98	RMS	2.6	10	.6	-11.78	-11.67	-.11
3	7.079	-68.47	RMS	2.6	10	.6	-55.27	-31.96	-23.31


RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7358	-68.39	RMS	2.6	10	.6	-55.19	-31.39	-23.8
1	6.8972	-24.59	RMS	2.6	9.9	.6	-11.49	-11.33	-.16
3	7.0766	-67.8	RMS	2.6	10	.6	-54.6	-31.51	-23.09


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7378	-26.54	RMS	14	2.6	-9.94	-9.85	-.09
2	6.5764	-66.55	RMS	13.9	2.6	-50.05	-29.88	-20.17
3	6.913	-65.86	RMS	14	2.6	-49.26	-29.85	-19.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7372	-28.84	RMS	14	2.6	-12.24	-12.05	-.19
2	6.577	-67.67	RMS	13.9	2.6	-51.17	-32.05	-19.12
3	6.913	-66.89	RMS	14	2.6	-50.29	-32.05	-18.24

RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7376	-60.68	RMS	2.6	10	.6	-47.48	-17.16	-30.32
1	6.896	-22.44	RMS	2.6	9.9	.6	-9.34	-9.16	-.18
3	7.0736	-61.84	RMS	2.6	10	.6	-48.64	-29.19	-19.45

RMS - RMS detection



Range 1 6305 - 7505MHz									
Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL	226564 Loss	CBL 029	Corrected Reading dBm	Emission Mask	Margin (dB)
2	6.7364	-62.55	RMS	2.6	10	.6	-49.35	-29.39	-19.96
1	6.9116	-22.67	RMS	2.6	10	.7	-9.37	-9.36	-.01
3	7.0736	-61.69	RMS	2.6	10	.6	-48.49	-29.39	-19.1

RMS - RMS detection