


Transmitter Spectrum Masks

DMR


SPECIFICATION: FCC CFR 2.1049 (c)

RSS-119 5.5

Tx FREQUENCY: 418.025 MHz 50 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 418.025 MHz 5 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks

DMR


SPECIFICATION: FCC CFR 2.1049 (c)

RSS-119 5.5

Tx FREQUENCY: 429.975 MHz 50 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 429.975 MHz 5 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks

DMR


SPECIFICATION: FCC CFR 2.1049 (c)

RSS-119 5.5

Tx FREQUENCY: 450.025 MHz 50 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 450.025 MHz 5 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks

DMR


SPECIFICATION: FCC CFR 2.1049 (c)

RSS-119 5.5

Tx FREQUENCY: 460.025 MHz 50 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 460.025 MHz 5 W 12.5 kHz Channel Spacing




Transmitter Spectrum Masks

DMR

SPECIFICATION: FCC CFR 2.1049 (c)

RSS-119 5.5

Tx FREQUENCY: 469.975 MHz 50 W 12.5 kHz Channel Spacing



Tx FREQUENCY: 469.975 MHz 5 W 12.5 kHz Channel Spacing

