





33
2

Key

The upper number is the component identification number which appears in the "Legend" column of the Mechanical & Miscellaneous Parts on the facing page.

The lower number indicates how many of this component are used in this location or function.




SK200 is currently not fitted as standard.
It will be fitted for future options.

The darker shading shows the
outline of the chassis.


%R150 (10Ω) is fitted only when the
T856 is used in a Series I rack frame
(refer to Part I for full details).


T856 PCB Layout - Top Side
220-01397-01




The darker shading shows the footprint of the bottom cover.


T856 PCB Layout - Bottom Side
220-01397-01








T856 Test Points & Options Connections - Bottom Side
220-01397-01














1A	ORIGINAL	DAVES				
DA		DAVES				
REV/ISS	AMENDMENTS	DRAWN	CHKD	D.O.	APVD	DATE
A						
B						
C						
D						
E						
F						
G						
H						
J						
K						
L						
M						
N						
P						
Q						
R						

© TAIT ELECTRONICS					
T856TX REGULATORS					
IPN:	ISSUE:	1A	ID:	2.SC.	6
220-01397-01	1A				
PROJECT:	DESIGNER:	FILE NAME:	FILE DATE:	NO.SHEETS:	
T856	DAVES	1397_01A	20-10-97	10	

