






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.91	3.75	77.60	1.10	---	---
3DH5	Ant1	2402	2.92	3.74	78.07	1.08	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.03	2.00	1.10	38.27	≤54	PASS
				AV	2373.395	-58.63	2.00	1.10	39.67	≤54	PASS
				AV	2390.000	-59.61	2.00	1.10	38.69	≤54	PASS
				Peak	2310.000	-51.75	2.00	0.00	45.45	≤74	PASS
				Peak	2357.960	-48.7	2.00	0.00	48.50	≤74	PASS
				Peak	2390.000	-51.53	2.00	0.00	45.67	≤74	PASS
		High	2480	AV	2483.500	-58.25	2.00	1.10	40.05	≤54	PASS
				AV	2484.000	-58.11	2.00	1.10	40.19	≤54	PASS
				AV	2500.000	-58.86	2.00	1.10	39.44	≤54	PASS
				Peak	2483.500	-51.41	2.00	0.00	45.79	≤74	PASS
				Peak	2492.560	-48.57	2.00	0.00	48.63	≤74	PASS
				Peak	2500.000	-52.52	2.00	0.00	44.68	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-59.9	2.00	1.09	38.39	≤54	PASS
				AV	2372.975	-58.64	2.00	1.09	39.65	≤54	PASS
				AV	2390.000	-59.17	2.00	1.09	39.12	≤54	PASS
				Peak	2310.000	-53.4	2.00	0.00	43.80	≤74	PASS
				Peak	2372.975	-48.39	2.00	0.00	48.81	≤74	PASS
				Peak	2390.000	-51.13	2.00	0.00	46.07	≤74	PASS
		High	2480	AV	2483.500	-59.1	2.00	1.10	39.20	≤54	PASS
				AV	2499.760	-58.38	2.00	1.10	39.92	≤54	PASS
				AV	2500.000	-59.33	2.00	1.10	38.97	≤54	PASS
				Peak	2483.500	-49.18	2.00	0.00	48.02	≤74	PASS
				Peak	2490.320	-48.57	2.00	0.00	48.63	≤74	PASS
				Peak	2500.000	-50.66	2.00	0.00	46.54	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.9	2.00	1.08	38.38	≤54	PASS
				AV	2367.095	-58.57	2.00	1.08	39.71	≤54	PASS
				AV	2390.000	-59.45	2.00	1.08	38.83	≤54	PASS
				Peak	2310.000	-49.1	2.00	0.00	48.10	≤74	PASS
				Peak	2363.105	-47.94	2.00	0.00	49.26	≤74	PASS
				Peak	2390.000	-51.61	2.00	0.00	45.59	≤74	PASS
		High	2480	AV	2483.500	-58.13	2.00	1.09	40.16	≤54	PASS
				AV	2484.640	-58.1	2.00	1.09	40.19	≤54	PASS
				AV	2500.000	-58.95	2.00	1.09	39.34	≤54	PASS
				Peak	2483.500	-50.2	2.00	0.00	47.00	≤74	PASS
				Peak	2497.120	-48.05	2.00	0.00	49.15	≤74	PASS
				Peak	2500.000	-50.17	2.00	0.00	47.03	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

