

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

TEST METHOD:	Audio Frequency Response	(100 Hz TO 20 KHz)
--------------	--------------------------	----------------------

CUSTOMER:	Samson Technologies	JOB No.:	R-8512-2
-----------	---------------------	----------	----------

TEST SAMPLE:	UHF Wireless Transmitter
-----------------	--------------------------

MODEL No.:	AX1	SERIAL No.:	N/A	FCC ID: CCRAX1
------------	-----	-------------	-----	----------------

TEST SPECIFICATION:	FCC Part 74, Subpart H; Experimental Radio, Auxiliary Special Broadcast, & other Program Distributional Services, Subpart H; Low Power Auxiliary Stations.	PARAGRAPH:	74.861(e)(3)
---------------------	--	------------	--------------

OPERATING MODE:	Transmitting on channel U4 (803.75 MHz)
-----------------	---

TECHNICIAN:	N. Dragotta	DATE:	May 5, 2000
-------------	-------------	-------	-------------

NOTES: **Modulation signal direct input of a 1 kHz signal at a level of -10 dBm.
 **Maximum Allowable Audio Frequency Response = 75 kHz Temperature: 23° C. Humidity:39%

[illegible]

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

TEST METHOD:	Modulation Characteristics (100 Hz TO 15 KHz) Para 2.1047
--------------	---

JOB No.: R-8512-2

TEST	UHF Wireless Transmitter
------	--------------------------

FCC ID: CCRAX1

PARAGRAPH: 74.861(e)(3)

OPERATING MODE:	Transmitting on channel U4 (803.75 MHz)
--------------------	---

May 5, 2000

NOTES: Temperature: 23° C. Humidity: 39%

[illegible]

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

TEST METHOD:	Modulation Characteristics (100 Hz TO 15 KHz) Para 2.1047		
CUSTOMER:	Samson Technologies	JOB No.:	R-8512-2
TEST SAMPLE:	UHF Wireless Transmitter		
MODEL No.:	AX1	SERIAL No.:	N/A FCC ID: CCRAX1
TEST SPECIFICATION:	FCC Part 74, Subpart H; Experimental Radio, Auxiliary Special Broadcast, & other Program Distributional Services, Subpart H; Low Power Auxiliary Stations. PARAGRAPH: 74.861(e)(3)		
OPERATING MODE:	Transmitting on channel U4 (803.75 MHz)		
TECHNICIAN:	N. Dragotta	DATE:	May 5, 2000
NOTES:	Temperature: 23° C. Humidity: 39%		

[illegible]