




Spurious Emission at Antenna Terminals
 Tester: Jim Hopkins Witness: Vince Sutter Date: 7-2-2002 EUT: 724855-804
 Pout: 1.05 mW Pilot Channel: P2 Block 1 Power Level: (Minimum) SN: MSA5886



Ref Lvl 4 dBm
 RBW 300 Hz RF Att 10 dB
 VBW 300 Hz
 SWT 115 s Unit dBm



Date: 2 JUL 2002 07:48:30


Spurious Emission at
Antenna Terminals

Tester: Jim Hopkins Witness: Vince Sutter Date: 7-2-2002 EUT: 724855-804

P_{OUT} 1.05 mW Pilot Channel: P2 Block 1 Power Level: (Minimum) SN: MSA5886



Ref Lvl	Marker 1 [T1]	RBW	300 Hz	RF Att	10 dB
4 dBm	-7.87 dBm	VBW	300 Hz		
	895.99352888 MHz	SWT	1.25 s	Unit	dBm



Date 2.JUL.2002 10:19:08

Jim Hopkins

EUT: MagnaStar, SN: MSA 5886

$P_{out} : 1.05 \text{ mW.}$

RL 2.00 dBm

$$\frac{2}{3} \times 100$$
[illegible]

START 1.00 GHz STOP 9.00 GHz

RB	30.0 kHz	*VB	30.0 kHz	ST	26.67 sec

TEST EQUIPMENT INVENTORY:

Project: MagnaStar

Date: 7 / 2 / 2002

Test: Spurious Emissions at Antenna Terminal (Control Channels)

Tester:

[illegible]

NCR = No Calibration Required

Data:
Field Strength of Spurious Radiation