

R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD-HOT
 REF 85.0 dBμV ATTEN 10 dB

hp


10 dB/

OFFSET

10.0
dB

DL

48.0
dBμV



START 450 kHz RES BW 10 kHz VBW 30 kHz STOP 1.70 MHz SWP 20.0 sec

Customer:	Quantum Industries
Test Sample:	433.92 n Transmitter
Model No.:	FW10
Test Method:	FCC 15.209(a) Conducted Emissions
Notes:	Detector=Peak Lead-HOT
Date:	June 5, 2000
Tech:	Peter Lanza
Sheet:	1 of 6



Retlif Testing Laboratories

Report No. 8568-1

R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD-Neutral


REF 85.0 dBμV ATTEN 10 dB

hp

10 dB/

OFFSET
10.0
dB

DL
48.0
dBμV



START 450 kHz RES BW 10 kHz STOP 1.70 MHz SWP 20.0 sec VBW 30 kHz

Customer:	Quantum Industries
Test Sample:	433.92 rf Transmitter
Model No.:	FW10
Test Method:	FCC 15.209(a) Conducted Emissions
Notes:	Detector=Peak Lead-NEUTRAL
Date:	June 5, 2000
Tech:	Peter Lananna
Sheet	2 of 6



Retlif Testing Laboratories


Report No. 8568-1

R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD-167

10 dB/

OFFSET
10.0
dB

DL
48.0
dBμV



START 1.70 MHz RES BW 10 kHz VBW 30 kHz STOP 10.00 MHz SWP 20.0 sec

Customer:	Quantum Industries
Test Sample:	433.92 r Transmitter
Model No:	FW10
Test Method:	FCC 15.209(a) Conducted Emissions
Notes:	Detector=Peak Lead-HOT
Date:	June 5, 2000
Tech:	Peter Lianina
Sheet	3 of 6



Retlif Testing Laboratories

Report No. 8568-1

R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD-Neutral
 REF 85.0 dBμV ATTEN 10 dB

10 dB/


10 dB/

OFFSET

10.0 dB

DL

48.0 dBμV



START 1.70 MHz

RES BW 10 kHz

VBW 30 kHz

STOP 10.00 MHz

SWP 20.0 sec

Customer: Quantum Industries
 Test Sample: 433.92 of Transmitter
 Model No.: FW10
 Test Method: FCC 15.209(a) Conducted Emissions
 Notes: Detector=Peak
 Lead=NEUTRAL
 Date: June 5, 2000 Tech: Peter Lianina Sheet 4 of 6



Retlif Testing Laboratories

Report No. 8568-1

R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD- Hot


hp

REF 85.0 dBμV ATTEN 10 dB

10 dB/

OFFSET
10.0
dB

DL
48.0
dBμV



Customer:	Quantum Industries
Test Sample:	433.92 MHz Transmitter
Model No.:	FW10
Test Method:	FCC 15.209(a) Conducted Emissions
Notes:	Detector=Peak Lead-HOT
Date:	June 5, 2000
Tech:	Peter Lavanna
Sheet	5 of 6



Retlif Testing Laboratories

Report No. 8568-1


R-8568 Quantum FW10 Conducted Emissions TX 6/5/00 LEAD- Neutral

hp

10 dB/

OFFSET
10.0
dB

DL
48.0
dBμV



Customer: Quantum Industries
Test Sample: 433.92 of Transmitter
Model No.: FW10
Test Method: FCC 15.209(a) Conducted Emissions
Notes: Detector=Peak
Lead-NEUTRAL
Date: June 5, 2000 Tech: Peter Lanning Sheet 6 of 6



Retlif Testing Laboratories

Report No. 8568-1