




Spurious Emissions 30M-1GHz - Low Channel - 2412 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-37 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-37 – Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
38.261	21.52	40.00	-18.48	5.00	1.00	Vertical	Pass
109.985	16.83	43.50	-26.67	327.00	1.00	Vertical	Pass
162.390	16.86	43.50	-26.64	245.00	1.00	Vertical	Pass
982.007	24.41	53.98	-29.57	204.00	2.43	Vertical	Pass
611.698	20.36	46.00	-25.64	172.00	3.57	Horizontal	Pass



Spurious Emissions 1 - 18GHz - Channel 1 - 2412 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/24/2026	3mSAC	Rafael Aguiar Cota	25.3 °C	33 %	982 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-38 – Radiated Emissions Test Results

Test Notes:

- Antenna 1, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-38– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
11863.550	52.91	73.98	-21.07	40.19	53.98	-13.79	321.00	2.72	Vertical	Pass
16099.058	58.05	73.98	-15.93	45.20	53.98	-8.78	79.00	3.68	Vertical	Pass
17987.874	59.11	73.98	-14.87	46.32	53.98	-7.66	320.00	4.00	Vertical	Pass
3621.110	49.29	73.98	-24.69	37.41	53.98	-16.57	176.00	1.39	Horizontal	Pass
12466.963	53.95	73.98	-20.03	41.01	53.98	-12.97	40.00	4.00	Horizontal	Pass
16148.343	57.87	73.98	-16.11	45.11	53.98	-8.87	101.00	4.00	Horizontal	Pass
17896.732	58.76	73.98	-15.22	45.85	53.98	-8.13	259.00	4.00	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Low Channel 1 - 2412 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-39 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-39– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
31331.293	49.97	73.98	-24.01	37.42	53.98	-16.56	4.00	1.00	Vertical	Pass
39646.271	52.63	73.98	-21.35	39.81	53.98	-14.17	19.00	2.27	Vertical	Pass
31329.214	50.32	73.98	-23.66	37.22	53.98	-16.76	0.00	1.00	Horizontal	Pass
39531.509	51.05	73.98	-22.93	38.49	53.98	-15.49	7.00	1.00	Horizontal	Pass



Spurious Emissions 30M-1GHz - Mid Channel - 2437 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-40 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-40– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
37.894	21.71	40.00	-18.29	4.00	1.00	Vertical	Pass
110.050	17.89	43.50	-25.61	279.00	1.00	Vertical	Pass
609.247	20.91	46.00	-25.09	148.00	1.08	Vertical	Pass
114.666	14.86	43.50	-28.64	178.00	2.36	Horizontal	Pass
988.590	24.68	53.98	-29.30	145.00	1.98	Horizontal	Pass



Spurious Emissions 1 - 18GHz - Channel 6 - 2437 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/25/2026	3mSAC	Rafael Aguiar Cota	25.7 °C	32 %	985 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-41 – Radiated Emissions Test Results

Test Notes:

- Antenna 1, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-41– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
1624.659	55.33	73.98	-18.65	43.65	53.98	-10.33	83.00	2.50	Vertical	Pass
3652.979	49.46	73.98	-24.51	37.65	53.98	-16.33	83.00	2.50	Vertical	Pass
7308.719	53.55	73.98	-20.43	39.70	53.98	-14.28	273.00	4.00	Vertical	Pass
1624.660	58.01	73.98	-15.97	45.93	53.98	-8.05	143.00	3.41	Horizontal	Pass
3658.904	54.50	73.98	-19.48	43.28	53.98	-10.69	191.00	1.00	Horizontal	Pass
7311.969	56.12	73.98	-17.86	43.24	53.98	-10.74	356.00	3.11	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Mid Channel 6 - 2437 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-42 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-42– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
31623.828	49.67	73.98	-24.31	36.93	53.98	-17.05	323.00	1.44	Vertical	Pass
39565.991	50.61	73.98	-23.37	38.31	53.98	-15.67	107.00	4.00	Vertical	Pass
31511.988	49.50	73.98	-24.48	37.03	53.98	-16.95	81.00	1.00	Horizontal	Pass
39676.272	52.57	73.98	-21.41	39.91	53.98	-14.07	139.00	3.02	Horizontal	Pass



Spurious Emissions 30M-1GHz - High Channel - 2462 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-43 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-43– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
37.875	20.73	40.00	-19.27	211.00	1.00	Vertical	Pass
110.457	17.47	43.50	-26.03	286.00	1.00	Vertical	Pass
994.224	24.74	53.98	-29.24	109.00	1.00	Vertical	Pass
610.149	20.47	46.00	-25.53	322.00	2.30	Horizontal	Pass
987.816	24.63	53.98	-29.35	111.00	1.68	Horizontal	Pass



Spurious Emissions 1 - 18GHz - Channel 11 - 2462 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/25/2026	3mSAC	Rafael Aguiar Cota	25.7 °C	32 %	985 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-44 – Radiated Emissions Test Results

Test Notes:

- Antenna 1, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-44– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
3687.951	46.70	73.98	-27.28	34.17	53.98	-19.81	92.00	2.65	Vertical	Pass
11456.994	50.93	73.98	-23.05	37.43	53.98	-16.55	87.00	3.86	Vertical	Pass
17902.425	58.20	73.98	-15.78	44.99	53.98	-8.99	320.00	1.00	Vertical	Pass
3689.608	49.82	73.98	-24.16	37.88	53.98	-16.10	160.00	1.80	Horizontal	Pass
7389.073	51.15	73.98	-22.83	37.53	53.98	-16.45	356.00	2.50	Horizontal	Pass
11887.018	53.17	73.98	-20.81	40.18	53.98	-13.80	256.00	4.00	Horizontal	Pass



Spurious Emissions 18 - 40GHz - High Channel 11 - 2462 MHz – 802.11g – Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-45 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-45– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
31765.234	51.27	73.98	-22.71	38.07	53.98	-15.91	157.00	1.00	Vertical	Pass
39773.297	52.32	73.98	-21.66	39.38	53.98	-14.60	80.00	1.00	Vertical	Pass
31710.250	50.18	73.98	-23.80	37.84	53.98	-16.14	233.00	4.00	Horizontal	Pass
39630.506	53.21	73.98	-20.77	40.09	53.98	-13.89	0.00	2.50	Horizontal	Pass



Spurious Emissions 30M-1GHz - Low Channel - 2412 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-46 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-46– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
37.968	21.52	40.00	-18.48	0.00	1.01	Vertical	Pass
111.647	16.93	43.50	-26.57	272.00	1.01	Vertical	Pass
980.941	24.37	53.98	-29.61	139.00	4.00	Horizontal	Pass



Spurious Emissions 1 - 18GHz - Channel 1 - 2412 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/28/2026	3mSAC	Rafael Aguiar Cota	25.3 °C	33 %	982 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-47 – Radiated Emissions Test Results

Test Notes:

- Antenna 2, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-47– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
7252.702	51.81	73.98	-22.17	36.85	53.98	-17.12	168.00	1.39	Vertical	Pass
11972.019	53.30	73.98	-20.68	39.78	53.98	-14.20	55.00	3.32	Vertical	Pass
15667.073	55.80	73.98	-18.18	43.03	53.98	-10.95	336.00	3.78	Vertical	Pass
17960.723	58.61	73.98	-15.37	45.59	53.98	-8.39	208.00	3.94	Vertical	Pass
7251.999	55.38	73.98	-18.60	39.64	53.98	-14.34	72.00	1.00	Horizontal	Pass
12374.760	52.19	73.98	-21.79	39.51	53.98	-14.47	14.00	1.00	Horizontal	Pass
16171.836	58.01	73.98	-15.97	45.06	53.98	-8.92	39.00	2.78	Horizontal	Pass
17993.088	58.54	73.98	-15.44	45.74	53.98	-8.24	328.00	3.69	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Low Channel 1 - 2412 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-48 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-48– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
31257.761	50.47	73.98	-23.51	38.04	53.98	-15.94	281.00	1.00	Vertical	Pass
39654.538	53.72	73.98	-20.25	40.52	53.98	-13.46	325.00	1.15	Vertical	Pass
31262.562	50.41	73.98	-23.57	37.83	53.98	-16.15	343.00	1.00	Horizontal	Pass
39605.296	53.80	73.98	-20.18	40.33	53.98	-13.65	228.00	4.00	Horizontal	Pass



Spurious Emissions 30M-1GHz - Middle Channel - 2437 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-49 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-49– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
37.359	21.17	40.00	-18.83	321.00	1.00	Vertical	Pass
114.470	15.27	43.50	-28.23	293.00	1.00	Vertical	Pass
333.951	15.02	46.00	-30.98	226.00	2.50	Vertical	Pass
965.643	24.04	53.98	-29.94	165.00	2.50	Horizontal	Pass



Spurious Emissions 1 - 18GHz - Channel 6 - 2437 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/28/2026	3mSAC	Rafael Aguiar Cota	25.7 °C	32 %	985 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-50 – Radiated Emissions Test Results

Test Notes:

- Antenna 2, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-50– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
7310.343	63.12	73.98	-10.86	50.37	53.98	-3.61	159.00	1.84	Vertical	Pass
16165.852	57.66	73.98	-16.32	45.09	53.98	-8.89	6.00	3.23	Vertical	Pass
17925.766	58.28	73.98	-15.70	45.48	53.98	-8.50	111.00	4.00	Vertical	Pass
7310.344	65.00	73.98	-8.97	52.09	53.98	-1.89	79.00	1.53	Horizontal	Pass
16173.070	57.58	73.98	-16.40	45.27	53.98	-8.71	14.00	4.00	Horizontal	Pass
17879.249	58.33	73.98	-15.65	45.36	53.98	-8.62	264.00	3.50	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Mid Channel 6 - 2437 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-51 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-51– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
36478.365	51.11	73.98	-22.87	38.47	53.98	-15.51	272.00	1.00	Vertical	Pass
39527.808	51.64	73.98	-22.34	38.76	53.98	-15.22	323.00	1.00	Vertical	Pass
36446.111	51.49	73.98	-22.49	38.47	53.98	-15.51	109.00	1.56	Horizontal	Pass
39771.417	52.18	73.98	-21.80	39.80	53.98	-14.18	33.00	1.00	Horizontal	Pass



Spurious Emissions 30M-1GHz - High Channel - 2462 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/1/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15/FCC §15.209	Pass

Figure 2.8.8.1-52 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-52– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
37.444	21.01	40.00	-18.99	321.00	1.00	Vertical	Pass
111.179	17.09	43.50	-26.41	279.00	1.00	Vertical	Pass
165.321	16.13	43.50	-27.37	253.00	1.00	Vertical	Pass
989.149	24.66	53.98	-29.32	333.00	1.00	Vertical	Pass



Spurious Emissions 1 - 18GHz - Channel 11 - 2462 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	200 ms
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	200 ms

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/28/2026	3mSAC	Rafael Aguiar Cota	25.7 °C	32 %	985 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-53 – Radiated Emissions Test Results

Test Notes:

- Antenna 2, 6 Mbps
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-53– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
7386.963	51.67	73.98	-22.30	38.36	53.98	-15.62	31.00	3.54	Vertical	Pass
15522.999	55.91	73.98	-18.07	42.57	53.98	-11.41	304.00	1.00	Vertical	Pass
17897.907	58.02	73.98	-15.96	45.17	53.98	-8.81	39.00	2.50	Vertical	Pass
7381.592	55.62	73.98	-18.36	43.18	53.98	-10.80	87.00	1.72	Horizontal	Pass
15595.533	55.92	73.98	-18.06	43.23	53.98	-10.75	215.00	4.00	Horizontal	Pass
17895.088	58.42	73.98	-15.56	45.57	53.98	-8.40	286.00	4.00	Horizontal	Pass



Spurious Emissions 18 - 40GHz - High Channel 11 - 2462 MHz – 802.11g – Antenna 2

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
6/29/2026	3mSAC	Rafael Aguiar Cota	24.2 °C	41 %	975 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11g	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-54 – Radiated Emissions Test Results

Test Notes:

- Antenna 2
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-54– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
31744.451	50.76	73.98	-23.22	38.32	53.98	-15.66	248.00	2.50	Vertical	Pass
39634.979	53.13	73.98	-20.85	39.95	53.98	-14.03	0.00	1.84	Vertical	Pass
36461.028	50.87	73.98	-23.11	38.41	53.98	-15.57	61.00	1.00	Horizontal	Pass
39650.796	52.75	73.98	-21.23	40.25	53.98	-13.73	33.00	2.50	Horizontal	Pass



Spurious Emissions 30M-1GHz - Channel 1 - 2412 MHz - 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/13/2026	3mSAC	Diego Reyes	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n20	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-55 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-55– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
112.799	19.04	43.52	-24.48	345.00	1.03	Vertical	Pass
131.465	8.81	43.52	-34.71	315.00	1.17	Vertical	Pass
251.964	13.10	46.02	-32.92	201.00	2.50	Vertical	Pass
112.111	11.40	43.52	-32.12	32.00	3.39	Horizontal	Pass
263.999	18.06	46.02	-27.96	323.00	1.00	Horizontal	Pass
990.628	24.73	53.98	-29.25	0.00	2.26	Horizontal	Pass



Spurious Emissions 1- 18 GHz - Channel 1 2412 MHz - Antenna1 - 802.11n20MHz

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	Auto
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/9/2026	3mSAC	Thierry Jean-Charles	23.9 °C	34 %	982 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n 20 MHz	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-56 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-56– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
11814.793	53.42	73.98	-20.56	40.45	53.98	-13.53	130.00	1.00	Vertical	Pass
15515.276	55.20	73.98	-18.77	42.91	53.98	-11.07	61.00	4.00	Vertical	Pass
17956.470	58.16	73.98	-15.82	45.43	53.98	-8.55	22.00	4.00	Vertical	Pass
12447.211	54.01	73.98	-19.97	40.66	53.98	-13.32	268.00	1.00	Horizontal	Pass
16095.814	57.76	73.98	-16.22	45.15	53.98	-8.83	12.00	1.00	Horizontal	Pass
17929.406	58.33	73.98	-15.65	45.45	53.98	-8.53	107.00	1.00	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Channel 1 2412 MHz - 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/10/2026	3mSAC	Duranta K. Barua	22.9 °C	34 %	981 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11n20	2412 MHz	1	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-57 – Radiated Emissions Test Results

Test Notes:

- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-57– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
18719.453	51.03	73.98	-22.95	38.47	53.98	-15.51	68.00	4.00	Vertical	Pass
39589.531	54.68	73.98	-19.30	41.88	53.98	-12.10	172.00	1.90	Vertical	Pass
39710.887	54.16	73.98	-19.82	41.57	53.98	-12.41	220.00	3.05	Horizontal	Pass



Spurious Emissions 30M-1GHz - Channel 6 2437 MHz - 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/13/2026	3mSAC	Diego Reyes	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n20	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-58 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-58– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
112.244	20.14	43.52	-23.38	298.00	1.00	Vertical	Pass
115.947	17.02	43.52	-26.50	298.00	1.00	Vertical	Pass
262.440	13.32	46.02	-32.70	350.00	1.06	Vertical	Pass
38.563	13.09	40.00	-26.91	91.00	2.14	Horizontal	Pass
268.754	13.18	46.02	-32.84	360.00	4.00	Horizontal	Pass
987.399	24.65	53.98	-29.33	179.00	2.85	Horizontal	Pass



Spurious Emissions 1 – 18 GHz - Channel 6 2437 MHz - Antenna1 - 802.11n 20 MHz

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	Auto
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/9/2026	3mSAC	Thierry Jean-Charles	23.9 °C	34 %	982 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n 20 MHz	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-59 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-59– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
1624.659	53.79	73.98	-20.19	40.28	53.98	-13.70	83.00	2.50	Vertical	Pass
7312.839	50.45	73.98	-23.53	37.41	53.98	-16.57	276.00	3.32	Vertical	Pass
11881.050	53.26	73.98	-20.72	40.50	53.98	-13.48	220.00	1.00	Vertical	Pass
16082.439	57.46	73.98	-16.52	44.73	53.98	-9.25	151.00	2.50	Vertical	Pass
17798.238	58.05	73.98	-15.93	44.79	53.98	-9.19	13.00	2.50	Vertical	Pass
1624.657	55.17	73.98	-18.81	43.13	53.98	-10.85	137.00	1.82	Horizontal	Pass
3654.232	53.65	73.98	-20.33	42.14	53.98	-11.84	186.00	1.00	Horizontal	Pass
7311.841	55.75	73.98	-18.23	42.45	53.98	-11.53	282.00	2.08	Horizontal	Pass
16094.733	58.32	73.98	-15.66	45.12	53.98	-8.86	227.00	1.58	Horizontal	Pass
17951.090	57.65	73.98	-16.33	45.34	53.98	-8.64	88.00	1.97	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Channel 6 2437 MHz 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/10/2026	3mSAC	Duranta K. Barua	22.9 °C	34 %	981 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11n20	2437 MHz	6	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-60 – Radiated Emissions Test Results

Test Notes:

- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-60– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
18704.071	51.01	73.98	-22.97	38.47	53.98	-15.51	47.00	3.31	Vertical	Pass
39627.885	55.02	73.98	-18.96	42.31	53.98	-11.67	25.00	4.00	Vertical	Pass
39579.186	55.19	73.98	-18.79	41.96	53.98	-12.02	12.00	1.16	Horizontal	Pass



Spurious Emissions 30M-1GHz - Channel 11 2462 MHz - 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
30 MHz - 1 GHz	3m	Vertical	120 kHz	19401 Pts	Auto
30 MHz - 1 GHz	3m	Horizontal	120 kHz	19401 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/13/2026	3mSAC	Thierry Jean-Charles	26 °C	43 %	973 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n20	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-61 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-61– Radiated Emissions Test Results**


Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
112.748	16.97	43.52	-26.55	289.00	1.00	Vertical	Pass
136.377	9.53	43.52	-33.99	330.00	1.00	Vertical	Pass
272.248	13.24	46.02	-32.78	99.00	1.40	Vertical	Pass
113.375	11.25	43.52	-32.27	0.00	3.42	Horizontal	Pass
177.602	9.57	43.52	-33.95	0.00	1.00	Horizontal	Pass



Spurious Emissions 1-18 GHz- Channel 11 2462 MHz - Antenna1 - 802.11n20MHz

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
1 GHz - 18 GHz	3m	Vertical	1 MHz	34001 Pts	Auto
1 GHz - 18 GHz	3m	Horizontal	1 MHz	34001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/9/2026	3mSAC	Thierry Jean-Charles	23.9 °C	34 %	982 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
2.4G Wi-Fi 802.11n 20 MHz	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-62 – Radiated Emissions Test Results

Test Notes:

- Antenna 1
- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-62– Radiated Emissions Test Results**


Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
16029.503	57.19	73.98	-16.79	44.30	53.98	-9.68	199.00	1.57	Vertical	Pass
17910.825	57.51	73.98	-16.47	45.11	53.98	-8.87	68.00	2.95	Vertical	Pass
3692.981	46.59	73.98	-27.38	33.67	53.98	-20.31	177.00	1.00	Horizontal	Pass
12477.703	52.83	73.98	-21.15	40.47	53.98	-13.51	5.00	2.50	Horizontal	Pass
13324.539	53.30	73.98	-20.68	40.22	53.98	-13.76	144.00	4.00	Horizontal	Pass
16078.111	57.59	73.98	-16.39	44.70	53.98	-9.28	185.00	1.00	Horizontal	Pass
17995.755	58.36	73.98	-15.62	45.36	53.98	-8.62	88.00	1.15	Horizontal	Pass



Spurious Emissions 18 - 40GHz - Channel 11 2462 MHz - 802.11n 20 MHz - Antenna 1

Frequency Range	Antenna Distance	Antenna Polarization	RBW	Step Size	Sweep Time
18 GHz - 40 GHz	3m	Vertical	1 MHz	44001 Pts	Auto
18 GHz - 40 GHz	3m	Horizontal	1 MHz	44001 Pts	Auto

Test Date	Test Area	Tested By	Temperature	Humidity	Pressure
7/10/2026	3mSAC	Duranta K. Barua	23.1 °C	40 %	981 mBar



Technology	Frequency	Channel	Mode	EUT Orientation	Limit	Test Results
Wi-Fi 802.11n20	2462 MHz	11	TX	Y-axis	FCC Part 15.205 [15.247 (d)]	Pass

Figure 2.8.8.1-63 – Radiated Emissions Test Results

Test Notes:

- Graphical data is provided for informational purposes only. Final levels are provided in tabular format.

**Table 2.8.8.1-63– Radiated Emissions Test Results**

Frequency (MHz)	Peak Level (dBuV/m)	Peak Limit (dBuV/m)	Peak Margin (dB)	Average Level (dBuV/m)	Average Limit (dBuV/m)	Average Margin (dB)	Azimuth (°)	Height (m)	Polarity	Result
19582.186	51.00	73.98	-22.98	38.13	53.98	-15.85	12.00	2.96	Vertical	Pass
39575.312	54.37	73.98	-19.61	41.77	53.98	-12.21	130.00	4.00	Vertical	Pass
39613.961	54.77	73.98	-19.21	42.15	53.98	-11.83	68.00	3.50	Horizontal	Pass