

Antenna Gain and Pattern Measurement Report

Model Name: PROSIXMINI3

DATE ISSUED: July 26th, 2024.

Prepared By
RESIDEO TECHNOLOGIES INC.
2 CORPORATE CENTER DRIVE
MELVILLE, NY 11753, U.S.A.

Test Report Revision History				
Revision	Prepared By	Reviewed and Approved By	Revision Detail	Release Date
A	Kuang Peng	Daisy Zheng	Original Release	Jul. 26 th , 2024

Approved and Released By:

Daisy Zheng
Daisy Zheng

Sr Hardware Engineering Supervisor
RESIDEO TECHNOLOGIES INC.

Tested and Prepared By:

Kuang Peng
Kuang Peng

HW/RF ENGINEER
RESIDEO TECHNOLOGIES INC.

Table of Contents

1. Test Methodology	5
2. Test and Measurement Equipment	5
3. Device Under Test Information.....	5
4. Result Summary	6
5. Plots	7
5.1 Antenna – 2405 MHz 3D Passive	7
5.2 Antenna – 2445 MHz 3D Passive	10
5.3 Antenna – 2475 MHz 3D Passive	13
6. Test Setup	16

Figure 1. PROSIXMINI3 Antenna 2405 MHz Front View	7
Figure 2. PROSIXMINI3 Antenna 2405 MHz Back View	7
Figure 3. PROSIXMINI3 Antenna 2405 MHz Top View.....	8
Figure 4. PROSIXMINI3 Antenna 2405MHz Bottom View.....	8
Figure 5. PROSIXMINI3 Antenna 2405 MHz Left Side View.....	9
Figure 6. PROSIXMINI3 Antenna 2405 MHz Right Side View.....	9
Figure 7. PROSIXMINI3 Antenna 2445 MHz Front View	10
Figure 8. PROSIXMINI3 Antenna 2445 MHz Back View	10
Figure 9. PROSIXMINI3 Antenna 2445 MHz Top View.....	11
Figure 10. PROSIXMINI3 Antenna 2445 MHz Bottom View.....	11
Figure 11. PROSIXMINI3 Antenna 2445 MHz Left View.....	12
Figure 12. PROSIXMINI3 Antenna 2445 MHz Right View	12
Figure 13. PROSIXMINI3 Antenna 2475 MHz Front View	13
Figure 14. PROSIXMINI3 Antenna 2475 MHz Back View	13
Figure 15. PROSIXMINI3 Antenna 2475 MHz Top View.....	14
Figure 16. PROSIXMINI3 Antenna 2475 MHz Bottom View.....	14
Figure 17. PROSIXMINI3 Antenna 2475 MHz Left View.....	15
Figure 18. PROSIXMINI3 Antenna 2475 MHz Right View	15

1. Test Methodology

The 3D Passive antenna pattern is performed using Two-Axis Dual-Polarization Pattern Measurement and set the step size for both axes to 15° and the axis measurement mode to stepped.

2. Test and Measurement Equipment

Description	Manufacturer	Model	Serial No.	Calibration Date
Vector Network Analyzer	Keysight	P5002A	MY58100491	6/27/2024
OTA Test Chamber	ETS-Lindgren	AMS8050		7/9/2024
OTA Test Software	ETS-Lindgren	EMQuest V1.16 Build 24230		

3. Device Under Test Information

- Model name: PROSIXMINI3
- Test Frequency (MHz): 2405, 2445, 2475.
- Antenna type: Metal PIFA antenna.

4. Result Summary

PROSIXMINI3 metal PIFA Antenna	Frequency		
	2405 MHz	2445 MHz	2475 MHz
TRP (dBm)	-3.56	-3.55	-3.17
EIRP (dBm)	0.63	0.69	0.94
Efficiency (dB)	-3.56	-3.55	-3.17
Efficiency (%)	44.01	44.12	48.19
Gain (dBi)	0.63	0.69	0.94

5. Plots

5.1 Antenna – 2405 MHz 3D Passive




Figure 1. PROSIXMINI3 Antenna 2405 MHz Front View




Figure 2. PROSIXMINI3 Antenna 2405 MHz Back View




Figure 3. PROSIXMINI3 Antenna 2405 MHz Top View




Figure 4 PROSIXMINI3 Antenna 2405 MHz Bottom View




Figure 5. PROSIXMINI3 Antenna 2405 MHz Left Side View




Figure 6. PROSIXMINI3 Antenna 2405 MHz Right Side View

5.2 Antenna – 2445 MHz 3D Passive




Figure 7. PROSIXMINI3 Antenna 2445 MHz Front View




Figure 8. PROSIXMINI3 Antenna 2445 MHz Back View




Figure 9. PROSIXMINI3 Antenna 2445 MHz Top View




Figure 10. PROSIXMINI3 Antenna 2445 MHz Bottom View




Figure 11. PROSIXMINI3 Antenna 2445 MHz Left View




Figure 12. PROSIXMINI3 Antenna 2445 MHz Right View

5.3 Antenna – 2475 MHz 3D Passive




Figure 13. PROSIXMINI3 Antenna 2475 MHz Front View




Figure 14. PROSIXMINI3 Antenna 2475 MHz Back View




Figure 15. PROSIXMINI3 Antenna 2475 MHz Top View




Figure 16. PROSIXMINI3 Antenna 2475 MHz Bottom View




Figure 17. PROSIXMINI3 Antenna 2475 MHz Left View




Figure 18. PROSIXMINI3 Antenna 2475 MHz Right View

6. Test Setup

