

EXHIBIT N – Conducted Emissions


FCC ID# CGGAA2

Northwest EMC, Inc., Radiated and Conducted Emissions Data Sheets

Rev 3.5
01/11/01

EUT: RCR-C	Serial Number: N/A	Job Number: ILGX0230	Date: 05/08/01
Manufacturer: Interlogix, Inc.	Test Engineer: Rod Peloquin	Job Site: EV01	
Customer Reference Number:	Software:	Power:	
Comments: 12VDC through DC power supply (TPD), Unit transmitting at 5808MHz: 120VAC/60Hz			
<i>Rod Peloquin</i>		Temperature (°C): 21	% Humidity: 35
		Run #07	


FCC Part 15 Class B Conducted Emissions Limits - High Line



Frequency (MHz)	Meter Reading (dBuV)	Detector	Correction Factor (dB)	Adjusted Level (dBuV)	Specification Limit (dBuV)	Margin (dB)
8.389	9.5	Peak	21.0	30.5	48.0	-17.5
24.112	9.1	Peak	21.2	30.3	48.0	-17.7
18.874	8.9	Peak	21.2	30.1	48.0	-17.9
21.097	8.8	Peak	21.2	30.0	48.0	-18.0
8.733	8.8	Peak	21.0	29.8	48.0	-18.2
29.664	8.2	Peak	21.3	29.5	48.0	-18.5
19.960	8.3	Peak	21.2	29.5	48.0	-18.5
2.470	8.7	Peak	20.7	29.4	48.0	-18.6
25.665	8.1	Peak	21.3	29.4	48.0	-18.6
27.776	8.1	Peak	21.3	29.4	48.0	-18.6
24.833	8.0	Peak	21.3	29.3	48.0	-18.7
19.728	8.0	Peak	21.2	29.2	48.0	-18.8
11.498	8.1	Peak	21.1	29.2	48.0	-18.8
0.496	9.2	Peak	20.0	29.2	48.0	-18.8
26.700	7.9	Peak	21.3	29.2	48.0	-18.8
0.619	9.1	Peak	20.0	29.1	48.0	-18.9
18.693	7.9	Peak	21.2	29.1	48.0	-18.9
18.683	7.9	Peak	21.2	29.1	48.0	-18.9
22.610	7.8	Peak	21.2	29.0	48.0	-19.0
16.000	7.8	Peak	21.2	29.0	48.0	-19.0

Northwest EMC, Inc., Radiated and Conducted Emissions Data Sheets				Rev 3.5 01/11/01
EUT: RCR-C	Serial Number: N/A	Job Number: ILGX0230	Date: 05/08/01	
Manufacturer: Interlogix, Inc.	Test Engineer: Rod Peloquin	Job Site: EV01		
Customer Reference Number:	Software:	Power:		
Comments: 12VDC through DC power supply (TPD), Unit transmitting at 5808MHz: 120VAC/60Hz				
		Temperature (°C): 21	% Humidity: 35	
		Run #08		

FCC Part 15 Class B Conducted Emissions Limits - Low Line



Frequency (MHz)	Meter Reading (dBuV)	Detector	Correction Factor (dB)	Adjusted Level (dBuV)	Specification Limit (dBuV)	Margin (dB)
28.081	8.7	Peak	21.3	30.0	48.0	-18.0
16.844	8.7	Peak	21.2	29.9	48.0	-18.1
15.940	8.6	Peak	21.2	29.8	48.0	-18.2
22.467	8.5	Peak	21.2	29.7	48.0	-18.3
20.204	8.2	Peak	21.2	29.4	48.0	-18.6
20.356	8.1	Peak	21.2	29.3	48.0	-18.7
14.010	8.2	Peak	21.1	29.3	48.0	-18.7
12.523	8.2	Peak	21.1	29.3	48.0	-18.7
13.467	8.1	Peak	21.1	29.2	48.0	-18.8
18.191	8.0	Peak	21.2	29.2	48.0	-18.8
27.868	7.9	Peak	21.3	29.2	48.0	-18.8
27.736	7.9	Peak	21.3	29.2	48.0	-18.8
27.858	7.9	Peak	21.3	29.2	48.0	-18.8
12.653	8.0	Peak	21.1	29.1	48.0	-18.9
19.085	7.9	Peak	21.2	29.1	48.0	-18.9
12.663	8.0	Peak	21.1	29.1	48.0	-18.9
22.092	7.9	Peak	21.2	29.1	48.0	-18.9
19.095	7.9	Peak	21.2	29.1	48.0	-18.9
24.132	7.9	Peak	21.2	29.1	48.0	-18.9
24.812	7.8	Peak	21.3	29.1	48.0	-18.9