



CAE-A30-7 Label


10KW, X Band, Upmast Transceiver, Standard Speed Antenna



END COVER showing the positioning of the FCC / INDUSTRY CANADA label




THIS DOCUMENT IS THE PROPERTY OF
 KELVIN HUGHES LTD. A SUBSIDIARY OF SMITHS INDUSTRIES PUBLIC LIMITED COMPANY. IT IS TO BE TREATED AS CONFIDENTIAL AND MAY NOT BE
 REPRODUCED OR USED OR DISCLOSED TO THIRD PARTIES WITHOUT THE PREVIOUS CONSENT OF
 KELVIN HUGHES LTD. TO WHOM IT MUST BE RETURNED
 © KELVIN HUGHES LIMITED 1990.



CHARACTERS :— 8mm HIGH, DIN 17 MEDIUM, CENTRALLY
 DISPOSED.

MATERIAL :— ALUMINIUM ALLOY 0.08 THICK ANODISED
 FOIL WITH PRESSURE SENSITIVE ADHESIVE
 BACKING (MALBY 'METAL CAL').

FINISH :— MATT OR SEMI-MATT, SIGNAL RED
 BACKGROUND (COLOUR 537 TO BS.381C),
 CHARACTERS NATURAL.

USED ON CAE-A12 CTX-A1 & A2	MATERIAL	SCALE APPROX. 1:1	DRAWN J.C	
<u>TOLERANCES UNLESS OTHERWISE STATED</u>	SEE ABOVE	DIMENSIONS IN M.M. UNLESS STATED		
SCREW THREADS COARSE PITCH BS 3643 INTERNAL CLASS 6H EXTERNAL CLASS 6g <u>HOLES</u> TO BS 4500 CLASS H13	FINISH SEE ABOVE	 THIRD ANGLE PROJECTION DRAWING PRACTICE TO BS.308.		
<u>DIMENSIONAL</u> TWO DECIMAL PLACES ±0.15 ONE DECIMAL PLACE ±0.5 NO DECIMAL PLACE ±1.0 ANGULAR ±1°		TITLE LABEL 16kV		
		CODE No. A4 CAE-1328		