



CAE-A30-8 Label

10KW, X Band, Upmast Transceiver, High Speed Antenna



END COVER showing the positioning of the FCC / INDUSTRY CANADA label




CODE No
CAE-1623

DRAWING PRACTICE TO BS 308
DO NOT SCALE

KELVIN
HUGHES

THIRD ANGLE
PROJECTION



USED ON
CAE-A30-8

THIS DOCUMENT IS THE PROPERTY OF KELVIN HUGHES LTD, A SUBSIDIARY OF SMITHS INDUSTRIES PUBLIC LIMITED COMPANY. IT IS TO BE TREATED AS CONFIDENTIAL AND MAY NOT BE REPRODUCED OR USED OR DISCLOSED TO THIRD PARTIES WITHOUT THE PREVIOUS CONSENT OF KELVIN HUGHES LTD, TO WHOM IT MUST BE RETURNED

© KELVIN HUGHES LIMITED 1998

98

LAST 2 DIGITS
WILL CHANGE
ANNUALLY

KELVIN HUGHES

TURNING MECH / TX.RX (HI SPD) 10KW

Code No. CAE-A30-8

Serial No. XXXX Batch I.D. XXXX

Compact Size Balancer: Class 1 1.4m Class 2 0.8m

Manufactured by KELVIN HUGHES LTD Halesworth, England

MOD RECORD 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

0191-01

48

DRAWN
BDR

TOLERANCES UNLESS
OTHERWISE STATED

SHEET THICKNESS
TO BS 3601
CLASS B1
EXTERNAL
CLASS B2
INTERNAL
CLASS B3

TO BS 4500

PERFECTURAL
PLACES ±0.15
ONE DECIMAL PLACE ±0.3
NO DECIMAL PLACE ±1.0
ANGULAR
±1°

NOTES

1. LABEL IS TO BE GENERATED ELECTRONICALLY USING MANUFACTURING'S 'LABEL SOFTWARE'

2. CHARACTERS PRINTED ON LABEL ARE TO BE ARIAL FONT OF VARIOUS HEIGHTS AND POINT SIZES.

CHANGE DISTRIBUTION
COMMERCIAL

SIMILAR TO

SCALE
1:1

ALL DIMENSIONS IN
MILLIMETRES (UNLESS
OTHERWISE STATED)

M/C

MATERIAL
55-100-0092-001

FINISH
SEE NOTES

TITLE
UNIT LABEL


CODE No.

CAE-1623

SHEET 1 OF 1

A3


THIS DOCUMENT IS THE PROPERTY OF
 KELVIN HUGHES LTD. A SUBSIDIARY OF SMITHS INDUSTRIES PUBLIC LIMITED COMPANY. IT IS TO BE TREATED AS CONFIDENTIAL AND MAY NOT BE
 REPRODUCED OR USED OR DISCLOSED TO THIRD PARTIES WITHOUT THE PREVIOUS CONSENT OF
 KELVIN HUGHES LTD. TO WHOM IT MUST BE RETURNED
 ©KELVIN HUGHES LIMITED 1980.



CHARACTERS :— 8mm HIGH, DIN 17 MEDIUM, CENTRALLY
 DISPOSED.

MATERIAL :— ALUMINIUM ALLOY 0.08 THICK ANODISED
 FOIL WITH PRESSURE SENSITIVE ADHESIVE
 BACKING (MALBY 'METAL CAL').

FINISH :— MATT OR SEMI-MATT, SIGNAL RED
 BACKGROUND (COLOUR 537 TO BS.381C),
 CHARACTERS NATURAL.

USED ON CAE-A12 CTX-A1 & A2	MATERIAL SEE ABOVE	SCALE APPROX. 1:1	DRAWN J.C				
<u>TOLERANCES UNLESS OTHERWISE STATED</u>		DIMENSIONS IN M.M. UNLESS STATED					
<u>SCREW THREADS</u> COARSE PITCH BS 3643 INTERNAL CLASS 6H EXTERNAL CLASS 6g	FINISH SEE ABOVE	 THIRD ANGLE PROJECTION	A	08/12/93		J.C	
<u>HOLES</u> TO BS 4500 CLASS H13			ISS	DATE	C/NOTE	SIG	
<u>DIMENSIONAL</u> TWO DECIMAL PLACES ±0.15 ONE DECIMAL PLACE ±0.5 NO DECIMAL PLACE ±1.0 <u>ANGULAR</u> ±1°	DRAWING PRACTICE TO BS.308.			SIMILAR TO. NDR-1136			
TITLE LABEL 16kV				CODE No. A4 CAE-1328			