

TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.09 mW/g, SAR (10g): 0.708 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.17 mW/g, SAR (10g): 0.768 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.33 mW/g, SAR (10g): 0.862 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.05 mW/g, SAR (10g): 0.685 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.13 mW/g, SAR (10g): 0.717 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.11 mW/g, SAR (10g): 0.717 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.32 mW/g, SAR (10g): 0.845 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.05 mW/g, SAR (10g): 0.677 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.151 mW/g, SAR (10g): 0.112 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.133 mW/g, SAR (10g): 0.0969 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.840 mW/g, SAR (10g): 0.559 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.988 mW/g, SAR (10g): 0.650 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.08 mW/g, SAR (10g): 0.712 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.761 mW/g, SAR (10g): 0.499 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.879 mW/g, SAR (10g): 0.587 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.722 mW/g, SAR (10g): 0.486 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.116 mW/g, SAR (10g): 0.0960 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.133 mW/g, SAR (10g): 0.0827 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

