

ATTACHMENT A.

ID LABEL INFORMATION AND LOCATION PHOTOS

1.1 ID Label Information

Following is a copy of the label that will be placed on the rear side of the cabinet.

Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label

Model NO : HLM-1510A
POWER : AC 100 – 240 VAC
1.5 A
FCC ID : CKLHLM-1510A
Serial No :

This device complies with part 15 of the FCC Rules Operation

Is subject the following two conditions :

- (1) This device may not cause harmful interference , and**
 - (2) This device must accept any interference received,**
- Including interference that may cause undesired operation.**

**“ Product complies with DHHS Rules-21 CFR subchapter J-applicable
at date of manufacture**

HYUNDAI ELECTRONICS AMERICA
3101 North 1st Street, San Jose, CA 95134

MANUFACTURED BY HYUNDAI ELECTRONICS INDUSTRIES CO., LTD

MADE IN KOREA

HYUNDAI	
Model No. : HLM-1510A POWER : AC 100-240V ~ 1.5A 50/60HZ FCC ID : CKLHLM-1510A Serial No. : Manufactured	
WARNUNG : Vor öffnen des Gerätes Netzstecker ziehen. Disconnect power before opening.	
Apparaten skall anslutas till jordat nätuttag.	
HYUNDAI ELECTRONICS AMERICA 3101 North 1st Street, San Jose, CA95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD	
	
See installation instructions before connecting to the supply.	
   LISTED LTE ET42408     	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions : (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	
This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.	
MADE IN KOREA MATERIAL : PE	
P/N 631 6332 905 Rev.00 PRINTED ID : TPY	

1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)

