



TESTING LABORATORY  
CERTIFICATE #4820.01



FCC PART 22H, PART 24E  
FCC PART 27  
MEASUREMENT AND TEST REPORT

For

**MFOURTEL MEXICO S.A. DE C.V.**

Av. Ejercito Nacional 436 Piso 3 Chapultepec, Morales Miguel Hidalgo D.F 11570, Mexico

**FCC ID: CLNM4R2**

|                                                                                                                                                                                                                                                                               |                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Report Type:</b><br>Original Report                                                                                                                                                                                                                                        | <b>Product Type:</b><br>Mobile Phone |
| <b>Report Number:</b> RDG181207001-00D                                                                                                                                                                                                                                        |                                      |
| <b>Report Date:</b> 2018-12-26                                                                                                                                                                                                                                                |                                      |
| <b>Reviewed By:</b>                                                                                                                                                                                                                                                           | Jerry Zhang<br>EMC Manager           |
| <b>Test Laboratory:</b> Bay Area Compliance Laboratories Corp. (Dongguan)<br>No.69 Pulongcun, Puxinhu Industry Area,<br>Tangxia, Dongguan, Guangdong, China<br>Tel: +86-769-86858888<br>Fax: +86-769-86858891<br><a href="http://www.baclcorp.com.cn">www.baclcorp.com.cn</a> |                                      |

**Note:** This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan). This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA\* or any agency of the Federal Government. \* This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “\*”.

## **TABLE OF CONTENTS**

|                                                                                                           |            |
|-----------------------------------------------------------------------------------------------------------|------------|
| <b>GENERAL INFORMATION.....</b>                                                                           | <b>4</b>   |
| PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT) .....                                                  | 4          |
| OBJECTIVE .....                                                                                           | 4          |
| RELATED SUBMITTAL(S)/GRANT(S).....                                                                        | 4          |
| TEST METHODOLOGY .....                                                                                    | 4          |
| MEASUREMENT UNCERTAINTY .....                                                                             | 5          |
| TEST FACILITY .....                                                                                       | 5          |
| <b>SYSTEM TEST CONFIGURATION.....</b>                                                                     | <b>6</b>   |
| JUSTIFICATION .....                                                                                       | 6          |
| EQUIPMENT MODIFICATIONS .....                                                                             | 6          |
| SUPPORT EQUIPMENT LIST AND DETAILS .....                                                                  | 6          |
| CONFIGURATION OF TEST SETUP .....                                                                         | 6          |
| BLOCK DIAGRAM OF TEST SETUP .....                                                                         | 7          |
| <b>SUMMARY OF TEST RESULTS .....</b>                                                                      | <b>8</b>   |
| <b>FCC §1.1310 &amp; §2.1093- RF EXPOSURE .....</b>                                                       | <b>9</b>   |
| APPLICABLE STANDARD .....                                                                                 | 9          |
| TEST RESULT .....                                                                                         | 9          |
| <b>FCC §2.1047 - MODULATION CHARACTERISTIC .....</b>                                                      | <b>10</b>  |
| <b>FCC § 2.1046, § 22.913 (A) &amp; § 24.232 (C) &amp; § 27.50 - RF OUTPUT POWER.....</b>                 | <b>11</b>  |
| APPLICABLE STANDARD .....                                                                                 | 11         |
| TEST PROCEDURE .....                                                                                      | 12         |
| TEST EQUIPMENT LIST AND DETAILS.....                                                                      | 17         |
| TEST DATA .....                                                                                           | 17         |
| <b>FCC §2.1049, §22.917, §22.905 &amp; §24.238 &amp; §27.53- OCCUPIED BANDWIDTH.....</b>                  | <b>35</b>  |
| APPLICABLE STANDARD .....                                                                                 | 35         |
| TEST PROCEDURE .....                                                                                      | 35         |
| TEST EQUIPMENT LIST AND DETAILS.....                                                                      | 35         |
| TEST DATA .....                                                                                           | 36         |
| <b>FCC §2.1051, §22.917(A) &amp; §24.238(A) &amp; §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS ..</b> | <b>74</b>  |
| APPLICABLE STANDARD .....                                                                                 | 74         |
| TEST PROCEDURE .....                                                                                      | 74         |
| TEST EQUIPMENT LIST AND DETAILS.....                                                                      | 74         |
| TEST DATA .....                                                                                           | 74         |
| <b>FCC §2.1053, §22.917 &amp; §24.238 &amp; §27.53 - SPURIOUS RADIATED EMISSIONS .....</b>                | <b>110</b> |
| APPLICABLE STANDARD .....                                                                                 | 110        |
| TEST PROCEDURE .....                                                                                      | 110        |
| TEST EQUIPMENT LIST AND DETAILS.....                                                                      | 111        |
| TEST DATA .....                                                                                           | 112        |
| <b>FCC §22.917(A) &amp; §24.238(A) &amp; §27.53 - BAND EDGES.....</b>                                     | <b>116</b> |
| APPLICABLE STANDARD .....                                                                                 | 116        |
| TEST PROCEDURE .....                                                                                      | 116        |
| TEST EQUIPMENT LIST AND DETAILS.....                                                                      | 116        |
| TEST DATA .....                                                                                           | 117        |

**FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY.....188**

APPLICABLE STANDARD .....188

TEST PROCEDURE .....188

TEST EQUIPMENT LIST AND DETAILS.....189

TEST DATA .....189

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

|                             |                |                                          |
|-----------------------------|----------------|------------------------------------------|
| <b>EUT Name:</b>            |                | Mobile Phone                             |
| <b>EUT Model:</b>           |                | M4 R2                                    |
| <b>FCC ID:</b>              |                | CLNM4R2                                  |
| <b>Rated Input Voltage:</b> |                | DC3.8V from Battery or DC5V from adapter |
| <b>Adapter Information</b>  | <b>Model:</b>  | M4                                       |
|                             | <b>Input:</b>  | 100-240V, 50/60Hz, 150mA                 |
|                             | <b>Output:</b> | DC5.0V, 1000mA                           |
| <b>External Dimension:</b>  |                | 153.8mm(L)*74mm(W)*9.5mm(H)              |
| <b>Serial Number:</b>       |                | 181207001                                |
| <b>EUT Received Date:</b>   |                | 2018.12.07                               |

### Objective

This report is prepared on behalf of **MFOURTEL MEXICO S.A. DE C.V.** in accordance with: Part 2-Subpart J, Part 22-Subpart H, and Part 24-Subpart E Part 27 of the Federal Communication Commissions rules.

The objective is to determine compliance with FCC Rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

### Related Submittal(s)/Grant(s)

FCC Part 15B JBP submissions with FCC ID: CLNM4R2.  
FCC Part 15C DTS submissions with FCC ID: CLNM4R2.  
FCC Part 15C DSS submissions with FCC ID: CLNM4R2.

### Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services  
Part 24 Subpart E - Personal Communication Services  
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D-2010.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp.(Dongguan).

**Measurement Uncertainty**

| Parameter                     | Measurement Uncertainty                      |
|-------------------------------|----------------------------------------------|
| Occupied Channel Bandwidth    | ±5 %                                         |
| RF output power, conducted    | ±0.61dB                                      |
| Unwanted Emissions, radiated  | 30MHz ~ 1GHz: 5.85 dB<br>1G~26.5GHz: 5.23 dB |
| Unwanted Emissions, conducted | ±1.5 dB                                      |
| Temperature                   | ±1 °C                                        |
| Humidity                      | ±5%                                          |
| DC and low frequency voltages | ±0.4%                                        |
| Duty Cycle                    | 1%                                           |

**Test Facility**

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China.

The lab has been recognized as the FCC accredited lab under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 897218, the FCC Designation No. : CN1220.

The lab has been recognized by Innovation, Science and Economic Development Canada to test to Canadian radio equipment requirements, the CAB identifier: CN0022.

## SYSTEM TEST CONFIGURATION

### Justification

The EUT was configured for testing according to TIA/EIA-603-D 2010.

The test items were performed with the EUT operating at testing mode. The device supports GSM/GPRS/EDGE 850/1900 band, WCDMA/HSUPA/HPDPA/HSPA+/DC-HSDPA Band 2 and band 5, LTE band 2, 4, 5, 7, 12 and 66.


### Equipment Modifications

No modification was made to the EUT.


### Support Equipment List and Details

| Manufacturer | Description                          | Model  | Serial Number |
|--------------|--------------------------------------|--------|---------------|
| R&S          | Universal Radio Communication Tester | CMU200 | 106 891       |
| R&S          | Wideband Radio Communication Tester  | CMW500 | 147473        |
| N/A          | ANTENNA                              | N/A    | N/A           |

### Configuration of Test Setup



Block Diagram of Test Setup



**SUMMARY OF TEST RESULTS**

| FCC Rules                                          | Description of Test                                                    | Result         |
|----------------------------------------------------|------------------------------------------------------------------------|----------------|
| §1.1310, §2.1093                                   | RF Exposure                                                            | Compliance     |
| §2.1046;<br>§ 22.913 (a); § 24.232 (c);<br>§27.50  | RF Output Power                                                        | Compliance     |
| § 2.1047                                           | Modulation Characteristics                                             | Not Applicable |
| § 2.1049; § 22.905<br>§ 22.917; § 24.238; §27.53   | Occupied Bandwidth                                                     | Compliance     |
| § 2.1051,<br>§ 22.917 (a); § 24.238 (a);<br>§27.53 | Spurious Emissions at Antenna Terminal                                 | Compliance     |
| § 2.1053<br>§ 22.917 (a); § 24.238 (a);<br>§27.53  | Field Strength of Spurious Radiation                                   | Compliance     |
| § 22.917 (a); § 24.238 (a);<br>§27.53              | Out of band emission, Band Edge                                        | Compliance     |
| § 2.1055<br>§ 22.355; § 24.235; §27.54             | Frequency stability vs. temperature<br>Frequency stability vs. voltage | Compliance     |



---

## **FCC §1.1310 & §2.1093- RF EXPOSURE**

---

### **Applicable Standard**

FCC§1.1310 and §2.1093.

### **Test Result**

Compliant, please refer to the SAR report: RDG181207001-20A.

---

## **FCC §2.1047 - MODULATION CHARACTERISTIC**

---

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

---

**FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50 - RF OUTPUT POWER**

---

**Applicable Standard**

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

According to §27.50

(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

(c) (10) Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

(d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(h),(2) Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

## Test Procedure

### GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900

Press Connection control to choose the different menus

Press RESET > choose all the reset all settings

Connection Press Signal Off to turn off the signal and change settings

Network Support > GSM + GPRS or GSM + EGSM

Main Service > Packet Data

Service selection > Test Mode A – Auto Slot Config. off

MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting

> Slot configuration > Uplink/Gamma

> 33 dBm for GPRS 850

> 30 dBm for GPRS 1900

> 27 dBm for EGPRS 850

> 26 dBm for EGPRS 1900

BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel

Frequency Offset > + 0 Hz

Mode > BCCH and TCH

BCCH Level > -85 dBm (May need to adjust if link is not stable)

BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

Channel Type > Off

P0 > 4 dB

Slot Config > Unchanged (if already set under MS signal)

TCH > choose desired test channel

Hopping > Off

Main Timeslot > 3

Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

Bit Stream > 2E9-1 PSR Bit Stream

AF/Rf Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input

Connection Press Signal on to turn on the signal and change settings

### WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

|                                   |                            |              |
|-----------------------------------|----------------------------|--------------|
| <b>WCDMA<br/>General Settings</b> | Loopback Mode              | Test Mode 1  |
|                                   | Rel99 RMC                  | 12.2kbps RMC |
|                                   | Power Control<br>Algorithm | Algorithm2   |
|                                   | $\beta_c$ / $\beta_d$      | 8/15         |

**WCDMA HSDPA**

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

|                               | Mode                            | HSDPA        | HSDPA | HSDPA | HSDPA |
|-------------------------------|---------------------------------|--------------|-------|-------|-------|
|                               | Subset                          | 1            | 2     | 3     | 4     |
| WCDMA<br>General<br>Settings  | Loopback Mode                   | Test Mode 1  |       |       |       |
|                               | Rel99 RMC                       | 12.2kbps RMC |       |       |       |
|                               | HSDPA FRC                       | H-Set1       |       |       |       |
|                               | Power Control Algorithm         | Algorithm2   |       |       |       |
|                               | $\beta_c$                       | 2/15         | 12/15 | 15/15 | 15/15 |
|                               | $\beta_d$                       | 15/15        | 15/15 | 8/15  | 4/15  |
|                               | $\beta_d$ (SF)                  | 64           |       |       |       |
|                               | $\beta_c / \beta_d$             | 2/15         | 12/15 | 15/8  | 15/4  |
|                               | $\beta_{hs}$                    | 4/15         | 24/15 | 30/15 | 30/15 |
|                               | MPR(dB)                         | 0            | 0     | 0.5   | 0.5   |
| HSDPA<br>Specific<br>Settings | DACK                            | 8            |       |       |       |
|                               | DNAK                            | 8            |       |       |       |
|                               | DCQI                            | 8            |       |       |       |
|                               | Ack-Nack repetition factor      | 3            |       |       |       |
|                               | CQI Feedback                    | 4ms          |       |       |       |
|                               | CQI Repetition Factor           | 2            |       |       |       |
|                               | $A_{hs} = \beta_{hs} / \beta_c$ | 30/15        |       |       |       |

**WCDMA HSUPA**

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

|                                | Mode                             | HSUPA                                                                                                                                        | HSUPA                                                | HSUPA                                                                                                                                      | HSUPA                                                                                                                                        | HSUPA                                                                                                                                        |
|--------------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
|                                | Subset                           | 1                                                                                                                                            | 2                                                    | 3                                                                                                                                          | 4                                                                                                                                            | 5                                                                                                                                            |
| <b>WCDMA General Settings</b>  | Loopback Mode                    | Test Mode 1                                                                                                                                  |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | Rel99 RMC                        | 12.2kbps RMC                                                                                                                                 |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | HSDPA FRC                        | H-Set1                                                                                                                                       |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | HSUPA Test                       | HSUPA Loopback                                                                                                                               |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | Power Control Algorithm          | Algorithm2                                                                                                                                   |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | $\beta_c$                        | 11/15                                                                                                                                        | 6/15                                                 | 15/15                                                                                                                                      | 2/15                                                                                                                                         | 15/15                                                                                                                                        |
|                                | $\beta_d$                        | 15/15                                                                                                                                        | 15/15                                                | 9/15                                                                                                                                       | 15/15                                                                                                                                        | 0                                                                                                                                            |
|                                | $\beta_{ec}$                     | 209/225                                                                                                                                      | 12/15                                                | 30/15                                                                                                                                      | 2/15                                                                                                                                         | 5/15                                                                                                                                         |
|                                | $\beta_c/\beta_d$                | 11/15                                                                                                                                        | 6/15                                                 | 15/9                                                                                                                                       | 2/15                                                                                                                                         | -                                                                                                                                            |
|                                | $\beta_{hs}$                     | 22/15                                                                                                                                        | 12/15                                                | 30/15                                                                                                                                      | 4/15                                                                                                                                         | 5/15                                                                                                                                         |
|                                | CM(dB)                           | 1.0                                                                                                                                          | 3.0                                                  | 2.0                                                                                                                                        | 3.0                                                                                                                                          | 1.0                                                                                                                                          |
|                                | MPR(dB)                          | 0                                                                                                                                            | 2                                                    | 1                                                                                                                                          | 2                                                                                                                                            | 0                                                                                                                                            |
| <b>HSDPA Specific Settings</b> | DACK                             | 8                                                                                                                                            |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | DNAK                             | 8                                                                                                                                            |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | DCQI                             | 8                                                                                                                                            |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | Ack-Nack repetition factor       | 3                                                                                                                                            |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | CQI Feedback                     | 4ms                                                                                                                                          |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | CQI Repetition Factor            | 2                                                                                                                                            |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
|                                | $A_{hs}=\beta_{hs}/\beta_c$      | 30/15                                                                                                                                        |                                                      |                                                                                                                                            |                                                                                                                                              |                                                                                                                                              |
| <b>HSUPA Specific Settings</b> | DE-DPCCH                         | 6                                                                                                                                            | 8                                                    | 8                                                                                                                                          | 5                                                                                                                                            | 7                                                                                                                                            |
|                                | DHARQ                            | 0                                                                                                                                            | 0                                                    | 0                                                                                                                                          | 0                                                                                                                                            | 0                                                                                                                                            |
|                                | AG Index                         | 20                                                                                                                                           | 12                                                   | 15                                                                                                                                         | 17                                                                                                                                           | 21                                                                                                                                           |
|                                | ETFCI                            | 75                                                                                                                                           | 67                                                   | 92                                                                                                                                         | 71                                                                                                                                           | 81                                                                                                                                           |
|                                | Associated Max UL Data Rate kbps | 242.1                                                                                                                                        | 174.9                                                | 482.8                                                                                                                                      | 205.8                                                                                                                                        | 308.9                                                                                                                                        |
|                                | Reference E_FCI                  | E-TFCI 11 E<br>E-TFCI PO 4<br>E-TFCI 67<br>E-TFCI PO 18<br>E-TFCI 71<br>E-TFCI PO23<br>E-TFCI 75<br>E-TFCI PO26<br>E-TFCI 81<br>E-TFCI PO 27 | E-TFCI 11<br>E-TFCI PO4<br>E-TFCI 92<br>E-TFCI PO 18 | E-TFCI 11<br>E-TFCI PO 4<br>E-TFCI 67<br>E-TFCI PO 18<br>E-TFCI 71<br>E-TFCI PO23<br>E-TFCI 75<br>E-TFCI PO26<br>E-TFCI 81<br>E-TFCI PO 27 | E-TFCI 11 E<br>E-TFCI PO 4<br>E-TFCI 67<br>E-TFCI PO 18<br>E-TFCI 71<br>E-TFCI PO23<br>E-TFCI 75<br>E-TFCI PO26<br>E-TFCI 81<br>E-TFCI PO 27 | E-TFCI 11 E<br>E-TFCI PO 4<br>E-TFCI 67<br>E-TFCI PO 18<br>E-TFCI 71<br>E-TFCI PO23<br>E-TFCI 75<br>E-TFCI PO26<br>E-TFCI 81<br>E-TFCI PO 27 |

**HSPA+**

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

| Sub-test                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | $\beta_c$<br>(Note 3) | $\beta_d$ | $\beta_{HS}$<br>(Note 1) | $\beta_{ec}$ | $\beta_{ed}$<br>(2xSF2)<br>(Note 4)            | $\beta_{ed}$<br>(2xSF4)<br>(Note 4)            | CM<br>(dB)<br>(Note 2) | MPR<br>(dB)<br>(Note 2) | AG<br>Index<br>(Note 4) | E-TFCI<br>(Note 5) | E-TFCI<br>(boost) |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------|--------------------------|--------------|------------------------------------------------|------------------------------------------------|------------------------|-------------------------|-------------------------|--------------------|-------------------|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1                     | 0         | 30/15                    | 30/15        | $\beta_{ed1}$ : 30/15<br>$\beta_{ed2}$ : 30/15 | $\beta_{ed3}$ : 24/15<br>$\beta_{ed4}$ : 24/15 | 3.5                    | 2.5                     | 14                      | 105                | 105               |
| <p>Note 1: <math>\Delta_{ACK}</math>, <math>\Delta_{NACK}</math> and <math>\Delta_{CQI} = 30/15</math> with <math>\beta_{hs} = 30/15 * \beta_c</math>.</p> <p>Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).</p> <p>Note 3: DPDCH is not configured, therefore the <math>\beta_c</math> is set to 1 and <math>\beta_d = 0</math> by default.</p> <p>Note 4: <math>\beta_{ed}</math> can not be set directly; it is set by Absolute Grant Value.</p> <p>Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.</p> |                       |           |                          |              |                                                |                                                |                        |                         |                         |                    |                   |

**DC-HSDPA**

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

**Table C.8.1.12: Fixed Reference Channel H-Set 12**

| Parameter                                                                                                                                                                                                                                                                                                     | Unit      | Value |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
| Nominal Avg. Inf. Bit Rate                                                                                                                                                                                                                                                                                    | kbps      | 60    |
| Inter-TTI Distance                                                                                                                                                                                                                                                                                            | TTI's     | 1     |
| Number of HARQ Processes                                                                                                                                                                                                                                                                                      | Processes | 6     |
| Information Bit Payload ( $N_{INF}$ )                                                                                                                                                                                                                                                                         | Bits      | 120   |
| Number Code Blocks                                                                                                                                                                                                                                                                                            | Blocks    | 1     |
| Binary Channel Bits Per TTI                                                                                                                                                                                                                                                                                   | Bits      | 960   |
| Total Available SML's in UE                                                                                                                                                                                                                                                                                   | SML's     | 19200 |
| Number of SML's per HARQ Proc.                                                                                                                                                                                                                                                                                | SML's     | 3200  |
| Coding Rate                                                                                                                                                                                                                                                                                                   |           | 0.15  |
| Number of Physical Channel Codes                                                                                                                                                                                                                                                                              | Codes     | 1     |
| Modulation                                                                                                                                                                                                                                                                                                    |           | QPSK  |
| <p>Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.</p> <p>Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.</p> |           |       |

**LTE (FDD):**

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

**Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3**

| Modulation | Channel bandwidth / Transmission bandwidth (RB) |         |       |        |        |        | MPR (dB) |
|------------|-------------------------------------------------|---------|-------|--------|--------|--------|----------|
|            | 1.4 MHz                                         | 3.0 MHz | 5 MHz | 10 MHz | 15 MHz | 20 MHz |          |
| QPSK       | > 5                                             | > 4     | > 8   | > 12   | > 16   | > 18   | ≤ 1      |
| 16 QAM     | ≤ 5                                             | ≤ 4     | ≤ 8   | ≤ 12   | ≤ 16   | ≤ 18   | ≤ 1      |
| 64 QAM     | > 5                                             | > 4     | > 8   | > 12   | > 16   | > 18   | ≤ 2      |

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS\_01".

**Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)**

| Network Signalling value | Requirements (sub-clause) | E-UTRA Band              | Channel bandwidth (MHz) | Resources Blocks ( $N_{RB}$ ) | A-MPR (dB)    |
|--------------------------|---------------------------|--------------------------|-------------------------|-------------------------------|---------------|
| NS_01                    | 6.6.2.1.1                 | Table 5.5-1              | 1.4, 3, 5, 10, 15, 20   | Table 5.6-1                   | NA            |
| NS_03                    | 6.6.2.2.1                 | 2, 4, 10, 23, 25, 35, 36 | 3                       | >5                            | ≤ 1           |
|                          |                           |                          | 5                       | >6                            | ≤ 1           |
|                          |                           |                          | 10                      | >6                            | ≤ 1           |
|                          |                           |                          | 15                      | >8                            | ≤ 1           |
|                          |                           |                          | 20                      | >10                           | ≤ 1           |
| NS_04                    | 6.6.2.2.2                 | 41                       | 5                       | >6                            | ≤ 1           |
|                          |                           |                          | 10, 15, 20              | See Table 6.2.4-4             |               |
| NS_05                    | 6.6.3.3.1                 | 1                        | 10,15,20                | ≥ 50                          | ≤ 1           |
| NS_06                    | 6.6.2.2.3                 | 12, 13, 14, 17           | 1.4, 3, 5, 10           | Table 5.6-1                   | n/a           |
| NS_07                    | 6.6.2.2.3                 | 13                       | 10                      | Table 6.2.4-2                 | Table 6.2.4-2 |
|                          | 6.6.3.3.2                 |                          |                         |                               |               |
| NS_08                    | 6.6.3.3.3                 | 19                       | 10, 15                  | > 44                          | ≤ 3           |
| NS_09                    | 6.6.3.3.4                 | 21                       | 10, 15                  | > 40                          | ≤ 1           |
|                          |                           |                          |                         | > 55                          | ≤ 2           |
| NS_10                    |                           | 20                       | 15, 20                  | Table 6.2.4-3                 | Table 6.2.4-3 |
| NS_11                    | 6.6.2.2.1                 | 23 <sup>1</sup>          | 1.4, 3, 5, 10           | Table 6.2.4-5                 | Table 6.2.4-5 |
| ..                       |                           |                          |                         |                               |               |
| NS_32                    | -                         | -                        | -                       | -                             | -             |

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

*Radiated method:*

ANSI/TIA-603-D section 2.2.17



**Test Equipment List and Details**

| Manufacturer   | Description                          | Model                | Serial Number    | Calibration Date | Calibration Due Date |
|----------------|--------------------------------------|----------------------|------------------|------------------|----------------------|
| R&S            | EMI Test Receiver                    | ESCI                 | 100035           | 2018-08-03       | 2019-08-03           |
| Sunol Sciences | Antenna                              | JB3                  | A060611-3        | 2017-07-21       | 2019-07-21           |
| EMCO           | Adjustable Dipole Antenna            | 3121C                | 9109-753         | N/A              | N/A                  |
| Unknown        | Coaxial Cable                        | C-NJNJ-50            | C-1000-01        | 2018-09-05       | 2019-09-05           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50            | C-0400-02        | 2018-09-05       | 2019-09-05           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50            | C-0530-01        | 2018-09-24       | 2019-09-24           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50            | C-0200-02        | 2018-09-05       | 2019-09-05           |
| Agilent        | Signal Generator                     | E8247C               | MY43321350       | 2018-12-10       | 2019-12-10           |
| R&S            | Spectrum Analyzer                    | FSP 38               | 100478           | 2018-12-10       | 2019-12-10           |
| TDK RF         | Horn Antenna                         | HRN-0118             | 130 084          | 2016-01-05       | 2019-01-04           |
| ETS-Lindgren   | Horn Antenna                         | 3115                 | 000 527 35       | 2016-01-05       | 2019-01-04           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50            | C-0200-02        | 2018-09-05       | 2019-09-05           |
| MICRO-COAX     | Coaxial Cable                        | UFA147-1-2362-100100 | 64639 231029-001 | 2018-02-24       | 2019-02-28           |
| R&S            | Universal Radio Communication Tester | CMU200               | 106 891          | 2018-12-14       | 2019-12-14           |
| R&S            | Wideband Radio Communication Tester  | CMW500               | 147473           | 2018-08-03       | 2019-08-03           |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data****Environmental Conditions**

|                           |               |
|---------------------------|---------------|
| <b>Temperature:</b>       | 20.3~21.7°C   |
| <b>Relative Humidity:</b> | 31~41 %       |
| <b>ATM Pressure:</b>      | 99.7~99.8 kPa |

\* The testing was performed by Vern Shen and Vito Chen on 2018-12-16~2018-12-19.

**Conducted Output Power****Cellular Band & PCS Band**

| Band     | Channel No. | Conducted Peak Output Power (dBm) |                |                |                |                |                |                |                |                |
|----------|-------------|-----------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
|          |             | GSM                               | GPRS 1 TX Slot | GPRS 2 TX Slot | GPRS 3 TX Slot | GPRS 4 TX Slot | EDGE 1 TX Slot | EDGE 2 TX Slot | EDGE 3 TX Slot | EDGE 4 TX Slot |
| Cellular | 128         | 32.40                             | 32.35          | 31.70          | 30.15          | 29.20          | 26.90          | 25.95          | 23.58          | 22.51          |
|          | 190         | 32.40                             | 32.38          | 31.71          | 30.18          | 29.21          | 26.85          | 25.87          | 23.46          | 22.42          |
|          | 251         | 32.40                             | 32.41          | 31.78          | 30.25          | 29.32          | 26.75          | 25.81          | 23.36          | 22.38          |
| PCS      | 512         | 30.20                             | 30.53          | 29.90          | 28.40          | 27.42          | 26.77          | 25.79          | 23.73          | 22.59          |
|          | 661         | 30.40                             | 30.60          | 29.97          | 28.43          | 27.51          | 26.82          | 25.79          | 23.77          | 22.60          |
|          | 810         | 30.50                             | 30.55          | 29.93          | 28.41          | 27.48          | 26.88          | 25.85          | 23.88          | 22.60          |

**WCDMA Band II**

| Mode   | 3GPP Sub Test | Low Channel      |          | Middle Channel   |          | High Channel     |          |
|--------|---------------|------------------|----------|------------------|----------|------------------|----------|
|        |               | Ave. Power (dBm) | PAR (dB) | Ave. Power (dBm) | PAR (dB) | Ave. Power (dBm) | PAR (dB) |
| Rel 99 | 1             | 24.00            | 2.84     | 23.99            | 2.92     | 23.98            | 2.12     |
| HSDPA  | 1             | 23.53            | 3.84     | 23.48            | 3.52     | 24.43            | 3.48     |
|        | 2             | 23.52            | 3.84     | 23.47            | 3.58     | 24.41            | 3.46     |
|        | 3             | 23.50            | 3.82     | 23.45            | 3.60     | 24.39            | 3.51     |
|        | 4             | 23.51            | 3.81     | 23.46            | 3.62     | 24.40            | 3.49     |
| HSUPA  | 1             | 23.14            | 3.24     | 23.10            | 3.92     | 23.08            | 3.12     |
|        | 2             | 23.12            | 3.23     | 23.09            | 3.93     | 23.06            | 3.15     |
|        | 3             | 23.11            | 3.20     | 23.07            | 3.40     | 23.07            | 3.21     |
|        | 4             | 23.09            | 3.30     | 23.05            | 3.42     | 23.07            | 3.22     |
|        | 5             | 23.11            | 3.28     | 23.06            | 3.89     | 23.05            | 3.18     |

**WCDMA Band V**

| Mode   | 3GPP Sub Test | Low Channel      |          | Middle Channel   |          | High Channel     |          |
|--------|---------------|------------------|----------|------------------|----------|------------------|----------|
|        |               | Ave. Power (dBm) | PAR (dB) | Ave. Power (dBm) | PAR (dB) | Ave. Power (dBm) | PAR (dB) |
| Rel 99 | 1             | 23.51            | 2.88     | 23.58            | 3.08     | 23.43            | 2.88     |
| HSDPA  | 1             | 23.09            | 3.68     | 23.10            | 3.40     | 22.96            | 3.36     |
|        | 2             | 23.07            | 3.65     | 23.08            | 3.38     | 22.94            | 3.31     |
|        | 3             | 23.08            | 3.62     | 23.07            | 3.41     | 22.95            | 3.38     |
|        | 4             | 23.05            | 3.71     | 23.05            | 3.45     | 22.92            | 3.40     |
| HSUPA  | 1             | 22.64            | 3.36     | 22.71            | 3.36     | 22.60            | 3.40     |
|        | 2             | 22.63            | 3.34     | 22.69            | 3.38     | 22.58            | 3.42     |
|        | 3             | 26.61            | 3.31     | 22.70            | 3.40     | 22.56            | 3.45     |
|        | 4             | 26.63            | 3.41     | 22.72            | 3.41     | 22.54            | 3.39     |
|        | 5             | 26.60            | 3.39     | 22.71            | 3.39     | 22.51            | 3.41     |

## LTE Band 2

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4MHz            | QPSK       | 1#0                        | 23.23             | 22.87                | 22.80              |
|                   |            | 1#3                        | 23.49             | 23.06                | 23.04              |
|                   |            | 1#5                        | 23.31             | 22.90                | 22.86              |
|                   |            | 3#0                        | 23.41             | 22.98                | 22.89              |
|                   |            | 3#3                        | 23.14             | 22.96                | 22.89              |
|                   |            | 6#0                        | 22.11             | 21.96                | 21.94              |
|                   | 16QAM      | 1#0                        | 21.95             | 22.01                | 21.78              |
|                   |            | 1#3                        | 22.10             | 22.26                | 21.91              |
|                   |            | 1#5                        | 21.91             | 21.99                | 21.79              |
|                   |            | 3#0                        | 23.02             | 22.99                | 22.87              |
|                   |            | 3#3                        | 23.03             | 22.97                | 22.89              |
|                   |            | 6#0                        | 21.01             | 20.96                | 20.83              |
| 3MHz              | QPSK       | 1#0                        | 23.00             | 23.01                | 22.95              |
|                   |            | 1#8                        | 22.98             | 22.99                | 22.91              |
|                   |            | 1#14                       | 22.96             | 22.95                | 22.93              |
|                   |            | 10#0                       | 21.96             | 21.96                | 21.85              |
|                   |            | 10#5                       | 21.98             | 21.90                | 21.85              |
|                   |            | 15#0                       | 22.02             | 21.95                | 21.88              |
|                   | 16QAM      | 1#0                        | 22.52             | 22.09                | 21.89              |
|                   |            | 1#8                        | 22.52             | 22.06                | 21.85              |
|                   |            | 1#14                       | 22.49             | 22.10                | 21.84              |
|                   |            | 10#0                       | 21.01             | 20.91                | 20.76              |
|                   |            | 10#5                       | 21.02             | 20.97                | 20.73              |
|                   |            | 15#0                       | 21.05             | 20.86                | 20.87              |
| 5MHz              | QPSK       | 1#0                        | 22.91             | 22.95                | 22.87              |
|                   |            | 1#13                       | 23.02             | 23.06                | 23.00              |
|                   |            | 1#24                       | 22.92             | 22.94                | 22.86              |
|                   |            | 10#0                       | 21.99             | 22.02                | 21.93              |
|                   |            | 10#15                      | 22.09             | 21.99                | 21.93              |
|                   |            | 25#0                       | 22.01             | 21.96                | 21.91              |
|                   | 16QAM      | 1#0                        | 21.92             | 22.25                | 22.04              |
|                   |            | 1#13                       | 22.01             | 22.29                | 22.09              |
|                   |            | 1#24                       | 21.91             | 22.23                | 21.95              |
|                   |            | 10#0                       | 22.04             | 22.05                | 21.95              |
|                   |            | 10#15                      | 22.07             | 21.97                | 21.91              |
|                   |            | 25#0                       | 21.10             | 20.90                | 20.82              |

|       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|
| 10MHz | QPSK  | 1#0   | 23.01 | 23.01 | 22.96 |
|       |       | 1#25  | 23.18 | 23.15 | 23.09 |
|       |       | 1#49  | 22.97 | 22.96 | 22.94 |
|       |       | 25#0  | 22.06 | 22.12 | 22.00 |
|       |       | 25#25 | 22.18 | 22.01 | 21.98 |
|       |       | 50#0  | 22.12 | 22.07 | 22.01 |
|       | 16QAM | 1#0   | 22.58 | 22.12 | 21.94 |
|       |       | 1#25  | 22.68 | 22.23 | 22.04 |
|       |       | 1#49  | 22.50 | 22.11 | 21.85 |
|       |       | 25#0  | 22.04 | 22.10 | 22.00 |
|       |       | 25#25 | 22.18 | 21.98 | 21.99 |
|       |       | 50#0  | 21.12 | 21.05 | 21.02 |
| 15MHz | QPSK  | 1#0   | 22.97 | 22.96 | 22.89 |
|       |       | 1#38  | 23.00 | 23.03 | 22.98 |
|       |       | 1#74  | 22.93 | 22.89 | 22.87 |
|       |       | 36#0  | 22.09 | 22.12 | 22.02 |
|       |       | 36#39 | 22.14 | 22.01 | 22.01 |
|       |       | 75#0  | 22.12 | 22.13 | 22.07 |
|       | 16QAM | 1#0   | 22.52 | 22.05 | 22.29 |
|       |       | 1#38  | 22.59 | 22.16 | 22.34 |
|       |       | 1#74  | 22.44 | 22.01 | 22.14 |
|       |       | 36#0  | 22.04 | 22.11 | 22.02 |
|       |       | 36#39 | 22.14 | 21.99 | 22.01 |
|       |       | 75#0  | 21.10 | 21.05 | 20.97 |
| 20MHz | QPSK  | 1#0   | 22.84 | 22.81 | 22.72 |
|       |       | 1#50  | 23.17 | 23.20 | 23.09 |
|       |       | 1#99  | 22.79 | 22.78 | 22.65 |
|       |       | 50#0  | 21.89 | 22.19 | 21.97 |
|       |       | 50#50 | 22.03 | 22.01 | 21.91 |
|       |       | 100#0 | 22.00 | 22.09 | 21.91 |
|       | 16QAM | 1#0   | 22.10 | 21.99 | 22.29 |
|       |       | 1#50  | 22.40 | 22.33 | 22.65 |
|       |       | 1#99  | 22.05 | 21.95 | 22.17 |
|       |       | 50#0  | 21.89 | 22.17 | 21.94 |
|       |       | 50#50 | 22.02 | 21.98 | 21.85 |
|       |       | 100#0 | 20.93 | 21.07 | 20.93 |

## LTE Band 4

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4MHz            | QPSK       | RB1#0                      | 22.89             | 22.84                | 22.83              |
|                   |            | RB1#3                      | 22.97             | 23.06                | 23.06              |
|                   |            | RB1#5                      | 22.89             | 22.87                | 22.86              |
|                   |            | RB3#0                      | 22.91             | 22.99                | 22.89              |
|                   |            | RB3#3                      | 22.92             | 23.01                | 22.84              |
|                   |            | RB6#0                      | 22.04             | 22.02                | 21.98              |
|                   | 16QAM      | RB1#0                      | 21.87             | 22.06                | 21.84              |
|                   |            | RB1#3                      | 22.16             | 22.29                | 22.06              |
|                   |            | RB1#5                      | 21.88             | 22.13                | 21.85              |
|                   |            | RB3#0                      | 22.94             | 22.99                | 22.86              |
|                   |            | RB3#3                      | 22.91             | 22.98                | 22.88              |
|                   |            | RB6#0                      | 20.96             | 21.05                | 20.80              |
| 3MHz              | QPSK       | RB1#0                      | 22.91             | 22.82                | 22.91              |
|                   |            | RB1#8                      | 22.91             | 22.89                | 22.88              |
|                   |            | RB1#14                     | 22.92             | 22.91                | 22.87              |
|                   |            | RB6#0                      | 21.92             | 21.89                | 21.81              |
|                   |            | RB6#9                      | 21.91             | 21.87                | 21.86              |
|                   |            | RB15#0                     | 21.93             | 21.95                | 21.87              |
|                   | 16QAM      | RB1#0                      | 22.39             | 22.09                | 21.95              |
|                   |            | RB1#8                      | 22.38             | 22.11                | 21.85              |
|                   |            | RB1#14                     | 22.33             | 22.08                | 21.84              |
|                   |            | RB6#0                      | 20.96             | 20.91                | 20.76              |
|                   |            | RB6#9                      | 20.91             | 20.95                | 20.76              |
|                   |            | RB15#0                     | 20.93             | 20.90                | 20.91              |
| 5MHz              | QPSK       | RB1#0                      | 22.78             | 22.78                | 22.81              |
|                   |            | RB1#13                     | 22.98             | 22.94                | 22.95              |
|                   |            | RB1#24                     | 22.81             | 22.88                | 22.82              |
|                   |            | RB15#0                     | 21.95             | 21.99                | 21.88              |
|                   |            | RB15#10                    | 21.92             | 21.97                | 22.01              |
|                   |            | RB25#0                     | 21.88             | 21.95                | 21.86              |
|                   | 16QAM      | RB1#0                      | 21.81             | 22.22                | 21.99              |
|                   |            | RB1#13                     | 21.93             | 22.35                | 22.09              |
|                   |            | RB1#24                     | 21.78             | 22.25                | 21.95              |
|                   |            | RB15#0                     | 21.96             | 21.98                | 21.91              |
|                   |            | RB15#10                    | 21.91             | 21.98                | 21.97              |
|                   |            | RB25#0                     | 20.96             | 20.87                | 20.82              |

|       |       |         |       |       |       |
|-------|-------|---------|-------|-------|-------|
| 10MHz | QPSK  | RB1#0   | 22.82 | 22.80 | 22.81 |
|       |       | RB1#25  | 23.01 | 23.00 | 23.00 |
|       |       | RB1#49  | 22.81 | 22.89 | 22.85 |
|       |       | RB25#0  | 21.96 | 22.04 | 21.85 |
|       |       | RB25#25 | 21.88 | 21.95 | 21.99 |
|       |       | RB50#0  | 21.93 | 22.03 | 21.95 |
|       | 16QAM | RB1#0   | 22.36 | 22.03 | 21.88 |
|       |       | RB1#25  | 22.47 | 22.32 | 22.05 |
|       |       | RB1#49  | 22.36 | 22.07 | 21.82 |
|       |       | RB25#0  | 21.94 | 22.02 | 21.85 |
|       |       | RB25#25 | 21.89 | 21.97 | 22.04 |
|       |       | RB50#0  | 20.86 | 21.06 | 20.96 |
| 15MHz | QPSK  | RB1#0   | 22.78 | 22.74 | 22.77 |
|       |       | RB1#38  | 22.84 | 22.86 | 22.93 |
|       |       | RB1#74  | 22.73 | 22.79 | 22.77 |
|       |       | RB36#0  | 22.02 | 21.99 | 21.90 |
|       |       | RB36#39 | 21.87 | 21.98 | 22.12 |
|       |       | RB75#0  | 21.97 | 21.99 | 22.04 |
|       | 16QAM | RB1#0   | 22.26 | 21.99 | 22.28 |
|       |       | RB1#38  | 22.35 | 22.11 | 22.31 |
|       |       | RB1#74  | 22.33 | 22.00 | 22.09 |
|       |       | RB36#0  | 21.99 | 21.95 | 21.91 |
|       |       | RB36#39 | 21.84 | 21.98 | 22.08 |
|       |       | RB75#0  | 20.91 | 21.01 | 20.99 |
| 20MHz | QPSK  | RB1#0   | 22.63 | 22.55 | 22.59 |
|       |       | RB1#50  | 23.02 | 23.07 | 23.02 |
|       |       | RB1#99  | 22.64 | 22.72 | 22.58 |
|       |       | RB50#0  | 21.99 | 22.07 | 21.85 |
|       |       | RB50#50 | 21.74 | 21.98 | 22.11 |
|       |       | RB100#0 | 21.87 | 22.04 | 22.04 |
|       | 16QAM | RB1#0   | 21.91 | 21.87 | 22.28 |
|       |       | RB1#50  | 22.28 | 22.32 | 22.63 |
|       |       | RB1#99  | 22.00 | 21.93 | 22.14 |
|       |       | RB50#0  | 21.96 | 22.11 | 21.87 |
|       |       | RB50#50 | 21.69 | 21.97 | 22.14 |
|       |       | RB100#0 | 20.84 | 21.02 | 21.03 |

## LTE Band 5

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4MHz            | QPSK       | RB1#0                      | 23.07             | 23.02                | 23.01              |
|                   |            | RB1#3                      | 23.20             | 23.23                | 23.24              |
|                   |            | RB1#5                      | 23.07             | 23.01                | 23.05              |
|                   |            | RB3#0                      | 23.14             | 23.08                | 23.03              |
|                   |            | RB3#3                      | 23.07             | 23.07                | 23.03              |
|                   |            | RB6#0                      | 22.11             | 22.07                | 22.09              |
|                   | 16QAM      | RB1#0                      | 22.05             | 22.15                | 21.92              |
|                   |            | RB1#3                      | 22.18             | 22.34                | 22.14              |
|                   |            | RB1#5                      | 22.02             | 22.10                | 21.92              |
|                   |            | RB3#0                      | 23.14             | 23.14                | 23.03              |
|                   |            | RB3#3                      | 23.12             | 23.10                | 23.00              |
| 3MHz              | QPSK       | RB1#0                      | 23.06             | 23.04                | 23.09              |
|                   |            | RB1#8                      | 23.07             | 23.07                | 23.08              |
|                   |            | RB1#14                     | 23.09             | 23.02                | 23.11              |
|                   |            | RB6#0                      | 22.00             | 22.00                | 22.03              |
|                   |            | RB6#9                      | 22.08             | 21.93                | 22.05              |
|                   |            | RB15#0                     | 22.03             | 22.05                | 22.03              |
|                   | 16QAM      | RB1#0                      | 22.55             | 22.18                | 22.05              |
|                   |            | RB1#8                      | 22.59             | 22.19                | 21.98              |
|                   |            | RB1#14                     | 22.60             | 22.17                | 21.96              |
|                   |            | RB6#0                      | 21.12             | 21.07                | 21.03              |
|                   |            | RB6#9                      | 21.16             | 21.07                | 20.98              |
| 5MHz              | QPSK       | RB1#0                      | 22.97             | 23.03                | 23.00              |
|                   |            | RB1#13                     | 23.12             | 23.11                | 23.13              |
|                   |            | RB1#24                     | 22.99             | 22.99                | 23.00              |
|                   |            | RB15#0                     | 22.00             | 22.08                | 22.01              |
|                   |            | RB15#10                    | 22.08             | 21.97                | 22.14              |
|                   |            | RB25#0                     | 22.01             | 21.99                | 22.02              |
|                   | 16QAM      | RB1#0                      | 21.94             | 22.31                | 22.11              |
|                   |            | RB1#13                     | 22.08             | 22.36                | 22.16              |
|                   |            | RB1#24                     | 21.92             | 22.26                | 21.98              |
|                   |            | RB15#0                     | 21.96             | 22.09                | 22.02              |
|                   |            | RB15#10                    | 22.09             | 21.97                | 22.11              |
| 10MHz             | QPSK       | RB25#0                     | 21.15             | 20.98                | 21.01              |
|                   |            | RB1#0                      | 23.05             | 23.05                | 23.04              |
|                   |            | RB1#25                     | 23.21             | 23.25                | 23.23              |
|                   |            | RB1#49                     | 23.07             | 23.07                | 23.08              |
|                   |            | RB25#0                     | 22.04             | 22.18                | 22.13              |
|                   | 16QAM      | RB25#25                    | 22.09             | 22.03                | 22.20              |
|                   |            | RB50#0                     | 22.04             | 22.09                | 22.16              |
|                   |            | RB1#0                      | 22.56             | 22.16                | 22.01              |
|                   |            | RB1#25                     | 22.69             | 22.34                | 22.15              |
|                   |            | RB1#49                     | 22.54             | 22.17                | 21.99              |
|                   | 16QAM      | RB25#0                     | 22.02             | 22.17                | 22.14              |
|                   |            | RB25#25                    | 22.08             | 22.01                | 22.22              |
|                   |            | RB50#0                     | 21.08             | 21.11                | 21.24              |

## LTE Band 7

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 5MHz              | QPSK       | RB1#0                      | 22.53             | 22.81                | 22.79              |
|                   |            | RB1#13                     | 22.70             | 22.90                | 22.96              |
|                   |            | RB1#24                     | 22.59             | 22.76                | 22.81              |
|                   |            | RB15#0                     | 21.64             | 21.80                | 21.88              |
|                   |            | RB15#10                    | 21.65             | 21.76                | 21.84              |
|                   |            | RB25#0                     | 21.63             | 21.72                | 21.82              |
|                   | 16QAM      | RB1#0                      | 21.52             | 21.88                | 21.83              |
|                   |            | RB1#13                     | 21.66             | 21.98                | 21.95              |
|                   |            | RB1#24                     | 21.58             | 21.90                | 21.83              |
|                   |            | RB15#0                     | 21.64             | 21.77                | 21.87              |
|                   |            | RB15#10                    | 21.65             | 21.76                | 21.84              |
|                   |            | RB25#0                     | 20.71             | 20.62                | 20.77              |
| 10MHz             | QPSK       | RB1#0                      | 22.64             | 22.85                | 22.90              |
|                   |            | RB1#25                     | 22.83             | 22.98                | 23.10              |
|                   |            | RB1#49                     | 22.69             | 22.82                | 22.93              |
|                   |            | RB25#0                     | 21.63             | 21.83                | 21.87              |
|                   |            | RB25#25                    | 21.78             | 21.82                | 21.84              |
|                   |            | RB50#0                     | 21.74             | 21.82                | 21.88              |
|                   | 16QAM      | RB1#0                      | 22.12             | 21.85                | 21.80              |
|                   |            | RB1#25                     | 22.30             | 22.04                | 21.97              |
|                   |            | RB1#49                     | 22.20             | 21.87                | 21.78              |
|                   |            | RB25#0                     | 21.65             | 21.83                | 21.87              |
|                   |            | RB25#25                    | 21.77             | 21.83                | 21.86              |
|                   |            | RB50#0                     | 20.73             | 20.75                | 20.86              |
| 15MHz             | QPSK       | RB1#0                      | 22.56             | 22.73                | 22.76              |
|                   |            | RB1#38                     | 22.70             | 22.85                | 22.94              |
|                   |            | RB1#74                     | 22.64             | 22.78                | 22.80              |
|                   |            | RB36#0                     | 21.69             | 21.94                | 21.90              |
|                   |            | RB36#39                    | 21.85             | 21.87                | 21.99              |
|                   |            | RB75#0                     | 21.78             | 21.90                | 21.99              |
|                   | 16QAM      | RB1#0                      | 22.02             | 21.76                | 22.05              |
|                   |            | RB1#38                     | 22.23             | 21.88                | 22.12              |
|                   |            | RB1#74                     | 22.16             | 21.80                | 22.05              |
|                   |            | RB36#0                     | 21.65             | 21.92                | 21.91              |
|                   |            | RB36#39                    | 21.78             | 21.91                | 21.99              |
|                   |            | RB75#0                     | 20.72             | 20.83                | 20.84              |
| 20MHz             | QPSK       | RB1#0                      | 22.38             | 22.52                | 22.55              |
|                   |            | RB1#50                     | 22.84             | 23.01                | 23.05              |
|                   |            | RB1#99                     | 22.53             | 22.64                | 22.63              |
|                   |            | RB50#0                     | 21.64             | 21.74                | 21.80              |
|                   |            | RB50#50                    | 21.75             | 21.69                | 21.80              |
|                   |            | RB100#0                    | 21.66             | 21.73                | 21.83              |
|                   | 16QAM      | RB1#0                      | 21.63             | 21.56                | 22.08              |
|                   |            | RB1#50                     | 22.12             | 22.01                | 22.47              |
|                   |            | RB1#99                     | 21.70             | 21.72                | 22.03              |
|                   |            | RB50#0                     | 21.60             | 21.69                | 21.80              |
|                   |            | RB50#50                    | 21.74             | 21.69                | 21.83              |
|                   |            | RB100#0                    | 20.63             | 20.68                | 20.77              |



## LTE Band 12

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4MHz            | QPSK       | 1#0                        | 23.43             | 23.30                | 23.28              |
|                   |            | 1#3                        | 23.57             | 23.44                | 23.41              |
|                   |            | 1#5                        | 23.37             | 23.32                | 23.25              |
|                   |            | 3#0                        | 23.47             | 23.36                | 23.31              |
|                   |            | 3#3                        | 23.43             | 23.35                | 23.29              |
|                   |            | 6#0                        | 22.53             | 22.46                | 22.41              |
|                   | 16QAM      | 1#0                        | 22.47             | 22.48                | 22.31              |
|                   |            | 1#3                        | 22.69             | 22.63                | 22.48              |
|                   |            | 1#5                        | 22.46             | 22.43                | 22.28              |
|                   |            | 3#0                        | 23.42             | 23.34                | 23.31              |
|                   |            | 3#3                        | 23.43             | 23.37                | 23.28              |
| 3MHz              | QPSK       | 1#0                        | 23.40             | 23.32                | 23.33              |
|                   |            | 1#8                        | 23.36             | 23.29                | 23.32              |
|                   |            | 1#14                       | 23.31             | 23.34                | 23.27              |
|                   |            | 10#0                       | 22.41             | 22.35                | 22.31              |
|                   |            | 10#5                       | 22.44             | 22.35                | 22.34              |
|                   |            | 15#0                       | 22.42             | 22.36                | 22.33              |
|                   | 16QAM      | 1#0                        | 22.97             | 22.46                | 22.38              |
|                   |            | 1#8                        | 22.92             | 22.44                | 22.33              |
|                   |            | 1#14                       | 22.89             | 22.49                | 22.24              |
|                   |            | 10#0                       | 21.45             | 21.34                | 21.22              |
|                   |            | 10#5                       | 21.40             | 21.35                | 21.22              |
| 5MHz              | QPSK       | 1#0                        | 23.32             | 23.28                | 23.28              |
|                   |            | 1#13                       | 23.36             | 23.37                | 23.40              |
|                   |            | 1#24                       | 23.23             | 23.34                | 23.24              |
|                   |            | 10#0                       | 22.39             | 22.45                | 22.36              |
|                   |            | 10#15                      | 22.45             | 22.39                | 22.38              |
|                   |            | 25#0                       | 22.36             | 22.38                | 22.35              |
|                   | 16QAM      | 1#0                        | 22.35             | 22.61                | 22.49              |
|                   |            | 1#13                       | 22.37             | 22.66                | 22.54              |
|                   |            | 1#24                       | 22.26             | 22.59                | 22.37              |
|                   |            | 10#0                       | 22.37             | 22.42                | 22.35              |
|                   |            | 10#15                      | 22.45             | 22.41                | 22.43              |
| 10MHz             | QPSK       | 25#0                       | 21.41             | 21.28                | 21.26              |
|                   |            | 1#0                        | 23.35             | 23.30                | 23.30              |
|                   |            | 1#25                       | 23.46             | 23.48                | 23.56              |
|                   |            | 1#49                       | 23.34             | 23.37                | 23.35              |
|                   |            | 25#0                       | 22.41             | 22.49                | 22.49              |
|                   |            | 25#25                      | 22.37             | 22.40                | 22.52              |
|                   | 16QAM      | 50#0                       | 22.35             | 22.46                | 22.52              |
|                   |            | 1#0                        | 22.94             | 22.45                | 22.33              |
|                   |            | 1#25                       | 23.05             | 22.68                | 22.57              |
|                   |            | 1#49                       | 22.91             | 22.53                | 22.31              |
|                   |            | 25#0                       | 22.35             | 22.48                | 22.50              |
|                   |            | 25#25                      | 22.37             | 22.41                | 22.53              |
|                   |            | 50#0                       | 21.31             | 21.42                | 21.47              |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |

## LTE Band 66

| Channel Bandwidth | Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-------------------|------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4MHz            | QPSK       | RB1#0                      | 22.38             | 22.42                | 22.34              |
|                   |            | RB1#3                      | 21.89             | 22.50                | 22.52              |
|                   |            | RB1#5                      | 22.82             | 22.40                | 22.40              |
|                   |            | RB3#0                      | 22.81             | 22.36                | 22.39              |
|                   |            | RB3#3                      | 22.87             | 22.41                | 22.41              |
|                   |            | RB6#0                      | 22.80             | 22.34                | 22.38              |
|                   | 16QAM      | RB1#0                      | 21.99             | 21.51                | 21.51              |
|                   |            | RB1#3                      | 22.16             | 21.72                | 21.73              |
|                   |            | RB1#5                      | 22.03             | 21.55                | 21.56              |
|                   |            | RB3#0                      | 21.88             | 21.40                | 21.43              |
|                   |            | RB3#3                      | 21.87             | 21.44                | 21.45              |
| 3MHz              | QPSK       | RB1#0                      | 22.33             | 22.33                | 22.37              |
|                   |            | RB1#8                      | 22.55             | 22.52                | 22.54              |
|                   |            | RB1#14                     | 22.41             | 22.41                | 22.44              |
|                   |            | RB6#0                      | 22.36             | 22.37                | 22.34              |
|                   |            | RB6#9                      | 22.46             | 22.42                | 22.41              |
|                   |            | RB15#0                     | 21.38             | 21.44                | 21.41              |
|                   | 16QAM      | RB1#0                      | 21.52             | 21.52                | 21.54              |
|                   |            | RB1#8                      | 21.69             | 21.73                | 21.74              |
|                   |            | RB1#14                     | 21.54             | 21.57                | 21.56              |
|                   |            | RB6#0                      | 21.43             | 21.42                | 21.44              |
|                   |            | RB6#9                      | 21.44             | 21.44                | 21.47              |
| 5MHz              | QPSK       | RB1#0                      | 22.38             | 22.34                | 22.36              |
|                   |            | RB1#13                     | 22.59             | 22.55                | 22.57              |
|                   |            | RB1#24                     | 22.42             | 22.44                | 22.43              |
|                   |            | RB15#0                     | 21.45             | 21.39                | 21.43              |
|                   |            | RB15#10                    | 21.54             | 21.55                | 21.54              |
|                   |            | RB25#0                     | 21.43             | 21.42                | 21.43              |
|                   | 16QAM      | RB1#0                      | 21.54             | 21.53                | 21.56              |
|                   |            | RB1#13                     | 21.73             | 21.71                | 21.71              |
|                   |            | RB1#24                     | 21.56             | 21.55                | 21.55              |
|                   |            | RB15#0                     | 20.36             | 20.37                | 20.37              |
|                   |            | RB15#10                    | 20.47             | 20.51                | 20.46              |
| 10MHz             | QPSK       | RB25#0                     | 20.47             | 20.45                | 20.47              |
|                   |            | RB1#0                      | 22.37             | 22.37                | 22.37              |
|                   |            | RB1#25                     | 22.61             | 22.53                | 22.60              |
|                   |            | RB1#49                     | 22.44             | 22.44                | 22.44              |
|                   |            | RB25#0                     | 21.44             | 21.44                | 21.44              |
|                   |            | RB25#25                    | 21.58             | 21.58                | 21.59              |
|                   | 16QAM      | RB50#0                     | 21.50             | 21.52                | 21.52              |
|                   |            | RB1#0                      | 21.55             | 21.55                | 21.54              |
|                   |            | RB1#25                     | 21.68             | 21.74                | 21.76              |
|                   |            | RB1#49                     | 21.58             | 21.60                | 21.54              |
|                   |            | RB25#0                     | 20.47             | 20.48                | 20.47              |
|                   |            | RB25#25                    | 20.58             | 20.60                | 20.58              |
|                   |            | RB50#0                     | 20.48             | 20.51                | 20.53              |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |
|                   |            |                            |                   |                      |                    |

|       |       |         |       |       |       |
|-------|-------|---------|-------|-------|-------|
| 15MHz | QPSK  | RB1#0   | 22.35 | 22.35 | 22.36 |
|       |       | RB1#38  | 22.56 | 22.59 | 22.56 |
|       |       | RB1#74  | 22.44 | 22.42 | 22.40 |
|       |       | RB36#0  | 21.44 | 21.45 | 21.45 |
|       |       | RB36#39 | 21.59 | 21.57 | 21.58 |
|       |       | RB75#0  | 21.47 | 21.46 | 21.43 |
|       | 16QAM | RB1#0   | 21.56 | 21.58 | 21.57 |
|       |       | RB1#38  | 21.75 | 21.73 | 21.70 |
|       |       | RB1#74  | 21.54 | 21.56 | 21.58 |
|       |       | RB36#0  | 20.47 | 20.52 | 20.49 |
|       |       | RB36#39 | 20.61 | 20.60 | 20.60 |
|       |       | RB75#0  | 20.51 | 20.46 | 20.52 |
| 20MHz | QPSK  | RB1#0   | 22.37 | 22.34 | 22.39 |
|       |       | RB1#50  | 22.56 | 22.53 | 22.56 |
|       |       | RB1#99  | 22.42 | 22.44 | 22.43 |
|       |       | RB50#0  | 21.54 | 21.54 | 21.53 |
|       |       | RB50#50 | 21.54 | 21.53 | 21.54 |
|       |       | RB100#0 | 21.53 | 21.53 | 21.54 |
|       | 16QAM | RB1#0   | 21.56 | 21.54 | 21.57 |
|       |       | RB1#50  | 21.71 | 21.77 | 21.74 |
|       |       | RB1#99  | 21.56 | 21.61 | 21.55 |
|       |       | RB50#0  | 20.54 | 20.54 | 20.54 |
|       |       | RB50#50 | 20.54 | 20.54 | 20.55 |
|       |       | RB100#0 | 20.52 | 20.51 | 20.52 |

**PAR, Band 2**

| Test Modulation |        | Channel Bandwidth | Low Channel PAR (dB) | Middle Channel PAR (dB) | High Channel PAR (dB) | Limit (dB) |
|-----------------|--------|-------------------|----------------------|-------------------------|-----------------------|------------|
| QPSK            | 1 RB   | 20 MHz            | 4.80                 | 5.00                    | 4.60                  | 13         |
|                 | 100 RB |                   | 5.52                 | 5.80                    | 5.56                  | 13         |
| 16QAM           | 1 RB   | 20 MHz            | 5.96                 | 6.04                    | 5.64                  | 13         |
|                 | 100 RB |                   | 6.44                 | 6.60                    | 6.44                  | 13         |

**PAR, Band 4**

| Test Modulation |        | Channel Bandwidth | Low Channel PAR (dB) | Middle Channel PAR (dB) | High Channel PAR (dB) | Limit (dB) |
|-----------------|--------|-------------------|----------------------|-------------------------|-----------------------|------------|
| QPSK            | 1 RB   | 20 MHz            | 6.28                 | 4.16                    | 4.64                  | 13         |
|                 | 100 RB |                   | 5.40                 | 5.56                    | 5.60                  | 13         |
| 16QAM           | 1 RB   | 20 MHz            | 5.00                 | 5.28                    | 5.64                  | 13         |
|                 | 100 RB |                   | 6.24                 | 6.52                    | 6.52                  | 13         |

**PAR, Band 5**

| Test Modulation |       | Channel Bandwidth | Low Channel PAR (dB) | Middle Channel PAR (dB) | High Channel PAR (dB) | Limit (dB) |
|-----------------|-------|-------------------|----------------------|-------------------------|-----------------------|------------|
| QPSK            | 1 RB  | 10 MHz            | 6.20                 | 3.76                    | 7.36                  | 13         |
|                 | 50 RB |                   | 5.36                 | 5.40                    | 5.48                  | 13         |
| 16QAM           | 1 RB  | 10 MHz            | 5.52                 | 4.84                    | 5.44                  | 13         |
|                 | 50 RB |                   | 6.20                 | 6.32                    | 6.40                  | 13         |

**PAR, Band 66**

| Test Modulation |        | Channel Bandwidth | Low Channel PAR (dB) | Middle Channel PAR (dB) | High Channel PAR (dB) | Limit (dB) |
|-----------------|--------|-------------------|----------------------|-------------------------|-----------------------|------------|
| QPSK            | 1 RB   | 20 MHz            | 3.60                 | 4.56                    | 3.48                  | 13         |
|                 | 100 RB |                   | 5.12                 | 5.76                    | 5.36                  | 13         |
| 16QAM           | 1 RB   | 20 MHz            | 4.52                 | 5.36                    | 4.24                  | 13         |
|                 | 100 RB |                   | 6.08                 | 6.56                    | 6.28                  | 13         |

Note: peak-to-average ratio (PAR) <13 dB.

## ERP &amp; EIRP

## Part 22H

| Frequency<br>(MHz)          | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                             |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| GSM 850 Middle Channel      |                |                               |                               |                              |                    |                            |                |                |
| 836.60                      | H              | 102.93                        | 28.70                         | 0.00                         | 0.50               | 28.20                      | 38.45          | 10.25          |
| 836.60                      | V              | 92.17                         | 20.91                         | 0.00                         | 0.50               | 20.41                      | 38.45          | 18.04          |
| EDGE 850 Middle Channel     |                |                               |                               |                              |                    |                            |                |                |
| 836.60                      | H              | 98.44                         | 24.21                         | 0.00                         | 0.50               | 23.71                      | 38.45          | 14.74          |
| 836.60                      | V              | 87.34                         | 16.08                         | 0.00                         | 0.50               | 15.58                      | 38.45          | 22.87          |
| WCDMA Band V Middle Channel |                |                               |                               |                              |                    |                            |                |                |
| 836.60                      | H              | 93.32                         | 22.06                         | 0.00                         | 0.50               | 21.56                      | 38.45          | 16.89          |
| 836.60                      | V              | 83.16                         | 8.93                          | 0.00                         | 0.50               | 8.43                       | 38.45          | 30.02          |

## Part 24E

| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                              |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| PCS 1900 Middle Channel      |                |                               |                               |                              |                    |                            |                |                |
| 1880.00                      | H              | 94.65                         | 19.87                         | 11.14                        | 1.56               | 29.45                      | 33.00          | 3.55           |
| 1880.00                      | V              | 94.17                         | 19.20                         | 11.14                        | 1.56               | 28.78                      | 33.00          | 4.22           |
| EDGE 1900 Middle Channel     |                |                               |                               |                              |                    |                            |                |                |
| 1880.00                      | H              | 92.01                         | 17.23                         | 11.14                        | 1.56               | 26.81                      | 33.00          | 6.19           |
| 1880.00                      | V              | 90.16                         | 15.19                         | 11.14                        | 1.56               | 24.77                      | 33.00          | 8.23           |
| WCDMA Band II Middle Channel |                |                               |                               |                              |                    |                            |                |                |
| 1880.00                      | H              | 88.80                         | 17.02                         | 11.14                        | 1.56               | 23.60                      | 33.00          | 9.40           |
| 1880.00                      | V              | 85.60                         | 10.63                         | 11.14                        | 1.56               | 20.21                      | 33.00          | 12.79          |

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

**LTE Band 2**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |       |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|-------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |       |
| 1880.00            | 1.40        | QPSK       | H              | 89.43                         | 14.65                         | 11.14                        | 1.56                  | 24.23                      | 33.00          | 8.77           |       |
| 1880.00            |             |            | V              | 84.59                         | 9.62                          | 11.14                        | 1.56                  | 19.20                      | 33.00          | 13.80          |       |
| 1880.00            | 3.00        |            | H              | 88.85                         | 14.07                         | 11.14                        | 1.56                  | 23.65                      | 33.00          | 9.35           |       |
| 1880.00            |             |            | V              | 85.52                         | 10.55                         | 11.14                        | 1.56                  | 20.13                      | 33.00          | 12.87          |       |
| 1880.00            | 5.00        |            | H              | 88.30                         | 13.52                         | 11.14                        | 1.56                  | 23.10                      | 33.00          | 9.90           |       |
| 1880.00            |             |            | V              | 84.98                         | 10.01                         | 11.14                        | 1.56                  | 19.59                      | 33.00          | 13.41          |       |
| 1880.00            | 10.00       |            | H              | 87.81                         | 13.03                         | 11.14                        | 1.56                  | 22.61                      | 33.00          | 10.39          |       |
| 1880.00            |             |            | V              | 84.52                         | 9.55                          | 11.14                        | 1.56                  | 19.13                      | 33.00          | 13.87          |       |
| 1880.00            | 15.00       |            | H              | 86.82                         | 12.04                         | 11.14                        | 1.56                  | 21.62                      | 33.00          | 11.38          |       |
| 1880.00            |             |            | V              | 83.77                         | 8.80                          | 11.14                        | 1.56                  | 18.38                      | 33.00          | 14.62          |       |
| 1880.00            | 20.00       |            | H              | 85.14                         | 10.36                         | 11.14                        | 1.56                  | 19.94                      | 33.00          | 13.06          |       |
| 1880.00            |             |            | V              | 83.68                         | 8.71                          | 11.14                        | 1.56                  | 18.29                      | 33.00          | 14.71          |       |
| 1880.00            | 1.40        |            | 16QAM          | H                             | 89.54                         | 14.76                        | 11.14                 | 1.56                       | 24.34          | 33.00          | 8.66  |
| 1880.00            |             |            |                | V                             | 84.36                         | 9.39                         | 11.14                 | 1.56                       | 18.97          | 33.00          | 14.03 |
| 1880.00            | 3.00        |            |                | H                             | 89.10                         | 14.32                        | 11.14                 | 1.56                       | 23.90          | 33.00          | 9.10  |
| 1880.00            |             |            |                | V                             | 86.42                         | 11.45                        | 11.14                 | 1.56                       | 21.03          | 33.00          | 11.97 |
| 1880.00            | 5.00        | H          |                | 88.80                         | 14.02                         | 11.14                        | 1.56                  | 23.60                      | 33.00          | 9.40           |       |
| 1880.00            |             | V          |                | 85.47                         | 10.50                         | 11.14                        | 1.56                  | 20.08                      | 33.00          | 12.92          |       |
| 1880.00            | 10.00       | H          |                | 87.98                         | 13.20                         | 11.14                        | 1.56                  | 22.78                      | 33.00          | 10.22          |       |
| 1880.00            |             | V          |                | 84.64                         | 9.67                          | 11.14                        | 1.56                  | 19.25                      | 33.00          | 13.75          |       |
| 1880.00            | 15.00       | H          |                | 87.05                         | 12.27                         | 11.14                        | 1.56                  | 21.85                      | 33.00          | 11.15          |       |
| 1880.00            |             | V          |                | 84.21                         | 9.24                          | 11.14                        | 1.56                  | 18.82                      | 33.00          | 14.18          |       |
| 1880.00            | 20.00       | H          |                | 85.83                         | 11.05                         | 11.14                        | 1.56                  | 20.63                      | 33.00          | 12.37          |       |
| 1880.00            |             | V          |                | 84.19                         | 9.22                          | 11.14                        | 1.56                  | 18.80                      | 33.00          | 14.20          |       |

**LTE Band 4**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |
| 1732.50            | 1.40        | QPSK       | H              | 90.50                         | 15.29                         | 10.70                        | 1.52                  | <b>24.47</b>               | 30.00          | 5.53           |
| 1732.50            |             |            | V              | 89.21                         | 13.70                         | 10.70                        | 1.52                  | 22.88                      | 30.00          | 7.12           |
| 1732.50            | 3.00        |            | H              | 90.41                         | 15.20                         | 10.70                        | 1.52                  | 24.38                      | 30.00          | 5.62           |
| 1732.50            |             |            | V              | 89.01                         | 13.50                         | 10.70                        | 1.52                  | 22.68                      | 30.00          | 7.32           |
| 1732.50            | 5.00        |            | H              | 90.38                         | 15.17                         | 10.70                        | 1.52                  | 24.35                      | 30.00          | 5.65           |
| 1732.50            |             |            | V              | 89.22                         | 13.71                         | 10.70                        | 1.52                  | 22.89                      | 30.00          | 7.11           |
| 1732.50            | 10.00       |            | H              | 89.98                         | 14.77                         | 10.70                        | 1.52                  | 23.95                      | 30.00          | 6.05           |
| 1732.50            |             |            | V              | 87.00                         | 11.49                         | 10.70                        | 1.52                  | 20.67                      | 30.00          | 9.33           |
| 1732.50            | 15.00       |            | H              | 88.20                         | 12.99                         | 10.70                        | 1.52                  | 22.17                      | 30.00          | 7.83           |
| 1732.50            |             |            | V              | 85.67                         | 10.16                         | 10.70                        | 1.52                  | 19.34                      | 30.00          | 10.66          |
| 1732.50            | 20.00       |            | H              | 87.90                         | 12.69                         | 10.70                        | 1.52                  | <b>21.87</b>               | 30.00          | 8.13           |
| 1732.50            |             |            | V              | 85.92                         | 10.41                         | 10.70                        | 1.52                  | 19.59                      | 30.00          | 10.41          |
| 1732.50            | 1.40        | 16QAM      | H              | 91.21                         | 16.00                         | 10.70                        | 1.52                  | <b>25.18</b>               | 30.00          | 4.82           |
| 1732.50            |             |            | V              | 90.24                         | 14.73                         | 10.70                        | 1.52                  | 23.91                      | 30.00          | 6.09           |
| 1732.50            | 3.00        |            | H              | 90.77                         | 15.56                         | 10.70                        | 1.52                  | 24.74                      | 30.00          | 5.26           |
| 1732.50            |             |            | V              | 89.06                         | 13.55                         | 10.70                        | 1.52                  | 22.73                      | 30.00          | 7.27           |
| 1732.50            | 5.00        |            | H              | 90.85                         | 15.64                         | 10.70                        | 1.52                  | 24.82                      | 30.00          | 5.18           |
| 1732.50            |             |            | V              | 89.27                         | 13.76                         | 10.70                        | 1.52                  | 22.94                      | 30.00          | 7.06           |
| 1732.50            | 10.00       |            | H              | 90.00                         | 14.79                         | 10.70                        | 1.52                  | 23.97                      | 30.00          | 6.03           |
| 1732.50            |             |            | V              | 87.56                         | 12.05                         | 10.70                        | 1.52                  | 21.23                      | 30.00          | 8.77           |
| 1732.50            | 15.00       |            | H              | 88.99                         | 13.78                         | 10.70                        | 1.52                  | 22.96                      | 30.00          | 7.04           |
| 1732.50            |             |            | V              | 86.54                         | 11.03                         | 10.70                        | 1.52                  | 20.21                      | 30.00          | 9.79           |
| 1732.50            | 20.00       |            | H              | 88.94                         | 13.73                         | 10.70                        | 1.52                  | <b>22.91</b>               | 30.00          | 7.09           |
| 1732.50            |             |            | V              | 86.14                         | 10.63                         | 10.70                        | 1.52                  | 19.81                      | 30.00          | 10.19          |

**LTE Band 5**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |
| 836.50             | 1.40        | QPSK       | H              | 83.85                         | 9.62                          | 0.00                         | 0.50                  | 9.12                       | 38.45          | 29.33          |
| 836.50             |             |            | V              | 94.93                         | 23.67                         | 0.00                         | 0.50                  | 23.17                      | 38.45          | 15.28          |
| 836.50             | 3.00        |            | H              | 82.06                         | 7.83                          | 0.00                         | 0.50                  | 7.33                       | 38.45          | 31.12          |
| 836.50             |             |            | V              | 94.15                         | 22.89                         | 0.00                         | 0.50                  | 22.39                      | 38.45          | 16.06          |
| 836.50             | 5.00        |            | H              | 82.40                         | 8.17                          | 0.00                         | 0.50                  | 7.67                       | 38.45          | 30.78          |
| 836.50             |             |            | V              | 93.44                         | 22.18                         | 0.00                         | 0.50                  | 21.68                      | 38.45          | 16.77          |
| 836.50             | 10.00       |            | H              | 82.66                         | 8.43                          | 0.00                         | 0.50                  | 7.93                       | 38.45          | 30.52          |
| 836.50             |             |            | V              | 93.74                         | 22.48                         | 0.00                         | 0.50                  | 21.98                      | 38.45          | 16.47          |
| 836.50             | 1.40        | 16QAM      | H              | 85.57                         | 11.34                         | 0.00                         | 0.50                  | 10.84                      | 38.45          | 27.61          |
| 836.50             |             |            | V              | 93.19                         | 21.93                         | 0.00                         | 0.50                  | 21.43                      | 38.45          | 17.02          |
| 836.50             | 3.00        |            | H              | 86.38                         | 12.15                         | 0.00                         | 0.50                  | 11.65                      | 38.45          | 26.80          |
| 836.50             |             |            | V              | 92.81                         | 21.55                         | 0.00                         | 0.50                  | 21.05                      | 38.45          | 17.40          |
| 836.50             | 5.00        |            | H              | 86.08                         | 11.85                         | 0.00                         | 0.50                  | 11.35                      | 38.45          | 27.10          |
| 836.50             |             |            | V              | 92.60                         | 21.34                         | 0.00                         | 0.50                  | 20.84                      | 38.45          | 17.61          |
| 836.50             | 10.00       |            | H              | 85.65                         | 11.42                         | 0.00                         | 0.50                  | 10.92                      | 38.45          | 27.53          |
| 836.50             |             |            | V              | 91.75                         | 20.49                         | 0.00                         | 0.50                  | 19.99                      | 38.45          | 18.46          |

**LTE Band 7**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |
| 2535.00            | 5.00        | QPSK       | H              | 87.24                         | 14.15                         | 12.21                        | 1.79                  | 24.57                      | 33.00          | 8.43           |
| 2535.00            |             |            | V              | 82.57                         | 9.19                          | 12.21                        | 1.79                  | 19.61                      | 33.00          | 13.39          |
| 2535.00            | 10.00       |            | H              | 86.76                         | 13.67                         | 12.21                        | 1.79                  | 24.09                      | 33.00          | 8.91           |
| 2535.00            |             |            | V              | 81.81                         | 8.43                          | 12.21                        | 1.79                  | 18.85                      | 33.00          | 14.15          |
| 2535.00            | 15.00       |            | H              | 85.99                         | 12.90                         | 12.21                        | 1.79                  | 23.32                      | 33.00          | 9.68           |
| 2535.00            |             |            | V              | 81.47                         | 8.09                          | 12.21                        | 1.79                  | 18.51                      | 33.00          | 14.49          |
| 2535.00            | 20.00       |            | H              | 85.97                         | 12.88                         | 12.21                        | 1.79                  | 23.30                      | 33.00          | 9.70           |
| 2535.00            |             |            | V              | 82.00                         | 8.62                          | 12.21                        | 1.79                  | 19.04                      | 33.00          | 13.96          |
| 2535.00            | 5.00        | 16QAM      | H              | 87.38                         | 14.29                         | 12.21                        | 1.79                  | 24.71                      | 33.00          | 8.29           |
| 2535.00            |             |            | V              | 82.68                         | 9.30                          | 12.21                        | 1.79                  | 19.72                      | 33.00          | 13.28          |
| 2535.00            | 10.00       |            | H              | 86.89                         | 13.80                         | 12.21                        | 1.79                  | 24.22                      | 33.00          | 8.78           |
| 2535.00            |             |            | V              | 81.68                         | 8.30                          | 12.21                        | 1.79                  | 18.72                      | 33.00          | 14.28          |
| 2535.00            | 15.00       |            | H              | 86.23                         | 13.14                         | 12.21                        | 1.79                  | 23.56                      | 33.00          | 9.44           |
| 2535.00            |             |            | V              | 81.50                         | 8.12                          | 12.21                        | 1.79                  | 18.54                      | 33.00          | 14.46          |
| 2535.00            | 20.00       |            | H              | 86.72                         | 13.63                         | 12.21                        | 1.79                  | 24.05                      | 33.00          | 8.95           |
| 2535.00            |             |            | V              | 82.14                         | 8.76                          | 12.21                        | 1.79                  | 19.18                      | 33.00          | 13.82          |



**LTE Band 12**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |
| 707.50             | 1.40        | QPSK       | H              | 82.14                         | 6.21                          | 0.00                         | 0.39                  | 5.82                       | 34.77          | 28.95          |
| 707.50             |             |            | V              | 92.59                         | 19.56                         | 0.00                         | 0.39                  | 19.17                      | 34.77          | 15.60          |
| 707.50             | 3.00        |            | H              | 83.07                         | 7.14                          | 0.00                         | 0.39                  | 6.75                       | 34.77          | 28.02          |
| 707.50             |             |            | V              | 92.09                         | 19.06                         | 0.00                         | 0.39                  | 18.67                      | 34.77          | 16.10          |
| 707.50             | 5.00        |            | H              | 82.06                         | 6.13                          | 0.00                         | 0.39                  | 5.74                       | 34.77          | 29.03          |
| 707.50             |             |            | V              | 91.88                         | 18.85                         | 0.00                         | 0.39                  | 18.46                      | 34.77          | 16.31          |
| 707.50             | 10.00       |            | H              | 81.67                         | 5.74                          | 0.00                         | 0.39                  | 5.35                       | 34.77          | 29.42          |
| 707.50             |             |            | V              | 91.44                         | 18.41                         | 0.00                         | 0.39                  | 18.02                      | 34.77          | 16.75          |
| 707.50             | 1.40        | 16QAM      | H              | 85.60                         | 9.67                          | 0.00                         | 0.39                  | 9.28                       | 34.77          | 25.49          |
| 707.50             |             |            | V              | 93.00                         | 19.97                         | 0.00                         | 0.39                  | 19.58                      | 34.77          | 15.19          |
| 707.50             | 3.00        |            | H              | 85.44                         | 9.51                          | 0.00                         | 0.39                  | 9.12                       | 34.77          | 25.65          |
| 707.50             |             |            | V              | 93.16                         | 20.13                         | 0.00                         | 0.39                  | 19.74                      | 34.77          | 15.03          |
| 707.50             | 5.00        |            | H              | 84.95                         | 9.02                          | 0.00                         | 0.39                  | 8.63                       | 34.77          | 26.14          |
| 707.50             |             |            | V              | 92.89                         | 19.86                         | 0.00                         | 0.39                  | 19.47                      | 34.77          | 15.30          |
| 707.50             | 10.00       |            | H              | 86.35                         | 10.42                         | 0.00                         | 0.39                  | 10.03                      | 34.77          | 24.74          |
| 707.50             |             |            | V              | 93.39                         | 20.36                         | 0.00                         | 0.39                  | 19.97                      | 34.77          | 14.80          |

**LTE Band 66**

| Frequency<br>(MHz) | BW<br>(MHz) | Modulation | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                       | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------|-------------|------------|----------------|-------------------------------|-------------------------------|------------------------------|-----------------------|----------------------------|----------------|----------------|
|                    |             |            |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable<br>Loss<br>(dB) |                            |                |                |
| 1745.00            | 1.40        | QPSK       | H              | 90.69                         | 15.52                         | 10.74                        | 1.52                  | 24.74                      | 30.00          | 5.26           |
| 1745.00            |             |            | V              | 88.76                         | 13.30                         | 10.74                        | 1.52                  | 22.52                      | 30.00          | 7.48           |
| 1745.00            | 3.00        |            | H              | 90.91                         | 15.74                         | 10.74                        | 1.52                  | 24.96                      | 30.00          | 5.04           |
| 1745.00            |             |            | V              | 88.13                         | 12.67                         | 10.74                        | 1.52                  | 21.89                      | 30.00          | 8.11           |
| 1745.00            | 5.00        |            | H              | 89.65                         | 14.48                         | 10.74                        | 1.52                  | 23.70                      | 30.00          | 6.30           |
| 1745.00            |             |            | V              | 87.36                         | 11.90                         | 10.74                        | 1.52                  | 21.12                      | 30.00          | 8.88           |
| 1745.00            | 10.00       |            | H              | 88.92                         | 13.75                         | 10.74                        | 1.52                  | 22.97                      | 30.00          | 7.03           |
| 1745.00            |             |            | V              | 87.69                         | 12.23                         | 10.74                        | 1.52                  | 21.45                      | 30.00          | 8.55           |
| 1745.00            | 15.00       |            | H              | 88.03                         | 12.86                         | 10.74                        | 1.52                  | 22.08                      | 30.00          | 7.92           |
| 1745.00            |             |            | V              | 87.94                         | 12.48                         | 10.74                        | 1.52                  | 21.70                      | 30.00          | 8.30           |
| 1745.00            | 20.00       |            | H              | 88.00                         | 12.83                         | 10.74                        | 1.52                  | 22.05                      | 30.00          | 7.95           |
| 1745.00            |             |            | V              | 87.88                         | 12.42                         | 10.74                        | 1.52                  | 21.64                      | 30.00          | 8.36           |
| 1745.00            | 1.40        | 16QAM      | H              | 90.78                         | 15.61                         | 10.74                        | 1.52                  | 24.83                      | 30.00          | 5.17           |
| 1745.00            |             |            | V              | 88.87                         | 13.41                         | 10.74                        | 1.52                  | 22.63                      | 30.00          | 7.37           |
| 1745.00            | 3.00        |            | H              | 90.78                         | 15.61                         | 10.74                        | 1.52                  | 24.83                      | 30.00          | 5.17           |
| 1745.00            |             |            | V              | 88.54                         | 13.08                         | 10.74                        | 1.52                  | 22.30                      | 30.00          | 7.70           |
| 1745.00            | 5.00        |            | H              | 90.75                         | 15.58                         | 10.74                        | 1.52                  | 24.80                      | 30.00          | 5.20           |
| 1745.00            |             |            | V              | 88.24                         | 12.78                         | 10.74                        | 1.52                  | 22.00                      | 30.00          | 8.00           |
| 1745.00            | 10.00       |            | H              | 89.32                         | 14.15                         | 10.74                        | 1.52                  | 23.37                      | 30.00          | 6.63           |
| 1745.00            |             |            | V              | 88.14                         | 12.68                         | 10.74                        | 1.52                  | 21.90                      | 30.00          | 8.10           |
| 1745.00            | 15.00       |            | H              | 88.54                         | 13.37                         | 10.74                        | 1.52                  | 22.59                      | 30.00          | 7.41           |
| 1745.00            |             |            | V              | 88.00                         | 12.54                         | 10.74                        | 1.52                  | 21.76                      | 30.00          | 8.24           |
| 1745.00            | 20.00       |            | H              | 88.41                         | 13.24                         | 10.74                        | 1.52                  | 22.46                      | 30.00          | 7.54           |
| 1745.00            |             |            | V              | 87.99                         | 12.53                         | 10.74                        | 1.52                  | 21.75                      | 30.00          | 8.25           |

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level


**FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH****Applicable Standard**

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

**Test Procedure**

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.

**Test Equipment List and Details**

| Manufacturer | Description       | Model         | Serial Number | Calibration Date | Calibration Due Date |
|--------------|-------------------|---------------|---------------|------------------|----------------------|
| R&S          | EMI Test Receiver | ESPI          | 100120        | 2018-12-10       | 2019-12-10           |
| R&S          | Spectrum Analyzer | FSP 38        | 100478        | 2018-12-10       | 2019-12-10           |
| yzjingcheng  | Coaxial Cable     | KTRFBU-141-50 | 41010012      | Each time        | N/A                  |
| Unknown      | Coaxial Cable     | C-SJ00-0010   | C0010/01      | Each time        | N/A                  |
| E-Microwave  | Two-way Splitter  | ODP-1-6-2S    | OE0120142     | Each time        | N/A                  |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data****Environmental Conditions**

|                           |                 |
|---------------------------|-----------------|
| <b>Temperature:</b>       | 24.9~25.9 °C    |
| <b>Relative Humidity:</b> | 47~53 %         |
| <b>ATM Pressure:</b>      | 100.6~100.8 kPa |

*The testing was performed by Carrie He from 2018-12-21 to 2018-12-22.*


*Test Mode: Transmitting*

*Test Result: Compliant. Please refer to the following table and plots.*


| <b>Band</b>   | <b>Test Channel</b> | <b>Mode</b> | <b>99% Occupied Bandwidth (MHz)</b> | <b>26 dB Occupied Bandwidth (MHz)</b> |
|---------------|---------------------|-------------|-------------------------------------|---------------------------------------|
| Cellular      | M                   | GSM         | 0.248                               | 0.318                                 |
|               |                     | EDGE        | 0.252                               | 0.320                                 |
| PCS           |                     | PCS         | 0.242                               | 0.316                                 |
|               |                     | EDGE        | 0.248                               | 0.314                                 |
| WCDMA Band II |                     | Rel 99      | 4.160                               | 4.760                                 |
|               |                     | HSDPA       | 4.200                               | 4.720                                 |
|               |                     | HSUPA       | 4.220                               | 5.200                                 |
|               |                     | Rel 99      | 4.180                               | 4.740                                 |
| WCDMA Band V  |                     | HSDPA       | 4.220                               | 5.100                                 |
|               |                     | HSUPA       | 4.220                               | 5.360                                 |

| Band       | Bandwidth | Modulation | 99% occupied bandwidth (MHz) | 26 dB bandwidth (MHz) |
|------------|-----------|------------|------------------------------|-----------------------|
| LTE Band 2 | 1.4 MHz   | QPSK       | 1.104                        | 1.320                 |
|            |           | 16QAM      | 1.098                        | 1.284                 |
|            | 3 MHz     | QPSK       | 2.688                        | 2.856                 |
|            |           | 16QAM      | 2.688                        | 2.880                 |
|            | 5 MHz     | QPSK       | 4.540                        | 5.240                 |
|            |           | 16QAM      | 4.540                        | 5.160                 |
|            | 10 MHz    | QPSK       | 9.000                        | 9.840                 |
|            |           | 16QAM      | 8.960                        | 9.760                 |
|            | 15 MHz    | QPSK       | 13.620                       | 15.360                |
|            |           | 16QAM      | 13.620                       | 15.240                |
|            | 20 MHz    | QPSK       | 18.000                       | 19.840                |
|            |           | 16QAM      | 18.080                       | 19.840                |
| LTE Band 4 | 1.4 MHz   | QPSK       | 1.098                        | 1.308                 |
|            |           | 16QAM      | 1.110                        | 1.314                 |
|            | 3 MHz     | QPSK       | 2.676                        | 2.868                 |
|            |           | 16QAM      | 2.688                        | 2.868                 |
|            | 5 MHz     | QPSK       | 4.540                        | 5.220                 |
|            |           | 16QAM      | 4.520                        | 5.100                 |
|            | 10 MHz    | QPSK       | 9.040                        | 9.880                 |
|            |           | 16QAM      | 8.960                        | 9.800                 |
|            | 15 MHz    | QPSK       | 13.620                       | 15.300                |
|            |           | 16QAM      | 13.620                       | 15.120                |
|            | 20 MHz    | QPSK       | 18.080                       | 19.680                |
|            |           | 16QAM      | 18.080                       | 19.680                |
| LTE Band 5 | 1.4 MHz   | QPSK       | 1.092                        | 1.284                 |
|            |           | 16QAM      | 1.104                        | 1.308                 |
|            | 3 MHz     | QPSK       | 2.688                        | 2.868                 |
|            |           | 16QAM      | 2.688                        | 2.868                 |
|            | 5 MHz     | QPSK       | 4.540                        | 5.160                 |
|            |           | 16QAM      | 4.540                        | 5.120                 |
|            | 10 MHz    | QPSK       | 9.000                        | 9.880                 |
|            |           | 16QAM      | 8.960                        | 9.800                 |


| Band        | Bandwidth | Modulation | 99% occupied bandwidth (MHz) | 26 dB bandwidth (MHz) |
|-------------|-----------|------------|------------------------------|-----------------------|
| LTE Band 7  | 5 MHz     | QPSK       | 4.560                        | 5.220                 |
|             |           | 16QAM      | 4.520                        | 5.160                 |
|             | 10 MHz    | QPSK       | 9.000                        | 9.960                 |
|             |           | 16QAM      | 9.000                        | 9.800                 |
|             | 15 MHz    | QPSK       | 13.620                       | 15.180                |
|             |           | 16QAM      | 13.620                       | 15.180                |
|             | 20 MHz    | QPSK       | 18.000                       | 19.680                |
|             |           | 16QAM      | 18.000                       | 19.760                |
| LTE Band 12 | 1.4 MHz   | QPSK       | 1.098                        | 1.290                 |
|             |           | 16QAM      | 1.104                        | 1.314                 |
|             | 3 MHz     | QPSK       | 2.688                        | 2.844                 |
|             |           | 16QAM      | 2.688                        | 2.880                 |
|             | 5 MHz     | QPSK       | 4.520                        | 5.160                 |
|             |           | 16QAM      | 4.540                        | 5.160                 |
|             | 10 MHz    | QPSK       | 8.960                        | 9.840                 |
|             |           | 16QAM      | 8.960                        | 9.720                 |
| LTE Band 66 | 1.4 MHz   | QPSK       | 1.092                        | 1.284                 |
|             |           | 16QAM      | 1.098                        | 1.308                 |
|             | 3 MHz     | QPSK       | 2.676                        | 2.868                 |
|             |           | 16QAM      | 2.676                        | 2.880                 |
|             | 5 MHz     | QPSK       | 4.540                        | 5.160                 |
|             |           | 16QAM      | 4.520                        | 5.140                 |
|             | 10 MHz    | QPSK       | 9.000                        | 9.880                 |
|             |           | 16QAM      | 8.960                        | 9.680                 |
|             | 15 MHz    | QPSK       | 13.560                       | 15.300                |
|             |           | 16QAM      | 13.500                       | 15.120                |
|             | 20 MHz    | QPSK       | 18.000                       | 19.680                |
|             |           | 16QAM      | 18.080                       | 19.760                |

**GSM 850 Cellular Band**


Date: 22.DEC.2018 11:07:35

**GSM PCS1900 Cellular Band**

Date: 22.DEC.2018 11:12:11

**EDGE 850 Cellular Band**


Date: 22.DEC.2018 11:37:12

**EDGE PCS1900 Cellular Band**

Date: 22.DEC.2018 11:33:14




## WCDMA Band II, Rel 99




Date: 22.DEC.2018 13:06:56

## WCDMA Band II, HSDPA




Date: 22.DEC.2018 13:29:41

## WCDMA Band II, HSUPA




Date: 22.DEC.2018 13:48:45

## WCDMA Band V, Rel 99




Date: 22.DEC.2018 13:08:38

## WCDMA Band V, HSDPA



Date: 22.DEC.2018 13:27:43


## WCDMA Band V, HSUPA



Date: 22.DEC.2018 13:46:38


## LTE Band 2

## QPSK\_1.4 MHz




Date: 21.DEC.2018 09:54:42

## QPSK\_3 MHz




Date: 21.DEC.2018 09:55:44

## QPSK\_5 MHz




Date: 21.DEC.2018 09:57:04

## QPSK\_10 MHz




Date: 21.DEC.2018 09:58:24

## QPSK\_15 MHz




Date: 21.DEC.2018 09:59:46

## QPSK\_20 MHz




Date: 21.DEC.2018 10:01:16

### 16QAM\_1.4 MHz




Date: 21.DEC.2018 09:55:16

### 16QAM\_3 MHz




Date: 21.DEC.2018 09:56:21

## 16QAM\_5 MHz



Date: 21.DEC.2018 09:57:49


## 16QAM\_10 MHz



Date: 21.DEC.2018 09:59:02




## 16QAM\_15 MHz



Date: 21.DEC.2018 10:00:28


## 16QAM\_20 MHz



Date: 21.DEC.2018 10:01:55


## LTE Band 4

## QPSK\_1.4 MHz




Date: 21.DEC.2018 10:02:28

## QPSK\_3 MHz




Date: 21.DEC.2018 10:04:03

## QPSK\_5 MHz




Date: 21.DEC.2018 10:05:12

## QPSK\_10 MHz




Date: 21.DEC.2018 10:06:24

### QPSK\_15 MHz




Date: 21.DEC.2018 10:07:53

### QPSK\_20 MHz




Date: 21.DEC.2018 10:09:25

## 16QAM\_1.4 MHz




Date: 21.DEC.2018 10:03:27

## 16QAM\_3 MHz




Date: 21.DEC.2018 10:04:31

## 16QAM\_5 MHz




Date: 21.DEC.2018 10:05:41

## 16QAM\_10 MHz




Date: 21.DEC.2018 10:07:06

16QAM\_15 MHz



Date: 21.DEC.2018 10:08:35


16QAM\_20 MHz



Date: 21.DEC.2018 10:10:08


## LTE Band 5:

## QPSK\_1.4 MHz



Date: 21.DEC.2018 10:10:42


## QPSK\_3 MHz



Date: 21.DEC.2018 10:11:43




## QPSK\_5 MHz




Date: 21.DEC.2018 10:12:58

## QPSK\_10 MHz




Date: 21.DEC.2018 10:14:20

## 16QAM\_1.4 MHz




Date: 21.DEC.2018 10:11:13

## 16QAM\_3 MHz




Date: 21.DEC.2018 10:12:14

## 16QAM\_5 MHz



Date: 21.DEC.2018 10:13:40


## 16QAM\_10 MHz



Date: 21.DEC.2018 10:14:52


## LTE Band 7:

## QPSK\_5 MHz




Date: 21.DEC.2018 10:15:39

## QPSK\_10 MHz




Date: 21.DEC.2018 10:17:00

## QPSK\_15 MHz




Date: 21.DEC.2018 10:18:23

## QPSK\_20 MHz




Date: 21.DEC.2018 10:19:43

16QAM\_5 MHz




Date: 21.DEC.2018 10:16:18

16QAM\_10 MHz




Date: 21.DEC.2018 10:17:35

## 16QAM\_15 MHz



Date: 21.DEC.2018 10:19:05


## 16QAM\_20 MHz



Date: 21.DEC.2018 10:20:28


## LTE Band 12:

## QPSK\_1.4 MHz



Date: 21.DEC.2018 10:21:10


## QPSK\_3 MHz



Date: 21.DEC.2018 10:22:24




### QPSK\_5 MHz




Date: 21.DEC.2018 10:23:40

### QPSK\_10 MHz




Date: 21.DEC.2018 10:24:54

## 16QAM\_1.4 MHz




Date: 21.DEC.2018 10:21:51

## 16QAM\_3 MHz




Date: 21.DEC.2018 10:22:58

## 16QAM\_5 MHz




Date: 21.DEC.2018 10:24:25


## 16QAM\_10 MHz



Date: 21.DEC.2018 10:25:36


**LTE Band 66:****QPSK\_1.4 MHz**

Date: 21.DEC.2018 13:36:26

**QPSK\_3 MHz**


Date: 21.DEC.2018 13:39:25

## QPSK\_5 MHz




Date: 21.DEC.2018 13:42:58

## QPSK\_10 MHz




Date: 21.DEC.2018 13:44:48

### QPSK\_15 MHz




Date: 21.DEC.2018 13:47:35

### QPSK\_20 MHz




Date: 21.DEC.2018 13:50:41

## 16QAM\_1.4 MHz




Date: 21.DEC.2018 13:38:05

## 16QAM\_3 MHz




Date: 21.DEC.2018 13:40:56

### 16QAM\_5 MHz



Date: 21.DEC.2018 13:44:10


### 16QAM\_10 MHz



Date: 21.DEC.2018 13:45:30




## 16QAM\_15 MHz



Date: 21.DEC.2018 13:48:32

## 16QAM\_20 MHz



Date: 21.DEC.2018 13:52:02

## FCC §2.1051, §22.917(a) & §24.238(a) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


### Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

### Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10<sup>th</sup> harmonic.



### Test Equipment List and Details

| Manufacturer | Description       | Model         | Serial Number | Calibration Date | Calibration Due Date |
|--------------|-------------------|---------------|---------------|------------------|----------------------|
| R&S          | EMI Test Receiver | ESPI          | 100120        | 2018-12-10       | 2019-12-10           |
| R&S          | Spectrum Analyzer | FSP 38        | 100478        | 2018-12-10       | 2019-12-10           |
| yzjingcheng  | Coaxial Cable     | KTRFBU-141-50 | 41010012      | Each time        | N/A                  |
| Unknown      | Coaxial Cable     | C-SJ00-0010   | C0010/01      | Each time        | N/A                  |
| E-Microwave  | Two-way Splitter  | ODP-1-6-2S    | OE0120142     | Each time        | N/A                  |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

### Test Data


#### Environmental Conditions

|                    |                 |
|--------------------|-----------------|
| Temperature:       | 24.9~26.3°C     |
| Relative Humidity: | 46 ~ 55 %       |
| ATM Pressure:      | 100.2~101.3 kPa |


The testing was performed by Carrie He from 2018-12-21 to 2018-12-24.

Please refer to the following plots.

### GSM850\_Middle Channel




Date: 24.DEC.2018 10:36:03




Date: 24.DEC.2018 10:44:23

PCS 1900\_ Middle Channel




Date: 24.DEC.2018 10:39:18

Fundamental




Date: 24.DEC.2018 10:41:32




Date: 24.DEC.2018 10:43:03


### WCDMA Band II, Rel99



Date: 24.DEC.2018 10:49:08




Date: 24.DEC.2018 10:49:52




Date: 24.DEC.2018 10:51:29

### WCDMA Band V, Rel99




Date: 24.DEC.2018 10:52:44




Date: 24.DEC.2018 10:53:49

# LTE Band 2 (Middle Channel)

## QPSK\_1.4 MHz




Fundamental







### QPSK\_3 MHz




Fundamental




**QPSK\_5 MHz**




## Fundamental




### QPSK\_10 MHz




Fundamental




### QPSK\_15 MHz




Fundamental



QPSK\_20 MHz




Fundamental




**LTE Band 4 (Middle Channel)**


**QPSK\_1.4 MHz**




Fundamental




QPSK\_3 MHz




Fundamental



QPSK\_5 MHz




Fundamental







QPSK\_10 MHz




Fundamental




### QPSK\_15 MHz




Fundamental



### QPSK\_20 MHz





Fundamental





LTE Band 5 (Middle Channel)



QPSK\_1.4 MHz




### QPSK\_3 MHz




### QPSK\_5 MHz



### QPSK\_10 MHz





Date: 21.DEC.2018 15:28:47



Date: 21.DEC.2018 15:28:56

**LTE Band 7 (Middle Channel, All emissions under limit -25dBm)**



**QPSK\_5 MHz**



Fundamental




### QPSK\_10 MHz




Fundamental


### QPSK\_15 MHz




Fundamental



### QPSK\_20 MHz




Fundamental



**LTE Band 12 (Middle Channel)**

**QPSK\_1.4 MHz**





Date: 21.DEC.2018 15:31:22





Date: 21.DEC.2018 15:31:31



### QPSK\_3 MHz



### QPSK\_5 MHz




### QPSK\_10 MHz




**LTE Band 66 (Middle Channel)**

**QPSK\_1.4 MHz**




Fundamental







### QPSK\_3 MHz




Fundamental




### QPSK\_5 MHz




Fundamental




### QPSK\_10 MHz




Fundamental




### QPSK\_15 MHz




Fundamental



QPSK\_20 MHz



Fundamental



**FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS**

---

**Applicable Standard**

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

**Test Procedure**

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB =  $10 \lg (\text{TXpwr in Watts}/0.001)$  – the absolute level

Spurious attenuation limit in dB =  $43 + 10 \text{Log}_{10} (\text{power out in Watts})$

**Test Equipment List and Details**

| Manufacturer   | Description                          | Model                   | Serial Number    | Calibration Date | Calibration Due Date |
|----------------|--------------------------------------|-------------------------|------------------|------------------|----------------------|
| R&S            | EMI Test Receiver                    | ESCI                    | 100035           | 2018-08-03       | 2019-08-03           |
| Sunol Sciences | Antenna                              | JB3                     | A060611-3        | 2017-07-21       | 2019-07-21           |
| EMCO           | Adjustable Dipole Antenna            | 3121C                   | 9109-753         | N/A              | N/A                  |
| Unknown        | Coaxial Cable                        | C-NJNJ-50               | C-1000-01        | 2018-09-05       | 2019-09-05           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50               | C-0400-02        | 2018-09-05       | 2019-09-05           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50               | C-0530-01        | 2018-09-24       | 2019-09-24           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50               | C-0200-02        | 2018-09-05       | 2019-09-05           |
| Sonoma         | Amplifier                            | 310N                    | 185914           | 2018-10-13       | 2019-10-13           |
| Sinoscite      | Band-stop filter                     | BSF824-862MS-1438-001   | 1438001          | 2018-06-16       | 2019-06-16           |
| Agilent        | Signal Generator                     | E8247C                  | MY43321350       | 2018-12-10       | 2019-12-10           |
| R&S            | Spectrum Analyzer                    | FSP 38                  | 100478           | 2018-12-10       | 2019-12-10           |
| TDK RF         | Horn Antenna                         | HRN-0118                | 130 084          | 2016-01-05       | 2019-01-04           |
| ETS-Lindgren   | Horn Antenna                         | 3115                    | 000 527 35       | 2016-01-05       | 2019-01-04           |
| Unknown        | Coaxial Cable                        | C-NJNJ-50               | C-0200-02        | 2018-09-05       | 2019-09-05           |
| MICRO-COAX     | Coaxial Cable                        | UFA147-1-2362-100100    | 64639 231029-001 | 2018-02-24       | 2019-02-28           |
| Mini           | Pre-amplifier                        | ZVA-183-S+              | 5969001149       | 2018-09-05       | 2019-09-05           |
| Sinoscite      | Band-stop filter                     | BSF1710-1785MN-0383-003 | 0383003          | 2018-06-16       | 2019-06-16           |
| Sinoscite      | Band-stop filter                     | BSF1850-1910MS-0935V2   | 0935V2           | 2018-06-16       | 2019-06-16           |
| Sinoscite      | Band-stop filter                     | BSF2500-2750MS-1439-001 | 1437001          | 2018-06-16       | 2019-06-16           |
| R&S            | Universal Radio Communication Tester | CMU200                  | 106 891          | 2018-12-14       | 2019-12-14           |
| R&S            | Wideband Radio Communication Tester  | CMW500                  | 147473           | 2018-08-03       | 2019-08-03           |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data****Environmental Conditions**

|                           |          |
|---------------------------|----------|
| <b>Temperature:</b>       | 21.1 °C  |
| <b>Relative Humidity:</b> | 31 %     |
| <b>ATM Pressure:</b>      | 99.7 kPa |

\* The testing was performed by Vern Shen and Vito Chen on 2018-12-19.

EUT Operation Mode: Transmitting

**Cellular Band****30 MHz-10 GHz:**

| Frequency<br>(MHz)                     | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                                        |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| GSM850, Frequency:836.600 MHz          |                |                               |                               |                              |                    |                            |                |                |
| 1673.200                               | H              | 46.60                         | -57.78                        | 10.5                         | 1.27               | -48.5                      | -13.0          | 35.5           |
| 1673.200                               | V              | 45.22                         | -59.09                        | 10.5                         | 1.27               | -49.8                      | -13.0          | 36.8           |
| 2509.800                               | H              | 52.77                         | -50                           | 12.2                         | 1.25               | -39.1                      | -13.0          | 26.1           |
| 2509.800                               | V              | 50.77                         | -53.39                        | 12.2                         | 1.25               | -42.4                      | -13.0          | 29.4           |
| 3346.400                               | H              | 47.25                         | -53.94                        | 12.3                         | 1.58               | -43.3                      | -13.0          | 30.3           |
| 3346.400                               | V              | 46.00                         | -54.12                        | 12.3                         | 1.58               | -43.4                      | -13.0          | 30.4           |
| 889.440                                | H              | 36.74                         | -59.17                        | 0.0                          | 0.51               | -59.7                      | -13.0          | 46.7           |
| 912.720                                | V              | 35.69                         | -56.16                        | 0.0                          | 0.51               | -56.7                      | -13.0          | 43.7           |
| WCDMA Band V R99,Frequency:836.600 MHz |                |                               |                               |                              |                    |                            |                |                |
| 1673.200                               | H              | 43.05                         | -61.33                        | 10.5                         | 1.27               | -52.1                      | -13.0          | 39.1           |
| 1673.200                               | V              | 40.73                         | -63.58                        | 10.5                         | 1.27               | -54.3                      | -13.0          | 41.3           |
| 2509.800                               | H              | 43.75                         | -59.02                        | 12.2                         | 1.25               | -48.1                      | -13.0          | 35.1           |
| 2509.800                               | V              | 41.89                         | -62.27                        | 12.2                         | 1.25               | -51.3                      | -13.0          | 38.3           |
| 3346.400                               | H              | 40.54                         | -60.65                        | 12.3                         | 1.58               | -50.0                      | -13.0          | 37.0           |
| 3346.400                               | V              | 40.00                         | -60.12                        | 12.3                         | 1.58               | -49.4                      | -13.0          | 36.4           |
| 753.810                                | H              | 41.37                         | -58.25                        | 0.0                          | 0.44               | -58.7                      | -13.0          | 45.7           |
| 815.200                                | V              | 40.46                         | -54.54                        | 0.0                          | 0.49               | -55.0                      | -13.0          | 42.0           |



**PCS Band****30 MHz-20 GHz:**

| Frequency<br>(MHz)                        | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                                           |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| GSM1900, Frequency:1880.000 MHz           |                |                               |                               |                              |                    |                            |                |                |
| 3760.000                                  | H              | 43.63                         | -56.58                        | 12.3                         | 1.53               | -45.9                      | -13.0          | 32.9           |
| 3760.000                                  | V              | 43.26                         | -56.65                        | 12.3                         | 1.53               | -45.9                      | -13.0          | 32.9           |
| 5640.000                                  | H              | 47.63                         | -47.67                        | 13.0                         | 1.28               | -36.0                      | -13.0          | 23.0           |
| 5640.000                                  | V              | 48.04                         | -47.57                        | 13.0                         | 1.28               | -35.9                      | -13.0          | 22.9           |
| 732.280                                   | H              | 41.28                         | -58.85                        | 0.0                          | 0.42               | -59.3                      | -13.0          | 46.3           |
| 732.280                                   | V              | 40.96                         | -55.91                        | 0.0                          | 0.42               | -56.3                      | -13.0          | 43.3           |
| WCDMA Band II R99,Frequency: 1880.000 MHz |                |                               |                               |                              |                    |                            |                |                |
| 3760.000                                  | H              | 41.24                         | -58.97                        | 12.3                         | 1.53               | -48.3                      | -13.0          | 35.3           |
| 3760.000                                  | V              | 40.88                         | -59.03                        | 12.3                         | 1.53               | -48.3                      | -13.0          | 35.3           |
| 5640.000                                  | H              | 38.93                         | -56.37                        | 13.0                         | 1.28               | -44.7                      | -13.0          | 31.7           |
| 5640.000                                  | V              | 39.38                         | -56.23                        | 13.0                         | 1.28               | -44.5                      | -13.0          | 31.5           |
| 791.260                                   | H              | 41.49                         | -57.25                        | 0.0                          | 0.48               | -57.7                      | -13.0          | 44.7           |
| 802.440                                   | V              | 40.57                         | -54.85                        | 0.0                          | 0.49               | -55.3                      | -13.0          | 42.3           |

**LTE Band 2 (30MHz-20GHz):**

| Frequency<br>(MHz)          | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                             |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK,Frequency:1880.000 MHz |                |                               |                               |                              |                    |                            |                |                |
| 3760.00                     | H              | 47.25                         | -52.96                        | 12.25                        | 1.53               | -42.24                     | -13.00         | 29.24          |
| 3760.00                     | V              | 51.43                         | -48.48                        | 12.25                        | 1.53               | -37.76                     | -13.00         | 24.76          |
| 5640.00                     | H              | 40.33                         | -54.97                        | 13.00                        | 1.28               | -43.25                     | -13.00         | 30.25          |
| 5640.00                     | V              | 40.31                         | -55.30                        | 13.00                        | 1.28               | -43.58                     | -13.00         | 30.58          |
| 691.54                      | H              | 42.61                         | -58.42                        | 0.00                         | 0.38               | -58.80                     | -13.00         | 45.80          |
| 449.04                      | V              | 44.14                         | -59.30                        | 0.00                         | 0.37               | -59.67                     | -13.00         | 46.67          |

**LTE Band 4 (30MHz-20GHz):**

| Frequency<br>(MHz)          | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                             |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK,Frequency:1732.500 MHz |                |                               |                               |                              |                    |                            |                |                |
| 3465.00                     | H              | 48.81                         | -52.16                        | 12.21                        | 1.60               | -41.55                     | -13.00         | 28.55          |
| 3465.00                     | V              | 49.08                         | -50.48                        | 12.21                        | 1.60               | -39.87                     | -13.00         | 26.87          |
| 5197.50                     | H              | 38.79                         | -57.29                        | 12.92                        | 1.36               | -45.73                     | -13.00         | 32.73          |
| 5197.50                     | V              | 39.50                         | -56.55                        | 12.92                        | 1.36               | -44.99                     | -13.00         | 31.99          |
| 749.74                      | H              | 41.21                         | -58.51                        | 0.00                         | 0.43               | -58.94                     | -13.00         | 45.94          |
| 848.68                      | V              | 41.01                         | -52.89                        | 0.00                         | 0.50               | -53.39                     | -13.00         | 40.39          |

**LTE Band 5 (30MHz-10GHz):**

| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                              |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK, Frequency: 836.500 MHz |                |                               |                               |                              |                    |                            |                |                |
| 1673.00                      | H              | 41.82                         | -62.56                        | 10.52                        | 1.27               | -53.31                     | -13.00         | 40.31          |
| 1673.00                      | V              | 42.38                         | -61.93                        | 10.52                        | 1.27               | -52.68                     | -13.00         | 39.68          |
| 2509.50                      | H              | 41.03                         | -61.74                        | 12.20                        | 1.24               | -50.78                     | -13.00         | 37.78          |
| 2509.50                      | V              | 42.48                         | -61.68                        | 12.20                        | 1.24               | -50.72                     | -13.00         | 37.72          |
| 3346.00                      | H              | 41.84                         | -59.35                        | 12.26                        | 1.58               | -48.67                     | -13.00         | 35.67          |
| 3346.00                      | V              | 41.97                         | -58.15                        | 12.26                        | 1.58               | -47.47                     | -13.00         | 34.47          |
| 641.10                       | H              | 38.60                         | -63.20                        | 0.00                         | 0.37               | -63.57                     | -13.00         | 50.57          |
| 736.16                       | V              | 36.87                         | -59.93                        | 0.00                         | 0.42               | -60.35                     | -13.00         | 47.35          |

**LTE Band 7 (30MHz-26.5GHz):**

| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                              |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK,Frequency: 2535.000 MHz |                |                               |                               |                              |                    |                            |                |                |
| 5070.00                      | H              | 46.18                         | -50.13                        | 12.97                        | 1.41               | -38.57                     | -25.00         | 13.57          |
| 5070.00                      | V              | 47.83                         | -48.25                        | 12.97                        | 1.41               | -36.69                     | -25.00         | 11.69          |
| 7605.00                      | H              | 39.47                         | -51.91                        | 12.84                        | 1.40               | -40.47                     | -25.00         | 15.47          |
| 7605.00                      | V              | 39.53                         | -52.52                        | 12.84                        | 1.40               | -41.08                     | -25.00         | 16.08          |
| 449.04                       | H              | 42.25                         | -63.86                        | 0.00                         | 0.37               | -64.23                     | -25.00         | 39.23          |
| 449.04                       | V              | 46.83                         | -56.61                        | 0.00                         | 0.37               | -56.98                     | -25.00         | 31.98          |

**LTE Band 12 (30MHz-10GHz):**

| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                              |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK, Frequency: 707.500 MHz |                |                               |                               |                              |                    |                            |                |                |
| 1415.00                      | H              | 40.84                         | -63.05                        | 9.64                         | 1.25               | -54.66                     | -13.00         | 41.66          |
| 1415.00                      | V              | 40.77                         | -63.18                        | 9.64                         | 1.25               | -54.79                     | -13.00         | 41.79          |
| 2122.50                      | H              | 37.69                         | -66.04                        | 11.67                        | 1.16               | -55.53                     | -13.00         | 42.53          |
| 2122.50                      | V              | 37.92                         | -66.12                        | 11.67                        | 1.16               | -55.61                     | -13.00         | 42.61          |
| 2830.00                      | H              | 38.00                         | -64.16                        | 12.33                        | 1.41               | -53.24                     | -13.00         | 40.24          |
| 2830.00                      | V              | 38.45                         | -64.12                        | 12.33                        | 1.41               | -53.20                     | -13.00         | 40.20          |
| 784.66                       | H              | 30.89                         | -68.00                        | 0.00                         | 0.47               | -68.47                     | -13.00         | 55.47          |
| 745.86                       | V              | 30.29                         | -66.31                        | 0.00                         | 0.43               | -66.74                     | -13.00         | 53.74          |

**LTE Band 66 (30MHz-20GHz):**

| Frequency<br>(MHz)          | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method            |                              |                    | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-----------------------------|----------------|-------------------------------|-------------------------------|------------------------------|--------------------|----------------------------|----------------|----------------|
|                             |                |                               | Substituted<br>Level<br>(dBm) | Antenna<br>Gain<br>(dBd/dBi) | Cable Loss<br>(dB) |                            |                |                |
| QPSK,Frequency:1745.000 MHz |                |                               |                               |                              |                    |                            |                |                |
| 3490.00                     | H              | 44.00                         | -56.92                        | 12.20                        | 1.61               | -46.33                     | -13.00         | 33.33          |
| 3490.00                     | V              | 47.52                         | -51.93                        | 12.20                        | 1.61               | -41.34                     | -13.00         | 28.34          |
| 5235.00                     | H              | 41.25                         | -54.77                        | 12.91                        | 1.35               | -43.21                     | -13.00         | 30.21          |
| 5235.00                     | V              | 42.50                         | -53.55                        | 12.91                        | 1.35               | -41.99                     | -13.00         | 28.99          |
| 818.26                      | H              | 39.51                         | -58.48                        | 0.00                         | 0.49               | -58.97                     | -13.00         | 45.97          |
| 841.57                      | V              | 39.88                         | -54.26                        | 0.00                         | 0.50               | -54.76                     | -13.00         | 41.76          |

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit - Absolute Level

## FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


### Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

### Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



### Test Equipment List and Details

| Manufacturer | Description       | Model         | Serial Number | Calibration Date | Calibration Due Date |
|--------------|-------------------|---------------|---------------|------------------|----------------------|
| R&S          | EMI Test Receiver | ESPI          | 100120        | 2018-12-10       | 2019-12-10           |
| R&S          | Spectrum Analyzer | FSP 38        | 100478        | 2018-12-10       | 2019-12-10           |
| yzjingcheng  | Coaxial Cable     | KTRFBU-141-50 | 41010012      | Each time        | N/A                  |
| Unknown      | Coaxial Cable     | C-SJ00-0010   | C0010/01      | Each time        | N/A                  |
| E-Microwave  | Two-way Splitter  | ODP-1-6-2S    | OE0120142     | Each time        | N/A                  |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data****Environmental Conditions**


|                           |                 |
|---------------------------|-----------------|
| <b>Temperature:</b>       | 24.9~25.9 °C    |
| <b>Relative Humidity:</b> | 47~53 %         |
| <b>ATM Pressure:</b>      | 100.6~100.8 kPa |

*The testing was performed by Carrie He from 2018-12-21 to 2018-12-22.*

*Test Mode: Transmitting*


*Test Result: Compliant. Please refer to the following plots.*

### GSM 850, Left Band Edge




Date: 22.DEC.2018 11:02:33

### GSM 850, Right Band Edge




Date: 22.DEC.2018 11:03:44

### GSM 1900, Left Band Edge




Date: 22.DEC.2018 11:15:50

### GSM 1900, Right Band Edge




Date: 22.DEC.2018 11:19:43

### EDGE 850, Left Band Edge



Date: 22.DEC.2018 11:39:44


### EDGE 850, Right Band Edge



Date: 22.DEC.2018 11:41:04




### EDGE 1900, Left Band Edge




Date: 22.DEC.2018 11:23:09

### EDGE 1900, Right Band Edge




Date: 22.DEC.2018 11:25:34

### WCDMA Band II Rel 99, Left Band Edge




Date: 22.DEC.2018 11:48:51

### WCDMA Band II Rel 99, Right Band Edge




Date: 22.DEC.2018 11:51:08

### WCDMA Band II HSDPA, Left Band Edge




Date: 22.DEC.2018 13:32:11

### WCDMA Band II HSDPA, Right Band Edge




Date: 22.DEC.2018 13:33:06

## WCDMA Band II HSUPA, Left Band Edge




Date: 22.DEC.2018 13:37:19

## WCDMA Band II HSUPA, Right Band Edge




Date: 22.DEC.2018 13:38:31

## WCDMA Band V Rel 99, Left Band Edge




Date: 22.DEC.2018 11:53:27

## WCDMA Band V Rel 99, Right Band Edge




Date: 22.DEC.2018 11:54:40

### WCDMA Band V HSDPA, Left Band Edge




Date: 22.DEC.2018 13:34:04

### WCDMA Band V HSDPA, Right Band Edge




Date: 22.DEC.2018 13:34:53

### WCDMA Band V HSUPA, Left Band Edge



Date: 22.DEC.2018 13:39:51


### WCDMA Band V HSUPA, Right Band Edge




Date: 22.DEC.2018 13:40:40

## LTE Band 2

## QPSK\_1.4MHz\_6 RB\_Left




## QPSK\_1.4MHz\_6 RB\_Right







### QPSK\_3MHz\_15 RB\_Left




### QPSK\_3MHz\_15 RB\_Right




### QPSK\_5MHz\_25 RB\_ Left




### QPSK\_5MHz\_25 RB\_ Right




### QPSK\_10MHz\_50 RB\_Left




### QPSK\_10MHz\_50 RB\_Right




## QPSK\_15MHz\_75 RB\_Left



## QPSK\_15MHz\_75 RB\_Right




### QPSK\_20MHz\_FULL RB\_Left




### QPSK\_20MHz\_FULL RB\_Right




### 16QAM\_1.4MHz\_6 RB\_ Left




### 16QAM\_1.4MHz\_6 RB\_ Right




16QAM\_3MHz\_15 RB\_ Left



16QAM\_3MHz\_15 RB\_ Right




### 16QAM\_5MHz\_25 RB\_ Left



Date: 21.DEC.2018 18:26:54


### 16QAM\_5MHz\_25 RB\_ Right



Date: 21.DEC.2018 18:22:07




### 16QAM\_10MHz\_ 50 RB\_ Left




Date: 21.DEC.2018 15:38:32

### 16QAM\_10MHz\_ 50 RB\_ Right




Date: 21.DEC.2018 15:39:09


### 16QAM\_15MHz\_ 75 RB\_ Left




### 16QAM\_15MHz\_ 75 RB\_ Right



### 16QAM\_20MHz\_ FULL RB\_ Left




### 16QAM\_20MHz\_ FULL RB\_ Right




## LTE Band 4


## QPSK\_1.4MHz\_6 RB\_ Left




## QPSK\_1.4MHz\_6 RB\_ Right




### QPSK\_3MHz\_15 RB\_Left




### QPSK\_3MHz\_15 RB\_Right




### QPSK\_5MHz\_25 RB\_ Left




### QPSK\_5MHz\_25 RB\_ Right




### QPSK\_10MHz\_50 RB\_Left




### QPSK\_10MHz\_50 RB\_Right



### QPSK\_15MHz\_75 RB\_Left




### QPSK\_15MHz\_75 RB\_Right







### QPSK\_20MHz\_FULL RB\_Left




### QPSK\_20MHz\_FULL RB\_Right




### 16QAM\_1.4MHz\_6 RB\_ Left




### 16QAM\_1.4MHz\_6 RB\_ Right




### 16QAM\_3MHz\_15 RB\_ Left




### 16QAM\_3MHz\_15 RB\_ Right




### 16QAM\_5MHz\_25 RB\_ Left



### 16QAM\_5MHz\_25 RB\_ Right




### 16QAM\_10MHz\_ 50 RB\_ Left




Date: 21.DEC.2018 15:46:36

### 16QAM\_10MHz\_ 50 RB\_ Right




Date: 21.DEC.2018 15:47:12


### 16QAM\_15MHz\_ 75 RB\_ Left




### 16QAM\_15MHz\_ 75 RB\_ Right



### 16QAM\_20MHz\_ FULL RB\_ Left




### 16QAM\_20MHz\_ FULL RB\_ Right




## LTE Band 5

## QPSK\_1.4MHz\_6 RB\_ Left




## QPSK\_1.4MHz\_6 RB\_ Right







### QPSK\_3MHz\_15 RB\_Left



### QPSK\_3MHz\_15 RB\_Right




### QPSK\_5MHz\_25 RB\_Left




Date: 21.DEC.2018 18:36:46

### QPSK\_5MHz\_25 RB\_Right




Date: 21.DEC.2018 18:35:16


### QPSK\_10MHz\_50 RB\_Left




### QPSK\_10MHz\_50 RB\_Right




### 16QAM\_1.4MHz\_6 RB\_ Left




### 16QAM\_1.4MHz\_6 RB\_ Right




### 16QAM\_3MHz\_15 RB\_ Left



### 16QAM\_3MHz\_15 RB\_ Right




### 16QAM\_5MHz\_25 RB\_ Left




Date: 21.DEC.2018 18:36:11

### 16QAM\_5MHz\_25 RB\_ Right




Date: 21.DEC.2018 18:34:38

### 16QAM\_10MHz\_ 50 RB\_ Left




### 16QAM\_10MHz\_ 50 RB\_ Right




LTE Band 7

QPSK\_5MHz\_25 RB\_ Left



Date: 21.DEC.2018 18:39:21


QPSK\_5MHz\_25 RB\_ Right



Date: 22.DEC.2018 17:50:23




### QPSK\_10MHz\_50 RB\_ Left



### QPSK\_10MHz\_50 RB\_ Right




### QPSK\_15MHz\_ 75 RB\_ Left




### QPSK\_15MHz\_ 75 RB\_ Right




### QPSK\_20MHz\_FULL RB\_Left




### QPSK\_20MHz\_FULL RB\_Right




### 16QAM\_5MHz\_25 RB\_ Left




### 16QAM\_5MHz\_25 RB\_ Right




### 16QAM\_10MHz\_ 50 RB\_ Left



### 16QAM\_10MHz\_ 50 RB\_ Right




### 16QAM\_15MHz\_ 75 RB\_ Left




### 16QAM\_15MHz\_ 75 RB\_ Right



### 16QAM\_20MHz\_ FULL RB\_ Left




### 16QAM\_20MHz\_ FULL RB\_ Right




## LTE Band 12

## QPSK\_1.4MHz\_6 RB\_ Left




## QPSK\_1.4MHz\_6 RB\_ Right







### QPSK\_3MHz\_15 RB\_ Left




### QPSK\_3MHz\_15 RB\_ Right




### QPSK\_5MHz\_25 RB\_ Left



### QPSK\_5MHz\_25 RB\_ Right




### QPSK\_10MHz\_50 RB\_Left




### QPSK\_10MHz\_50 RB\_Right




### 16QAM\_1.4MHz\_6 RB\_Left




### 16QAM\_1.4MHz\_6 RB\_Right




## 16QAM\_3MHz\_15 RB\_ Left




## 16QAM\_3MHz\_15 RB\_ Right




### 16QAM\_5MHz\_25 RB\_ Left



### 16QAM\_5MHz\_25 RB\_ Right




### 16QAM\_10MHz\_ 50 RB\_ Left



Date: 21.DEC.2018 16:05:00


### 16QAM\_10MHz\_ 50 RB\_ Right



Date: 21.DEC.2018 16:05:33


LTE Band 66

QPSK\_1.4MHz\_6 RB\_ Left



Date: 21.DEC.2018 16:12:03


QPSK\_1.4MHz\_6 RB\_ Right




Date: 21.DEC.2018 16:14:08




### QPSK\_3MHz\_15 RB\_Left




### QPSK\_3MHz\_15 RB\_Right




### QPSK\_5MHz\_25 RB\_ Left




### QPSK\_5MHz\_25 RB\_ Right





### QPSK\_10MHz\_50 RB\_ Left




### QPSK\_10MHz\_50 RB\_ Right




### QPSK\_15MHz\_75 RB\_Left




### QPSK\_20MHz\_ FULL RB\_ Left




### QPSK\_20MHz\_ FULL RB\_ Right




### 16QAM\_1.4MHz\_6 RB\_ Left




### 16QAM\_1.4MHz\_6 RB\_ Right




### 16QAM\_3MHz\_15 RB\_ Left




### 16QAM\_3MHz\_15 RB\_ Right





### 16QAM\_5MHz\_25 RB\_ Left




### 16QAM\_5MHz\_25 RB\_ Right







### 16QAM\_15MHz\_ 75 RB\_ Left




Date: 21.DEC.2018 16:27:12

### 16QAM\_15MHz\_ 75 RB\_ Right



Date: 21.DEC.2018 16:29:43

### 16QAM\_20MHz\_ FULL RB\_ Left



Date: 21.DEC.2018 16:31:51

### 16QAM\_20MHz\_ FULL RB\_ Right



Date: 21.DEC.2018 16:33:38

**FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY****Applicable Standard**

FCC § 2.1055 (a), § 2.1055 (d), §22.355, §24.235, §27.54

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

| Frequency Range (MHz) | Base, fixed (ppm) | Mobile > 3 watts (ppm) | Mobile ≤ 3 watts (ppm) |
|-----------------------|-------------------|------------------------|------------------------|
| 25 to 50              | 20.0              | 20.0                   | 50.0                   |
| 50 to 450             | 5.0               | 5.0                    | 50.0                   |
| 450 to 512            | 2.5               | 5.0                    | 5.0                    |
| 821 to 896            | 1.5               | 2.5                    | 2.5                    |
| 928 to 929.           | 5.0               | N/A                    | N/A                    |
| 929 to 960.           | 1.5               | N/A                    | N/A                    |
| 2110 to 2220          | 10.0              | N/A                    | N/A                    |


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

**Test Procedure**

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: An external variable DC power supply was connected to the battery terminals of the equipment under test. The voltage was set of the nominal value and was then decreased until the transmitter light no longer illuminated; i.e., the battery end point. The output frequency was recorded for each battery voltage.



**Test Equipment List and Details**

| Manufacturer   | Description                              | Model         | Serial Number | Calibration Date | Calibration Due Date |
|----------------|------------------------------------------|---------------|---------------|------------------|----------------------|
| R&S            | Universal Radio Communication Tester     | CMU200        | 106 891       | 2018-12-14       | 2019-12-14           |
| R&S            | Wideband Radio Communication Tester      | CMW500        | 110479        | 2018-12-10       | 2019-12-10           |
| ESPEC          | Constant temperature and humidity Tester | ESX-4CA       | 018 463       | 2018-03-26       | 2019-03-26           |
| UNI-T          | Multimeter                               | UT39A         | M130199938    | 2018-07-24       | 2019-07-24           |
| R&S            | EMI Test Receiver                        | ESPI          | 100120        | 2018-12-10       | 2019-12-10           |
| R&S            | Spectrum Analyzer                        | FSP 38        | 100478        | 2018-12-10       | 2019-12-10           |
| yzjingcheng    | Coaxial Cable                            | KTRFBU-141-50 | 41010012      | Each time        | N/A                  |
| Unknown        | Coaxial Cable                            | C-SJ00-0010   | C0010/01      | Each time        | N/A                  |
| Pro instrument | DC Power Supply                          | pps3300       | 3300012       | N/A              | N/A                  |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 24.9 °C   |
| <b>Relative Humidity:</b> | 47 %      |
| <b>ATM Pressure:</b>      | 100.6 kPa |

*The testing was performed by Carrie He on 2018-12-22.*

**Cellular Band (Part 22H)**

| GSM(GMSK) Middle Channel, $f_c = 836.6$ MHz |                 |                 |                 |       |
|---------------------------------------------|-----------------|-----------------|-----------------|-------|
| Temperature                                 | Voltage         | Frequency Error | Frequency Error | Limit |
| °C                                          | V <sub>DC</sub> | Hz              | ppm             | ppm   |
| -30                                         | 3.8             | 9               | 0.01076         | 2.5   |
| -20                                         |                 | 7               | 0.00837         |       |
| -10                                         |                 | 1               | 0.00120         |       |
| 0                                           |                 | 2               | 0.00239         |       |
| 10                                          |                 | 5               | 0.00598         |       |
| 20                                          |                 | 10              | 0.01195         |       |
| 30                                          |                 | 6               | 0.00717         |       |
| 40                                          |                 | 0               | 0.00000         |       |
| 50                                          |                 | 3               | 0.00359         |       |
| 20                                          | 3.6             | 5               | 0.00598         |       |
| 20                                          | 4.35            | 8               | 0.00956         |       |

| EDGE(8PSK) Middle Channel, $f_c = 836.6$ MHz |                 |                 |                 |       |
|----------------------------------------------|-----------------|-----------------|-----------------|-------|
| Temperature                                  | Voltage         | Frequency Error | Frequency Error | Limit |
| °C                                           | V <sub>DC</sub> | Hz              | ppm             | ppm   |
| -30                                          | 3.8             | 11              | 0.01315         | 2.5   |
| -20                                          |                 | 9               | 0.01076         |       |
| -10                                          |                 | 10              | 0.01195         |       |
| 0                                            |                 | 5               | 0.00598         |       |
| 10                                           |                 | 8               | 0.00956         |       |
| 20                                           |                 | 17              | 0.02032         |       |
| 30                                           |                 | 15              | 0.01793         |       |
| 40                                           |                 | 11              | 0.01315         |       |
| 50                                           |                 | 8               | 0.00956         |       |
| 20                                           | 3.6             | 9               | 0.01076         |       |
| 20                                           | 4.35            | 16              | 0.01913         |       |

**PCS Band (Part 24E)**

| <b>GSM(GMSK) Middle Channel, <math>f_c = 1880.0</math> MHz</b> |                       |                        |                        |                |
|----------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|
| <b>Temperature</b>                                             | <b>Voltage</b>        | <b>Frequency Error</b> | <b>Frequency Error</b> | <b>Results</b> |
| <b>°C</b>                                                      | <b>V<sub>DC</sub></b> | <b>Hz</b>              | <b>ppm</b>             |                |
| -30                                                            | 3.8                   | 19                     | 0.01011                | Pass           |
| -20                                                            |                       | 20                     | 0.01064                |                |
| -10                                                            |                       | 18                     | 0.00957                |                |
| 0                                                              |                       | 20                     | 0.01064                |                |
| 10                                                             |                       | 15                     | 0.00798                |                |
| 20                                                             |                       | 22                     | 0.01170                |                |
| 30                                                             |                       | 18                     | 0.00957                |                |
| 40                                                             |                       | 16                     | 0.00851                |                |
| 50                                                             |                       | 21                     | 0.01117                |                |
| 20                                                             | 3.6                   | 14                     | 0.00745                |                |
| 20                                                             | 4.35                  | 20                     | 0.01064                |                |

| <b>EDGE(8PSK) Middle Channel, <math>f_c = 1880.0</math> MHz</b> |                       |                        |                        |                |
|-----------------------------------------------------------------|-----------------------|------------------------|------------------------|----------------|
| <b>Temperature</b>                                              | <b>Voltage</b>        | <b>Frequency Error</b> | <b>Frequency Error</b> | <b>Results</b> |
| <b>°C</b>                                                       | <b>V<sub>DC</sub></b> | <b>Hz</b>              | <b>ppm</b>             |                |
| -30                                                             | 3.8                   | 25                     | 0.01330                | Pass           |
| -20                                                             |                       | 21                     | 0.01117                |                |
| -10                                                             |                       | 28                     | 0.01489                |                |
| 0                                                               |                       | 23                     | 0.01223                |                |
| 10                                                              |                       | 22                     | 0.01170                |                |
| 20                                                              |                       | 30                     | 0.01596                |                |
| 30                                                              |                       | 28                     | 0.01489                |                |
| 40                                                              |                       | 24                     | 0.01277                |                |
| 50                                                              |                       | 21                     | 0.01117                |                |
| 20                                                              | 3.6                   | 20                     | 0.01064                |                |
| 20                                                              | 4.35                  | 27                     | 0.01436                |                |

**WCDMA Band II: R99**

| Middle Channel, $f_c = 1880.0$ MHz |                 |                 |                 |         |
|------------------------------------|-----------------|-----------------|-----------------|---------|
| Temperature                        | Voltage         | Frequency Error | Frequency Error | Results |
| °C                                 | V <sub>DC</sub> | Hz              | ppm             |         |
| -30                                | 3.8             | -13             | -0.00691        | Pass    |
| -20                                |                 | -15             | -0.00798        |         |
| -10                                |                 | -11             | -0.00585        |         |
| 0                                  |                 | -14             | -0.00745        |         |
| 10                                 |                 | -15             | -0.00798        |         |
| 20                                 |                 | -9              | -0.00479        |         |
| 30                                 |                 | -8              | -0.00426        |         |
| 40                                 |                 | -14             | -0.00745        |         |
| 50                                 |                 | -15             | -0.00798        |         |
| 20                                 | 3.6             | -10             | -0.00532        |         |
| 20                                 | 4.35            | -6              | -0.00319        |         |

**WCDMA Band V: R99**

| Middle Channel, $f_c = 836.6$ MHz |                 |                 |                 |       |
|-----------------------------------|-----------------|-----------------|-----------------|-------|
| Temperature                       | Voltage         | Frequency Error | Frequency Error | Limit |
| °C                                | V <sub>DC</sub> | Hz              | ppm             | ppm   |
| -30                               | 3.8             | -8              | -0.00956        | 2.5   |
| -20                               |                 | -10             | -0.01195        |       |
| -10                               |                 | -12             | -0.01434        |       |
| 0                                 |                 | -8              | -0.00956        |       |
| 10                                |                 | -9              | -0.01076        |       |
| 20                                |                 | -6              | -0.00717        |       |
| 30                                |                 | -11             | -0.01315        |       |
| 40                                |                 | -15             | -0.01793        |       |
| 50                                |                 | -12             | -0.01434        |       |
| 20                                | 3.6             | -10             | -0.01195        |       |
| 20                                | 4.35            | -11             | -0.01315        |       |



**LTE Band 2:**

| <b>QPSK, Channel Bandwidth:10MHz<br/>Middle Channel, <math>f_c = 1880</math> MHz</b> |                       |                        |                        |               |
|--------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|---------------|
| <b>Temperature</b>                                                                   | <b>Voltage</b>        | <b>Frequency Error</b> | <b>Frequency Error</b> | <b>Result</b> |
| <b>°C</b>                                                                            | <b>V<sub>DC</sub></b> | <b>Hz</b>              | <b>ppm</b>             |               |
| -30                                                                                  | 3.8                   | 8.96                   | 0.0048                 | Pass          |
| -20                                                                                  |                       | 9.72                   | 0.0052                 |               |
| -10                                                                                  |                       | -9.97                  | -0.0053                |               |
| 0                                                                                    |                       | -6.13                  | -0.0033                |               |
| 10                                                                                   |                       | 6.17                   | 0.0033                 |               |
| 20                                                                                   |                       | 7.92                   | 0.0042                 |               |
| 30                                                                                   |                       | 6.46                   | 0.0034                 |               |
| 40                                                                                   |                       | -6.52                  | -0.0035                |               |
| 50                                                                                   |                       | 7.18                   | 0.0038                 |               |
| 20                                                                                   | 3.6                   | -9.70                  | -0.0052                |               |
| 20                                                                                   | 4.35                  | -8.17                  | -0.0043                |               |

| <b>16QAM, Channel Bandwidth:10MHz<br/>Middle Channel, <math>f_c = 1880</math> MHz</b> |                       |                        |                        |               |
|---------------------------------------------------------------------------------------|-----------------------|------------------------|------------------------|---------------|
| <b>Temperature</b>                                                                    | <b>Voltage</b>        | <b>Frequency Error</b> | <b>Frequency Error</b> | <b>Result</b> |
| <b>°C</b>                                                                             | <b>V<sub>DC</sub></b> | <b>Hz</b>              | <b>ppm</b>             |               |
| -30                                                                                   | 3.8                   | 8.96                   | 0.0048                 | Pass          |
| -20                                                                                   |                       | 9.72                   | 0.0052                 |               |
| -10                                                                                   |                       | -6.68                  | -0.0036                |               |
| 0                                                                                     |                       | 9.77                   | 0.0052                 |               |
| 10                                                                                    |                       | -7.62                  | -0.0041                |               |
| 20                                                                                    |                       | -9.91                  | -0.0053                |               |
| 30                                                                                    |                       | -9.82                  | -0.0052                |               |
| 40                                                                                    |                       | -6.68                  | -0.0036                |               |
| 50                                                                                    |                       | -8.86                  | -0.0047                |               |
| 20                                                                                    | 3.6                   | 5.67                   | 0.0030                 |               |
| 20                                                                                    | 4.35                  | 6.05                   | 0.0032                 |               |

**LTE Band 4:**

| <b>QPSK, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|--------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                   | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                            | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                  | 3.8                   | 1710.519456              | 1754.5200010         | 1710                 | 1755                 |
| -20                                  |                       | 1710.519800              | 1754.5210030         | 1710                 | 1755                 |
| -10                                  |                       | 1710.519560              | 1754.5192540         | 1710                 | 1755                 |
| 0                                    |                       | 1710.521230              | 1754.5245610         | 1710                 | 1755                 |
| 10                                   |                       | 1710.521134              | 1754.5220000         | 1710                 | 1755                 |
| 20                                   |                       | 1710.520000              | 1754.5200000         | 1710                 | 1755                 |
| 30                                   |                       | 1710.519999              | 1754.5213014         | 1710                 | 1755                 |
| 40                                   |                       | 1710.518980              | 1754.5213025         | 1710                 | 1755                 |
| 50                                   |                       | 1710.520001              | 1754.5213566         | 1710                 | 1755                 |
| 20                                   | 3.6                   | 1710.521001              | 1754.5220010         | 1710                 | 1755                 |
| 20                                   | 4.35                  | 1710.521111              | 1754.5201234         | 1710                 | 1755                 |

| <b>16QAM, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|---------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                    | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                             | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                   | 3.8                   | 1710.519001              | 1754.518801          | 1710                 | 1755                 |
| -20                                   |                       | 1710.508600              | 1754.519803          | 1710                 | 1755                 |
| -10                                   |                       | 1710.508360              | 1754.518054          | 1710                 | 1755                 |
| 0                                     |                       | 1710.510030              | 1754.523361          | 1710                 | 1755                 |
| 10                                    |                       | 1710.509934              | 1754.520800          | 1710                 | 1755                 |
| 20                                    |                       | 1710.520000              | 1754.520000          | 1710                 | 1755                 |
| 30                                    |                       | 1710.508799              | 1754.520101          | 1710                 | 1755                 |
| 40                                    |                       | 1710.507780              | 1754.520103          | 1710                 | 1755                 |
| 50                                    |                       | 1710.508801              | 1754.520157          | 1710                 | 1755                 |
| 20                                    | 3.6                   | 1710.509801              | 1754.520801          | 1710                 | 1755                 |
| 20                                    | 4.35                  | 1710.509911              | 1754.518923          | 1710                 | 1755                 |

**LTE Band 5:**

| Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz |                 |                 |                 |       |
|------------------------------------------------------------|-----------------|-----------------|-----------------|-------|
| Temperature                                                | Voltage         | Frequency Error | Frequency Error | Limit |
| °C                                                         | V <sub>DC</sub> | Hz              | ppm             | ppm   |
| -30                                                        | 3.8             | 8.96            | 0.0107          | 2.5   |
| -20                                                        |                 | 9.72            | 0.0116          |       |
| -10                                                        |                 | -6.97           | -0.0083         |       |
| 0                                                          |                 | -5.50           | -0.0066         |       |
| 10                                                         |                 | 6.06            | 0.0072          |       |
| 20                                                         |                 | 9.80            | 0.0117          |       |
| 30                                                         |                 | 5.03            | 0.0060          |       |
| 40                                                         |                 | -6.62           | -0.0079         |       |
| 50                                                         |                 | -8.73           | -0.0104         |       |
| 20                                                         | 3.6             | -7.05           | -0.0084         |       |
| 20                                                         | 4.35            | 8.99            | 0.0107          |       |

| Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz |                 |                 |                 |       |
|------------------------------------------------------------|-----------------|-----------------|-----------------|-------|
| Temperature                                                | Voltage         | Frequency Error | Frequency Error | Limit |
| °C                                                         | V <sub>DC</sub> | Hz              | ppm             | ppm   |
| -30                                                        | 3.8             | 8.96            | 0.0107          | 2.5   |
| -20                                                        |                 | 9.72            | 0.0116          |       |
| -10                                                        |                 | 8.10            | 0.0097          |       |
| 0                                                          |                 | -8.59           | -0.0103         |       |
| 10                                                         |                 | 9.33            | 0.0112          |       |
| 20                                                         |                 | -6.94           | -0.0083         |       |
| 30                                                         |                 | 7.54            | 0.0090          |       |
| 40                                                         |                 | 6.43            | 0.0077          |       |
| 50                                                         |                 | -6.17           | -0.0074         |       |
| 20                                                         | 3.6             | -6.44           | -0.0077         |       |
| 20                                                         | 4.35            | 6.34            | 0.0076          |       |

**LTE Band 7:**

| <b>QPSK, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|--------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                   | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                            | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                  | 3.8                   | 2500.506821              | 2569.486821          | 2500                 | 2570                 |
| -20                                  |                       | 2500.511821              | 2569.491821          | 2500                 | 2570                 |
| -10                                  |                       | 2500.497821              | 2569.497821          | 2500                 | 2570                 |
| 0                                    |                       | 2500.504821              | 2569.490001          | 2500                 | 2570                 |
| 10                                   |                       | 2500.499321              | 2500.498821          | 2500                 | 2570                 |
| 20                                   |                       | 2500.520000              | 2569.480000          | 2500                 | 2570                 |
| 30                                   |                       | 2500.512821              | 2569.498821          | 2500                 | 2570                 |
| 40                                   |                       | 2500.498821              | 2569.481901          | 2500                 | 2570                 |
| 50                                   |                       | 2500.511821              | 2569.484321          | 2500                 | 2570                 |
| 20                                   | 3.6                   | 2500.514321              | 2569.482514          | 2500                 | 2570                 |
| 20                                   | 4.35                  | 2500.512821              | 2569.490521          | 2500                 | 2570                 |

| <b>16QAM, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|---------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                    | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                             | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                   | 3.8                   | 2500.506832              | 2569.524112          | 2500                 | 2570                 |
| -20                                   |                       | 2500.511832              | 2569.321521          | 2500                 | 2570                 |
| -10                                   |                       | 2500.497832              | 2569.524258          | 2500                 | 2570                 |
| 0                                     |                       | 2500.504832              | 2569.514265          | 2500                 | 2570                 |
| 10                                    |                       | 2500.499332              | 2569.519212          | 2500                 | 2570                 |
| 20                                    |                       | 2500.520000              | 2569.520000          | 2500                 | 2570                 |
| 30                                    |                       | 2500.520143              | 2569.519623          | 2500                 | 2570                 |
| 40                                    |                       | 2500.521324              | 2569.530001          | 2500                 | 2570                 |
| 50                                    |                       | 2500.519800              | 2569.521320          | 2500                 | 2570                 |
| 20                                    | 3.6                   | 2500.519872              | 2569.521012          | 2500                 | 2570                 |
| 20                                    | 4.35                  | 2500.520001              | 2569.519804          | 2500                 | 2570                 |

**LTE Band 12:**

| <b>QPSK, Channel Bandwidth:10MHz</b> |                 |                          |                |                    |                |
|--------------------------------------|-----------------|--------------------------|----------------|--------------------|----------------|
| <b>Temperature</b>                   | <b>Voltage</b>  | <b>Test Result (MHz)</b> |                | <b>Limit (MHz)</b> |                |
| °C                                   | V <sub>DC</sub> | F <sub>L</sub>           | F <sub>H</sub> | F <sub>L</sub>     | F <sub>H</sub> |
| -30                                  | 3.8             | 699.521010               | 715.519625     | 699                | 716            |
| -20                                  |                 | 699.521213               | 715.530014     | 699                | 716            |
| -10                                  |                 | 699.519568               | 715.520121     | 699                | 716            |
| 0                                    |                 | 699.519857               | 715.521041     | 699                | 716            |
| 10                                   |                 | 699.519352               | 715.519984     | 699                | 716            |
| 20                                   |                 | 699.520000               | 715.520000     | 699                | 716            |
| 30                                   |                 | 699.518695               | 715.519824     | 699                | 716            |
| 40                                   |                 | 699.520012               | 715.530014     | 699                | 716            |
| 50                                   |                 | 699.521325               | 715.523514     | 699                | 716            |
| 20                                   | 3.6             | 699.524213               | 715.523485     | 699                | 716            |
| 20                                   | 4.35            | 699.521004               | 715.524325     | 699                | 716            |

| <b>16QAM, Channel Bandwidth:10MHz</b> |                 |                          |                |                    |                |
|---------------------------------------|-----------------|--------------------------|----------------|--------------------|----------------|
| <b>Temperature</b>                    | <b>Voltage</b>  | <b>Test Result (MHz)</b> |                | <b>Limit (MHz)</b> |                |
| °C                                    | V <sub>DC</sub> | F <sub>L</sub>           | F <sub>H</sub> | F <sub>L</sub>     | F <sub>H</sub> |
| -30                                   | 3.8             | 699.522021               | 715.489524     | 699                | 716            |
| -20                                   |                 | 699.522224               | 715.499913     | 699                | 716            |
| -10                                   |                 | 699.520579               | 715.490020     | 699                | 716            |
| 0                                     |                 | 699.520868               | 715.490940     | 699                | 716            |
| 10                                    |                 | 699.520363               | 715.479883     | 699                | 716            |
| 20                                    |                 | 699.520000               | 715.480000     | 699                | 716            |
| 30                                    |                 | 699.519706               | 715.489723     | 699                | 716            |
| 40                                    |                 | 699.521023               | 715.499913     | 699                | 716            |
| 50                                    |                 | 699.522336               | 715.493413     | 699                | 716            |
| 20                                    | 3.6             | 699.525224               | 715.493384     | 699                | 716            |
| 20                                    | 4.35            | 699.522015               | 715.484224     | 699                | 716            |

**LTE Band 66:**

| <b>QPSK, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|--------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                   | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                            | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                  | 3.8                   | 1710.521423              | 1779.483251          | 1710                 | 1780                 |
| -20                                  |                       | 1710.526412              | 1779.483529          | 1710                 | 1780                 |
| -10                                  |                       | 1710.519523              | 1779.479850          | 1710                 | 1780                 |
| 0                                    |                       | 1710.519856              | 1779.495210          | 1710                 | 1780                 |
| 10                                   |                       | 1710.518364              | 1779.486590          | 1710                 | 1780                 |
| 20                                   |                       | 1710.520000              | 1779.480000          | 1710                 | 1780                 |
| 30                                   |                       | 1710.520140              | 1779.485290          | 1710                 | 1780                 |
| 40                                   |                       | 1710.521650              | 1779.498520          | 1710                 | 1780                 |
| 50                                   |                       | 1710.519849              | 1779.493210          | 1710                 | 1780                 |
| 20                                   | 3.6                   | 1710.522341              | 1779.498540          | 1710                 | 1780                 |
| 20                                   | 4.35                  | 1710.521368              | 1779.489540          | 1710                 | 1780                 |

| <b>16QAM, Channel Bandwidth:10MHz</b> |                       |                          |                      |                      |                      |
|---------------------------------------|-----------------------|--------------------------|----------------------|----------------------|----------------------|
| <b>Temperature</b>                    | <b>Voltage</b>        | <b>Test Result (MHz)</b> |                      | <b>Limit (MHz)</b>   |                      |
| <b>°C</b>                             | <b>V<sub>DC</sub></b> | <b>F<sub>L</sub></b>     | <b>F<sub>H</sub></b> | <b>F<sub>L</sub></b> | <b>F<sub>H</sub></b> |
| -30                                   | 3.8                   | 1710.522424              | 1779.482250          | 1710                 | 1780                 |
| -20                                   |                       | 1710.527413              | 1779.482528          | 1710                 | 1780                 |
| -10                                   |                       | 1710.520524              | 1779.478849          | 1710                 | 1780                 |
| 0                                     |                       | 1710.520857              | 1779.494209          | 1710                 | 1780                 |
| 10                                    |                       | 1710.519365              | 1779.485589          | 1710                 | 1780                 |
| 20                                    |                       | 1710.520000              | 1779.480000          | 1710                 | 1780                 |
| 30                                    |                       | 1710.521141              | 1779.484289          | 1710                 | 1780                 |
| 40                                    |                       | 1710.522651              | 1779.497519          | 1710                 | 1780                 |
| 50                                    |                       | 1710.520850              | 1779.492209          | 1710                 | 1780                 |
| 20                                    | 3.6                   | 1710.523342              | 1779.497539          | 1710                 | 1780                 |
| 20                                    | 4.35                  | 1710.522369              | 1779.488539          | 1710                 | 1780                 |

Note: The fundamental emissions stay within the authorized bands of operation based on the frequency deviation measured is small, the extreme voltage was declared by applicant.

**\*\*\*\*\* END OF REPORT \*\*\*\*\***