



11AX40SISO_Ant1_2437_52Tone_RU40_0~Reference




Date: 6.JAN.2026 15:38:11

11AX40SISO_Ant1_2437_52Tone_RU40_30~1000




Date: 6.JAN.2026 15:38:24

11AX40SISO_Ant1_2437_52Tone_RU40_1000~26500




Date: 6.JAN.2026 15:39:02

11AX40SISO Ant1 2437 106Tone RU54 0~Reference




Date: 19.DEC.2025 16:36:17

11AX40SISO Ant1 2437 106Tone RU54 30~1000




Date: 19.DEC.2025 16:36:30

11AX40SISO Ant1 2437 106Tone RU54 1000~26500




Date: 19.DEC.2025 16:37:09

11AX40SISO Ant1 2437 242Tone RU61_0~Reference




Date: 6.JAN.2026 15:39:52

11AX40SISO Ant1 2437 242Tone RU61_30~1000




Date: 6.JAN.2026 15:40:04

11AX40SISO Ant1 2437 242Tone RU61_1000~26500




Date: 6.JAN.2026 15:40:43

11AX40SISO Ant1 2437 484Tone RU65_0~Reference




Date: 19.DEC.2025 16:38:49

11AX40SISO Ant1 2437 484Tone RU65 30~1000




Date: 19.DEC.2025 16:39:02

11AX40SISO Ant1 2437 484Tone RU65_1000~26500




Date: 19.DEC.2025 16:39:40

11AX40SISO_Ant1_2452_26Tone_RU17_0~Reference




Date: 6.JAN.2026 15:41:48

11AX40SISO_Ant1_2452_26Tone_RU17_30~1000




Date: 6.JAN.2026 15:42:01

11AX40SISO_Ant1_2452_26Tone_RU17_1000~26500




Date: 6.JAN.2026 15:42:39

11AX40SISO_Ant1_2452_52Tone_RU44_0~Reference




Date: 6.JAN.2026 15:43:30

11AX40SISO_Ant1_2452_52Tone_RU44_30~1000




Date: 6.JAN.2026 15:43:43

11AX40SISO_Ant1_2452_52Tone_RU44_1000~26500




Date: 6.JAN.2026 15:44:21

11AX40SISO Ant1 2452 106Tone RU56_0~Reference




Date: 19.DEC.2025 16:45:42

11AX40SISO Ant1 2452 106Tone RU56 30~1000




Date: 19.DEC.2025 16:45:55

11AX40SISO Ant1 2452 106Tone RU56_1000~26500




Date: 19.DEC.2025 16:46:33

11AX40SISO Ant1 2452 242Tone RU62_0~Reference




Date: 6.JAN.2026 15:45:12

11AX40SISO Ant1 2452 242Tone RU62_30~1000




Date: 6.JAN.2026 15:45:24

11AX40SISO Ant1 2452 242Tone RU62_1000~26500




Date: 6.JAN.2026 15:46:03

11AX40SISO Ant1 2452 484Tone RU65_0~Reference




Date: 19.DEC.2025 16:52:37

11AX40SISO Ant1 2452 484Tone RU65 30~1000



Date: 19.DEC.2025 16:52:50

11AX40SISO Ant1 2452 484Tone RU65_1000~26500




Date: 19.DEC.2025 16:53:29

Band edge:

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	7.74	-43	≤-22.26	PASS
		High	2462	7.26	-41.33	≤-22.74	PASS
11G	Ant1	Low	2412	5.07	-31.83	≤-24.93	PASS
		High	2462	3.98	-38.12	≤-26.02	PASS
11N20SISO	Ant1	Low	2412	5.69	-27.84	≤-24.31	PASS
		High	2462	1.95	-38.44	≤-28.05	PASS
11N40SISO	Ant1	Low	2422	0.46	-37.39	≤-29.54	PASS
		High	2452	-2.18	-41.67	≤-32.18	PASS


TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	Low	2412	26Tone	RU0	6.35	-39.04	≤-23.65	PASS
				52Tone	RU37	4.74	-43.15	≤-25.26	PASS
				106Tone	RU53	5.27	-41.02	≤-24.73	PASS
				242Tone	RU61	3.60	-37.26	≤-26.4	PASS
		High	2462	26Tone	RU8	4.41	-48.85	≤-25.59	PASS
				52Tone	RU40	4.14	-47.15	≤-25.86	PASS
				106Tone	RU54	3.81	-40.49	≤-26.19	PASS
				242Tone	RU61	0.55	-42.21	≤-29.45	PASS
11AX40SISO	Ant1	Low	2422	26Tone	RU0	2.79	-43.76	≤-27.21	PASS
				52Tone	RU37	4.46	-42.59	≤-25.54	PASS
				106Tone	RU53	5.20	-39.26	≤-24.8	PASS
				242Tone	RU61	4.59	-35.52	≤-25.41	PASS
		High	2452	484Tone	RU65	-0.56	-39.62	≤-30.56	PASS
				26Tone	RU17	2.03	-48.64	≤-27.97	PASS
				52Tone	RU44	3.28	-46.55	≤-26.72	PASS
				106Tone	RU56	4.20	-40.4	≤-25.8	PASS
				242Tone	RU62	4.62	-42.58	≤-25.38	PASS
				484Tone	RU65	-0.95	-40.31	≤-30.95	PASS

11B_Ant1_Low_2412




Date: 19.DEC.2025 15:36:10

11B_Ant1_High_2462




Date: 19.DEC.2025 15:40:37

11G_Ant1_Low_2412




Date: 19.DEC.2025 15:42:59

11G_Ant1_High_2462




Date: 19.DEC.2025 15:46:57

11N20SISO_Ant1_Low_2412




Date: 19.DEC.2025 15:51:32

11N20SISO_Ant1_High_2462




Date: 19.DEC.2025 15:55:47


11N40SISO Ant1 Low 2422



11N40SISO Ant1 High 2452




11AX20SISO_Ant1_Low_2412_26Tone_RU0




Date: 6.JAN.2026 13:50:25

11AX20SISO_Ant1_Low_2412_52Tone_RU37




Date: 6.JAN.2026 13:57:53

11AX20SISO_Ant1_Low_2412_106Tone_RU53




Date: 6.JAN.2026 13:59:49

11AX20SISO Ant1_Low 2412_242Tone_RU61




Date: 19.DEC.2025 16:15:11

11AX20SISO Ant1_High 2462_26Tone_RU8




Date: 6.JAN.2026 15:24:44

11AX20SISO Ant1_High 2462_52Tone_RU40




Date: 6.JAN.2026 15:26:30

11AX20SISO_Ant1_High_2462_106Tone_RU54




Date: 19.DEC.2025 16:23:54

11AX20SISO_Ant1_High_2462_242Tone_RU61




Date: 10.DEC.2025 16:06:45

11AX40SISO_Ant1_Low_2422_26Tone_RU0




Date: 6.JAN.2026 15:28:36

11AX40SISO Ant1 Low 2422 52Tone RU37




Date: 6.JAN.2026 15:30:51

11AX40SISO Ant1 Low 2422 106Tone RU53




Date: 6.JAN.2026 15:33:05

11AX40SISO Ant1 Low 2422 242Tone RU61




Date: 19.DEC.2025 16:28:49

11AX40SISO Ant1 Low 2422 484Tone RU65




Date: 19.DEC.2025 16:31:14

11AX40SISO Ant1 High 2452 26Tone RU17




Date: 6.JAN.2026 15:41:37

11AX40SISO Ant1 High 2452 52Tone RU44




Date: 6.JAN.2026 15:43:19

11AX40SISO_Ant1_High_2452_106Tone_RU56




Date: 19.DEC.2025 16:45:31

11AX40SISO_Ant1_High_2452_242Tone_RU62



Date: 6.JAN.2026 15:45:01

11AX40SISO_Ant1_High_2452_484Tone_RU65



Date: 19.DEC.2025 16:52:26

Appendix B.5: Test Results of Radiated Spurious Emissions

Note 1: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.


Note 2: The highest emissions are the fundamental waves.

Note 3: All modes and ports tested, only the worst-case reported.

30MHz - 1GHz

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch1
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	35.1733	32.16	-15.84	16.32	40.00	-23.68	QP
2	46.4900	28.92	-16.28	12.64	40.00	-27.36	QP
3	147.3700	30.43	-16.43	14.00	43.50	-29.50	QP
4	296.4267	30.40	-15.63	14.77	46.00	-31.23	QP
5	581.6067	32.19	-8.24	23.95	46.00	-22.05	QP
6 *	898.7967	32.19	-2.35	29.84	46.00	-16.16	QP

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	34.5267	35.39	-15.88	19.51	40.00	-20.49	QP
2	77.5300	32.16	-20.16	12.00	40.00	-28.00	QP
3	193.6067	35.32	-18.82	16.50	43.50	-27.00	QP
4	241.1367	39.72	-17.90	21.82	46.00	-24.18	QP
5	515.6467	32.16	-9.72	22.44	46.00	-23.56	QP
6 *	775.2833	32.47	-3.81	28.66	46.00	-17.34	QP

Above 1GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4824.000	37.04	6.42	43.46	74.00	-30.54	peak
2	4824.000	29.55	6.42	35.97	54.00	-18.03	AVG
3	7236.000	36.01	13.86	49.87	74.00	-24.13	peak
4	7236.000	27.69	13.86	41.55	54.00	-12.45	AVG
5	12060.000	35.72	18.32	54.04	74.00	-19.96	peak
6 *	12060.000	26.33	18.32	44.65	54.00	-9.35	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4824.000	37.45	6.42	43.87	74.00	-30.13	peak
2	4824.000	29.68	6.42	36.10	54.00	-17.90	AVG
3	7236.000	36.09	13.86	49.95	74.00	-24.05	peak
4	7236.000	27.58	13.86	41.44	54.00	-12.56	AVG
5	12060.000	34.37	18.32	52.69	74.00	-21.31	peak
6 *	12060.000	26.20	18.32	44.52	54.00	-9.48	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.000	38.33	6.52	44.85	74.00	-29.15	peak
2	4874.000	29.94	6.52	36.46	54.00	-17.54	AVG
3	7311.000	36.28	14.01	50.29	74.00	-23.71	peak
4	7311.000	27.48	14.01	41.49	54.00	-12.51	AVG
5	12185.000	34.55	18.33	52.88	74.00	-21.12	peak
6 *	12185.000	26.62	18.33	44.95	54.00	-9.05	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.000	38.92	6.52	45.44	74.00	-28.56	peak
2	4874.000	29.72	6.52	36.24	54.00	-17.76	AVG
3	7311.000	36.91	14.01	50.92	74.00	-23.08	peak
4	7311.000	27.27	14.01	41.28	54.00	-12.72	AVG
5	12185.000	35.18	18.33	53.51	74.00	-20.49	peak
6 *	12185.000	26.72	18.33	45.05	54.00	-8.95	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch11
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4924.000	37.67	6.63	44.30	74.00	-29.70	peak
2	4924.000	29.05	6.63	35.68	54.00	-18.32	AVG
3	7386.000	35.45	13.97	49.42	74.00	-24.58	peak
4	7386.000	27.84	13.97	41.81	54.00	-12.19	AVG
5	12310.000	34.12	18.22	52.34	74.00	-21.66	peak
6 *	12310.000	26.36	18.22	44.58	54.00	-9.42	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4924.000	37.64	6.63	44.27	74.00	-29.73	peak
2	4924.000	29.20	6.63	35.83	54.00	-18.17	AVG
3	7386.000	35.82	13.97	49.79	74.00	-24.21	peak
4	7386.000	27.66	13.97	41.63	54.00	-12.37	AVG
5	12310.000	35.13	18.22	53.35	74.00	-20.65	peak
6 *	12310.000	26.83	18.22	45.05	54.00	-8.95	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU0
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	20.11	35.86	55.97	74.00	-18.03	peak
2 *	2390.000	5.64	35.86	41.50	54.00	-12.50	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU0
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	17.68	35.86	53.54	74.00	-20.46	peak
2 *	2390.000	5.01	35.86	40.87	54.00	-13.13	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU37
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	2390.000	27.40	35.86	63.26	74.00	-10.74	peak
2	2390.000	6.06	35.86	41.92	54.00	-12.08	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU37
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	23.28	35.86	59.14	74.00	-14.86	peak
2 *	2390.000	6.93	35.86	42.79	54.00	-11.21	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU53
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2379.133	22.15	35.82	57.97	74.00	-16.03	peak
2 *	2379.133	10.63	35.82	46.45	54.00	-7.55	AVG
3	2390.000	28.98	35.86	64.84	74.00	-9.16	peak
4	2390.000	9.36	35.86	45.22	54.00	-8.78	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU53
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	25.74	35.86	61.60	74.00	-12.40	peak
2 *	2390.000	7.88	35.86	43.74	54.00	-10.26	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	22.13	35.86	57.99	74.00	-16.01	peak
2 *	2390.000	10.45	35.86	46.31	54.00	-7.69	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	29.70	35.86	65.56	74.00	-8.44	peak
2 *	2390.000	12.27	35.86	48.13	54.00	-5.87	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2384.933	25.82	35.84	61.66	74.00	-12.34	peak
2 *	2384.933	14.40	35.84	50.24	54.00	-3.76	AVG
3	2390.000	28.58	35.86	64.44	74.00	-9.56	peak
4	2390.000	11.37	35.86	47.23	54.00	-6.77	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch3_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2384.067	24.41	35.84	60.25	74.00	-13.75	peak
2 *	2384.067	12.55	35.84	48.39	54.00	-5.61	AVG
3	2390.000	27.09	35.86	62.95	74.00	-11.05	peak
4	2390.000	9.24	35.86	45.10	54.00	-8.90	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU17
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	20.98	36.36	57.34	74.00	-16.66	peak
2 *	2483.500	5.20	36.36	41.56	54.00	-12.44	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU17
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	15.01	36.36	51.37	74.00	-22.63	peak
2 *	2483.500	4.99	36.36	41.35	54.00	-12.65	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU44
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	2483.500	29.05	36.36	65.41	74.00	-8.59	peak
2	2483.500	7.26	36.36	43.62	54.00	-10.38	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU44
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	24.31	36.36	60.67	74.00	-13.33	peak
2 *	2483.500	6.85	36.36	43.21	54.00	-10.79	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU56
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	2483.500	31.36	36.36	67.72	74.00	-6.28	peak
2	2483.500	10.98	36.36	47.34	54.00	-6.66	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU56
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	2483.500	28.36	36.36	64.72	74.00	-9.28	peak
2	2483.500	6.98	36.36	43.34	54.00	-10.66	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	26.58	36.36	62.94	74.00	-11.06	peak
2 *	2483.500	10.21	36.36	46.57	54.00	-7.43	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	31.15	36.36	67.51	74.00	-6.49	peak
2 *	2483.500	13.59	36.36	49.95	54.00	-4.05	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	30.33	36.36	66.69	74.00	-7.31	peak
2 *	2483.500	12.12	36.36	48.48	54.00	-5.52	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 2.4G_11ax40_Ch9_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	28.17	36.36	64.53	74.00	-9.47	peak
2	2483.500	10.80	36.36	47.16	54.00	-6.84	AVG
3	2485.933	24.82	36.37	61.19	74.00	-12.81	peak
4 *	2485.933	12.27	36.37	48.64	54.00	-5.36	AVG

Appendix B.6: Test Results of Conducted emissions of AC mains

EUT Information

EUT Name: Camera
Order No: C35713EVT17010
Model: TPSB1
Test mode: WIFI 2.4G_11b_Ch1
Test Voltage: AC 120V/60Hz
Test Standard: FCC 15.247/RSS 247
Test By:/Review By: Lucy Lan/Terry Yin
Remark: SR2



Final Measurement Detector 1


Frequency (MHz)	QuasiPeak (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.157350	41.3	1000.00	9.000	On	L1	9.4	24.3	65.6	
0.232500	43.1	1000.00	9.000	On	L1	9.5	19.3	62.4	
0.703780	42.9	1000.00	9.000	On	L1	9.6	13.2	56.0	

Final Measurement Detector 2

Frequency (MHz)	Average (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.162440	35.5	1000.00	9.000	On	L1	9.5	19.8	55.3	
0.465040	25.9	1000.00	9.000	On	L1	9.4	20.7	46.6	
0.698190	34.4	1000.00	9.000	On	L1	9.6	11.6	46.0	

EUT Information

EUT Name: Camera
 Order No: C35713EVT17010
 Model: TPSB1
 Test mode: WIFI 2.4G_11b_Ch1
 Test Voltage: AC 120V/60Hz
 Test Standard: FCC 15.247/RSS 247
 Test By:/Review By: Lucy Lan /Terry Yin
 Remark: SR2



Final Measurement Detector 1

Frequency (MHz)	QuasiPeak (dB μV)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μV)	Comment
0.173130	39.5	1000.00	9.000	On	N	9.4	25.3	64.8	
0.251780	34.6	1000.00	9.000	On	N	9.4	27.1	61.7	
0.720800	41.8	1000.00	9.000	On	N	9.3	14.2	56.0	

Final Measurement Detector 2

Frequency (MHz)	Average (dB μV)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μV)	Comment
0.211300	31.3	1000.00	9.000	On	N	9.4	21.9	53.2	
0.245840	28.6	1000.00	9.000	On	N	9.4	23.3	51.9	
0.715080	31.2	1000.00	9.000	On	N	9.3	14.8	46.0	