

Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 195 of 338


11AX20SISO_Ant1_5200_106Tone_RU53



11AX20SISO_Ant1_5200_242Tone_RU61



11AX20SISO_Ant1_5240_26Tone_RU8



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 196 of 338

11AX20SISO_Ant1_5240_52Tone_RU40



11AX20SISO_Ant1_5240_106Tone_RU54



11AX20SISO_Ant1_5240_242Tone_RU61



Appendix B CN25SVED 003

11AX20SISO_Ant1_5260_26Tone_RU0



11AX20SISO_Ant1_5260_52Tone_RU37



11AX20SISO_Ant1_5260_106Tone_RU53



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 198 of 338

11AX20SISO Ant1 5260 242Tone_RU61



11AX20SISO Ant1 5280 26Tone_RU4



11AX20SISO Ant1 5280 52Tone_RU38



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 199 of 338

11AX20SISO_Ant1_5280_106Tone_RU53



11AX20SISO_Ant1_5280_242Tone_RU61



11AX20SISO_Ant1_5320_26Tone_RU8



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 200 of 338

11AX20SISO_Ant1_5320_52Tone_RU40



11AX20SISO_Ant1_5320_106Tone_RU54



11AX20SISO_Ant1_5320_242Tone_RU61



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 201 of 338

11AX20SISO_Ant1_5500_26Tone_RU0



11AX20SISO_Ant1_5500_52Tone_RU37



11AX20SISO_Ant1_5500_106Tone_RU53



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 202 of 338

11AX20SISO_Ant1_5500_242Tone_RU61



11AX20SISO_Ant1_5580_26Tone_RU4



11AX20SISO_Ant1_5580_52Tone_RU38



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 203 of 338


11AX20SISO_Ant1_5580_106Tone_RU53



11AX20SISO_Ant1_5580_242Tone_RU61



11AX20SISO_Ant1_5700_26Tone_RU8



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 204 of 338

11AX20SISO_Ant1_5700_52Tone_RU40




11AX20SISO_Ant1_5700_106Tone_RU54



11AX20SISO_Ant1_5700_242Tone_RU61




Appendix B CN25SVED 003



Prüfbericht - Produkte
Test Report - Products

Page 205 of 338

11AX20SISO_Ant1_5720_UNII-2C_26Tone_RU8



11AX20SISO_Ant1_5720_UNII-2C_52Tone_RU40



11AX20SISO_Ant1_5720_UNII-2C_106Tone_RU54



Appendix B CN25SVED 003

11AX20SISO_Ant1_5720_UNII-2C_242Tone_RU61



11AX20SISO_Ant1_5720_UNII-3_26Tone_RU8



11AX20SISO_Ant1_5720_UNII-3_52Tone_RU40



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 207 of 338

11AX20SISO_Ant1_5720_UNII-3_106Tone_RU54



11AX20SISO_Ant1_5720_UNII-3_242Tone_RU61



11AX20SISO_Ant1_5745_26Tone_RU0



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 208 of 338

11AX20SISO_Ant1_5745_52Tone_RU37



11AX20SISO_Ant1_5745_106Tone_RU53



11AX20SISO_Ant1_5745_242Tone_RU61



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 209 of 338

11AX20SISO_Ant1_5785_26Tone_RU4



11AX20SISO_Ant1_5785_52Tone_RU38



11AX20SISO_Ant1_5785_106Tone_RU53



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 210 of 338

11AX20SISO_Ant1_5785_242Tone_RU61



11AX20SISO_Ant1_5825_26Tone_RU8



11AX20SISO_Ant1_5825_52Tone_RU40



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 211 of 338

11AX20SISO_Ant1_5825_106Tone_RU54



11AX20SISO_Ant1_5825_242Tone_RU61



11AX40SISO_Ant1_5190_26Tone_RU0



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 212 of 338

11AX40SISO_Ant1_5190_52Tone_RU37



11AX40SISO_Ant1_5190_106Tone_RU53



11AX40SISO_Ant1_5190_242Tone_RU61




11AX40SISO Ant1 5190 484Tone RU65



11AX40SISO Ant1 5230 26Tone RU17



11AX40SISO Ant1 5230 52Tone RU44



11AX40SISO_Ant1_5230_106Tone_RU56



11AX40SISO_Ant1_5230_242Tone_RU62



11AX40SISO_Ant1_5230_484Tone_RU65



11AX40SISO_Ant1_5270_26Tone_RU0



11AX40SISO_Ant1_5270_52Tone_RU37



11AX40SISO_Ant1_5270_106Tone_RU53



11AX40SISO Ant1 5270 242Tone_RU61



11AX40SISO Ant1 5270 484Tone_RU65



11AX40SISO Ant1 5310 26Tone_RU17



Appendix B
CN25SVED 003

11AX40SISO_Ant1_5310_52Tone_RU44



11AX40SISO_Ant1_5310_106Tone_RU56



11AX40SISO_Ant1_5310_242Tone_RU62



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 218 of 338

11AX40SISO Ant1 5310 484Tone_RU65



11AX40SISO Ant1 5510 26Tone_RU0



11AX40SISO Ant1 5510 52Tone_RU37



Appendix B CN25SVED 003

11AX40SISO_Ant1_5510_106Tone_RU53



11AX40SISO_Ant1_5510_242Tone_RU61



11AX40SISO_Ant1_5510_484Tone_RU65



11AX40SISO_Ant1_5550_26Tone_RU8



11AX40SISO_Ant1_5550_52Tone_RU40




11AX40SISO_Ant1_5550_106Tone_RU54



11AX40SISO Ant1_5550_242Tone_RU61



11AX40SISO Ant1_5550_484Tone_RU65



11AX40SISO Ant1_5670_26Tone_RU17



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 222 of 338

11AX40SISO_Ant1_5670_52Tone_RU44



11AX40SISO_Ant1_5670_106Tone_RU56



11AX40SISO_Ant1_5670_242Tone_RU62



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 223 of 338


11AX40SISO_Ant1_5670_484Tone_RU65



11AX40SISO_Ant1_5710_UNII-2C_26Tone_RU17



11AX40SISO_Ant1_5710_UNII-2C_52Tone_RU44



Appendix B CN25SVED 003

11AX40SISO_Ant1_5710_UNII-2C_106Tone_RU56



11AX40SISO_Ant1_5710_UNII-2C_242Tone_RU62




11AX40SISO_Ant1_5710_UNII-2C_484Tone_RU65



Appendix B
CN25SVED 003


11AX40SISO_Ant1_5710_UNII-3_26Tone_RU17



11AX40SISO_Ant1_5710_UNII-3_52Tone_RU44



11AX40SISO_Ant1_5710_UNII-3_106Tone_RU56




Appendix B CN25SVED 003

11AX40SISO_Ant1_5710_UNII-3_242Tone_RU62



11AX40SISO_Ant1_5710_UNII-3_484Tone_RU65



11AX40SISO_Ant1_5755_26Tone_RU0



Appendix B
CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 227 of 338

11AX40SISO_Ant1_5755_52Tone_RU37



11AX40SISO_Ant1_5755_106Tone_RU53



11AX40SISO_Ant1_5755_242Tone_RU61




Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 228 of 338

11AX40SISO Ant1 5755 484Tone RU65



11AX40SISO Ant1 5795 26Tone RU17




11AX40SISO Ant1 5795 52Tone RU44




11AX40SISO_Ant1_5795_106Tone_RU56




11AX40SISO_Ant1_5795_242Tone_RU62




11AX40SISO_Ant1_5795_484Tone_RU65



11AX80SISO_Ant1_5210_26Tone_RU0



11AX80SISO_Ant1_5210_52Tone_RU37



11AX80SISO_Ant1_5210_106Tone_RU53



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 231 of 338

11AX80SISO_Ant1_5210_242Tone_RU61



11AX80SISO_Ant1_5210_484Tone_RU65



11AX80SISO_Ant1_5210_996Tone_RU67



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 232 of 338

11AX80SISO_Ant1_5290_26Tone_RU36



11AX80SISO_Ant1_5290_52Tone_RU52



11AX80SISO_Ant1_5290_106Tone_RU60




Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 233 of 338

11AX80SISO_Ant1_5290_242Tone_RU64



11AX80SISO_Ant1_5290_484Tone_RU66



11AX80SISO_Ant1_5290_996Tone_RU67



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 234 of 338

11AX80SISO_Ant1_5530_26Tone_RU0



11AX80SISO_Ant1_5530_52Tone_RU37



11AX80SISO_Ant1_5530_106Tone_RU53



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 235 of 338

11AX80SISO_Ant1_5530_242Tone_RU61



11AX80SISO_Ant1_5530_484Tone_RU65



11AX80SISO_Ant1_5530_996Tone_RU67



Appendix B
CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 236 of 338


11AX80SISO_Ant1_5610_26Tone_RU36



11AX80SISO_Ant1_5610_52Tone_RU52



11AX80SISO_Ant1_5610_106Tone_RU60



Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 237 of 338

11AX80SISO_Ant1_5610_242Tone_RU64



11AX80SISO_Ant1_5610_484Tone_RU66



11AX80SISO_Ant1_5610_996Tone_RU67




Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 238 of 338


11AX80SISO Ant1 5690 UNII-2C 26Tone RU36



11AX80SISO Ant1 5690 UNII-2C 52Tone RU52



11AX80SISO Ant1 5690 UNII-2C 106Tone RU60




Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 239 of 338

11AX80SISO_Ant1_5690_UNII-2C_242Tone_RU64



11AX80SISO_Ant1_5690_UNII-2C_484Tone_RU66



11AX80SISO_Ant1_5690_UNII-2C_996Tone_RU67




Appendix B CN25SVED 003


Prüfbericht - Produkte
Test Report - Products

Page 240 of 338


11AX80SISO Ant1 5690 UNII-3 26Tone_RU36



11AX80SISO Ant1 5690 UNII-3 52Tone_RU52



11AX80SISO Ant1 5690 UNII-3 106Tone_RU60




Appendix B CN25SVED 003

Prüfbericht - Produkte
Test Report - Products

Page 241 of 338


11AX80SISO Ant1 5690 UNII-3 242Tone RU64



11AX80SISO Ant1 5690 UNII-3 484Tone RU66



11AX80SISO Ant1 5690 UNII-3 996Tone RU67




Appendix B CN25SVED 003


Prüfbericht - Produkte
Test Report - Products

Page 242 of 338


11AX80SISO_Ant1_5775_26Tone_RU0




11AX80SISO_Ant1_5775_52Tone_RU37




11AX80SISO_Ant1_5775_106Tone_RU53




11AX80SISO_Ant1_5775_242Tone_RU61



11AX80SISO_Ant1_5775_484Tone_RU65



11AX80SISO_Ant1_5775_996Tone_RU67



B.3 Transmitter Spurious Emissions


Note:

1. Testing is carried out with frequency rang 9kHz to the tenth harmonics. And it verified that the emssions above 18GHz are just floor-nises, no need to report it.
2. The highest emissions are the fundamental waves.
2. The emissions more than 20dB below the limits not recorded.
3. All modes for required channel tested, only the worst-case reported.

B.3.1 Transmitter Spurious Emissions, Below 1GHz

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11a_Ch36
Order No/Sample No:	C35713EVT17010
Test Voltage:	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	34.8500	31.84	-15.87	15.97	40.00	-24.03	QP
2	55.5433	29.73	-17.02	12.71	40.00	-27.29	QP
3	121.1800	32.31	-18.28	14.03	43.50	-29.47	QP
4	264.4166	32.16	-16.96	15.20	46.00	-30.80	QP
5	646.5967	32.76	-6.75	26.01	46.00	-19.99	QP
6 *	800.8267	31.77	-3.22	28.55	46.00	-17.45	QP

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11a_Ch48
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	34.5267	35.99	-15.88	20.11	40.00	-19.89	QP
2	77.2067	32.62	-20.08	12.54	40.00	-27.46	QP
3	189.4033	33.82	-18.79	15.03	43.50	-28.47	QP
4	245.3400	35.33	-17.72	17.61	46.00	-28.39	QP
5	283.1700	34.93	-16.12	18.81	46.00	-27.19	QP
6	579.3433	32.47	-8.28	24.19	46.00	-21.81	QP


B.3.2 Transmitter Spurious Emissions, above 1GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

U-NII-1 Band:

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch36
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1493.000	47.50	-4.87	42.63	74.00	-31.37	peak
2	1493.000	33.18	-4.87	28.31	54.00	-25.69	AVG
3	3929.667	39.39	5.00	44.39	74.00	-29.61	peak
4	3929.667	29.62	5.00	34.62	54.00	-19.38	AVG
5	10360.000	36.85	17.01	53.86	74.00	-20.14	peak
6 *	10360.000	27.21	17.01	44.22	54.00	-9.78	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch36
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2399.667	46.58	1.24	47.82	74.00	-26.18	peak
2	2399.667	31.72	1.24	32.96	54.00	-21.04	AVG
3	5907.000	28.68	9.57	38.25	54.00	-15.75	AVG
4	5907.333	39.13	9.57	48.70	74.00	-25.30	peak
5	10360.000	35.59	17.01	52.60	74.00	-21.40	peak
6 *	10360.000	27.47	17.01	44.48	54.00	-9.52	AVG


Appendix B
CN25SVED 003



Prüfbericht - Produkte
Test Report - Products

Page 248 of 338


EUT Name: Camera
Model: TPSB1
Test Mode: WIFI 5G_11N20_Ch40
Order No/Sample No: C35713EVT17010
Test Voltage:: 3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Polarization: Horizontal
Tested By: Lucy Lan
Reviewed By: Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9307.333	38.74	16.17	54.91	74.00	-19.09	peak
2	9307.333	28.80	16.17	44.97	54.00	-9.03	AVG
3	10400.000	36.88	16.86	53.74	74.00	-20.26	peak
4	10400.000	27.60	16.86	44.46	54.00	-9.54	AVG
5	14447.000	38.13	22.60	60.73	74.00	-13.27	peak
6 *	14447.000	28.10	22.60	50.70	54.00	-3.30	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch40
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9177.000	38.00	15.93	53.93	74.00	-20.07	peak
2	9177.000	29.03	15.93	44.96	54.00	-9.04	AVG
3	10400.000	36.52	16.86	53.38	74.00	-20.62	peak
4	10400.000	28.51	16.86	45.37	54.00	-8.63	AVG
5	14628.333	38.30	22.32	60.62	74.00	-13.38	peak
6 *	14628.333	28.48	22.32	50.80	54.00	-3.20	AVG

Appendix B


CN25SVED 003



Prüfbericht - Produkte
Test Report - Products

Page 250 of 338


EUT Name: Camera
Model: TPSB1
Test Mode: WIFI 5G_11N20_Ch48
Order No/Sample No: C35713EVT17010
Test Voltage:: 3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Polarization: Horizontal
Tested By: Lucy Lan
Reviewed By: Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9239.333	39.08	16.02	55.10	74.00	-18.90	peak
2	9239.333	28.83	16.02	44.85	54.00	-9.15	AVG
3	10480.000	36.32	16.96	53.28	74.00	-20.72	peak
4	10480.000	28.88	16.96	45.84	54.00	-8.16	AVG
5	14016.333	38.11	22.29	60.40	74.00	-13.60	peak
6 *	14016.333	28.70	22.29	50.99	54.00	-3.01	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch48
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	10480.000	37.08	16.96	54.04	74.00	-19.96	peak
2	10480.000	29.61	16.96	46.57	54.00	-7.43	AVG
3	10888.333	39.61	17.45	57.06	74.00	-16.94	peak
4	10888.333	28.75	17.45	46.20	54.00	-7.80	AVG
5	14571.667	38.07	22.46	60.53	74.00	-13.47	peak
6 *	14571.667	28.10	22.46	50.56	54.00	-3.44	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC40_Ch38
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1498.667	45.57	-4.85	40.72	74.00	-33.28	peak
2	1498.667	33.25	-4.85	28.40	54.00	-25.60	AVG
3	5867.667	38.88	9.41	48.29	74.00	-25.71	peak
4	5867.667	28.39	9.41	37.80	54.00	-16.20	AVG
5	10380.000	36.67	17.04	53.71	74.00	-20.29	peak
6 *	10380.000	26.76	17.04	43.80	54.00	-10.20	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC40_Ch38
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.000	45.36	1.62	46.98	74.00	-27.02	peak
2	2462.000	37.42	1.62	39.04	54.00	-14.96	AVG
3	5743.000	39.78	8.87	48.65	74.00	-25.35	peak
4	5743.000	30.33	8.87	39.20	54.00	-14.80	AVG
5	10380.000	35.99	17.04	53.03	74.00	-20.97	peak
6 *	10380.000	27.06	17.04	44.10	54.00	-9.90	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC40_Ch46
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9585.000	38.63	16.14	54.77	74.00	-19.23	peak
2	9585.000	28.73	16.14	44.87	54.00	-9.13	AVG
3	10460.000	36.27	16.93	53.20	74.00	-20.80	peak
4	10460.000	28.93	16.93	45.86	54.00	-8.14	AVG
5	14339.333	39.79	22.53	62.32	74.00	-11.68	peak
6 *	14339.333	28.38	22.53	50.91	54.00	-3.09	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC40_Ch46
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	8769.000	38.32	14.97	53.29	74.00	-20.71	peak
2	8769.000	28.99	14.97	43.96	54.00	-10.04	AVG
3	10460.000	35.01	16.93	51.94	74.00	-22.06	peak
4	10460.000	28.44	16.93	45.37	54.00	-8.63	AVG
5	14554.667	38.49	22.50	60.99	74.00	-13.01	peak
6 *	14554.667	27.53	22.50	50.03	54.00	-3.97	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AX80_Ch42_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1498.667	45.92	-4.85	41.07	74.00	-32.93	peak
2	1498.667	32.93	-4.85	28.08	54.00	-25.92	AVG
3	5170.667	39.97	7.14	47.11	74.00	-26.89	peak
4	5170.667	31.58	7.14	38.72	54.00	-15.28	AVG
5	10420.000	35.63	17.08	52.71	74.00	-21.29	peak
6 *	10420.000	27.32	17.08	44.40	54.00	-9.60	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AX80_Ch42_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2405.333	48.13	1.28	49.41	74.00	-24.59	peak
2	2405.333	34.94	1.28	36.22	54.00	-17.78	AVG
3	4570.000	38.89	6.00	44.89	74.00	-29.11	peak
4	4570.000	31.36	6.00	37.36	54.00	-16.64	AVG
5	10420.000	35.60	17.08	52.68	74.00	-21.32	peak
6 *	10420.000	29.00	17.08	46.08	54.00	-7.92	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch36_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5149.280	20.23	41.75	61.98	74.00	-12.02	peak
2 *	5149.280	8.97	41.75	50.72	54.00	-3.28	AVG
3	5150.000	19.62	41.75	61.37	74.00	-12.63	peak
4	5150.000	6.72	41.75	48.47	54.00	-5.53	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch36_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.000	17.39	41.75	59.14	74.00	-14.86	peak
2 *	5150.000	3.63	41.75	45.38	54.00	-8.62	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N40_Ch38
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.000	25.27	41.75	67.02	74.00	-6.98	peak
2 *	5150.000	8.81	41.75	50.56	54.00	-3.44	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N40_Ch38
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.000	18.27	41.75	60.02	74.00	-13.98	peak
2 *	5150.000	4.70	41.75	46.45	54.00	-7.55	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC80_Ch42
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.000	23.64	41.75	65.39	74.00	-8.61	peak
2 *	5150.000	9.14	41.75	50.89	54.00	-3.11	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11AC80_Ch42
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.000	20.22	41.75	61.97	74.00	-12.03	peak
2 *	5150.000	2.39	41.75	44.14	54.00	-9.86	AVG

U-NII-2A:

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch52
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2592.333	42.38	2.05	44.43	74.00	-29.57	peak
2	2592.333	32.89	2.05	34.94	54.00	-19.06	AVG
3	7295.667	37.93	14.00	51.93	74.00	-22.07	peak
4	7295.667	27.08	14.00	41.08	54.00	-12.92	AVG
5	10520.000	36.36	17.20	53.56	74.00	-20.44	peak
6 *	10520.000	26.57	17.20	43.77	54.00	-10.23	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch52
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3000.333	40.15	3.10	43.25	74.00	-30.75	peak
2	3000.333	29.88	3.10	32.98	74.00	-41.02	peak
3	6032.000	38.96	10.00	48.96	74.00	-25.04	peak
4	6032.000	28.05	10.00	38.05	54.00	-15.95	AVG
5	10520.000	35.31	17.20	52.51	74.00	-21.49	peak
6 *	10520.000	26.96	17.20	44.16	54.00	-9.84	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch56
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9256.333	39.39	16.05	55.44	74.00	-18.56	peak
2	9256.333	28.25	16.05	44.30	54.00	-9.70	AVG
3	10560.000	35.75	17.05	52.80	74.00	-21.20	peak
4	10560.000	28.18	17.05	45.23	54.00	-8.77	AVG
5	14050.333	39.19	22.32	61.51	74.00	-12.49	peak
6 *	14050.333	27.67	22.32	49.99	54.00	-4.01	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch56
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9551.000	38.72	16.17	54.89	74.00	-19.11	peak
2	9551.000	28.57	16.17	44.74	54.00	-9.26	AVG
3	10560.000	35.84	17.05	52.89	74.00	-21.11	peak
4	10560.000	27.81	17.05	44.86	54.00	-9.14	AVG
5	14112.667	39.92	22.38	62.30	74.00	-11.70	peak
6 *	14112.667	28.08	22.38	50.46	54.00	-3.54	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch64
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	8735.000	39.96	14.88	54.84	74.00	-19.16	peak
2	8735.000	28.92	14.88	43.80	54.00	-10.20	AVG
3	10640.000	36.41	17.15	53.56	74.00	-20.44	peak
4	10640.000	28.07	17.15	45.22	54.00	-8.78	AVG
5	14373.333	38.07	22.56	60.63	74.00	-13.37	peak
6 *	14373.333	27.79	22.56	50.35	54.00	-3.65	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11N20_Ch64
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5992.333	37.98	10.04	48.02	74.00	-25.98	peak
2	5992.333	29.20	10.04	39.24	54.00	-14.76	AVG
3	10640.000	36.79	17.15	53.94	74.00	-20.06	peak
4	10640.000	28.20	17.15	45.35	54.00	-8.65	AVG
5	14288.333	38.55	22.47	61.02	74.00	-12.98	peak
6 *	14288.333	28.23	22.47	50.70	54.00	-3.30	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch54_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1493.000	47.90	-4.87	43.03	74.00	-30.97	peak
2	1493.000	36.39	-4.87	31.52	54.00	-22.48	AVG
3	5074.333	40.36	6.95	47.31	74.00	-26.69	peak
4	5074.333	31.56	6.95	38.51	54.00	-15.49	AVG
5	10540.000	35.78	17.23	53.01	74.00	-20.99	peak
6 *	10540.000	28.77	17.23	46.00	54.00	-8.00	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch54_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1600.667	45.94	-4.62	41.32	74.00	-32.68	peak
2	1600.667	38.11	-4.62	33.49	54.00	-20.51	AVG
3	5261.333	42.08	7.37	49.45	74.00	-24.55	peak
4	5261.333	35.33	7.37	42.70	54.00	-11.30	AVG
5	10540.000	35.39	17.23	52.62	74.00	-21.38	peak
6 *	10540.000	28.73	17.23	45.96	54.00	-8.04	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch62_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5312.333	41.87	7.48	49.35	74.00	-24.65	peak
2	5312.333	34.29	7.48	41.77	54.00	-12.23	AVG
3	8202.333	38.41	13.96	52.37	74.00	-21.63	peak
4	8202.333	30.53	13.96	44.49	54.00	-9.51	AVG
5	10620.000	35.93	17.12	53.05	74.00	-20.95	peak
6 *	10620.000	30.01	17.12	47.13	54.00	-6.87	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch62_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1493.000	49.92	-4.82	45.10	74.00	-28.90	peak
2	1493.000	35.09	-4.82	30.27	54.00	-23.73	AVG
3	3595.333	42.90	3.96	46.86	74.00	-27.14	peak
4	3595.333	31.22	3.96	35.18	54.00	-18.82	AVG
5	10620.000	35.52	17.12	52.64	74.00	-21.36	peak
6 *	10620.000	30.23	17.12	47.35	54.00	-6.65	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2411.000	47.10	1.31	48.41	74.00	-25.59	peak
2	2411.000	32.81	1.31	34.12	54.00	-19.88	AVG
3	3453.667	46.15	3.63	49.78	74.00	-24.22	peak
4	3453.667	30.15	3.63	33.78	54.00	-20.22	AVG
5	10580.000	36.88	17.28	54.16	74.00	-19.84	peak
6 *	10580.000	28.27	17.28	45.55	54.00	-8.45	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1498.667	50.12	-4.85	45.27	74.00	-28.73	peak
2	1498.667	34.45	-4.85	29.60	54.00	-24.40	AVG
3	3997.667	39.69	5.20	44.89	74.00	-29.11	peak
4	3997.667	29.93	5.20	35.13	54.00	-18.87	AVG
5	10580.000	35.43	17.28	52.71	74.00	-21.29	peak
6 *	10580.000	28.06	17.28	45.34	54.00	-8.66	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch64_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	21.70	41.81	63.51	74.00	-10.49	peak
2	5350.000	5.83	41.81	47.64	54.00	-6.36	AVG
3	5351.560	18.94	41.81	60.75	74.00	-13.25	peak
4 *	5351.560	7.92	41.81	49.73	54.00	-4.27	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch64_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	18.20	41.81	60.01	74.00	-13.99	peak
2 *	5350.000	2.01	41.81	43.82	54.00	-10.18	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	23.75	41.81	65.56	74.00	-8.44	peak
2 *	5350.000	5.43	41.81	47.24	54.00	-6.76	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	23.80	41.81	65.61	74.00	-8.39	peak
2 *	5350.000	5.33	41.81	47.14	54.00	-6.86	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	21.95	41.81	63.76	74.00	-10.24	peak
2 *	5350.000	9.19	41.81	51.00	54.00	-3.00	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch58
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.000	21.25	41.81	63.06	74.00	-10.94	peak
2 *	5350.000	8.12	41.81	49.93	54.00	-4.07	AVG

U-NII-2C:

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch100
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3085.333	39.41	3.16	42.57	74.00	-31.43	peak
2	3085.333	28.99	3.16	32.15	54.00	-21.85	AVG
3	5748.667	39.49	8.89	48.38	74.00	-25.62	peak
4	5748.667	28.26	8.89	37.15	54.00	-16.85	AVG
5	11000.000	35.50	17.67	53.17	74.00	-20.83	peak
6 *	11000.000	27.14	17.67	44.81	54.00	-9.19	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch100
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1493.000	48.48	-4.87	43.61	74.00	-30.39	peak
2	1493.000	34.14	-4.87	29.27	54.00	-24.73	AVG
3	5862.000	38.32	9.38	47.70	74.00	-26.30	peak
4	5862.000	28.61	9.38	37.99	54.00	-16.01	AVG
5	11000.000	35.00	17.67	52.67	74.00	-21.33	peak
6 *	11000.000	27.24	17.67	44.91	54.00	-9.09	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch116
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5692.000	40.15	8.74	48.89	74.00	-25.11	peak
2	5692.000	29.46	8.74	38.20	54.00	-15.80	AVG
3	11160.000	37.73	17.62	55.35	74.00	-18.65	peak
4	11160.000	28.82	17.62	46.44	54.00	-7.56	AVG
5	13971.000	40.47	22.17	62.64	74.00	-11.36	peak
6 *	13971.000	28.16	22.17	50.33	54.00	-3.67	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch116
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9630.333	38.54	16.11	54.65	74.00	-19.35	peak
2	9630.333	28.63	16.11	44.74	54.00	-9.26	AVG
3	11160.000	36.68	17.62	54.30	74.00	-19.70	peak
4	11160.000	28.83	17.62	46.45	54.00	-7.55	AVG
5	14396.000	40.26	22.59	62.85	74.00	-11.15	peak
6 *	14396.000	28.82	22.59	51.41	54.00	-2.59	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch140
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	10367.000	38.80	16.82	55.62	74.00	-18.38	peak
2	10367.000	28.58	16.82	45.40	54.00	-8.60	AVG
3	11400.000	36.48	17.89	54.37	74.00	-19.63	peak
4	11400.000	27.41	17.89	45.30	54.00	-8.70	AVG
5	14401.667	40.21	22.59	62.80	74.00	-11.20	peak
6 *	14401.667	28.27	22.59	50.86	54.00	-3.14	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch140
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	10406.667	38.65	16.87	55.52	74.00	-18.48	peak
2	10406.667	28.60	16.87	45.47	54.00	-8.53	AVG
3	11400.000	35.52	17.89	53.41	74.00	-20.59	peak
4	11400.000	28.31	17.89	46.20	54.00	-7.80	AVG
5	14061.667	39.10	22.34	61.44	74.00	-12.56	peak
6 *	14061.667	28.44	22.34	50.78	54.00	-3.22	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch144
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9953.333	38.30	16.12	54.42	74.00	-19.58	peak
2	9953.333	28.43	16.12	44.55	54.00	-9.45	AVG
3	11440.000	35.13	17.94	53.07	74.00	-20.93	peak
4	11440.000	27.65	17.94	45.59	54.00	-8.41	AVG
5	14452.667	37.65	22.60	60.25	74.00	-13.75	peak
6 *	14452.667	28.40	22.60	51.00	54.00	-3.00	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac20_Ch144
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9216.667	39.34	16.01	55.35	74.00	-18.65	peak
2	9216.667	28.93	16.01	44.94	54.00	-9.06	AVG
3	11440.000	34.92	17.94	52.86	74.00	-21.14	peak
4	11440.000	27.49	17.94	45.43	54.00	-8.57	AVG
5	14515.000	38.07	22.57	60.64	74.00	-13.36	peak
6 *	14515.000	28.42	22.57	50.99	54.00	-3.01	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch102
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9522.667	38.69	16.19	54.88	74.00	-19.12	peak
2	9522.667	28.81	16.19	45.00	54.00	-9.00	AVG
3	11020.000	35.75	17.49	53.24	74.00	-20.76	peak
4	11020.000	28.78	17.49	46.27	54.00	-7.73	AVG
5	13971.000	37.91	22.17	60.08	74.00	-13.92	peak
6 *	13971.000	28.51	22.17	50.68	54.00	-3.32	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch102
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	7596.000	39.67	13.95	53.62	74.00	-20.38	peak
2	7596.000	28.89	13.95	42.84	54.00	-11.16	AVG
3	11020.000	36.16	17.49	53.65	74.00	-20.35	peak
4	11020.000	29.16	17.49	46.65	54.00	-7.35	AVG
5	14475.333	37.68	22.60	60.28	74.00	-13.72	peak
6 *	14475.333	28.02	22.60	50.62	54.00	-3.38	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11100.000	36.50	17.60	54.10	74.00	-19.90	peak
2	11100.000	28.87	17.60	46.47	54.00	-7.53	AVG
3	14197.667	39.68	22.38	62.06	74.00	-11.94	peak
4 *	14197.667	28.40	22.38	50.78	54.00	-3.22	AVG
5	14849.333	40.15	21.32	61.47	74.00	-12.53	peak
6	14849.333	29.19	21.32	50.51	54.00	-3.49	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch110
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9097.667	38.68	15.73	54.41	74.00	-19.59	peak
2	9097.667	29.49	15.73	45.22	54.00	-8.78	AVG
3	11100.000	36.53	17.60	54.13	74.00	-19.87	peak
4	11100.000	28.62	17.60	46.22	54.00	-7.78	AVG
5	14390.333	38.13	22.58	60.71	74.00	-13.29	peak
6 *	14390.333	28.30	22.58	50.88	54.00	-3.12	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch134
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11340.000	35.94	17.81	53.75	74.00	-20.25	peak
2	11340.000	26.77	17.81	44.58	54.00	-9.42	AVG
3	13523.333	38.19	20.69	58.88	74.00	-15.12	peak
4	13523.333	28.12	20.69	48.81	54.00	-5.19	AVG
5	14469.667	39.81	22.60	62.41	74.00	-11.59	peak
6 *	14469.667	28.28	22.60	50.88	54.00	-3.12	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch134
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9454.667	38.38	16.26	54.64	74.00	-19.36	peak
2	9454.667	28.74	16.26	45.00	54.00	-9.00	AVG
3	11340.000	35.66	17.81	53.47	74.00	-20.53	peak
4	11340.000	27.13	17.81	44.94	54.00	-9.06	AVG
5	13993.667	39.12	22.24	61.36	74.00	-12.64	peak
6 *	13993.667	28.33	22.24	50.57	54.00	-3.43	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch142
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5714.667	39.47	8.74	48.21	74.00	-25.79	peak
2	5714.667	31.00	8.74	39.74	54.00	-14.26	AVG
3	8899.333	37.41	15.29	52.70	74.00	-21.30	peak
4	8899.333	28.46	15.29	43.75	54.00	-10.25	AVG
5	11420.000	35.64	18.03	53.67	74.00	-20.33	peak
6 *	11420.000	27.39	18.03	45.42	54.00	-8.58	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n40_Ch142
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3402.667	43.16	3.50	46.66	74.00	-27.34	peak
2	3402.667	28.08	3.50	31.58	54.00	-22.42	AVG
3	5969.667	39.07	9.84	48.91	74.00	-25.09	peak
4	5969.667	29.10	9.84	38.94	54.00	-15.06	AVG
5	11420.000	35.70	18.03	53.73	74.00	-20.27	peak
6 *	11420.000	27.77	18.03	45.80	54.00	-8.20	AVG