


EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch138_RU67
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2552.667	39.43	1.98	41.41	74.00	-32.59	peak
2	2552.667	28.07	1.98	30.05	54.00	-23.95	AVG
3	8859.667	38.26	15.22	53.48	74.00	-20.52	peak
4	8859.667	28.51	15.22	43.73	54.00	-10.27	AVG
5	11380.000	35.40	17.99	53.39	74.00	-20.61	peak
6 *	11380.000	27.81	17.99	45.80	54.00	-8.20	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch138_RU67
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2224.000	37.58	0.42	38.00	74.00	-36.00	peak
2	2224.000	29.24	0.42	29.66	54.00	-24.34	AVG
3	5284.000	39.77	7.40	47.17	74.00	-26.83	peak
4	5284.000	30.57	7.40	37.97	54.00	-16.03	AVG
5	11380.000	35.66	17.99	53.65	74.00	-20.35	peak
6 *	11380.000	28.73	17.99	46.72	54.00	-7.28	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch100_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5470.000	18.28	41.93	60.21	74.00	-13.79	peak
2 *	5470.000	6.41	41.93	48.34	54.00	-5.66	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch100_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5411.400	9.57	41.90	51.47	74.00	-22.53	peak
2 *	5411.400	7.17	41.90	49.07	54.00	-4.93	AVG
3	5470.000	16.69	41.93	58.62	74.00	-15.38	peak
4	5470.000	2.61	41.93	44.54	54.00	-9.46	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch140_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	17.13	42.46	59.59	74.00	-14.41	peak
2 *	5725.000	2.65	42.46	45.11	54.00	-8.89	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch140_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part15 C
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	16.19	42.46	58.65	74.00	-15.35	peak
2	5725.000	1.73	42.46	44.19	54.00	-9.81	AVG
3	5763.040	10.07	42.56	52.63	74.00	-21.37	peak
4 *	5763.040	5.72	42.56	48.28	54.00	-5.72	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch102_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage:	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part15 C
Polarization:	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5470.000	28.32	41.93	70.25	74.00	-3.75	peak
2	5470.000	5.82	41.93	47.75	54.00	-6.25	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch102_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5465.267	10.20	41.92	52.12	74.00	-21.88	peak
2 *	5465.267	6.27	41.92	48.19	54.00	-5.81	AVG
3	5470.000	13.49	41.93	55.42	74.00	-18.58	peak
4	5470.000	2.54	41.93	44.47	54.00	-9.53	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch134_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	18.12	42.46	60.58	74.00	-13.42	peak
2	5725.000	3.08	42.46	45.54	54.00	-8.46	AVG
3	5818.933	10.97	42.70	53.67	74.00	-20.33	peak
4 *	5818.933	6.35	42.70	49.05	54.00	-4.95	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch134_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part15 C
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	14.19	42.46	56.65	74.00	-17.35	peak
2	5725.000	2.41	42.46	44.87	54.00	-9.13	AVG
3	5835.400	10.86	42.74	53.60	74.00	-20.40	peak
4 *	5835.400	5.61	42.74	48.35	54.00	-5.65	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch106_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5466.100	17.91	41.92	59.83	74.00	-14.17	peak
2 *	5466.100	8.20	41.92	50.12	54.00	-3.88	AVG
3	5470.000	18.04	41.93	59.97	74.00	-14.03	peak
4	5470.000	5.14	41.93	47.07	54.00	-6.93	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch106_RU65
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5467.600	15.99	41.93	57.92	74.00	-16.08	peak
2 *	5467.600	7.02	41.93	48.95	54.00	-5.05	AVG
3	5470.000	13.25	41.93	55.18	74.00	-18.82	peak
4	5470.000	5.21	41.93	47.14	54.00	-6.86	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch122_RU67
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	16.01	42.46	58.47	74.00	-15.53	peak
2 *	5725.000	7.82	42.46	50.28	54.00	-3.72	AVG

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch122_RU67
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.000	15.62	42.46	58.08	74.00	-15.92	peak
2 *	5725.000	7.20	42.46	49.66	54.00	-4.34	AVG

U-NII-3:

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.000	36.38	18.00	54.38	74.00	-19.62	peak
2	11490.000	26.00	18.00	44.00	54.00	-10.00	AVG
3	13200.333	38.27	19.75	58.02	74.00	-15.98	peak
4	13200.333	27.71	19.75	47.46	54.00	-6.54	AVG
5	14787.000	39.96	21.60	61.56	74.00	-12.44	peak
6 *	14787.000	28.56	21.60	50.16	54.00	-3.84	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.000	37.60	18.00	55.60	74.00	-18.40	peak
2	11490.000	27.55	18.00	45.55	54.00	-8.45	AVG
3	13988.000	38.31	22.23	60.54	74.00	-13.46	peak
4 *	13988.000	28.72	22.23	50.95	54.00	-3.05	AVG
5	14350.667	37.91	22.54	60.45	74.00	-13.55	peak
6	14350.667	27.52	22.54	50.06	54.00	-3.94	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.000	37.17	18.04	55.21	74.00	-18.79	peak
2	11570.000	26.45	18.04	44.49	54.00	-9.51	AVG
3	12310.667	40.65	18.28	58.93	74.00	-15.07	peak
4	12310.667	28.20	18.28	46.48	54.00	-7.52	AVG
5	14146.667	37.77	22.38	60.15	74.00	-13.85	peak
6 *	14146.667	28.53	22.38	50.91	54.00	-3.09	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.000	35.64	18.04	53.68	74.00	-20.32	peak
2	11570.000	26.62	18.04	44.66	54.00	-9.34	AVG
3	13625.333	39.01	20.95	59.96	74.00	-14.04	peak
4	13625.333	27.94	20.95	48.89	54.00	-5.11	AVG
5	14639.667	39.01	22.28	61.29	74.00	-12.71	peak
6 *	14639.667	28.23	22.28	50.51	54.00	-3.49	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2598.000	38.20	2.06	40.26	74.00	-33.74	peak
2	2598.000	26.57	2.06	28.63	54.00	-25.37	AVG
3	7822.667	38.80	13.99	52.79	74.00	-21.21	peak
4	7822.667	28.21	13.99	42.20	54.00	-11.80	AVG
5	11650.000	35.59	18.09	53.68	74.00	-20.32	peak
6 *	11650.000	26.68	18.09	44.77	54.00	-9.23	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3935.333	40.23	5.02	45.25	74.00	-28.75	peak
2	3935.333	30.11	5.02	35.13	54.00	-18.87	AVG
3	8026.667	38.39	13.98	52.37	74.00	-21.63	peak
4	8026.667	28.07	13.98	42.05	54.00	-11.95	AVG
5	11650.000	36.04	18.09	54.13	74.00	-19.87	peak
6 *	11650.000	27.03	18.09	45.12	54.00	-8.88	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch151_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5074.333	39.97	6.95	46.92	74.00	-27.08	peak
2	5074.333	32.41	6.95	39.36	54.00	-14.64	AVG
3	7805.667	38.10	13.97	52.07	74.00	-21.93	peak
4	7805.667	29.28	13.97	43.25	54.00	-10.75	AVG
5	11510.000	35.87	18.13	54.00	74.00	-20.00	peak
6 *	11510.000	28.69	18.13	46.82	54.00	-7.18	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch151_RU61
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2099.333	45.05	-0.78	44.27	74.00	-29.73	peak
2	2099.333	30.16	-0.78	29.38	54.00	-24.62	AVG
3	5397.333	39.45	7.67	47.12	74.00	-26.88	peak
4	5397.333	31.53	7.67	39.20	54.00	-14.80	AVG
5	11510.000	35.93	18.13	54.06	74.00	-19.94	peak
6 *	11510.000	28.98	18.13	47.11	54.00	-6.89	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch159_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	9488.667	38.17	16.21	54.38	74.00	-19.62	peak
2	9488.667	28.23	16.21	44.44	54.00	-9.56	AVG
3	11590.000	35.12	18.04	53.16	74.00	-20.84	peak
4	11590.000	26.00	18.04	44.04	54.00	-9.96	AVG
5	13988.000	39.26	22.23	61.49	74.00	-12.51	peak
6 *	13988.000	28.40	22.23	50.63	54.00	-3.37	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch159_RU62
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11590.000	36.76	18.04	54.80	74.00	-19.20	peak
2	11590.000	27.10	18.04	45.14	54.00	-8.86	AVG
3	14084.333	38.81	22.36	61.17	74.00	-12.83	peak
4 *	14084.333	28.06	22.36	50.42	54.00	-3.58	AVG
5	15597.333	40.56	18.15	58.71	74.00	-15.29	peak
6	15597.333	30.35	18.15	48.50	54.00	-5.50	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4054.333	40.41	5.26	45.67	74.00	-28.33	peak
2	4054.333	31.25	5.26	36.51	54.00	-17.49	AVG
3	5726.000	39.35	8.79	48.14	74.00	-25.86	peak
4	5726.000	30.15	8.79	38.94	54.00	-15.06	AVG
5	11550.000	36.02	18.12	54.14	74.00	-19.86	peak
6 *	11550.000	27.96	18.12	46.08	54.00	-7.92	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ac80_Ch155
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4944.000	40.46	6.67	47.13	74.00	-26.87	peak
2	4944.000	31.82	6.67	38.49	54.00	-15.51	AVG
3	8140.000	38.85	13.83	52.68	74.00	-21.32	peak
4	8140.000	28.94	13.83	42.77	54.00	-11.23	AVG
5	11550.000	36.13	18.12	54.25	74.00	-19.75	peak
6 *	11550.000	27.80	18.12	45.92	54.00	-8.08	AVG

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch149_RU53
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5725.000	17.90	42.46	60.36	122.20	-61.84	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch149_RU53
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5725.000	15.12	42.46	57.58	122.20	-64.62	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch165_RU54
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5850.000	16.93	42.78	59.71	122.20	-62.49	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax20_Ch165_RU54
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5850.000	14.77	42.78	57.55	122.20	-64.65	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch151_RU53
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5725.000	19.87	42.46	62.33	122.20	-59.87	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch151_RU53
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5725.000	17.80	42.46	60.26	122.20	-61.94	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch159_RU44
Order No./Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5850.000	9.39	42.78	52.17	122.20	-70.03	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax40_Ch159_RU44
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5850.000	6.37	42.78	49.15	122.20	-73.05	peak

EUT Information


EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch155_RU0
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC Part15.407
Polarization	Horizontal
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5699.592	22.15	42.40	64.55	104.90	-40.35	peak
2	5725.000	3.72	42.46	46.18	122.20	-76.02	peak
3	5850.000	4.12	42.78	46.90	122.20	-75.30	peak

EUT Information

EUT Name:	Camera
Model:	TPSB1
Test Mode:	WIFI 5G_11ax80_Ch155_RU0
Order No/Sample No:	C35713EVT17010
Test Voltage::	3.86Vdc, 2150mAh supplied by a rechargeable Lithium Ion Battery,
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Polarization	Vertical
Tested By:	Lucy Lan
Reviewed By:	Terry Yin



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	5698.492	19.73	42.40	62.13	104.09	-41.96	peak
2	5725.000	5.74	42.46	48.20	122.20	-74.00	peak

B.4 Dynamic Frequency Selection (DFS)


B.4.1 Test Datas

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+16.9	200+60	1194.7	10000	PASS
	5530	200+41.6	200+60	1465.1	10000	PASS


TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5610	87.48	1000	1255.2	10000	PASS

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
	5530	see test graph	≥1800	PASS


11AC80SISO_5290



11AC80SISO_5530




11AC80SISO_5610




11AC80SISO_5290

Non-Occupancy Period



11AC80SISO_5530


Non-Occupancy Period



B.5 Test Results of AC Conducted Emissions

EUT Information

EUT Name: Camera
Order No: C35713EVT17010
Model: TPSB1
Test mode: WIFI 5G_11a_Ch36
Test Voltage: AC 120V/60Hz
Test Standard: FCC 15.247/RSS 247
Test By:/Review By: Lucy Lan/Terry Yin
Remark: SR2



Final Measurement Detector 1


Frequency (MHz)	QuasiPeak (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.154860	41.8	1000.00	9.000	On	N	9.4	23.9	65.7	
0.255830	38.7	1000.00	9.000	On	N	9.4	22.9	61.6	
0.720800	39.1	1000.00	9.000	On	N	9.3	16.9	56.0	

Final Measurement Detector 2

Frequency (MHz)	Average (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.219890	29.3	1000.00	9.000	On	N	9.4	23.5	52.8	
0.251780	29.2	1000.00	9.000	On	N	9.4	22.5	51.7	
0.715080	31.4	1000.00	9.000	On	N	9.3	14.6	46.0	

EUT Information

EUT Name: Camera
Order No: C35713EVT17010
Model: TPSB1
Test mode: WIFI 5G_11a_Ch36
Test Voltage: AC 120V/60Hz
Test Standard: FCC 15.247/RSS 247
Test By:/Review By: Lucy Lan/Terry Yin
Remark: SR2



Final Measurement Detector 1

Frequency (MHz)	QuasiPeak (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.175910	38.9	1000.00	9.000	On	L1	9.5	25.8	64.7	
0.715080	42.4	1000.00	9.000	On	L1	9.6	13.6	56.0	
1.476600	28.5	1000.00	9.000	On	L1	9.7	27.5	56.0	

Final Measurement Detector 2

Frequency (MHz)	Average (dB μ V)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)	Comment
0.314720	28.8	1000.00	9.000	On	L1	9.5	21.0	49.8	
0.715080	36.6	1000.00	9.000	On	L1	9.6	9.4	46.0	
2.063510	22.1	1000.00	9.000	On	L1	9.7	23.9	46.0	