





Plot on 6625 MHz




Date: 4.NOV.2025 21:17:37

Plot on 6705 MHz




Date: 4.NOV.2025 21:25:36

Plot on 6785 MHz



Date: 4.NOV.2025 22:31:59


Plot on 6865 MHz



Date: 4.NOV.2025 22:38:38




Plot on 6945 MHz




Date: 4.NOV.2025 22:40:53

Plot on 7025 MHz



Date: 4.NOV.2025 22:42:44

Plot on 6545 MHz




Date: 4.NOV.2025 21:15:33



EUT Mode


802.11ax HE80 484RU65

Plot on 5985 MHz




Date: 5.NOV.2025 21:44:49

Plot on 6225 MHz




Date: 5.NOV.2025 21:46:11

Plot on 6465 MHz



Date: 5.NOV.2025 22:12:57


Plot on 6625 MHz



Date: 5.NOV.2025 22:16:21




Plot on 6705 MHz




Date: 5.NOV.2025 22:19:22

Plot on 6945 MHz



Date: 5.NOV.2025 22:26:28

Plot on 6545 MHz




Date: 5.NOV.2025 22:14:26



EUT Mode


802.11ax HE80 484RU66

Plot on 6385 MHz




Date: 5.NOV.2025 22:11:08

Plot on 6785 MHz




Date: 5.NOV.2025 22:20:53

Plot on 6865 MHz



Date: 5.NOV.2025 22:30:31

Plot on 7025 MHz



Date: 5.NOV.2025 22:28:49




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	22.6 ~ 25.3°C
		Relative Humidity :	45.8 ~ 51.1%

EUT Information

Report NO : 591512
Test Mode : Mode 2
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154000	---	26.82	55.78	28.96	L1	OFF	20.0
0.154000	29.77	---	65.78	36.01	L1	OFF	20.0
0.250000	---	7.06	51.76	44.70	L1	OFF	20.0
0.250000	10.84	---	61.76	50.92	L1	OFF	20.0
19.206000	---	22.94	50.00	27.06	L1	OFF	20.2
19.206000	28.40	---	60.00	31.60	L1	OFF	20.2
21.546000	---	36.68	50.00	13.32	L1	OFF	20.2
21.546000	42.80	---	60.00	17.20	L1	OFF	20.2
22.942000	---	35.74	50.00	14.26	L1	OFF	20.2
22.942000	42.10	---	60.00	17.90	L1	OFF	20.2
24.142000	---	36.90	50.00	13.10	L1	OFF	20.2
24.142000	43.45	---	60.00	16.55	L1	OFF	20.2

EUT Information

Report NO : 591512
Test Mode : Mode 2
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154000	---	26.89	55.78	28.89	N	OFF	20.0
0.154000	29.70	---	65.78	36.08	N	OFF	20.0
0.650000	---	5.87	46.00	40.13	N	OFF	20.0
0.650000	8.80	---	56.00	47.20	N	OFF	20.0
18.826000	---	21.92	50.00	28.08	N	OFF	20.2
18.826000	27.94	---	60.00	32.06	N	OFF	20.2
21.534000	---	38.04	50.00	11.96	N	OFF	20.2
21.534000	44.15	---	60.00	15.85	N	OFF	20.2
22.934000	---	36.64	50.00	13.36	N	OFF	20.2
22.934000	42.94	---	60.00	17.06	N	OFF	20.2
24.330000	---	38.01	50.00	11.99	N	OFF	20.2
24.330000	43.93	---	60.00	16.07	N	OFF	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Temperature :	23.1~25.2°C
		Relative Humidity :	48.6~59.3%

Note symbol

-L	Low channel location
-R	High channel location



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-5	5.925-6.425	1	802.11a	1	5955	6Mbps	-	-
Mode 62	U-NII-5	5.925-6.425	1	802.11a	49	6195	6Mbps	-	-
Mode 63	U-NII-5	5.925-6.425	1	802.11a	93	6415	6Mbps	-	-
Mode 64	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 65	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partail RU 106/53	-
Mode 66	U-NII-5	5.925-6.425	1	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 67	U-NII-5	5.925-6.425	1	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 68	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 69	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Partail RU 242/61	-
Mode 70	U-NII-5	5.925-6.425	1	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	1	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 72	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Partail RU 484/65	-
Mode 74	U-NII-5	5.925-6.425	1	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 75	U-NII-5	5.925-6.425	1	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 76	U-NII-6	6.425-6.525	1	802.11a	97	6435	6Mbps	-	-
Mode 77	U-NII-6	6.425-6.525	1	802.11a	105	6475	6Mbps	-	-
Mode 78	U-NII-6	6.425-6.525	1	802.11a	113	6515	6Mbps	-	-
Mode 79	U-NII-6	6.425-6.525	1	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 80	U-NII-6	6.425-6.525	1	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 81	U-NII-6	6.425-6.525	1	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 82	U-NII-6	6.425-6.525	1	802.11ax HE40	99	6445	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 83	U-NII-6	6.425-6.525	1	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 84	U-NII-6	6.425-6.525	1	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 85	U-NII-6	6.425-6.525	1	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	6.525-6.875	1	802.11a	117	6535	MCS0	-	-
Mode 87	U-NII-7	6.525-6.875	1	802.11a	149	6695	MCS0	-	-
Mode 88	U-NII-7	6.525-6.875	1	802.11a	185	6875	MCS0	-	-
Mode 89	U-NII-7	6.525-6.875	1	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 90	U-NII-7	6.525-6.875	1	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 91	U-NII-7	6.525-6.875	1	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 92	U-NII-7	6.525-6.875	1	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 93	U-NII-7	6.525-6.875	1	802.11ax HE40	147	6685	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 94	U-NII-7	6.525-6.875	1	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 95	U-NII-7	6.525-6.875	1	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 96	U-NII-7	6.525-6.875	1	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 97	U-NII-7	6.525-6.875	1	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 98	U-NII-8	6.875-7.125	1	802.11a	189	6895	MCS0	-	-
Mode 99	U-NII-8	6.875-7.125	1	802.11a	209	6995	MCS0	-	-
Mode 100	U-NII-8	6.875-7.125	1	802.11a	233	7115	MCS0	-	-
Mode 101	U-NII-8	6.875-7.125	1	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 102	U-NII-8	6.875-7.125	1	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 103	U-NII-8	6.875-7.125	1	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 104	U-NII-8	6.875-7.125	1	802.11ax HE20	233	7115	MCS0	Partail RU 106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 105	U-NII-8	6.875-7.125	1	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 106	U-NII-8	6.875-7.125	1	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 107	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 108	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Partail RU 242/62	-
Mode 109	U-NII-8	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 110	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 111	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Partail RU 484/66	-
Mode 112	U-NII-8	6.875-7.125	1	802.11a	233	7115	MCS0	-	LF



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	802.11a	1	5924.97	52.03	68.20	-16.17	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	51.69	74.00	-22.31	V	Peak	Pass	-	Harmonic
62	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	48.32	74.00	-25.68	H	Peak	Pass	-	Harmonic
63	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19254.00	36.09	74.00	-37.91	H	Peak	Pass	-	Harmonic
64	802.11ax HE20	1	5924.97	53.15	68.20	-15.05	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	51.44	74.00	-22.56	V	Peak	Pass	Full RU	Harmonic
65	802.11ax HE20	1	5896.50	44.08	68.20	-24.12	H	Avg.	Pass	Partail RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partail RU 106/53	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	49	12390.00	47.78	74.00	-26.22	H	Peak	Pass	Full RU	Harmonic
67	802.11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	93	19245.00	35.71	74.00	-38.29	H	Peak	Pass	Full RU	Harmonic
68	802.11ax HE40	3	5924.82	63.14	68.20	-5.06	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	51.03	74.00	-22.97	V	Peak	Pass	Full RU	Harmonic
69	802.11ax HE40	3	5894.72	44.70	68.20	-23.50	V	Avg.	Pass	Partail RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partail RU 242/61	Harmonic
70	802.11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	51	12410.00	47.44	74.00	-26.56	H	Peak	Pass	Full RU	Harmonic
71	802.11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	91	19215.00	36.19	74.00	-37.81	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11ax HE80	7	5925.00	60.94	68.20	-7.26	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	51.56	74.00	-22.44	V	Peak	Pass	Full RU	Harmonic
73	802.11ax HE80	7	5892.20	45.71	68.20	-22.49	V	Avg.	Pass	Partail RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partail RU 484/65	Harmonic
74	802.11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	55	12450.00	48.19	74.00	-25.81	H	Peak	Pass	Full RU	Harmonic
75	802.11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	87	19155.00	37.26	74.00	-36.74	V	Peak	Pass	Full RU	Harmonic
76	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	36.81	74.00	-37.19	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
77	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	37.36	74.00	-36.64	H	Peak	Pass	-	Harmonic
78	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	36.73	74.00	-37.27	H	Peak	Pass	-	Harmonic
79	802.11ax HE20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	97	19305.00	36.21	74.00	-37.79	H	Peak	Pass	Full RU	Harmonic
80	802.11ax HE20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	105	19425.00	36.94	74.00	-37.06	H	Peak	Pass	Full RU	Harmonic
81	802.11ax HE20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	113	19545.00	36.68	74.00	-37.32	V	Peak	Pass	Full RU	Harmonic
82	802.11ax HE40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	99	19335.00	36.85	74.00	-37.15	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11ax HE40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	107	19455.00	36.75	74.00	-37.25	H	Peak	Pass	Full RU	Harmonic
84	802.11ax HE40	115	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	115	19575.00	36.27	74.00	-37.73	H	Peak	Pass	Full RU	Harmonic
85	802.11ax HE80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	103	19395.00	37.02	74.00	-36.98	V	Peak	Pass	Full RU	Harmonic
86	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	35.74	74.00	-38.26	V	Peak	Pass	-	Harmonic
87	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	46.74	74.00	-27.26	H	Peak	Pass	-	Harmonic
88	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	36.45	74.00	-37.55	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
89	802.11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	117	19605.00	35.91	74.00	-38.09	H	Peak	Pass	Full RU	Harmonic
90	802.11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	149	13390.00	46.38	74.00	-27.62	H	Peak	Pass	Full RU	Harmonic
91	802.11ax HE20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	185	20625.00	35.67	74.00	-38.33	V	Peak	Pass	Full RU	Harmonic
92	802.11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	123	19695.00	35.99	74.00	-38.01	H	Peak	Pass	Full RU	Harmonic
93	802.11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	147	13370.00	46.26	74.00	-27.74	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
94	802.11ax HE40	187	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	187	20655.00	35.57	74.00	-38.43	V	Peak	Pass	Full RU	Harmonic
95	802.11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	135	13250.00	46.87	74.00	-27.13	V	Peak	Pass	Full RU	Harmonic
96	802.11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	151	20115.00	37.18	74.00	-36.82	V	Peak	Pass	Full RU	Harmonic
97	802.11ax HE80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	183	20595.00	37.61	74.00	-36.39	H	Peak	Pass	Full RU	Harmonic
98	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	36.21	74.00	-37.79	H	Peak	Pass	-	Harmonic
99	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	20985.00	38.13	74.00	-35.87	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11a	233	7125.01	66.17	68.20	-2.03	V	Avg.	Pass	-	Band Edge
	802.11a	233	21345.00	38.78	74.00	-35.22	V	Peak	Pass	-	Harmonic
101	802.11ax HE20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	189	20685.00	36.60	74.00	-37.40	V	Peak	Pass	Full RU	Harmonic
102	802.11ax HE20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	209	20985.00	37.04	74.00	-36.96	H	Peak	Pass	Full RU	Harmonic
103	802.11ax HE20	233	7125.01	62.29	68.20	-5.91	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	233	21345.00	37.93	74.00	-36.07	V	Peak	Pass	Full RU	Harmonic
104	802.11ax HE20	233	7125.01	56.40	68.20	-11.80	V	Avg.	Pass	Partail RU 106/54	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Partail RU 106/54	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11ax HE40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	195	20775.00	37.76	74.00	-36.24	H	Peak	Pass	Full RU	Harmonic
106	802.11ax HE40	211	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	211	21015.00	37.95	74.00	-36.05	V	Peak	Pass	Full RU	Harmonic
107	802.11ax HE40	227	7227.88	45.56	68.20	-22.64	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	21255.00	37.87	74.00	-36.13	V	Peak	Pass	Full RU	Harmonic
108	802.11ax HE40	227	7219.08	46.21	68.20	-21.99	H	Avg.	Pass	Partail RU 242/62	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Partail RU 242/62	Harmonic
109	802.11ax HE80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	199	20835.00	37.88	74.00	-36.12	H	Peak	Pass	Full RU	Harmonic
110	802.11ax HE80	215	7201.88	46.15	68.20	-22.05	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	21075.00	37.57	74.00	-36.43	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
111	802.11ax HE80	215	7195.72	47.11	68.20	-21.09	H	Avg.	Pass	Partail RU 484/66	Band Edge
	802.11ax HE80	215	-	-	-	-	-	-	-	Partail RU 484/66	Harmonic
112	LF	233	30.97	29.96	40.00	-10.04	H	Peak	Pass	-	LF



Mode	61																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5924.71</td><td>55.18</td><td>88.20 -33.02</td><td>40.88</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>33 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.71	55.18	88.20 -33.02	40.88	35.20	13.31	34.21	0.00	100	33 Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>101.64</td><td>-----</td><td>87.32</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>33 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	101.64	-----	87.32	35.21	13.35	34.24	0.00	100	33 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.71	55.18	88.20 -33.02	40.88	35.20	13.31	34.21	0.00	100	33 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	101.64	-----	87.32	35.21	13.35	34.24	0.00	100	33 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5924.71</td><td>46.83</td><td>68.20 -21.37</td><td>32.53</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>33 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.71	46.83	68.20 -21.37	32.53	35.20	13.31	34.21	0.00	100	33 Average	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>94.59</td><td>-----</td><td>80.27</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>33 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	94.59	-----	80.27	35.21	13.35	34.24	0.00	100	33 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.71	46.83	68.20 -21.37	32.53	35.20	13.31	34.21	0.00	100	33 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	94.59	-----	80.27	35.21	13.35	34.24	0.00	100	33 Average																																																																																	



Mode	61																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5924.45</td><td>61.81</td><td>88.20</td><td>-26.39</td><td>47.51</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00 107 223 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.45	61.81	88.20	-26.39	47.51	35.20	13.31	34.21	0.00 107 223 Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.43</td><td>-----</td><td>-----</td><td>96.11</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00 107 223 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	110.43	-----	-----	96.11	35.21	13.35	34.24	0.00 107 223 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5924.45	61.81	88.20	-26.39	47.51	35.20	13.31	34.21	0.00 107 223 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5955.00	110.43	-----	-----	96.11	35.21	13.35	34.24	0.00 107 223 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5924.97</td><td>52.03</td><td>68.20</td><td>-16.17</td><td>37.73</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00 107 223 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.97	52.03	68.20	-16.17	37.73	35.20	13.31	34.21	0.00 107 223 Average	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.75</td><td>-----</td><td>-----</td><td>88.43</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00 107 223 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	102.75	-----	-----	88.43	35.21	13.35	34.24	0.00 107 223 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5924.97	52.03	68.20	-16.17	37.73	35.20	13.31	34.21	0.00 107 223 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5955.00	102.75	-----	-----	88.43	35.21	13.35	34.24	0.00 107 223 Average																																																																									



Mode	61																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>43.17</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>40.12</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.87	74.00	-28.13	43.17	38.70	19.27	56.46	1.19	--	Peak	2	17865.00	50.53	74.00	-23.47	40.12	41.46	23.05	55.52	1.42	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>43.35</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>41.28</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.05	74.00	-27.95	43.35	38.70	19.27	56.46	1.19	--	Peak	2	17865.00	51.69	74.00	-22.31	41.28	41.46	23.05	55.52	1.42	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	45.87	74.00	-28.13	43.17	38.70	19.27	56.46	1.19	--	Peak																																																																																																														
2	17865.00	50.53	74.00	-23.47	40.12	41.46	23.05	55.52	1.42	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	46.05	74.00	-27.95	43.35	38.70	19.27	56.46	1.19	--	Peak																																																																																																														
2	17865.00	51.69	74.00	-22.31	41.28	41.46	23.05	55.52	1.42	--	Peak																																																																																																														







Mode	61	
	Harmonic	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	62																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>44.90</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>35.67</td><td>74.00</td><td>-38.33</td><td>51.02</td><td>37.94</td><td>15.97</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.32	74.00	-25.68	44.90	39.16	19.52	56.49	1.23	--	Peak	2	18585.00	35.67	74.00	-38.33	51.02	37.94	15.97	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>44.40</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>34.85</td><td>74.00</td><td>-39.15</td><td>50.20</td><td>37.94</td><td>15.97</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.82	74.00	-26.18	44.40	39.16	19.52	56.49	1.23	--	Peak	2	18585.00	34.85	74.00	-39.15	50.20	37.94	15.97	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12390.00	48.32	74.00	-25.68	44.90	39.16	19.52	56.49	1.23	--	Peak																																																																																																					
2	18585.00	35.67	74.00	-38.33	51.02	37.94	15.97	59.72	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12390.00	47.82	74.00	-26.18	44.40	39.16	19.52	56.49	1.23	--	Peak																																																																																																					
2	18585.00	34.85	74.00	-39.15	50.20	37.94	15.97	59.72	-9.54	--	Peak																																																																																																					







Mode	62	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	63																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>43.76</td><td>39.40</td><td>19.74</td><td>57.35</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19254.00</td><td>36.09</td><td>74.00</td><td>-37.91</td><td>51.25</td><td>37.89</td><td>16.29</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.83	88.20	-41.37	43.76	39.40	19.74	57.35	1.28	--	Peak	2	19254.00	36.09	74.00	-37.91	51.25	37.89	16.29	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>44.20</td><td>39.40</td><td>19.74</td><td>57.35</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19254.00</td><td>34.76</td><td>74.00</td><td>-39.24</td><td>49.92</td><td>37.89</td><td>16.29</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.27	88.20	-40.93	44.20	39.40	19.74	57.35	1.28	--	Peak	2	19254.00	34.76	74.00	-39.24	49.92	37.89	16.29	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	46.83	88.20	-41.37	43.76	39.40	19.74	57.35	1.28	--	Peak																																																																																																															
2	19254.00	36.09	74.00	-37.91	51.25	37.89	16.29	59.80	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	47.27	88.20	-40.93	44.20	39.40	19.74	57.35	1.28	--	Peak																																																																																																															
2	19254.00	34.76	74.00	-39.24	49.92	37.89	16.29	59.80	-9.54	--	Peak																																																																																																															



Mode	63	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	64																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.45</td><td>55.56</td><td>88.20 -32.64</td><td>41.26</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>30</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.45	55.56	88.20 -32.64	41.26	35.20	13.31	34.21	0.00	100	30	Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>102.19</td><td>-----</td><td>87.87</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>30</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	102.19	-----	87.87	35.21	13.35	34.24	0.00	100	30	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.45	55.56	88.20 -32.64	41.26	35.20	13.31	34.21	0.00	100	30	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	102.19	-----	87.87	35.21	13.35	34.24	0.00	100	30	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>47.03</td><td>68.20 -21.17</td><td>32.73</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>30</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	47.03	68.20 -21.17	32.73	35.20	13.31	34.21	0.00	100	30	Average	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>94.63</td><td>-----</td><td>80.31</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>30</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	94.63	-----	80.31	35.21	13.35	34.24	0.00	100	30	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.97	47.03	68.20 -21.17	32.73	35.20	13.31	34.21	0.00	100	30	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	94.63	-----	80.31	35.21	13.35	34.24	0.00	100	30	Average																																																																																				



Mode	64																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																								
ANT	1																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5917.30</td><td>62.73</td><td>88.20</td><td>-25.47</td><td>48.43</td><td>35.20</td><td>13.30</td><td>34.20</td><td>0.00</td><td>100</td><td>226</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5917.30	62.73	88.20	-25.47	48.43	35.20	13.30	34.20	0.00	100	226	Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.57</td><td>-----</td><td>-----</td><td>95.25</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>226</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	109.57	-----	-----	95.25	35.21	13.35	34.24	0.00	100	226	Peak
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5917.30	62.73	88.20	-25.47	48.43	35.20	13.30	34.20	0.00	100	226	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	109.57	-----	-----	95.25	35.21	13.35	34.24	0.00	100	226	Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>53.15</td><td>68.20</td><td>-15.05</td><td>38.85</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>226</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.97	53.15	68.20	-15.05	38.85	35.20	13.31	34.21	0.00	100	226	Average	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.59</td><td>-----</td><td>-----</td><td>87.27</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>100</td><td>226</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	101.59	-----	-----	87.27	35.21	13.35	34.24	0.00	100	226	Average
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5924.97	53.15	68.20	-15.05	38.85	35.20	13.31	34.21	0.00	100	226	Average																																																																													
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	101.59	-----	-----	87.27	35.21	13.35	34.24	0.00	100	226	Average																																																																													



Mode	64																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>43.58</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>40.13</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.28	74.00	-27.72	43.58	38.70	19.27	56.46	1.19	--	Peak	2	17865.00	50.54	74.00	-23.46	40.13	41.46	23.05	55.52	1.42	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>44.03</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>41.03</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.73	74.00	-27.27	44.03	38.70	19.27	56.46	1.19	--	Peak	2	17865.00	51.44	74.00	-22.56	41.03	41.46	23.05	55.52	1.42	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	46.28	74.00	-27.72	43.58	38.70	19.27	56.46	1.19	--	Peak																																																																																																														
2	17865.00	50.54	74.00	-23.46	40.13	41.46	23.05	55.52	1.42	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	46.73	74.00	-27.27	44.03	38.70	19.27	56.46	1.19	--	Peak																																																																																																														
2	17865.00	51.44	74.00	-22.56	41.03	41.46	23.05	55.52	1.42	--	Peak																																																																																																														



Mode	64	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	65																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partail RU 106/53_5955MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.00</td><td>52.01</td><td>88.20 -36.19</td><td>37.70</td><td>35.20</td><td>13.31</td><td>34.20</td><td>0.00</td><td>312</td><td>78 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.00	52.01	88.20 -36.19	37.70	35.20	13.31	34.20	0.00	312	78 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>90.51</td><td>-----</td><td>76.19</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>312</td><td>78 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	90.51	-----	76.19	35.21	13.35	34.24	0.00	312	78 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.00	52.01	88.20 -36.19	37.70	35.20	13.31	34.20	0.00	312	78 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	90.51	-----	76.19	35.21	13.35	34.24	0.00	312	78 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5896.50</td><td>44.08</td><td>68.20 -24.12</td><td>29.00</td><td>35.19</td><td>13.26</td><td>34.17</td><td>0.00</td><td>312</td><td>78 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5896.50	44.08	68.20 -24.12	29.00	35.19	13.26	34.17	0.00	312	78 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>83.01</td><td>-----</td><td>68.69</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>312</td><td>78 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	83.01	-----	68.69	35.21	13.35	34.24	0.00	312	78 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5896.50	44.08	68.20 -24.12	29.00	35.19	13.26	34.17	0.00	312	78 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	83.01	-----	68.69	35.21	13.35	34.24	0.00	312	78 Average																																																																																	



Mode	65																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partail RU 106/53_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5873.62</td><td>52.50</td><td>88.20</td><td>-35.70</td><td>38.33</td><td>35.09</td><td>13.23</td><td>34.15</td><td>0.00</td><td>307 77 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5873.62	52.50	88.20	-35.70	38.33	35.09	13.23	34.15	0.00	307 77 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>95.74</td><td>-----</td><td>81.43</td><td>35.20</td><td>13.34</td><td>34.23</td><td>0.00</td><td>307</td><td>77 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5955.00	95.74	-----	81.43	35.20	13.34	34.23	0.00	307	77 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 5873.62	52.50	88.20	-35.70	38.33	35.09	13.23	34.15	0.00	307 77 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	95.74	-----	81.43	35.20	13.34	34.23	0.00	307	77 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.41</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>29.77</td><td>35.20</td><td>13.29</td><td>34.19</td><td>0.00</td><td>307 77 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5910.41	44.07	68.20	-24.13	29.77	35.20	13.29	34.19	0.00	307 77 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>88.90</td><td>-----</td><td>74.58</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>307</td><td>77 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5955.00	88.90	-----	74.58	35.21	13.35	34.24	0.00	307	77 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 5910.41	44.07	68.20	-24.13	29.77	35.20	13.29	34.19	0.00	307 77 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	88.90	-----	74.58	35.21	13.35	34.24	0.00	307	77 Average																																																																									



Mode	66																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>44.36</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>35.96</td><td>74.00</td><td>-38.04</td><td>51.31</td><td>37.94</td><td>15.97</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.78	74.00	-26.22	44.36	39.16	19.52	56.49	1.23	--	Peak	2	18585.00	35.96	74.00	-38.04	51.31	37.94	15.97	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>43.28</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>36.13</td><td>74.00</td><td>-37.87</td><td>51.48</td><td>37.94</td><td>15.97</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	46.70	74.00	-27.30	43.28	39.16	19.52	56.49	1.23	--	Peak	2	18585.00	36.13	74.00	-37.87	51.48	37.94	15.97	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12390.00	47.78	74.00	-26.22	44.36	39.16	19.52	56.49	1.23	--	Peak																																																																																																														
2	18585.00	35.96	74.00	-38.04	51.31	37.94	15.97	59.72	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12390.00	46.70	74.00	-27.30	43.28	39.16	19.52	56.49	1.23	--	Peak																																																																																																														
2	18585.00	36.13	74.00	-37.87	51.48	37.94	15.97	59.72	-9.54	--	Peak																																																																																																														







Mode	66	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL







Mode	67																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.06</td><td>39.40</td><td>19.74</td><td>57.35</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.71</td><td>74.00</td><td>-38.29</td><td>50.87</td><td>37.89</td><td>16.29</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.13	88.20	-41.07	44.06	39.40	19.74	57.35	1.28	--	Peak	2	19245.00	35.71	74.00	-38.29	50.87	37.89	16.29	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>44.04</td><td>39.40</td><td>19.74</td><td>57.35</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.48</td><td>74.00</td><td>-38.52</td><td>50.64</td><td>37.89</td><td>16.29</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.11	88.20	-41.09	44.04	39.40	19.74	57.35	1.28	--	Peak	2	19245.00	35.48	74.00	-38.52	50.64	37.89	16.29	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	47.13	88.20	-41.07	44.06	39.40	19.74	57.35	1.28	--	Peak																																																																																																					
2	19245.00	35.71	74.00	-38.29	50.87	37.89	16.29	59.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	47.11	88.20	-41.09	44.04	39.40	19.74	57.35	1.28	--	Peak																																																																																																					
2	19245.00	35.48	74.00	-38.52	50.64	37.89	16.29	59.80	-9.54	--	Peak																																																																																																					



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	68																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2025-10-17 						Level (dBuV/m) Date: 2025-10-17 																																																																																							
	Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>62.98</td><td>88.20 -25.22</td><td>48.68</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>232</td><td>32</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.96	62.98	88.20 -25.22	48.68	35.20	13.31	34.21	0.00	232	32	Peak	Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>101.91</td><td>-----</td><td>87.56</td><td>35.23</td><td>13.37</td><td>34.25</td><td>0.00</td><td>232</td><td>32</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	101.91	-----	87.56	35.23	13.37	34.25	0.00	232	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.96	62.98	88.20 -25.22	48.68	35.20	13.31	34.21	0.00	232	32	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5965.00	101.91	-----	87.56	35.23	13.37	34.25	0.00	232	32	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-10-17 						Level (dBuV/m) Date: 2025-10-17 																																																																																							
	Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.54</td><td>53.27</td><td>68.20 -14.93</td><td>38.97</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>232</td><td>32</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.54	53.27	68.20 -14.93	38.97	35.20	13.31	34.21	0.00	232	32	Average	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>94.44</td><td>-----</td><td>80.09</td><td>35.23</td><td>13.37</td><td>34.25</td><td>0.00</td><td>232</td><td>32</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	94.44	-----	80.09	35.23	13.37	34.25	0.00	232	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.54	53.27	68.20 -14.93	38.97	35.20	13.31	34.21	0.00	232	32	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5965.00	94.44	-----	80.09	35.23	13.37	34.25	0.00	232	32	Average																																																																																				







Mode	68																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>73.02</td><td>88.20</td><td>-15.18</td><td>58.72</td><td>35.20</td><td>13.30</td><td>34.20</td><td>0.00</td><td>100</td><td>224</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	73.02	88.20	-15.18	58.72	35.20	13.30	34.20	0.00	100	224	Peak	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>108.37</td><td>-----</td><td>-----</td><td>94.02</td><td>35.23</td><td>13.37</td><td>34.25</td><td>0.00</td><td>100</td><td>224</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	108.37	-----	-----	94.02	35.23	13.37	34.25	0.00	100	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.46	73.02	88.20	-15.18	58.72	35.20	13.30	34.20	0.00	100	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	108.37	-----	-----	94.02	35.23	13.37	34.25	0.00	100	224	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>63.14</td><td>68.20</td><td>-5.06</td><td>48.84</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>100</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	63.14	68.20	-5.06	48.84	35.20	13.31	34.21	0.00	100	224	Average	Level (dBuV/m) Date: 2025-10-17 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.69</td><td>-----</td><td>-----</td><td>86.34</td><td>35.23</td><td>13.37</td><td>34.25</td><td>0.00</td><td>100</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.69	-----	-----	86.34	35.23	13.37	34.25	0.00	100	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.82	63.14	68.20	-5.06	48.84	35.20	13.31	34.21	0.00	100	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	100.69	-----	-----	86.34	35.23	13.37	34.25	0.00	100	224	Average																																																																																								



Mode	68																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>43.58</td><td>38.70</td><td>19.28</td><td>56.42</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>50.97</td><td>74.00</td><td>-23.03</td><td>40.33</td><td>41.58</td><td>23.08</td><td>55.45</td><td>1.43</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.33	74.00	-27.67	43.58	38.70	19.28	56.42	1.19	--	Peak	2	17895.00	50.97	74.00	-23.03	40.33	41.58	23.08	55.45	1.43	--	Peak	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>43.77</td><td>38.70</td><td>19.28</td><td>56.42</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>40.39</td><td>41.58</td><td>23.08</td><td>55.45</td><td>1.43</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.52	74.00	-27.48	43.77	38.70	19.28	56.42	1.19	--	Peak	2	17895.00	51.03	74.00	-22.97	40.39	41.58	23.08	55.45	1.43	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	46.33	74.00	-27.67	43.58	38.70	19.28	56.42	1.19	--	Peak																																																																																																															
2	17895.00	50.97	74.00	-23.03	40.33	41.58	23.08	55.45	1.43	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	46.52	74.00	-27.48	43.77	38.70	19.28	56.42	1.19	--	Peak																																																																																																															
2	17895.00	51.03	74.00	-22.97	40.39	41.58	23.08	55.45	1.43	--	Peak																																																																																																															



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	69																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partail RU 242/61_5965MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5870.64</td><td>51.91</td><td>88.20</td><td>-36.29</td><td>37.75</td><td>35.08</td><td>13.23</td><td>34.15</td><td>0.00</td><td>363</td><td>75</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5870.64	51.91	88.20	-36.29	37.75	35.08	13.23	34.15	0.00	363	75	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>91.82</td><td>-----</td><td>-----</td><td>77.49</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td><td>363</td><td>75</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5965.00	91.82	-----	-----	77.49	35.22	13.36	34.25	0.00	363	75	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5870.64	51.91	88.20	-36.29	37.75	35.08	13.23	34.15	0.00	363	75	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5965.00	91.82	-----	-----	77.49	35.22	13.36	34.25	0.00	363	75	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5923.70</td><td>44.67</td><td>68.20</td><td>-23.53</td><td>30.36</td><td>35.20</td><td>13.31</td><td>34.20</td><td>0.00</td><td>363</td><td>75</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5923.70	44.67	68.20	-23.53	30.36	35.20	13.31	34.20	0.00	363	75	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>83.44</td><td>-----</td><td>-----</td><td>69.11</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td><td>363</td><td>75</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5965.00	83.44	-----	-----	69.11	35.22	13.36	34.25	0.00	363	75	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5923.70	44.67	68.20	-23.53	30.36	35.20	13.31	34.20	0.00	363	75	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5965.00	83.44	-----	-----	69.11	35.22	13.36	34.25	0.00	363	75	Average																																																																														



Mode	69																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partail RU 242/61_5965MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.54</td><td>53.41</td><td>88.20</td><td>-34.79</td><td>39.13</td><td>35.19</td><td>13.26</td><td>34.17</td><td>0.00</td><td>100</td><td>224</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.54	53.41	88.20	-34.79	39.13	35.19	13.26	34.17	0.00	100	224	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.60</td><td>-----</td><td>-----</td><td>78.29</td><td>35.20</td><td>13.34</td><td>34.23</td><td>0.00</td><td>100</td><td>224</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.60	-----	-----	78.29	35.20	13.34	34.23	0.00	100	224	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5896.54	53.41	88.20	-34.79	39.13	35.19	13.26	34.17	0.00	100	224	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	92.60	-----	-----	78.29	35.20	13.34	34.23	0.00	100	224	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.72</td><td>44.70</td><td>68.20</td><td>-23.50</td><td>30.43</td><td>35.18</td><td>13.26</td><td>34.17</td><td>0.00</td><td>100</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.72	44.70	68.20	-23.50	30.43	35.18	13.26	34.17	0.00	100	224	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>85.03</td><td>-----</td><td>-----</td><td>70.70</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td><td>100</td><td>224</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	85.03	-----	-----	70.70	35.22	13.36	34.25	0.00	100	224	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5894.72	44.70	68.20	-23.50	30.43	35.18	13.26	34.17	0.00	100	224	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	85.03	-----	-----	70.70	35.22	13.36	34.25	0.00	100	224	Average																																																																																								



Mode	70																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>43.99</td><td>39.18</td><td>19.53</td><td>56.50</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>37.14</td><td>74.00</td><td>-36.86</td><td>52.44</td><td>37.97</td><td>15.99</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	47.44	74.00	-26.56	43.99	39.18	19.53	56.50	1.24	--	Peak	2	18615.00	37.14	74.00	-36.86	52.44	37.97	15.99	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>43.85</td><td>39.18</td><td>19.53</td><td>56.50</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.25</td><td>74.00</td><td>-37.75</td><td>51.55</td><td>37.97</td><td>15.99</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	47.30	74.00	-26.70	43.85	39.18	19.53	56.50	1.24	--	Peak	2	18615.00	36.25	74.00	-37.75	51.55	37.97	15.99	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12410.00	47.44	74.00	-26.56	43.99	39.18	19.53	56.50	1.24	--	Peak																																																																																																														
2	18615.00	37.14	74.00	-36.86	52.44	37.97	15.99	59.72	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12410.00	47.30	74.00	-26.70	43.85	39.18	19.53	56.50	1.24	--	Peak																																																																																																														
2	18615.00	36.25	74.00	-37.75	51.55	37.97	15.99	59.72	-9.54	--	Peak																																																																																																														



Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	71																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>44.14</td><td>39.40</td><td>19.73</td><td>57.30</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>36.19</td><td>74.00</td><td>-37.81</td><td>51.43</td><td>37.83</td><td>16.27</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.25	88.20	-40.95	44.14	39.40	19.73	57.30	1.28	--	Peak	2	19215.00	36.19	74.00	-37.81	51.43	37.83	16.27	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.91</td><td>39.40</td><td>19.73</td><td>57.30</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>35.88</td><td>74.00</td><td>-38.12</td><td>51.12</td><td>37.83</td><td>16.27</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	48.02	88.20	-40.18	44.91	39.40	19.73	57.30	1.28	--	Peak	2	19215.00	35.88	74.00	-38.12	51.12	37.83	16.27	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	47.25	88.20	-40.95	44.14	39.40	19.73	57.30	1.28	--	Peak																																																																																																					
2	19215.00	36.19	74.00	-37.81	51.43	37.83	16.27	59.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	48.02	88.20	-40.18	44.91	39.40	19.73	57.30	1.28	--	Peak																																																																																																					
2	19215.00	35.88	74.00	-38.12	51.12	37.83	16.27	59.80	-9.54	--	Peak																																																																																																					



Mode	71	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	72																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>67.03</td><td>88.20 -21.17</td><td>52.73</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>223</td><td>118 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.84	67.03	88.20 -21.17	52.73	35.20	13.31	34.21	0.00	223	118 Peak	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>100.00</td><td>-----</td><td>86.40</td><td>35.27</td><td>13.40</td><td>34.27</td><td>0.00</td><td>223</td><td>118 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.00	-----	86.40	35.27	13.40	34.27	0.00	223	118 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.84	67.03	88.20 -21.17	52.73	35.20	13.31	34.21	0.00	223	118 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	100.00	-----	86.40	35.27	13.40	34.27	0.00	223	118 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.96</td><td>57.04</td><td>68.20 -11.16</td><td>42.74</td><td>35.20</td><td>13.30</td><td>34.20</td><td>0.00</td><td>223</td><td>118 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.96	57.04	68.20 -11.16	42.74	35.20	13.30	34.20	0.00	223	118 Average	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>93.36</td><td>-----</td><td>78.96</td><td>35.27</td><td>13.40</td><td>34.27</td><td>0.00</td><td>223</td><td>118 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	93.36	-----	78.96	35.27	13.40	34.27	0.00	223	118 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5921.96	57.04	68.20 -11.16	42.74	35.20	13.30	34.20	0.00	223	118 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	93.36	-----	78.96	35.27	13.40	34.27	0.00	223	118 Average																																																																									



Mode	72																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>72.10</td><td>88.20</td><td>-16.10</td><td>57.00</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>293 71 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	72.10	88.20	-16.10	57.00	35.20	13.31	34.21	0.00	293 71 Peak	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>106.14</td><td>-----</td><td>-----</td><td>91.74</td><td>35.27</td><td>13.40</td><td>34.27</td><td>0.00</td><td>293 71 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	106.14	-----	-----	91.74	35.27	13.40	34.27	0.00	293 71 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	72.10	88.20	-16.10	57.00	35.20	13.31	34.21	0.00	293 71 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	106.14	-----	-----	91.74	35.27	13.40	34.27	0.00	293 71 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>60.94</td><td>68.20</td><td>-7.26</td><td>46.64</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>293 71 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	60.94	68.20	-7.26	46.64	35.20	13.31	34.21	0.00	293 71 Average	Level (dBuV/m) Date: 2025-10-21 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.74</td><td>-----</td><td>-----</td><td>83.34</td><td>35.27</td><td>13.40</td><td>34.27</td><td>0.00</td><td>293 71 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.74	-----	-----	83.34	35.27	13.40	34.27	0.00	293 71 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	60.94	68.20	-7.26	46.64	35.20	13.31	34.21	0.00	293 71 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.74	-----	-----	83.34	35.27	13.40	34.27	0.00	293 71 Average																																																																																									



Mode	72																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>45.23</td><td>38.74</td><td>19.31</td><td>56.35</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>51.16</td><td>74.00</td><td>-22.84</td><td>40.30</td><td>41.60</td><td>23.12</td><td>55.31</td><td>1.45</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	48.12	74.00	-25.88	45.23	38.74	19.31	56.35	1.19	--	Peak	2	17955.00	51.16	74.00	-22.84	40.30	41.60	23.12	55.31	1.45	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>44.64</td><td>38.74</td><td>19.31</td><td>56.35</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>40.70</td><td>41.60</td><td>23.12</td><td>55.31</td><td>1.45</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.53	74.00	-26.47	44.64	38.74	19.31	56.35	1.19	--	Peak	2	17955.00	51.56	74.00	-22.44	40.70	41.60	23.12	55.31	1.45	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11970.00	48.12	74.00	-25.88	45.23	38.74	19.31	56.35	1.19	--	Peak																																																																																																														
2	17955.00	51.16	74.00	-22.84	40.30	41.60	23.12	55.31	1.45	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11970.00	47.53	74.00	-26.47	44.64	38.74	19.31	56.35	1.19	--	Peak																																																																																																														
2	17955.00	51.56	74.00	-22.44	40.70	41.60	23.12	55.31	1.45	--	Peak																																																																																																														



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	73																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partail RU 484/65_5985MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5881.32 52.19 88.20 -36.01 37.98 35.13 13.24 34.16 0.00 309 76 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5881.32 52.19 88.20 -36.01 37.98 35.13 13.24 34.16 0.00 309 76 Peak									Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5985.00 90.87 ----- 76.52 35.23 13.37 34.25 0.00 309 76 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5985.00 90.87 ----- 76.52 35.23 13.37 34.25 0.00 309 76 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5881.32 52.19 88.20 -36.01 37.98 35.13 13.24 34.16 0.00 309 76 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5985.00 90.87 ----- 76.52 35.23 13.37 34.25 0.00 309 76 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5912.52 45.06 68.20 -23.14 30.76 35.20 13.29 34.19 0.00 309 76 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5912.52 45.06 68.20 -23.14 30.76 35.20 13.29 34.19 0.00 309 76 Average									Level (dBuV/m) Date: 2025-10-31 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5985.00 82.76 ----- 68.41 35.23 13.37 34.25 0.00 309 76 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5985.00 82.76 ----- 68.41 35.23 13.37 34.25 0.00 309 76 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5912.52 45.06 68.20 -23.14 30.76 35.20 13.29 34.19 0.00 309 76 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5985.00 82.76 ----- 68.41 35.23 13.37 34.25 0.00 309 76 Average																																																																										







Mode	73										
	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partail RU 484/65_5985MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m) Date: 2025-10-31 </										



Mode	74																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>44.81</td><td>39.10</td><td>19.55</td><td>56.51</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>35.68</td><td>74.00</td><td>-38.32</td><td>51.04</td><td>37.90</td><td>16.02</td><td>59.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	48.19	74.00	-25.81	44.81	39.10	19.55	56.51	1.24	--	Peak	2	18675.00	35.68	74.00	-38.32	51.04	37.90	16.02	59.74	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>43.75</td><td>39.10</td><td>19.55</td><td>56.51</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>35.89</td><td>74.00</td><td>-38.11</td><td>51.25</td><td>37.90</td><td>16.02</td><td>59.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	47.13	74.00	-26.87	43.75	39.10	19.55	56.51	1.24	--	Peak	2	18675.00	35.89	74.00	-38.11	51.25	37.90	16.02	59.74	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12450.00	48.19	74.00	-25.81	44.81	39.10	19.55	56.51	1.24	--	Peak																																																																																																					
2	18675.00	35.68	74.00	-38.32	51.04	37.90	16.02	59.74	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12450.00	47.13	74.00	-26.87	43.75	39.10	19.55	56.51	1.24	--	Peak																																																																																																					
2	18675.00	35.89	74.00	-38.11	51.25	37.90	16.02	59.74	-9.54	--	Peak																																																																																																					



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	75																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>48.27</td><td>88.20</td><td>-39.93</td><td>45.15</td><td>39.34</td><td>19.71</td><td>57.20</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>51.82</td><td>37.98</td><td>16.24</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.27	88.20	-39.93	45.15	39.34	19.71	57.20	1.27	--	Peak	2	19155.00	36.70	74.00	-37.30	51.82	37.98	16.24	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>44.59</td><td>39.34</td><td>19.71</td><td>57.20</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.26</td><td>74.00</td><td>-36.74</td><td>52.38</td><td>37.98</td><td>16.24</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.71	88.20	-40.49	44.59	39.34	19.71	57.20	1.27	--	Peak	2	19155.00	37.26	74.00	-36.74	52.38	37.98	16.24	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	48.27	88.20	-39.93	45.15	39.34	19.71	57.20	1.27	--	Peak																																																																																																														
2	19155.00	36.70	74.00	-37.30	51.82	37.98	16.24	59.80	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	47.71	88.20	-40.49	44.59	39.34	19.71	57.20	1.27	--	Peak																																																																																																														
2	19155.00	37.26	74.00	-36.74	52.38	37.98	16.24	59.80	-9.54	--	Peak																																																																																																														







Mode	75	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	76																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>44.22</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.81</td><td>74.00</td><td>-37.19</td><td>52.04</td><td>37.00</td><td>16.31</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.23	88.20	-40.97	44.22	39.40	19.76	57.44	1.29	--	Peak	2	19305.00	36.81	74.00	-37.19	52.04	37.00	16.31	59.00	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.06</td><td>88.20</td><td>-40.14</td><td>45.05</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.04</td><td>74.00</td><td>-37.96</td><td>51.27</td><td>37.00</td><td>16.31</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.06	88.20	-40.14	45.05	39.40	19.76	57.44	1.29	--	Peak	2	19305.00	36.04	74.00	-37.96	51.27	37.00	16.31	59.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	47.23	88.20	-40.97	44.22	39.40	19.76	57.44	1.29	--	Peak																																																																																																															
2	19305.00	36.81	74.00	-37.19	52.04	37.00	16.31	59.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	48.06	88.20	-40.14	45.05	39.40	19.76	57.44	1.29	--	Peak																																																																																																															
2	19305.00	36.04	74.00	-37.96	51.27	37.00	16.31	59.00	-9.54	--	Peak																																																																																																															







Mode	76	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	77																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.48</td><td>88.20</td><td>-40.72</td><td>44.63</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>52.53</td><td>37.80</td><td>16.37</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.48	88.20	-40.72	44.63	39.40	19.80	57.64	1.29	--	Peak	2	19425.00	37.36	74.00	-36.64	52.53	37.80	16.37	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>44.81</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.30</td><td>74.00</td><td>-37.70</td><td>51.47</td><td>37.80</td><td>16.37</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.66	88.20	-40.54	44.81	39.40	19.80	57.64	1.29	--	Peak	2	19425.00	36.30	74.00	-37.70	51.47	37.80	16.37	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	47.48	88.20	-40.72	44.63	39.40	19.80	57.64	1.29	--	Peak																																																																																																					
2	19425.00	37.36	74.00	-36.64	52.53	37.80	16.37	59.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	47.66	88.20	-40.54	44.81	39.40	19.80	57.64	1.29	--	Peak																																																																																																					
2	19425.00	36.30	74.00	-37.70	51.47	37.80	16.37	59.80	-9.54	--	Peak																																																																																																					







Mode	77	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	78																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>45.17</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>51.86</td><td>37.78</td><td>16.43</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.59	88.20	-40.61	45.17	39.08	19.83	57.79	1.30	--	Peak	2	19545.00	36.73	74.00	-37.27	51.86	37.78	16.43	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>44.92</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.34</td><td>74.00</td><td>-37.66</td><td>51.47</td><td>37.78</td><td>16.43</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.34	88.20	-40.86	44.92	39.08	19.83	57.79	1.30	--	Peak	2	19545.00	36.34	74.00	-37.66	51.47	37.78	16.43	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	47.59	88.20	-40.61	45.17	39.08	19.83	57.79	1.30	--	Peak																																																																																																															
2	19545.00	36.73	74.00	-37.27	51.86	37.78	16.43	59.80	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	47.34	88.20	-40.86	44.92	39.08	19.83	57.79	1.30	--	Peak																																																																																																															
2	19545.00	36.34	74.00	-37.66	51.47	37.78	16.43	59.80	-9.54	--	Peak																																																																																																															



Mode	78	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Date: 2025-10-22  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	79																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>44.81</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.21</td><td>74.00</td><td>-37.79</td><td>51.44</td><td>37.80</td><td>16.31</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.82	88.20	-40.38	44.81	39.40	19.76	57.44	1.29	--	Peak	2	19305.00	36.21	74.00	-37.79	51.44	37.80	16.31	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>44.46</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.26</td><td>74.00</td><td>-38.74</td><td>50.49</td><td>37.80</td><td>16.31</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.47	88.20	-40.73	44.46	39.40	19.76	57.44	1.29	--	Peak	2	19305.00	35.26	74.00	-38.74	50.49	37.80	16.31	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	47.82	88.20	-40.38	44.81	39.40	19.76	57.44	1.29	--	Peak																																																																																																					
2	19305.00	36.21	74.00	-37.79	51.44	37.80	16.31	59.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	47.47	88.20	-40.73	44.46	39.40	19.76	57.44	1.29	--	Peak																																																																																																					
2	19305.00	35.26	74.00	-38.74	50.49	37.80	16.31	59.80	-9.54	--	Peak																																																																																																					



Mode	79	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	80																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>43.83</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.94</td><td>74.00</td><td>-37.06</td><td>52.11</td><td>37.80</td><td>16.37</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.68	88.20	-41.52	43.83	39.40	19.80	57.64	1.29	--	Peak	2	19425.00	36.94	74.00	-37.06	52.11	37.80	16.37	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.32</td><td>88.20</td><td>-40.88</td><td>44.47</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.27</td><td>74.00</td><td>-37.73</td><td>51.44</td><td>37.80</td><td>16.37</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.32	88.20	-40.88	44.47	39.40	19.80	57.64	1.29	--	Peak	2	19425.00	36.27	74.00	-37.73	51.44	37.80	16.37	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	46.68	88.20	-41.52	43.83	39.40	19.80	57.64	1.29	--	Peak																																																																																																															
2	19425.00	36.94	74.00	-37.06	52.11	37.80	16.37	59.80	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	47.32	88.20	-40.88	44.47	39.40	19.80	57.64	1.29	--	Peak																																																																																																															
2	19425.00	36.27	74.00	-37.73	51.44	37.80	16.37	59.80	-9.54	--	Peak																																																																																																															



Mode	80	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	81																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>45.13</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>35.88</td><td>74.00</td><td>-38.12</td><td>51.01</td><td>37.78</td><td>16.43</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.55	88.20	-40.65	45.13	39.08	19.83	57.79	1.30	--	Peak	2	19545.00	35.88	74.00	-38.12	51.01	37.78	16.43	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.43</td><td>88.20</td><td>-41.77</td><td>44.01</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.68</td><td>74.00</td><td>-37.32</td><td>51.81</td><td>37.78</td><td>16.43</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.43	88.20	-41.77	44.01	39.08	19.83	57.79	1.30	--	Peak	2	19545.00	36.68	74.00	-37.32	51.81	37.78	16.43	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13030.00	47.55	88.20	-40.65	45.13	39.08	19.83	57.79	1.30	--	Peak																																																																																																														
2	19545.00	35.88	74.00	-38.12	51.01	37.78	16.43	59.80	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13030.00	46.43	88.20	-41.77	44.01	39.08	19.83	57.79	1.30	--	Peak																																																																																																														
2	19545.00	36.68	74.00	-37.32	51.81	37.78	16.43	59.80	-9.54	--	Peak																																																																																																														



Mode	81	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	82																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 PEAK(UNII)_6E AVG(UNII)_6E 70001360020200268003340040000 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>43.71</td><td>39.40</td><td>19.77</td><td>57.49</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.85</td><td>74.00</td><td>-37.15</td><td>52.06</td><td>37.80</td><td>16.33</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	46.68	88.20	-41.52	43.71	39.40	19.77	57.49	1.29	--	Peak	2	19335.00	36.85	74.00	-37.15	52.06	37.80	16.33	59.80	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 PEAK(UNII)_6E AVG(UNII)_6E 70001360020200268003340040000 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.61</td><td>88.20</td><td>-41.59</td><td>43.64</td><td>39.40</td><td>19.77</td><td>57.49</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.18</td><td>74.00</td><td>-37.82</td><td>51.39</td><td>37.80</td><td>16.33</td><td>59.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	46.61	88.20	-41.59	43.64	39.40	19.77	57.49	1.29	--	Peak	2	19335.00	36.18	74.00	-37.82	51.39	37.80	16.33	59.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12890.00	46.68	88.20	-41.52	43.71	39.40	19.77	57.49	1.29	--	Peak																																																																																																														
2	19335.00	36.85	74.00	-37.15	52.06	37.80	16.33	59.80	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12890.00	46.61	88.20	-41.59	43.64	39.40	19.77	57.49	1.29	--	Peak																																																																																																														
2	19335.00	36.18	74.00	-37.82	51.39	37.80	16.33	59.80	-9.54	--	Peak																																																																																																														



Mode	82	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	83																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>44.78</td><td>39.32</td><td>19.81</td><td>57.69</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>51.93</td><td>37.78</td><td>16.38</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.52	88.20	-40.68	44.78	39.32	19.81	57.69	1.30	--	Peak	2	19455.00	36.75	74.00	-37.25	51.93	37.78	16.38	59.00	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>44.30</td><td>39.32</td><td>19.81</td><td>57.69</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.41</td><td>74.00</td><td>-37.59</td><td>51.59</td><td>37.78</td><td>16.38</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.04	88.20	-41.16	44.30	39.32	19.81	57.69	1.30	--	Peak	2	19455.00	36.41	74.00	-37.59	51.59	37.78	16.38	59.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	47.52	88.20	-40.68	44.78	39.32	19.81	57.69	1.30	--	Peak																																																																																																					
2	19455.00	36.75	74.00	-37.25	51.93	37.78	16.38	59.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	47.04	88.20	-41.16	44.30	39.32	19.81	57.69	1.30	--	Peak																																																																																																					
2	19455.00	36.41	74.00	-37.59	51.59	37.78	16.38	59.00	-9.54	--	Peak																																																																																																					



Mode	83	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	84																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>44.39</td><td>39.00</td><td>19.84</td><td>57.81</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>36.27</td><td>74.00</td><td>-37.73</td><td>51.42</td><td>37.75</td><td>16.44</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	46.72	88.20	-41.48	44.39	39.00	19.84	57.81	1.30	--	Peak	2	19575.00	36.27	74.00	-37.73	51.42	37.75	16.44	59.00	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>44.91</td><td>39.00</td><td>19.84</td><td>57.81</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>36.00</td><td>74.00</td><td>-38.00</td><td>51.15</td><td>37.75</td><td>16.44</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.24	88.20	-40.96	44.91	39.00	19.84	57.81	1.30	--	Peak	2	19575.00	36.00	74.00	-38.00	51.15	37.75	16.44	59.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	46.72	88.20	-41.48	44.39	39.00	19.84	57.81	1.30	--	Peak																																																																																																															
2	19575.00	36.27	74.00	-37.73	51.42	37.75	16.44	59.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	47.24	88.20	-40.96	44.91	39.00	19.84	57.81	1.30	--	Peak																																																																																																															
2	19575.00	36.00	74.00	-38.00	51.15	37.75	16.44	59.00	-9.54	--	Peak																																																																																																															



Mode	84	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-10-22 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	85																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.24</td><td>39.40</td><td>19.79</td><td>57.59</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>51.71</td><td>37.00</td><td>16.36</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	47.13	88.20	-41.07	44.24	39.40	19.79	57.59	1.29	--	Peak	2	19395.00	36.53	74.00	-37.47	51.71	37.00	16.36	59.00	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-24 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>44.92</td><td>39.40</td><td>19.79</td><td>57.59</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.02</td><td>74.00</td><td>-36.98</td><td>52.20</td><td>37.00</td><td>16.36</td><td>59.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	47.81	88.20	-40.39	44.92	39.40	19.79	57.59	1.29	--	Peak	2	19395.00	37.02	74.00	-36.98	52.20	37.00	16.36	59.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	47.13	88.20	-41.07	44.24	39.40	19.79	57.59	1.29	--	Peak																																																																																																														
2	19395.00	36.53	74.00	-37.47	51.71	37.00	16.36	59.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	47.81	88.20	-40.39	44.92	39.40	19.79	57.59	1.29	--	Peak																																																																																																														
2	19395.00	37.02	74.00	-36.98	52.20	37.00	16.36	59.00	-9.54	--	Peak																																																																																																														