



SHEET
1/1

D


B. GENERAL FORM TOLERANCE : 0.254



UNLESS OTHERWISE SPECIFIED		MATERIAL	MASS (g)	DESIGNED BY	DATE	PART NAME		
TOLERANCES METRIC > 0 ... 150 ± 0.5 > 150... 600 ± 0.8 > above 600 ± 1.5 ANGLE: ± 2° UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS	REMOVE ALL BURRS AND SHARP EDGES	See notes	0.20	Ismail Moussaoui	01-DEC-2020	POD V2 GRAPHIC OVERLAY BACK STICKER CUT GUIDE		
	0.5 MAX 	THIRD ANGLE PROJECTION	ENV. (-)	VERIFIED BY	DATE	PART NUMBER		SCALE
			-	APPROVED BY	DATE	20-8011-500-12.01		2:1
		THE INFORMATION CONTAINED IN THIS DRAWING IS PROPRIETARY TO ZIMMER CAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ZIMMER CAS IS PROHIBITED.	X - X -					1/2

Color Notes:

1. Dark BLUE: PANTONE REFLEX BLUE C
2. Light Blue: PANTONE 270 C



75 Queen, Suite 3300, Montréal, QC, Canada, H3C 2N6

UNLESS OTHERWISE SPECIFIED

**TOLERANCES
METRIC**
 > 0 ... 150 ± 0.5
 > 150... 600 ± 0.8
 > above 600 ± 1.5
ANGLE: $\pm 2^\circ$
 UNLESS OTHERWISE
 SPECIFIED, ALL
 DIMENSIONS ARE IN
 MILLIMETERS

REMOVE ALL BURRS
 AND SHARP EDGES
0.5 MAX

DIMENSIONING AND
 TOLERANCING PER
 ASME Y14.5M-2009

MATERIAL

See notes

THIRD ANGLE PROJECTION
3RD

THE INFORMATION CONTAINED IN THIS
 DRAWING IS PROPRIETARY TO ZIMMER CAS
 ANY REPRODUCTION IN PART OR AS A
 WHOLE WITHOUT THE WRITTEN PERMISSION
 OF ZIMMER CAS IS PROHIBITED.

MASS (g)

0.20

ENV. (-)

-

X -

X -

DESIGNED BY

Ismail Moussaoui

VERIFIED BY

APPROVED BY

DATE

20-APR-2020

DATE

DATE

PART NAME

POD V2 GRAPHIC OVERLAY BACK
 STICKER CUT GUIDE

PART NUMBER

20-8011-500-12.01

SCALE

2:1

SHEET

2/2

A
B
C
D




1

2

3

4

REV	DESCRIPTION	RELEASE NUMBER
A	PRODUCTION UNIT RELEASE	TCP-20-018



GENERAL NOTES:

1. GENERAL REQUIREMENTS:

A. APPLY GENERAL REQUIREMENTS AS PER ZIMMER CAS STD-GEN- 01,UNLESS OTHERWISE SPECIFIED ON THIS DRAWING

2. MATERIAL: BLACK 3M 7957M

3. UNSPECIFIED DIMENSIONS:

A. THIS IS A LIMITED CONTENT DRAWING. REFER TO 3D PART: 20-8011-500-12.02 REV A.X_T

B. GENERAL FORM TOLERANCE : $\sqrt{0.254}$



75 Queen, Suite 3300, Montréal, QC, Canada, H3C 2N6

UNLESS OTHERWISE SPECIFIED

TOLERANCES
METRIC
> 0 ... 150 ± 0.5
> 150... 600 ± 0.3
> above 600 ± 1.5
ANGLE: ± 2°
UNLESS OTHERWISE
SPECIFIED, ALL
DIMENSIONS ARE IN
MILLIMETERS

REMOVE ALL BURRS
AND SHARP EDGES
0.5 MAX

DIMENSIONING AND
TOLERANCING PER
ASME Y14.5M-2009

MATERIAL

See notes

THIRD ANGLE PROJECTION
3rd

THE INFORMATION CONTAINED IN THIS
DRAWING IS PROPRIETARY TO ZIMMER CAS
ANY REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN PERMISSION
OF ZIMMER CAS IS PROHIBITED.

MASS (g)

0.18

ENV. (-)

-

X -

X -

DESIGNED BY

Ismail Moussaoui

VERIFIED BY

APPROVED BY

DATE

01-DEC-2020

DATE

DATE

PART NAME

POD V2 BOTTOM LABEL ADHESIVE

PART NUMBER

20-8011-500-12.02




SCALE

2:1

SHEET

1/1

REV	DESCRIPTION	RELEASE NUMBER
A	PRODUCTION UNIT RELEASE	TCP-20-018



GENERAL NOTES:

1. GENERAL REQUIREMENTS:

A. APPLY GENERAL REQUIREMENTS AS PER ZIMMER CAS STD-GEN- 01,UNLESS OTHERWISE SPECIFIED ON THIS DRAWING

2. MATERIAL: TYVEK 1073B

3. UNSPECIFIED DIMENSIONS:

A. THIS IS A LIMITED CONTENT DRAWING. REFER TO 3D PART: 20-8011-500-12.03 REV A.X_T

B. GENERAL FORM TOLERANCE :  0.254



75 Queen, Suite 3300, Montréal, QC, Canada, H3C 2N6

UNLESS OTHERWISE SPECIFIED		MATERIAL	MASS (g)	DESIGNED BY	DATE	PART NAME		
TOLERANCES METRIC $> 0 \dots 150 \pm 0.5$ $> 150 \dots 600 \pm 0.8$ $> \text{above } 600 \pm 1.5$ ANGLE: $\pm 2^\circ$ UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS	REMOVE ALL BURRS AND SHARP EDGES 0.5 MAX	See notes THIRD ANGLE PROJECTION 	0.19	Ismail Moussaoui	01-DEC-2020	TYVEK POD V2 BACK STICKER		
			ENV. (-) -	VERIFIED BY	DATE			
	DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009	THE INFORMATION CONTAINED IN THIS DRAWING IS PROPRIETARY TO ZIMMER CAS ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ZIMMER CAS IS PROHIBITED.	X - X -	APPROVED BY	DATE	PART NUMBER	SCALE	SHEET
						20-8011-500-12.03	2:1	1/1