

TABLE OF CONTENTS

FIG 1	Occupied bandwidth 460 MHz output of amplifier
FIG 2	Occupied bandwidth 460 MHz output signal generator
FIG 3	Occupied bandwidth 470 output of amplifier
FIG 4	Occupied bandwidth 470 MHz output from signal generator
FIG 5	Spurious Emissions @ Antenna 460 MHz 30MHz-1GHz
FIG 6	Spurious Emissions @ Antenna 460 MHz 1GHz-2GHz
FIG 7	Spurious Emissions @ Antenna 460 MHz 2GHz-5GHz
FIG 8	Spurious Emissions @ Antenna 470 MHz 30MHz-1GHz
FIG 9	Spurious Emissions @ Antenna 470 MHz 1GHz-2GHz
FIG 10	Spurious Emissions @ Antenna 470 MHz 2GHz-5GHz
FIG 11	460 MHz field strength radiation horizon 400mhz-5800mhz
FIG 12	460 MHz field strength radiation vertical 400-5800 MHz
FIG 13	470 MHz field strength radiation horizon 400-5800 MHz
FIG 14	470 MHz field strength radiation vertical 400-5800 MHz




Figure 1: 460 MHz, Modulation Type: FM, Output of Amplifier




Figure 2: 460 MHz, Modulation Type: FM, Input from Signal Generator




Figure 3: 470 MHz, Modulation Type: FM, Output of Amplifier




Figure 4: 470 MHz, Modulation Type: FM, Input from Signal Generator




Figure 5: 460 MHz, Modulation Type: FM, 30 MHz – 1 GHz




Figure 6: 460 MHz, Modulation Type: FM, 1 GHz - 2GHz




Figure 7: 460 MHz, Modulation Type: FM, 2 GHz – 5 GHz




Figure 8: 470 MHz, Modulation Type: FM, 30 MHz – 1 GHz




Figure 9: 470 MHz, Modulation Type: FM, 1 GHz - 2 GHz





Figure 10: 470 MHz, Modulation Type: FM, 2 GHz – 5 GHz

D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m]


3 Apr 2000 09:59:27

PEAK



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] PEAK

3 Apr 2000 09:50:12




D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] PEAK

3 Apr 2000 10:05:57




D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] PEAK

3 Apr 2000 10:11:58



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] **PEAK**

3 Apr 2000 11:25:10



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] **PEAK**

3 Apr 2000 14:59:05

120

1 METER LIMIT

100

80

60

40

2000

Field Strength of Spurious Radiation

VOCOM

H100

VERTICAL

470 MHz

1

DLS ELECTRONIC SYSTEMS, INC.

DATE OF TEST: _____

ENGINEER: CBJ/JL

EUT: _____

Current Markers Set:

1 : 2350.95479 MHz


69.6 dBuV/m

FREQUENCY [MHz]

5800


D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] **PEAK**

3 Apr 2000 11:14:59



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] PEAK


3 Apr 2000 15:06:09



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m]

3 Apr 2000 11:36:46

PEAK



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m]

3 Apr 2000 15:21:09

PEAK

120

1 METER LIMIT

100

80

60

40

2000

5800

Field Strength of Spurious Radiation

VOCOM

H100

VERTICAL

460 MHz

1

DLS ELECTRONIC SYSTEMS, INC.

DATE OF TEST: _____

ENGINEER: CB+SL

EUT: _____

Current Markers Set:


1 : 2303.92051 MHz

79.6 dBuV/m

FREQUENCY [MHz]

D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m] PEAK

3 Apr 2000 11:47:42
AVERAGE



D.L.S. ELECTRONIC SYSTEMS INC.
EMISSION LEVEL [dBuV/m]

3 Apr 2000 15:13:45

PEAK

