

hp

REF 117.0 dBμV

AT 20 dB

MKR 40.125 msec

-.10 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



$$\text{Average Factor} = \frac{1.013 \times 9 + 0.338 \times 16}{40.125}$$

$$= 0.36$$

$$\text{or } -8.8 \text{ dB}$$

CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 1 MHz

#SWP 50.0 msec

hp

REF 107.0 dB μ V

AT 10 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 1 MHz

#SWP 100 msec

47

MKR 1.0130 msec

REF 117.0 dB μ V

AT 20 dB

-.05 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 350.000 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 1 MHz

#SWP 15.0 msec

hp

MKR 1.9875 sec

REF 107.0 dB μ V

AT 10 dB

99.58 dB μ V

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



Manual or automatic
transmission duration

CENTER 350.000 MHz

RES BW 3.0 MHz

VBW 1 MHz

SPAN 0 Hz

#SWP 5.00 sec

Print_02 (512x316x256 bmp)

